Mobile Cabin Hospital compulsory quarantine for mild patients was an alternative method to combat COVID-19: the Chinese experience

Working Group on Fighting the COVID-19 epidemic in WuHan Hanyang Mobile Cabin Hospital, China

Hongru Li^{1,2,4}, Jiaping Lin¹, Hongmei Lian⁵, Kang Chen⁶, Yongtao Lyu⁷, Yusheng Chen^{1,2}, Lili Ren⁸, Li Zheng¹, Zhisheng Lin¹, Xueying Yu¹, Zihan Chen¹, Hend Al-Wathnani¹¹, Christopher Rensing^{9,10}, Xin Qian^{1,3,4}, Xinghai Yang⁵

Joint first author : Jiaping Lin, MD; Hongmei Lian, MD

Corresponding authors:

Xin Qian, E-mail: qx9398@126.com;

Joint Corresponding authors :

XingHai Yang, E-mail: 75493654@qq.com;

¹ Shengli Clinical Medical College of Fujian Medical University, NO 134, Dongjie Street, Gulou District, Fuzhou City, 350001, P.R.China.

² Department of Pulmonary and Critical Care Medicine, Fujian Provincial Hospital, Fuzhou 350001, China

³ Department of Emergency Center, Fujian Provincial Hospital, Fuzhou 350001, China

⁴ China (Fujian) National Emergency Medical Rescue Team

⁵ Hebei Women and Children hospital,

23 ⁶ China (Sichuan) National Emergency Medical Rescue Team

24 ⁷ Shandong Provincial Third Hospital

25 ⁸ NHC Key Laboratory of Systems Biology of Pathogens and Christophe Mérieux
 26 Laboratory, Institute of Pathogen Biology, Chinese Academy of Medical Sciences &
 27 Peking Union Medical College, Beijing 100730, P. R. China

28 ⁹ Institute of Environmental Microbiology, College of Resources and Environment,
 29 Fujian Agriculture & Forestry University, Fuzhou 350002, China

30 ¹⁰ Institute of Urban Environment, Chinese Academy of Sciences, 1799 Jimei Road,
 31 Xiamen 361021, China

32 ¹¹ Department of Botany and Microbiology, King Saud University, Riyadh, Saudi
 33 Arabia

34 Running title: Mobile Cabin Hospital for mild patients to combat COVID-19

35

36

37

38

39

40

41

42

43

44

45

46

47 **Abstract:**

48 **Background:** Since the end of 2019 to the present day, the outbreak of the
 49 coronavirus disease 2019 (COVID-19) has had an immense impact on China and on
 50 other countries worldwide. This outbreak represents a serious threat to the lives and
 51 health of people all around the world. The epidemic first broke out in Wuhan, where
 52 the Chinese government was unable to prevent the spread of the disease by
 53 implementing home quarantine measures. Mobile cabin hospitals were used to relieve
 54 pressure on hospitals due to the need for beds while also isolating the sources of the
 55 infection through a centralized quarantine and treatment of mild cases. **Method:** This
 56 paper reviewed and summarized the treatment of patients with mild illness and
 57 symptoms during the period from the construction to the closing of the Hanyang
 58 Mobile Cabin Hospital in Wuhan, China, and presented the operational elements and
 59 possible improvements of running this hospital. **Results:** Mobile cabin hospitals
 60 helped China to curb the epidemic in only 2 incubation periods in 28 days. The basic
 61 conditions required for a normal operation of mobile cabin hospitals included the
 62 selection of the environment, medical staff to patient ratio, organizational structure,
 63 management model, admission criteria, treatment approaches, discharge process,
 64 livelihood guarantee, security, and other safeguarding measures. All of these
 65 components were performed carefully in Wuhan Hanyang Mobile Cabin Hospital,
 66 without medical staff being infected. **Conclusion:** The mobile cabin hospital
 67 compulsory quarantine for mild patients was an alternative method to combat
 68 COVID-19. It is hoped that the presented work in this manuscript can serve as a
 69 reference for the emergency prevention and control measures for global epidemic
 70 outbreaks.

71

72 **Keywords:** Infectious diseases; novel coronavirus; coronavirus disease 2019
 73 (COVID-19); mobile cabin hospitals; prevention and control measures

74

75 **Introduction**

76 At the end of 2019, there was an outbreak of coronavirus disease 2019 (COVID-19)
 77 epidemic in Wuhan, China. Due to its long incubation period, atypical symptoms,
 78 multiple organ dysfunction due to multiple organ involvement, and insufficient
 79 medical resources in the early stages, the mortality rate of COVID-19 was estimated
 80 at 6%-10% ^[1-5]. Furthermore, COVID-19 displayed an unprecedented rate of
 81 transmission, with a basic reproduction number (R_0) of about 2-3 ^[6-8], hence the
 82 number of cases rose sharply from 41 cases in December 30, to 14,557 in February 3,
 83 including 14,411 cases in China and 146 cases in 22 countries outside of China ^[9].
 84 This led to a series of problems, such as a shortage of hospital beds, intense pressure
 85 on medical resources due to the exponential growth in the number of cases, and the
 86 difficulties faced by designated hospitals due to an overflow of patients. In the early
 87 stages of the epidemic outbreak, the Chinese government adopted home quarantine
 88 measures for patients with mild symptoms. However, outbreaks in familial clusters
 89 became one of the major routes of transmission in the development of the epidemic at
 90 the later stages ^[3] and the previously adopted home quarantine approach was shown to
 91 be unable to effectively control the epidemic. The disease continued spreading within
 92 many families, and mild cases could not be effectively contained, which then in turn
 93 became important sources of infection. This vicious cycle sustained the spread of the
 94 disease, resulting in an ongoing exponential growth of new and suspected cases
 95 (Figure 1). Secondly, due to insufficient medical resources, a large number of patients
 96 were unable to receive effective treatment, which caused more patients to become
 97 critically ill and increased the mortality rate ^[10-12]. The situation became increasingly
 98 dire, and new strategies were urgently needed to cope with the situation.

99

100 To further control the sources of infection and prevent the deterioration of patients'
 101 conditions, On February 3, China's central government decided to implement the
 102 Mobile Cabin Hospital policy for confirmed cases with mild disease symptoms for
 103 concentrating quarantine and treatment, in addition to the policy that suspected cases

104 and patients with fever underwent centralized quarantine (one patient, one room)
105 through the requisition of hotels, guest houses, idle factories etc., before testing,
106 diagnosis, and treatment. The so-called mobile cabin hospitals were wartime field
107 hospitals that were built by converting large sports centers and exhibition centers for
108 the purposes of receiving mild cases. This approach, on the one hand, enabled the
109 unified centralized quarantine, treatment, and management of patients with mild
110 disease symptoms, thus reducing transmission. On the other hand, it meant that
111 designated hospitals were used for the treatment of severe cases, which enabled the
112 concentration of resources and treatment, thereby increasing the recovery rate and
113 decreasing the case fatality rate.

114

115 From February 3 to March 10, a total of 14 mobile cabin hospitals were set up and
116 used in China, providing a total of 12,365 beds ^[16]. The mobile cabin hospitals had
117 been in operation for 35 days as of the writing of this paper, and a total of 11,309
118 patients had received treatment(Table1). The construction of mobile cabin hospitals
119 had had a significant effect on reducing transmission and slowing down the growth
120 rate of new cases (see Figure1). Since they had operated for an incubation period of
121 14 days, the newly diagnosis cases dropped significantly, for two incubation periods
122 the number of new cases had gradually fallen to single digits. On the other hand, with
123 an increase in the number of recovered patients, and the current number of confirmed
124 cases having decreased substantially (Figure1), the trend of a rapid spreading the
125 epidemic disease was curbed quickly as a result. Therefore, mobile cabin hospitals
126 had played a crucial role in China's success in the fight against the epidemic.

127

128 The specific names of the mobile cabin hospitals, the number of beds, and the number
129 of patients admitted were listed in Table 1.

130 The authors came from a working team in Wuhan HanYang Moblie Cabin
131 Hospital.The team composed of members from a Local hospital named Hubei Women

132 and Children Hospital which was responsible for the management of the temporary
133 hospital and 2 National Emergency Medical Rescue Teams from Fujian Province and
134 Sichuan Province and two medical teams from Shandong and Sichuan. this paper
135 contains a description of the authors as a first-hand witness account of the main
136 conditions required for the normal operation of mobile cabin hospitals.

137

138 **Method:**

139 This paper reviewed and summarized the treatment of patients with mild illness
140 during the period from the construction to the closing of the Hanyang Mobile Cabin
141 Hospital in Wuhan, China, and proposed the operation elements and possible
142 improvements of running this hospital.

143

144 **Results**

145 **The structures and performance of HanYang Moblie Cabin Hospital**

146 **I. Location selection and ward layout description.**

147 Wuhan Hanyang Mobile Cabin Hospital was transformed by Hall B1 in Wuhan
148 International Expo Center [Figure 2a]. Hanyang Mobile Cabin Hospital(MCH) was
149 located in Hall B1, while the headquarter was set in Hall A1, which was in the
150 upstream of Hall B1 and considered as clean zone. There were some measures taken
151 before it began to run in order to prevent the cross infection of medical staff and
152 patients and ensure the smooth operation(see Figure 2). First, the route toward the
153 MCH for entering and leaving of Medical staff (blue arc line with arrow) was
154 designed to be separated from that for patients (red arc line with arrow)(Figure 2a).
155 Secondly, three zones and two passage ways were set up in MCH to facilitate the
156 management of hospital infection control. (1)Two passage ways included one for
157 doctors (② and another for patients ① which were completely separated. (2)

158 The three zones included contaminated zone (red), buffer zone (yellow), and clean
159 zone (outside the MCH, not shown). The contaminated zone contained preview triage
160 area and the ward. In the buffer zone where doctors' passageway ② was located,
161 there was an entry channel (a) to don PPE (1 changing room, 1 buffer rooms) and an
162 exit channel (b) to doff PPE. The exit channel also had four rooms: 1 the first buffer
163 room, 2 the first doffing room, 3 the second doffing room, and 4 the second buffer
164 room(Figure 2b). While the area outside the Hall B1, for example, Hall A1 was
165 designated as the clean zone, and used as working area. Thirdly, In the middle of
166 buffer area, a temporary CT reading area was set to facilitate the clinician to read
167 patient's chest imaging(Figure 2b)(see supplemental material1). Lastly, in front of the
168 MCH, in the patients' pathway, there were two mobile CT scanners for patients'
169 imaging test with a waiting area in a tent. On the left, there was a simple clinical
170 laboratory for blood testing that had been transformed from a convenience store(see
171 supplemental material2).

172

173 **II. Ward layout and requirements for medical staff**

174 There were 48 units which consisted of 18-22 beds in each unit, making up a total of
175 930 beds in the ward. The general ward was divided into two parts named A and B,
176 managed by Shandong medical team and Sichuan medical team respectively. The
177 Nurse Station was located in the central part, on the opposite side facing the Nurse
178 Station, there were the intensive care unit (ICU), the Drug House, and the material
179 storage room. There were reading room and activity area in the front of the ward,
180 while at the back it was equipped with the storage area (Figure 2C)(see nhssupplemental
181 material3).

182 Bed spacing was at least 1-1.5m^[17], Hanyang Mobile Cabin Hospital had two
183 medical teams called Shangdong and Sichuan Medical Team, each of which managed
184 465 beds. Each team had about 300 medical staff including 100 physicians and 200
185 nurses who were divided into several groups. Therefore, the ratio of physicians to the

nurses to patients was approximately 1:2:5. Every team had several groups for shifting works in MCH. The medical group leader (second-line physician) in each group managed the entire patients, and each front-line physician managed about 40 patients, hence at least 12 physicians were needed for each shift in each medical group. Additionally, special hospital infection teams were also established, scheduled for four shifts per day and four stations per shift, which included contaminated zones, semi-contaminated zones, buffer zones and cleaning stations (where material distribution, cleaning of googles and other work was performed). These teams were in charge of supervising the proper wearing and removal of personal protective equipment (PPE) for all types of workers to ensure zero infection.

196

197 **III. The admission and operation of Hanyang Mobile Cabin Hospital.**

According to the “Workbook of mobile cabin Hospitals (Third Edition)” released by the Bureau of Hospital Administration, Department of Medical Administration, National Health Commission of China, the patients admitted to mobile cabin hospitals should be mild cases with mild clinical symptoms and no manifestations of pneumonia on imaging findings; and common cases with fever and respiratory symptoms, some manifestations of pneumonia on imaging findings, had self-care ability and were independently ambulatory. Patients should be free of severe chronic diseases, including hypertension, diabetes, coronary heart disease, malignant tumors, structural lung disease, pulmonary heart disease, and immunosuppression. Patients should not have a history of mental illness. Their resting-state finger pulse oximetry SpO₂ should be above 93% and respiratory rate should be <30 breaths/min. Special instructions are given for other conditions^[16].

In Hanyang MCH with A total of 930 beds, 1,028 patients were treated, 598 patients were cured, and 430 patients were transferred to designated hospitals before the MCH was closed.

As was shown in Figure3A, large number of patients were admitted at an early time

214 on Feb 11, due to the outbreak being at an early stage, the mobile cabin hospital filled
215 up rapidly in just four days.

216 Novel coronavirus nucleic acid testing was performed in the mobile cabin hospital
217 starting on Feb 17th based on the diagnosis and treatment protocol of novel
218 coronaviral pneumonia (trial version 7) in China, when the patients gradually
219 recovered. Novel coronavirus nucleic acid testing in HanYang MCH was performed
220 by KingMed Diagnostics Company. In Figure 4a, the results indicated there were
221 about 30-120 patients who met discharge criteria with two negative nucleic acid tests
222 each day. The positive rate of nucleic acid detection of Covid-19 was determined to be
223 about 10-17%.

224 Mobile CT (Shanghai United Imaging HealthCare Co.ltd) were installed and put into
225 use on Feb 19th, 8 days after the opening of Hangyang Mobile Cabin Hospital. It
226 indicated the trend for daily CT scans increased every week according to requirements
227 of evaluation of clinical effects, there were on average about 60-120 CT scans
228 performed, with the maximum number of CT scans being at about 160 times per day
229 for the initial stage, while the data drop to 20-80 due to the decrease of patients.

230 Over time, there were about 50 patients discharged every day around 10 days later
231 when the patients gradually recovered. Since the newly diagnosed patients dropped
232 dramatically indicating the epidemic was controlled after one incubation period of 14
233 days (Figure1). No more patients were admitted to the Han Yang MCH from that time
234 onwards.

235 In total, about 40% of patients were transferred to designated hospitals for treatment
236 due to the severity of Covid-19 infections or other underlying diseases. There were
237 nearly 200 critically ill patients transferred to designated hospitals on March 8, when
238 the cabin hospital was closed because the epidemic in Wuhan had been curbed.

239

240 **IV. Organizational structure of mobile cabin hospitals.**

241 Like other mobile cabin hospital, Hanyang Mobile Cabin Hospitals had a complete
242 organizational structure to ensure their operation. The head of the local hospital Hubei
243 Women and Children Hospital served as the hospital director for the overall
244 management, the regional government served as district general commander, while
245 the leaders of the different medical teams including Fujian, Sichuan and Shandong
246 Province served as deputy hospital directors to be responsible for supplementary
247 examination, hospital infection control and medical administration, respectively. In
248 addition, the head of another local designated hospital served as the deputy hospital
249 director, thereby ensuring that critically ill patients had a transfer pathway. When in
250 operation, a general commander, medical teams, nursing teams, nosocomial infection
251 teams, and publicity teams were appointed for the mobile cabin hospitals, each of
252 which took charge of work in different domains.

253

254 **V. No nosocomial infections occurred in Hanyang Mobile Cabin Hospital**

255 There were some measures that ensured that no nosocomial infections occurred in
256 Hanyang Mobile Cabin Hospital. First, the division of the “three zones and two
257 passages” was executed appropriately as described above. while as in most MCH, a
258 correct airflow direction could not be made from positive pressure in the clean zone to
259 negative pressure in the contaminated zone in Hanyang MCH in an emergency
260 situation. Secondly, special nosocomial infection teams were formed, consisting of
261 nosocomial infection specialists and part of the nursing staff. 24-hour supervision
262 were performed by this special team for medical staff and other types of staff (e.g.
263 security and cleaning staff) over the proper wearing and removal of protective
264 equipment, to ensure that the prevention and control of nosocomial infections were in
265 place. Thirdly, no material was permitted to be taken out of the contaminated zone in
266 order to ensure no nosocomial infection may occur. Therefore, the data was taken in
267 form of pictures and transferred to headquarters outside the cabin hospital. Lastly but
268 also importantly, medical staff did not go home but returned to their designated hotels
269 after work ensuring that they could not spreading the virus to their family members.

270 Furthermore, medical staff did not take in any food and drinks without doffing PPE
271 when they were working continuously for 6 hours in every shift, once they went back
272 to their residency after work, they conducted immediate personal hygiene, including
273 bathing, eye, ear, mouth and washing the nose, before eating. and timely disinfection
274 of clothing (such as boiling water, or chlorine-containing disinfectant treatment) were
275 performed in order to ensure contamination and infection should not occur in
276 residency.

277

278 **VI. The patients' livelihoods was safeguarded in mobile cabin hospitals**

279 Mobile cabin hospitals must safeguard the daily lives of all patients, and guaranteeing
280 the livelihoods of nearly a thousand patients in Hanyang mobile cabin Hospital, which
281 was not an easy task. The normal operation of mobile cabin hospitals involved full
282 preparations in terms of livelihood, security guarantee, hygiene, activities and
283 entertainment, and other aspects. Firstly, during the hospitalization and quarantine
284 period, the patients' livelihood including clothing, three meals a day, bed linens, paper
285 towels, and other daily necessities, as well as heating systems for the winter were
286 fully managed by the government freely. Secondly, safety protection measures were
287 implemented appropriately. In addition to taking precautions for fire safety, it was also
288 necessary to ensure that conflicts and riots did not occur among patients during
289 hospitalization. These were guaranteed by having a certain ratio of security personnel
290 to patients and staffs. Furthermore, in order to provide patients with an appropriate
291 amount of space for activities, it was also necessary to set up reading rooms,
292 entertainment areas and other facilities to assist in the patients' daily recreation, thus
293 ensuring their emotional well-being.

294 During the management of the patients, we adopted a volunteer system, whereby
295 responsible, caring people and activists were selected from each medical unit to serve
296 as unit leaders to assist in management. This enhanced the patients' daily life
297 management efficiency and orderliness, while also greatly reducing the pressure on

298 medical staff.

299

300 **VII. Treatment regime of patients in mobile cabin hospitals**

301 The adopted main treatment approaches were a combination of traditional Chinese
302 and Western medicine. However, given the limited supply of drugs, the preferred
303 medications were based on traditional Chinese medicine, and the easily available
304 arbidol, and drugs with fewer side effects etc. Biochemical and other tests were not
305 carried out in the mobile cabin hospitals, and hence the side effects of the drugs could
306 not be fully monitored, which was one of the limitations of mobile cabin hospitals.
307 The special treatment approaches adopted in mobile cabin hospitals included
308 psychological treatment, such as providing comfort, alleviation, and social
309 activities(see supplement material 4). These measures could all effectively reduce
310 patients' mental anxiety, while also enhancing the enthusiasm of doctors and patients
311 in working harmoniously together to combat the disease.

312 Based on the discharge criteria in Diagnosis and Treatment Protocol for Novel
313 Coronavirus Pneumonia (Trial Version 7).^[19] in China, patients who improved
314 significantly underwent nucleic acid testing(Figure 4b) and CT scan(Figure 4b).
315 Patients who met the discharged criteria ^[19] were discharged, i.e. (1) normal body
316 temperature for more than three days. (2) respiratory symptoms improved
317 significantly. (3) pulmonary imaging showing significant decline of inflammation. (4)
318 negative nucleic acid test result for respiratory pathogens twice consecutively
319 (sampling interval at least one day). Prior to being discharged, the patients' clothing
320 and luggage were disinfected multiple times. Patients continued to be quarantined at
321 isolation point before going home for another 14 days after discharge to ensure their
322 eventual recovery and minimize the risk of transmission.

323

324 **Practical recommendations**

325 The mobile cabin hospitals have the advantage of large capacity, low cost and fast
 326 construction speed. Treatment in the cabin hospital mainly included basic medical
 327 care and observation of clinical changes, so that severe patients can be transferred to
 328 designated hospitals as soon as possible for treatment so as to improve the cure rate
 329 ^[20]. Therefore, they are suitable for an emergency situation in which large-scale
 330 spreading occurs at the outbreak of an epidemic when conventional medical resources
 331 are not so sufficient. However, if the disease breaks out nationwide and the population
 332 has reached a state referred to as herd immunity, the need for cabin hospitals would be
 333 greatly reduced ^[21]. The patients adopted in mobile cabin hospitals included those
 334 presenting mild symptoms, with few severe chronic diseases, self-care ability, no
 335 mental abnormalities, and active cooperation with medical personnel. In order to
 336 ensure the normal operation of the cabin hospital, adequate medical staff, reasonable
 337 medical management system and adequate supplies of livelihoods were required.
 338 Furthermore, the basic mental needs and privacy of patients, and hospital security
 339 measures should also be taken into account.

340

341 Discussion

342 Throughout human history, infectious diseases posed a huge threat to mankind, killing
 343 millions of people. This was the case in the 1918 Pandemic, the Black Death, SARS
 344 and many others, which killed 50 million, 25 million and 744 people worldwide,
 345 respectively ^[22-24]. In the course of history, there had been precedents using temporary
 346 hospitals to fight against epidemics. For example, during the plague outbreak in the
 347 Qin Dynasty in China, railway carriages were employed to isolate patients, so as to
 348 cut off the source of infection, resulting in curbing the spread of diseases effectively.
 349 Moreover, a special infectious hospital (Xiao tang shan Hospital) was established in
 350 combating SARS in 2003. Nevertheless, there has no any application of the cabin
 351 hospital in dealing with an emergency situation of infectious diseases. COVID-19 was
 352 shown to be more highly infectious than any other previous contagious disease ^[25-26].
 353 In this situation, there had been over ten thousand new cases in less than one month,

354 causing an emergency situation because medical resources could not be increased
 355 accordingly. Home quarantine was adopted extensively at an early stage in China for
 356 mild patients^[27-28] but unfortunately turned out to be ineffective due to the consistent
 357 spread of the virus in families in Wuhan. On these basis, in order to cut off the source
 358 of infection thoroughly, China initiated to employ cabin hospitals accompanied with a
 359 free treatment strategy to achieved the aim of accepting all infected patients, which
 360 was shown to be extremely effective, leading to a curbing of the epidemic in Wuhan
 361 in only two incubation period of 14 days. There were also other alternative measures
 362 such as the use of hotels to provide basic home care for patients with mild cases in
 363 Korea, which might have provided a more comfortable livelihood and privacy for
 364 patients. Otherwise, this kind of management could only have worked in a setting
 365 with limited spreading of the virus but would be difficult to cope with an epidemic
 366 which had caused large scale impact. Therefore, in the case of the widespread
 367 epidemic the employment of cabin hospital maybe an alternative effective measure to
 368 control the infectious diseases.

369

370 There were several benefits from the employment of Mobile Cabin Hospitals. With
 371 this kind of temporary hospital, all confirmed mild cases received compulsory
 372 quarantine in that the sources of infection were cut off quickly and thoroughly when
 373 compared to uncontained home quarantine. The strict isolation of patients with mild
 374 disease symptoms from the outside world in mobile cabin hospitals helped to reduce
 375 the risk of infection among the healthy population and increased the efficiency of
 376 centralized diagnosis and treatment by medical staff. As for the patients themselves,
 377 this approach reduced the frequency of traveling to and from the hospital, while also
 378 preventing transmission to their family members, which slowed down an increase in
 379 new cases. Wuhan witnessed this significant effect in only two incubation periods as
 380 the newly diagnosed case dropped from over 3 thousand to single digits. Secondly, on
 381 one hand, the mild patients were treated at a centralized location and as they were
 382 taken care under regular procedures in the Mobile Cabin Hospital, they recovered

383 more rapidly. On the other hand, the severe cases were identified at an early stage and
 384 transfer to designated hospital for further treatment, which enabled so many severe
 385 cases to be treated effectively as early as possible. Thirdly, relying on the high
 386 capacities of mobile cabin hospital for mild cases, sufficient beds in designated
 387 hospitals were available for critically ill patients. In addition, following centralized
 388 treatment led to a significant increase in recovery rate, a dramatic decrease in
 389 mortality rate, and thereby a gradual increase in the number of cured and discharged
 390 patients. In summary, by employing cabin hospital, thousands of severe patients were
 391 rescued promptly, the cure rate of severe case increased from 14% to 89%. As a result,
 392 after 2 incubation periods of using Mobile Cabin Hospital to combat COVID19, the
 393 epidemic was effectively curbed, the number of cumulative cases dropped from its
 394 peak of more than 80,000 to 14,000. So, all the Cabin Hospital completed their tasks
 395 and were closed before Mar 10^[29].

396

397 In China, 34000 medical staff who aided in Hubei achieved not to get infected due to
 398 adhering to the following points. Firstly, everyone was very cautious and attached
 399 great importance to it in spirit, so they pursued the personal protection as rigorous as
 400 possible. Secondly, China took a very strict attitude to prevent the spread of the virus.
 401 Due to the risk of aerosol transmission of the new coronavirus disease^[30], all possible
 402 transmission routes were cut off, including different entry and exit routes for medical
 403 staff and patients, three zones and two channels constructed for prevention of cross
 404 infection, doffing PPE layer by layer plus supervision by special team for reducing the
 405 risk of self-contamination by PPE, including that all possible contaminated media
 406 were being isolated , e.g. all items were not permitted to be taken out, strict
 407 three-level protection medical personnel, timely cleaning after work and other
 408 measures to ensure that personnel would not be infected. These measures may be
 409 regarded as excessive protection, but because of strict adherence, Chinese medical
 410 workers were protected well with no cross infection rather than the highly infected
 411 rate of about 16% in the United States^[31]. Therefore, these preventive measures were

412 worth learning for perfection in the global medical system for infectious diseases.

413

414 Although MCH had played an important role in combatting COVID19 in China, in
415 our view, there were some suggestions to improve the feasibility for implementation
416 of MCH:

417 1. A mature and rapid response management system for infectious disease should be
418 established. Although a powerful management team of mobile cabin hospital was
419 organized by the emergency medical rescue team. The working systems made by the
420 emergency medical team in cooperation with local medical staff and medical staff
421 from nationwide had many defects: they were crude due to temporary thought, many
422 strategies were constantly honed due to immaturity, which consumed much time. If a
423 mature and rapid response management system for infectious disease can be
424 established, a special management team should be trained based on previous
425 experiences, the management efficiency could be greatly improved, medical staff and
426 materials might be greatly reduced too.

427

428 2. Some management strategies should be optimized: (1) the structure of the medical
429 staff can be adjusted. Since most patients in MCH were mild patients who could take
430 care of themselves, the core problems of MCH operation were quarantine, basic
431 medical care, arrangement of life and daily management of the patients. The demand
432 of medical staff was not necessarily high. For example, the number of senior
433 professional clinicians could be reduced appropriately, and the number of junior
434 doctors of healthcare staff could be increased to do general care observation, which
435 can greatly reduce the demand for medical personnel (2). Leader patients chosen from
436 every unit to help manage the life of the patients was a useful and effective method to
437 improve management efficiency of MCH and may also reduce the cost and human
438 resources. (3) Intelligent management links were recommended if possible. Automatic
439 simple COVID19 electronic case history system can be filled in before admission to

440 enhance the working efficiency, and the increased use of video instruments in the
441 ward round was able to greatly reduce the exposure of medical staff as well as the use
442 of PPE, and an intelligent program for a screening procedure for nucleic acid
443 detection and CT imaging result could be implemented so as to greatly improve the
444 working efficiency and reduce the number of working staff.

445

446 3. It was suggested to establish an emergency management system of the Mobile
447 Cabin Hospital, which was intended help to cut off the source of infection and prevent
448 the further spread of infectious diseases in the early stage of community transmission.
449 The establishment of the emergency management system of mobile cabin hospitals
450 was able to help to deal with large-scale infectious diseases. Different countries may
451 set up emergency management teams for infectious diseases in different regions, and
452 set up emergency response groups for infectious diseases in hospitals at different
453 levels. In this way, the highest administrative unit can mobilize all the medical staff of
454 the emergency teams of hospitals to participate in early stage of epidemic. What is
455 more, sufficient medical personnel can be quickly mobilized to participate in the
456 construction and management of an MCH. Although many countries appeared to have
457 a well-established medical system, they had not prepared for prevention and control
458 of the epidemic of COVID 19, maybe due to not experiencing large-scale infectious
459 diseases in the last 50 years, except countries in Southeast Asia, which were affected
460 by SARS in 2003 and the Middle East by MERS. As a result, the global prevention
461 and control measures of the new epidemic were not effective, causing the continuous
462 spread of the disease. Therefore, it is suggested that the international infectious
463 disease prevention and control system should be strengthened.

464

465 After nearly 2 incubation periods of intense efforts, as the number of newly diagnosed
466 cases in Wuhan, the center of epidemic, dropped, the number of new cases in Hubei
467 and China as a whole finally decreased to single digits. Fighting against COVID with

mobile cabin hospital was a useful initiative in China and was shown to be effective in handling the COVID19 epidemic ^[20], and these experiences may serve as a helpful reference for other countries with epidemic outbreaks.

However, Mobile cabin hospitals also have several notable limitations. For example, they had modest facilities, poor conditions for medical treatment, and a low level of nosocomial infection protection. Therefore, they were not capable of handling severe cases, and it was recommended that only mild cases who meet the admission criteria were accepted. Patients with worsening conditions or underlying diseases that were more challenging to treat should be transferred to designated hospitals for treatment. therefore, once the epidemic had eased, mobile cabin hospitals should be closed as soon as possible, and the main strategy should be switched to admitting and treating patients in designated hospitals ^[32].

Currently, the COVID-19 epidemic has spread throughout the world. On March 11, the World Health Organization Director-General Tedros announced that it constituted a global pandemic. At this time, China had controlled the most of the native epidemic for a longer period of time but it also encountered mostly imported case for quite long periods. Therefore, many medical staff members have been working in the front line to prevent the second outbreak of COVID until June 26. As of June 26, a total of 9638755 cases were confirmed worldwide outside of China, with more than 190371 newly diagnosed cases and 5000 new deaths in a single day, as well as a total of more than 487426 deaths ^[32-34]. We are now living in a time when Covid-19 and other infectious diseases are raging throughout the world. As a community joined by human destiny, the whole world must face this together and jointly launch emergency response strategies. It is our hope that China's experiences in operating mobile cabin hospitals will help the global response to COVID-19 and other infectious diseases in the future, thus ensuring that the epidemic will come under control as soon as

496 possible.

497

498 **Authors Contributors**

499 Conceptualization: Xin Qian, Xinghai Yang.

500 Data curation: Hongru Li

501 Formal analysis: Hongru Li

502 Investigation: Hongru Li, Jiaping Lin, Li Zheng, Xueying Yu, Han Zi, Zhisheng Lin

503 Methodology: Hongru Li, Li Zheng, Xueying Yu, Han Zi, Zhisheng Lin Lili Ren

504 Project administration: Hongru Li, Xin Qian, Hongmei Lian, Chenkang, Lvyongtao

505 Writing—original draft: Hongru Li

506 Writing-review and editing: Hongru Li, Xin Qian, Y Xinghai Yang, Jiaping Lin,

507 Yusheng Chen, Christopher Rensing, Hend A. Wathnani

508

509 **Conflict of interest statement**

510 The authors declare that they have no conflict of interest.

511

512 **Acknowledgments**

513 This study was supported by the National Major Science and Technology Project for

514 the Control and Prevention of Major Infectious Diseases of China

515 (NO.2017ZX10103004), Fujian Natural Science Foundation (2019J01178), and

516 high-level hospital foster grants from Fujian Provincial Hospital, Fujian province,

517 China (NO.2019HSJJ11). We also acknowledge Researcher Supporting Project

number (RSP-2020/205), King Saud University, Riyadh, Saudi Arabia. We would like to thank Editage (www.editage.cn) for English language editing.

Reference:

1. Zhu N, Zhang D, Wang W, Xingwang Li, Bo Yang, Jingdong Song et al. A Novel Coronavirus from Patients with Pneumonia in China, 2019. *N Engl J Med* 2020; 382(8): 727–733. DOI: 10.1056/NEJMoa2001017.
2. Huang C, Wang Y, Li X, Lili Ren, Jianping Zhao, Yi Hu et al. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet* 2020; 395(10223): 497–506. DOI: 10.1016/S0140-6736(20)30183-5.
3. Wang D, Hu B, Hu C, Fangfang Zhu, Xing Liu, Jing Zhang et al. Clinical Characteristics of 138 Hospitalized Patients With 2019 Novel Coronavirus-Infected Pneumonia in Wuhan, China. *JAMA* 2020; e201585. DOI: 10.1001/jama.2020.1585.
4. Chen N, Zhou M, Dong X, Jieming Qu, Fengyun Gong, Yang Han et al. Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a descriptive study. *Lancet* 2020; 395(10223): 507–513. DOI: 10.1016/S0140-6736(20)30211-7.
5. The Lancet. Emerging understandings of 2019-nCoV. *Lancet* 2020; 395(10221): 311. DOI: 10.1016/S0140-6736(20)30186-0.
6. Li Q, Guan X, Wu P, Xiaoye Wang, Lei Zhou, Yeqing Tong et al. Early Transmission Dynamics in Wuhan, China, of Novel Coronavirus-Infected Pneumonia. *N Engl J Med* 2020; 382(13): 1199–1207. DOI: 10.1056/NEJMoa2001316.
7. Wu JT, Leung K, Leung GM. Nowcasting and forecasting the potential domestic and international spread of the 2019-nCoV outbreak originating in Wuhan, China: a modelling study. *Lancet* 2020; 395(10225): 689–697. DOI:10.1016/S0140-6736(20)30260-9.
8. Riou J, Althaus CL. Pattern of early human-to-human transmission of Wuhan 2019 novel coronavirus (2019-nCoV), December 2019 to January 2020. *Euro Surveill* 2020;

547 25(4): 2000058. DOI: 10.2807/1560-7917.ES.2020.25.4.2000058.

548 9. Ryu S, Chun BC; Korean Society of Epidemiology 2019-nCoV Task Force Team.

549 An interim review of the epidemiological characteristics of 2019 novel coronavirus.

550 *Epidemiol Health* 2020; 42: e2020006. DOI: 10.4178/epih.e2020006.

551 10. Qiu YY, Wang SQ, Wang XL, W X Lu, D Qiao, J B Li et al. Epidemiological

552 Analysis on a Family Cluster of COVID-19. *Zhonghua Liu Xing Bing Xue Za Zhi*

553 2020; 41(4): 506–509. DOI: 10.3760/cma.j.cn112338-20200221-00147.

554 11. Special Expert Group for Control of the Epidemic of Novel Coronavirus

555 Pneumonia of the Chinese Preventive Medicine Association. An update on the

556 epidemiological characteristics of novel coronavirus pneumonia (COVID-19) (in

557 Chinese). *Zhonghua Liu Xing Bing Xue Za Zhi* 2020; 41: 139–44. DOI:

558 10.3760/cma.j.issn.0254-6450.2020.02.002.

559 12. Farzan AN. ‘Italy has abandoned us’: people are being trapped at home with their

560 loved ones’ bodies amid coronavirus lockdown March 12, 2020.

561 [https://www.washingtonpost.com/nation/2020/03/12/coronavirus-bodies-italy-quarant](https://www.washingtonpost.com/nation/2020/03/12/coronavirus-bodies-italy-quarantine/)

562 [ine.](https://www.washingtonpost.com/nation/2020/03/12/coronavirus-bodies-italy-quarantine/) (accessed March 13, 2020).

563 13. Hellewell J, Abbott S, Gimma A, Nikos I Bosse , Christopher I Jarvis, Timothy W

564 Russell et al. Feasibility of controlling COVID-19 outbreaks by isolation of cases and

565 contacts. *Lancet Glob Health* 2020; 8(4):

566 e488–e496. DOI:10.1016/S2214-109X(20)30074-7.

567 14. European Centre for Disease Prevention and Control. Public health management

568 of persons having had contact with novel coronavirus cases in the European Union.

569 European Centre for Disease Prevention and Control, 2020. [https://www.ecdc.europa.](https://www.ecdc.europa.eu/en/publications-data/public-health-management-persons-having-had-contact-novel-coronavirus-cases)

570 [eu/en/publications-data/public-health-management-persons-having-had-contact-novel](https://www.ecdc.europa.eu/en/publications-data/public-health-management-persons-having-had-contact-novel-coronavirus-cases)

571 [-coronavirus-cases.](https://www.ecdc.europa.eu/en/publications-data/public-health-management-persons-having-had-contact-novel-coronavirus-cases) (accessed Feb 2, 2020).

572 15. Zhang Y, Su X, Chen W, C N Fei, L R Guo, X L Wu et al. Epidemiological

573 Investigation on a Cluster Epidemic of COVID-19 in a Collective Workplace in

574 Tianjin. *Zhonghua Liu Xing Bing Xue Za Zhi* 2020; 41(5): 649–653. DOI:

575 10.3760/cma.j.cn112338-20200219-00121.

576 16. National Health Commission of the People’s Republic of China. Workbook of

mobile cabin Hospitals (Third Edition).
<https://xw.qq.com/cmsid/20200223A0HZF300>. (updated Feb,22).
 17. Liu Jun-feng, Zhai Xiao-hui, Xiang Zhun, Jing Zhao, Jingyou Zhang, Jiang Wang.
 Discussion on the Module Hospital Construction Management of COVID-19
 Epidemic Situation. *Chinese Hospital Management* 2020; 40 (3) .
 18. Novel Coronavirus Pneumonia Emergency Response Key Places Protection and
 Disinfection Technology Team, Chinese Center for Disease Control and Prevention.
Zhonghua Yu Fang Yi Xue Za Zhi 2020; 54(0): E006.
 19. National Health Commission, China. Diagnosis and Treatment Protocol for Novel
 Coronavirus Pneumonia (Trial Version 7).
<https://covid19.21we.com/covid19en/c100036/202004/7983d6f5725c42dabc761c010589cd21.shtml>. (updated Apr,7).
 20. Chen S, Zhang Z, Yang J, Jian Wang, Xiaohui Zhai, Till Bärnighausen et al.
 Fangcang shelter hospitals: a novel concept for responding to public health
 emergencies. *Lancet* 2020; 395(10232): 1305–1314. DOI:
 10.1016/S0140-6736(20)30744-3.
 21. Smith DR. Herd Immunity. *Vet Clin North Am Food Anim Pract* 2019; 35(3):593-
 604. doi:10.1016/j.cvfa.2019.07.001.
 22. Wever PC, van Bergen L. Death from 1918 pandemic influenza during the First
 World War: a perspective from personal and anecdotal evidence. *Influenza Other
 Respir Viruses* 2014; 8(5):538-546. doi:10.1111/irv.12267.
 23. Encyclopaedia Britannica. Black Death.
<https://www.britannica.com/event/Black-Death#accordion-article-history>. (updated
 Apr 15, 2020).
 24. Paules CI, Marston HD, Fauci AS. Coronavirus Infections-More Than Just the
 Common Cold. *JAMA* 2020; 10.1001/jama.2020.0757. doi:10.1001/jama.2020.0757.
 25. Zhao S, Lin Q, Ran J, Salihu S Musa, Guangpu Yang , Weiming Wang et al.
 Preliminary estimation of the basic reproduction number of novel coronavirus
 (2019-nCoV) in China, from 2019 to 2020: A data-driven analysis in the early phase

of the outbreak. *Int J Infect Dis* 2020; 92:214-217. doi:10.1016/j.ijid.2020.01.050.

26. Lai CC, Shih TP, Ko WC, Tang HJ, Hsueh PR. Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) and coronavirus disease-2019 (COVID-19): The epidemic and the challenges. *Int J Antimicrob Agents* 2020; 55(3):105924. doi:10.1016/j.ijantimicag.2020.105924.

27. Rahimi F, Talebi Bezmin Abadi A. Practical Strategies Against the Novel Coronavirus and COVID-19-the Imminent Global Threat . *Arch Med Res* 2020; S0188-4409(20)30287-3. doi:10.1016/j.arcmed.2020.03.005.

28. Singhal T. A Review of Coronavirus Disease-2019 (COVID-19). *Indian J Pediatr* 2020; 87(4):281-286. doi:10.1007/s12098-020-03263-6.

29. Chinese Council Information Office, The white paper titled "Fighting COVID-19: China in Action, 2020, June, 7th.

30. Rothan HA, Byrareddy SN. The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak. *J Autoimmun* 2020;109:102433. DOI:10.1016/j.jaut.2020.102433.

31. CDC COVID-19 Response Team Characteristics of health care personnel with COVID-19—United States, February 12–April 9, 2020. *MMWR Morb Mortal Wkly Rep.* 2020;69:477–481.

32. Chen Zhu, Zhuang Ying-jie, Li Jin, Xinglong Yang, Jing Li, Yu Feng et al. Medical management of hospitals designated for patients with COVID-19. *Chinese Journal of Nosocomiology* 2020; 30(6).

33. World Health Organization. Rolling updates on coronavirus disease (COVID-19). <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/events-as-they-happen>. (updated June 26).

34. Johns Hopkins University, Key resources, internal messages, and frequent updates for the Johns Hopkins University community. <https://hub.jhu.edu/novel-coronavirus-information/>. (updated June 26).

635

636

637

638

639

640

641

642 **Figure legends**

643 **Figure 1: Demographics of newly diagnosed and cured cases, cumulative** 644 **diagnoses and cured cases over time in Wuhan**

645 Since the opening of the mobile cabin hospital on Feb 5th, the number of newly
646 diagnosed cases in Wuhan (capital of Hubei province), the center of the epidemic,
647 gradually decreased. This decrease could also be observed in Hubei Province, and the
648 rest of China. Moreover, 13436 cases were clinical diagnosed on Feb 12th due to
649 emergency strategy in this special time according to diagnosis and treatment protocol
650 of novel coronaviral pneumonia (trial version5) in China. The number of newly
651 diagnosed cases dropped to below 1000 and newly cured cases increased in Wuhan
652 and the two lines crossed on Feb 20th, suggesting an inflection point of the epidemic.
653 Moreover, the rate of cumulative diagnosed cases has gradually slowed down, and
654 leveled off from then on. As the number of cured cases increased, the number of
655 existing confirmed cases decreased significantly, suggesting that the epidemic had
656 been effectively curbed.

657 ---Data from the Chinese National Health Commission

658

659 **Figure 2. Location and structure of Wuhan Hanyang Mobile Cabin Hospital**

660 Figure 2a: Map displaying the structure of Wuhan International Expo Center and
 661 Location of Hanyang Mobile Cabin Hospital. Hanyang Mobile Cabin Hospital was
 662 located in Hall B1, while the headquarter was in Hall A1. The transport route for
 663 entering and leaving of Medical staff (blue arc line with arrow) was designed to be
 664 separated from patients (red arc line with arrow) to prevent coinfection.

665 Figure 2b: Graphic display of the design of Hanyang Mobile Cabin Hospital (Hall
 666 B1) : three zones and two passage ways were set up to facilitate the management of
 667 hospital infection control. Two passage ways included one for doctors □ and
 668 another for patients □ which were completely separated. The three zones included
 669 contaminated zone (red), buffer zone (yellow), and clean zone (not shown). The
 670 contaminated zone contained preview triage area and the ward. In the buffer zone
 671 where doctors' passageway □ was located, there was an entry channel (a) to don
 672 PPE (1 changing room, 1 buffer rooms) and an exit channel (b) to doff PPE. The exit
 673 channel also had four rooms: 1 the first buffer room, 2 the first doffing room, 3 the
 674 second doffing room, and 4 the second buffer room. While the area outside the Hall
 675 B1, for example, Hall A1 was designated as the clean zone, and used as working area.
 676 □ Passage way for patients; □ Passage way for doctors a: entry channel b:
 677 exit channel; □ CT reading zone .PPE: personal protective equipment.

678 Figure 2c: The internal structure of the ward: there were 48 units which consisted of
 679 18-22 beds in each unit, making up a total of 930 beds in the ward. The general ward
 680 was divided into two parts named A and B, managed by Shandong medical team and
 681 Sichuan medical team respectively. The Nurse Station was located in the central part,
 682 on the opposite side facing the Nurse Station, there were the intensive care unit (ICU),
 683 the Drug House, and the material storage room. There were reading room and activity
 684 area in the front of the ward, while at the back it was equipped with the storage area.

685

686 **Figure 3: Trend of Patients undergoing hospitalization, admission, transfer and**

687 **discharge in Hanyang Mobile Cabin Hospital**

688 As was shown in Figure 3, a large number of patients were admitted at an early time
689 on Feb 11, causing the mobile cabin hospital to be filled rapidly in just four days.
690 There were about 50 patients discharged every day about 10 days later when the
691 patients gradually recovered. In total, about 40% of patients were transferred to
692 designated hospitals for treatment due to the severity of Covid-19 infections or other
693 underlying basic diseases. There were nearly 200 critically ill patients transferred to
694 designated hospitals on March 8, when the cabin hospital was closed because the
695 epidemic in Wuhan had been curbed.

696

697 **Figure 4 : Graph showing the number of nucleic acid detections and CT scan of** 698 **Covid-19 performed every day**

699 **Figure4a Graph showing the number of nucleic acid detections.** Novel
700 coronavirus nucleic acid testing was performed in the mobile cabin hospital starting
701 on Feb 17th based on the diagnosis and treatment protocol of novel coronaviral
702 pneumonia (trial version 7) in China, when the patients gradually recovered. In this
703 graph, the display of the data of total test results as well as patients showing a
704 negative first nucleic acid test, two negative nucleic acid tests and a positive nucleic
705 acid test. The results indicated there were about 30-120 patients who met discharge
706 criteria with two negative nucleic acid tests each day. The positive rate of nucleic acid
707 detection of Covid-19 was determined to be about 10-17%.

708 **Figure 4b: Graph displaying the number of chest CT scans performed every day**

709 Mobile CT (Shanghai United Imaging HealthCare Co.ltd) were installed and put into
710 use on Feb 19th, 8 days after the opening of Hanyang Mobile Cabin Hospital. It
711 indicated the trend for daily CT scans increased every week according to requirements
712 of evaluation of clinical effects which showed the same in total test as well as those in
713 Shandong group (A group) and Sichuan group (B group), the maximum number of CT

714 detection was about 160 times per day.

715

716

717

718

719

720

Fig 2a Structure of Wuhan International Expo Center and location of Hanyang Mobile Cabin Hospital (Hall B1) and Headquarters (Hall A1)

Fig 2b Graphic display of the structure of Hanyang Mobile Cabin Hospital

Hanyang Mobile Cabin Hospital Structure Map																												
Bed										Unit	Unit	Preview triage area					Unit	Unit	Bed									
<div>B</div>										32	Active area										1	<div>A</div>						
										33											2							
										34	19	<div>B</div>															19	3
										35	20																20	4
										36	21																21	5
										37	22																22	6
										38	23																23	7
										39	24																24	8
										40	Nurse station B					Nurse station A					9							
										41	25	ICU	Drug house	Material store	25	10												
										42	26	<div>A</div>															26	11
										43	27																27	12
										44	28																28	13
										45	29																29	14
										46	30																30	15
										47	31																31	16
										48	Material storage										17							
										49											18							

Fig 2c The internal structure of the ward in Wuhan Hanyang Mobile Cabin Hospital

F4a Nucleic acid detection in Wuhan Hanyang Mobile Cabin Hospital

F4b Number of CT scan in Wuhan Hanyang Mobile Cabin Hospital