A HYBRID KNOWLEDGE-BASED AND MODIFIED REGRESSION ANALYSIS APPROACH FOR COVID-19 TRACKING IN USA

Rafaat Hussein

SUNY, Syracuse, NY USA, allpubs@yahoo.com

Abstract

Since its appearance in 2019, the covid-19 virus deluged the world with unprecedented data in short time. Despite the countless worldwide pertinent studies and advanced technologies, the spread is neither contained nor defeated. In fact, there is a record surge in the number of confirmed new cases since July 2020. This article presents a new predictive Knowledge-based (KB) toolkit named CORVITT (Corona Virus Tracking Toolkit) and modified linear regression model. This hybrid approach uses the confirmed new cases and demographic data, implemented. CORVITT is not an epidemiological model, in the sense that it does not model disease transmission, nor does it use underlying epidemiological parameters like the reproductive rate. It forecasts the spread in order to assist the official to make proactive intervention.

Keywords: covid-19; coronavirus, epidemic, modelling, outbreak, pandemic, simulation.

Background

The unfolding covid-19 has turned the world upside down [1] and this unprecedented trend is set to be the worst pandemic of a generation in terms of the increasing number of infected people. In its report on April 7, 2020, the US' Centers for Disease Control and Prevention (CDC) [2] indicated that the covid-19 poses a severe threat to public health. In its report, the CDC indicated that the "complete clinical picture with regard to covid-19 is not fully known." To deal with this blurred picture, the World Health Organization (WHO) has compiled an overwhelmingly pertinent database [3]. The CDC provides a daily report that includes new data reported to the CDC by 55 USA jurisdictions [6]. Many other organizations have also provided similar resources and statistics including the Chinese Medical Association Publishing House [4] and the European Centre for Disease Prevention and Control [5]. All the available approaches suggest that the number of covid-19 new cases plays a key role in mapping its trajectory [7] worldwide.

Covid-19 is an evolving epidemic and its up-and-down spreading is a sign of its elusiveness. As of today (July 25, 2020), the covid-19 is striking back with record blows. In general, the covid-19 issue relates to various facets such as public health and social as well as culture characteristics, and the world seems lacking sound methodologies on how to address it. Using predictive tracking quantitative measures can assist the authority to be proactive rather than reactive, thus better prepared to mitigate potential adverse impacts.

The Model

The literature seems to suggest using the number of new cases and social distance as the key variables to analyze the covid-19 in various ways. In what follows, we provide a background information about the four main covid-19 modeling techniques: system dynamics, agent-based modelling, discrete event simulation, and hybrid simulation [8]. The system dynamics uses differential equation to model resources, knowledge, people, and money, and the flows between

these parameters explain the simulation behavior. The agent-based techniques are stochastic, enabling the variability of human behavior to be incorporated to help understand the likely effectiveness of proposed protective measures. The discrete event technique is also stochastic to model operations over time where entities flow through number of activities. The hybrid simulation combines two or more techniques is used for complex behavior. These techniques focus mainly on diseases' transmission unfolding phases such as quarantine, lock down, testing, and health care services. Some of these approaches are rooted in the literature since 1777, complex, and cumbersome to implement. Without the adequate specialists in advanced and complex mathematical theories and/or computers, the logical question is thus: how could the authorities ascertain the covid-19 spread in order to make a proactive intervention decisions; e.g. to prepare hospitals and intensive care units, to mitigate the adverse impacts of what may happen in the near future? In search for accurate answer and based on the popular utilization of covid-19 relationship between the number of cases [9] and population per land area, the idea of a new index was conceptualized in this study. It represents the number of reported confirmed new cases per population in the specific region the data was recorded. This new concept harnesses the number of cases and the regional crowdedness of people, which varies in the US from a single digit to multi thousand [2]. The index increases with more cases and with more dense populations (shorter social distancing).

In this study, a combined linear regression analysis and data-fitting model is used. To deal with data fluctuation, this model used a short time span of one month maximum for forecasting, [10, 11, 13, and 14]. The data is obtained from the New York Times Journal database [12]. The journal publishes the daily cases of covid-19 by state and county in the US. The data from eleven states was used: New York State (NYS), Florida (FL), California (CA), Colorado (CO), Illinois(IL), Texas (Tx), Louisiana (LA), Washington (WA), Georgia (GA), New Jersey (NJ), and Michigan (MI). Table 1 the data for selected counties in New York State. We first constructed the slope for the confirmed cases and population in each of the states from March 27 to May 11, 2020 and then used polynomials fitting and linear regression analysis for forecasting. Linear Regression is a direct way to deal with the connection between variables. Table 2 shows a typical output from one of the many regression analysis' runs followed in this study.

New Knowledge-Based (KB) Toolkit

To accurately and proactively capture the big picture of covid-19 spread, this study transfers the expertise of problem-solving from humans into a KB toolkit that takes in the same data and yields the same conclusion but faster. This new KB-statistic hybrid approach effectively assists humans in dealing with covid-19 massive daily data in addition to save times which is an essential requirement in dealing with the virus illlusiveness. The. study introduces for the first time in this field, to our knowledge, a novel KB toolkit to visualize the data and make it easier to understand and use without either mathematical or computer expertise. The CORVITT is a promising incubator for covid-19 future forecasting platforms. Its architecture blueprint emerges from an open-end modular adaptable structure encompassing a graphical-interface client allowing the users to operate it with no professional skills. This KB technology has been proven in other applications and thus applied in this study for covid-19 [15, 16, and 17]. To the author's knowledge, the concept of CORVITT has not been attempted to date for covid-19. Figure 1 shows the dashboard of CORVITT and Fig. 2 shows the data used in Fig. 1. Although the

amount of collected data is massive, the use of the dashboard is intuitive and user friendly. Again, there is no need for medical, mathematical, or computer skills to use the dashboard and benefit from its applications. This is one of the benefits of bringing an artificial brain to help human brains in dealing with complex challenge at hand such as the covid-19.

Results and Discussion

In what follows, we examined the feasibility of the ascribed model for covid-19 in two ways: firstly, by analyzing its forecasted outcomes in eleven US states, and secondly by comparing the forecasted results with actual onsite data. Firstly, a database was created at micro-level or counties, for the first time to our knowledge, for the new cases and population per land area on covid-19 from March 27 to May 1, 2020 in the eleven US states: NYS, FL, CA, TX, LA, WA, CO, GA, IL, NJ, and MI. These states had a steady high number of confirmed cases according to the New York Times Journal. Table 2 shows some of the collected data. Figure 2 shows CORVITT' gauging of the virus county-wise distributions in terms of the new index and population. Figure 1(d) shows that in NYS, FL, CA, CO, and IL the inhabitants are infected in areas with large social distances because most of the data is concentrated at low population, i.e. large spaces between the inhabitants. On the contrary, in TX, LA, WA, GA, NJ, and MI the virus was spread though the social distance was small because the data spreads over a wide range of population, i.e. large space between the inhabitants. Unlike the common general approach used for all US states at all times since 2019, which is common in the news media from Tabloid to New York Times journals, this discovery unveiled new facets. Figure 1 (d) shows that on March 27, the indexes were 0.93 and 0.10 in NYS and NJ (large distance), respectively, 0.08 and 0.07 for TX and GA (small social distance), respectively, though the spread of data appeared similar on the dashboard in each group. In addition, NYS, LA, WA, IL, and MI have high indexes by comparison to FL, CA, TX, CO, GA, and NJ. For example, On April 21, 2020, the indexes were 5.0 and 0.40 for NYS and CA although the closeness of data in both states was similar. Furthermore, the increase of the index within each state was nonuniform. For example, the index increased from 2.8 to 5 between April 9 and 21 in NYS, and from 0.05 to 1.0 in TX over the same period. From a different angle of view, Figure 1(a) shows that the rate of spreading of the virus differ from one state to another. For example, the spreading rate in IL is very high compared to that in CA. This indicates that the virus can affect more people in IL (57920 sq. mi and 13 million people) than NJ (8730 sq. mi and 9 million people). Taken as a whole, CORVITT' outcomes suggest that NYS is a good region for the virus to spread whereas CA is not as good from March 27 to May 1, 2020. Such information allows the authority to prioritize the resources giving NYS the highest priority. Secondly, Figures 3a and 3b compares the forecasted and actual on-site data and shows a close agreement in different US states. Figure 3a shows that whereas the new cases in NYS has reached the peak in the first week of May, the pandemic was worsening in other states as Illinois, but in California, Georgia, and Colorado reached a plateau. Figure 3c shows the severity of the pandemic as indicated by the skewness; positive (to the right) for LA and negative for NYS, NJ, and MI of the growth and deterioration of the distributions [18]. The positive skewness means longer deterioration (decline in cases) time. The shallow deterioration rate at the trailing end of the curve in Fig. 1(b) is a sign of a plateau. Figure 1 describes the peak, weakness, and steadiness statuses by which the virus trajectory disperses through different stages in various regions. This new discovery is useful to understand the building up and collapse of the virus impacts thus make proactive preparations.

Summary

As the enormity of the covid-19 threat has become clear, the characteristics of existing covid-19 complex analytic methodologies and the all-encompassing approach place serious limitations on their usefulness for practical use. The computer technologies have reached what no one could imagined, and the KB systems have proven very beneficial in many fields. The logic question is what hasn't the KB been applied for covid-19 in harness the analytical complexity and easy to apply simulations? This article brought machine smartness to assist humans' intelligence to capture the big picture of the virus illlusiveness thus take proactive steps to mitigate safely its inevitable adverse effects. This article introduced a hybrid KB-regression analysis model for covid-19 forecasting. It used data collected from eleven US states at macro-level level to foresee the short-term spread trajectory. The outputs unveiled new discoveries and shed light on various facets of the covid-19 in each state. The accuracy of the hybrid approach was gauged by comparing forecasted and actual data and satisfactory agreements were found. It should be noted that this study is a step forward, but additional development is in progress for improvement.

References

- [1] Committee for the Coordination of Statistical Activities, "How covid-19 is changing the world," 2020
- [2] The Centers for Disease Control and Prevention [CDC], "Situation Summary," <https://www.cdc.gov/coronavirus/2019-ncov/cases-updates/summary.html>, April 7, 2020.
- [3] The World Health Organization [WHO], "Global research on coronavirus disease [covid-19]," <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/global-research-on-novel-coronavirus-2019-ncov>, April 7, 2020
- [4] The Chinese Medical Association Publishing House, "covid-19 Academic Research Platform," http://eng.med.wanfangdata.com.cn/Chinese_Medical_Association_Publishing_House.html, April 7, 2020.
- [5] The European Centre for Disease Prevention and Control, "Coronavirus disease," <https://www.ecdc.europa.eu/en>, April 7, 2020
- [6] The Centers for Disease Control and Prevention [CDC], "Cases in U.S.," <https://www.cdc.gov/coronavirus/2019-ncov/cases-updates/cases-in-us.html>, April 7, 2020
- [7] STAT, "The coronavirus is washing over the U.S. These factors will determine how bad it gets in each community," <https://www.statnews.com/2020/04/01/coronavirus-how-bad-it-gets-different-communities/>
- [8] Currie, C. et. al., "How simulation modelling can help reduce the impact of covid-19", *Journal of Simulation*, Vol. 14, 2020
- [9] <https://ourworldindata.org/grapher/covid-19-death-rate-vs-population-density>
- [10] Yousaf, M. wt al., "Statistical analysis of forecasting covid-19 for upcoming month in Pakistan," *Elsevier Public Health Emergency Collection*, May 2020
- [11] Sujath, R. at al., "A machine learning forecasting model for covid-19 pandemic in India," *Stochastic Environmental Research and Risk Assessment*, 2020
- [12] The New York Times Journal, "The Coronavirus in the US," <https://www.nytimes.com/interactive/2020/us/coronavirus-us-cases.html>

- [13] Yonar H. et al., "Modeling and Forecasting for the number of cases of the covid-19 pandemic with the Curve Estimation Models, the Box-Jenkins and Exponential Smoothing Methods," Eurasian Journal of medicine and Oncology, April 2020.
- [14] Öztoprak, F. and Javed, A., "Case Fatality Rate estimation of covid-19 for European Countries: Turkey's Current Scenario Amidst a Global Pandemic; Comparison of Outbreaks with European Countries," Eurasian Journal of medicine and Oncology, April 2020.
- [15] Hussein, R., "Knowledge-based & expert system technologies for built & natural environments," <https://aitechm.wixsite.com/8kbextech>, 2020.
- [16] Hussein, R., "Artificial Intelligence for the Built and Natural Environments and Climate," Chapter 7, Advances in Artificial Intelligence, edited by Sergey Yurish, the International Frequency Sensor Association, 2019.
- [17] Hussein, R., "Knowledge-based Tools for Monitoring and Management of the Engineered Infrastructure Construction Systems," Advances in Computers and Software Engineering, edited by Sergey Yurish, Chapter 5, International Frequency Sensor Association, 2020.
- [18] U.S. Department of Health and Human Services, "Principles of Epidemiology in Public Health Practice," 2012

Ethics approval and consent to participate

Not applicable.

Consent for publication

The author read and approves of the final version of the paper.

Availability of supporting data

The data used in this study was obtained from the New York Times, <https://www.nytimes.com/interactive/2020/us/coronavirus-us-cases.html>

Competing interests

The author declares that he has no competing interests.

Funding

Not applicable.

Authors' contributions

The author wrote the paper and read and approved the final manuscript.

Author information

Affiliation

State University of New York – ESF, NY

Fig 1. Dashboard of the CORVITT Presented in this Article

Fig 2. The Macro-Data used in this Study

Figure 3.. a): The trajectory of cases' dispersion over time in various US States. b): A satisfactorily agreement between the forecasted and actual data. c). The growth and deterioration distributions of cases over time.

Table 1. Selected Macro- Data used

date	county	cases	county	cases	county	cases	county	cases	county	cases	county	cases
3/12/2020	New York City	96	Nassau	41	Orange	1	Rockland	7	Suffolk	21	Westchester	147
3/13/2020	New York City	155	Nassau	51	Orange	3	Rockland	9	Suffolk	29	Westchester	157
3/14/2020	New York City	269	Nassau	79	Orange	6	Rockland	12	Suffolk	41	Westchester	178
3/15/2020	New York City	330	Nassau	98	Orange	6	Rockland	13	Suffolk	47	Westchester	195
3/16/2020	New York City	464	Nassau	109	Orange	11	Rockland	16	Suffolk	63	Westchester	219
3/17/2020	New York City	646	Nassau	131	Orange	15	Rockland	22	Suffolk	84	Westchester	379
3/18/2020	New York City	1344	Nassau	183	Orange	32	Rockland	30	Suffolk	116	Westchester	537
3/19/2020	New York City	2477	Nassau	382	Orange	51	Rockland	53	Suffolk	178	Westchester	797
3/20/2020	New York City	4419	Nassau	754	Orange	84	Rockland	101	Suffolk	371	Westchester	1091
3/21/2020	New York City	6226	Nassau	1234	Orange	163	Rockland	262	Suffolk	662	Westchester	1387
3/22/2020	New York City	9065	Nassau	1900	Orange	247	Rockland	455	Suffolk	1034	Westchester	1873
3/23/2020	New York City	12329	Nassau	2442	Orange	389	Rockland	592	Suffolk	1458	Westchester	2894
3/24/2020	New York City	14943	Nassau	2869	Orange	498	Rockland	671	Suffolk	1880	Westchester	3891
3/25/2020	New York City	20061	Nassau	3285	Orange	638	Rockland	1069	Suffolk	2260	Westchester	4691
3/26/2020	New York City	23182	Nassau	3914	Orange	751	Rockland	1197	Suffolk	2735	Westchester	5944
3/27/2020	New York City	25509	Nassau	4657	Orange	910	Rockland	1457	Suffolk	3385	Westchester	7187
3/28/2020	New York City	30919	Nassau	5537	Orange	1101	Rockland	1896	Suffolk	4138	Westchester	7875
3/29/2020	New York City	33983	Nassau	6445	Orange	1247	Rockland	2209	Suffolk	5023	Westchester	8519
3/30/2020	New York City	38375	Nassau	7344	Orange	1435	Rockland	2511	Suffolk	5791	Westchester	9326
3/31/2020	New York City	43518	Nassau	8544	Orange	1560	Rockland	2863	Suffolk	6713	Westchester	9967
4/1/2020	New York City	47914	Nassau	9555	Orange	1756	Rockland	3321	Suffolk	7605	Westchester	10683
4/2/2020	New York City	52400	Nassau	10587	Orange	2048	Rockland	3751	Suffolk	8746	Westchester	11566
4/3/2020	New York City	57941	Nassau	12024	Orange	2397	Rockland	4289	Suffolk	10154	Westchester	12350
4/4/2020	New York City	64274	Nassau	13346	Orange	2741	Rockland	4872	Suffolk	12328	Westchester	13080
4/5/2020	New York City	68726	Nassau	14398	Orange	3102	Rockland	5362	Suffolk	12933	Westchester	13722
4/6/2020	New York City	73553	Nassau	15616	Orange	3397	Rockland	5703	Suffolk	14473	Westchester	14293
4/7/2020	New York City	78498	Nassau	16610	Orange	3599	Rockland	5990	Suffolk	15561	Westchester	14804
4/8/2020	New York City	83673	Nassau	18548	Orange	3865	Rockland	6413	Suffolk	15844	Westchester	15887
4/9/2020	New York City	89127	Nassau	20140	Orange	4090	Rockland	6665	Suffolk	17413	Westchester	17004
4/10/2020	New York City	94702	Nassau	21512	Orange	4532	Rockland	7122	Suffolk	18692	Westchester	18077
4/11/2020	New York City	100840	Nassau	22584	Orange	4847	Rockland	7477	Suffolk	19883	Westchester	18729
4/12/2020	New York City	105939	Nassau	23553	Orange	5027	Rockland	7721	Suffolk	20816	Westchester	19313
4/13/2020	New York City	109706	Nassau	24358	Orange	5182	Rockland	7965	Suffolk	21643	Westchester	19785
4/14/2020	New York City	113632	Nassau	25250	Orange	5578	Rockland	8335	Suffolk	22462	Westchester	20191
4/15/2020	New York City	121653	Nassau	26715	Orange	5716	Rockland	8474	Suffolk	23278	Westchester	20947
4/16/2020	New York City	126623	Nassau	27772	Orange	5888	Rockland	8752	Suffolk	24182	Westchester	21828
4/17/2020	New York City	131003	Nassau	28539	Orange	6084	Rockland	8987	Suffolk	25035	Westchester	22476
4/18/2020	New York City	135052	Nassau	29180	Orange	6281	Rockland	9171	Suffolk	26143	Westchester	23179
4/19/2020	New York City	138370	Nassau	30013	Orange	6394	Rockland	9364	Suffolk	26888	Westchester	23803

4/20/2020	New York City	140881	Nassau	30677	Orange	6497	Rockland	9457	Suffolk	27662	Westchester	24306
4/21/2020	New York City	143547	Nassau	31079	Orange	6576	Rockland	9568	Suffolk	28154	Westchester	24655
4/22/2020	New York City	146787	Nassau	31555	Orange	6705	Rockland	9699	Suffolk	28854	Westchester	25275
4/23/2020	New York City	150327	Nassau	32124	Orange	6816	Rockland	9828	Suffolk	29567	Westchester	25959
4/24/2020	New York City	155081	Nassau	32765	Orange	7170	Rockland	10091	Suffolk	30606	Westchester	26632
4/25/2020	New York City	159851	Nassau	33798	Orange	7988	Rockland	11091	Suffolk	31368	Westchester	27230
4/26/2020	New York City	163106	Nassau	34522	Orange	8121	Rockland	11256	Suffolk	32059	Westchester	27664
4/27/2020	New York City	165463	Nassau	34865	Orange	8253	Rockland	11366	Suffolk	32470	Westchester	28007
4/28/2020	New York City	167487	Nassau	35085	Orange	8389	Rockland	11453	Suffolk	32724	Westchester	28245
4/29/2020	New York City	170124	Nassau	35505	Orange	8503	Rockland	11586	Suffolk	33265	Westchester	28625
4/30/2020	New York City	172784	Nassau	35854	Orange	8665	Rockland	11708	Suffolk	33664	Westchester	28969
5/1/2020	New York City	174931	Nassau	36161	Orange	8766	Rockland	11812	Suffolk	34037	Westchester	29231
5/2/2020	New York City	177490	Nassau	36519	Orange	8925	Rockland	11945	Suffolk	34478	Westchester	29626
5/3/2020	New York City	179728	Nassau	36780	Orange	8982	Rockland	12025	Suffolk	34855	Westchester	29884
5/4/2020	New York City	181034	Nassau	36965	Orange	9030	Rockland	12095	Suffolk	35077	Westchester	30097
5/5/2020	New York City	182318	Nassau	37152	Orange	9159	Rockland	12144	Suffolk	35275	Westchester	30239
5/6/2020	New York City	183770	Nassau	37350	Orange	9215	Rockland	12204	Suffolk	35543	Westchester	30426
5/7/2020	New York City	185653	Nassau	37593	Orange	9343	Rockland	12280	Suffolk	35892	Westchester	30709
5/8/2020	New York City	187157	Nassau	37812	Orange	9417	Rockland	12349	Suffolk	36223	Westchester	30904
5/9/2020	New York City	188663	Nassau	38028	Orange	9501	Rockland	12400	Suffolk	36461	Westchester	31086
5/10/2020	New York City	189656	Nassau	38217	Orange	9558	Rockland	12451	Suffolk	36702	Westchester	31293
5/11/2020	New York City	190546	Nassau	38337	Orange	9599	Rockland	12484	Suffolk	36911	Westchester	31383
5/12/2020	New York City	191320	Nassau	38434	Orange	9647	Rockland	12504	Suffolk	37062	Westchester	31471
5/13/2020	New York City	192394	Nassau	38587	Orange	9708	Rockland	12543	Suffolk	37305	Westchester	31610
5/14/2020	New York City	193663	Nassau	38743	Orange	9786	Rockland	12596	Suffolk	37544	Westchester	31791
5/15/2020	New York City	195472	Nassau	38864	Orange	9840	Rockland	12637	Suffolk	37719	Westchester	31942
5/16/2020	New York City	196481	Nassau	39033	Orange	9894	Rockland	12688	Suffolk	37942	Westchester	32096
5/17/2020	New York City	197486	Nassau	39136	Orange	9958	Rockland	12758	Suffolk	38117	Westchester	32223
5/18/2020	New York City	198114	Nassau	39225	Orange	9980	Rockland	12777	Suffolk	38224	Westchester	32322
5/19/2020	New York City	198710	Nassau	39295	Orange	10003	Rockland	12798	Suffolk	38327	Westchester	32401
5/20/2020	New York City	199392	Nassau	39368	Orange	10058	Rockland	12831	Suffolk	38411	Westchester	32516
5/21/2020	New York City	200507	Nassau	39487	Orange	10107	Rockland	12877	Suffolk	38553	Westchester	32672
5/22/2020	New York City	201298	Nassau	39608	Orange	10157	Rockland	12905	Suffolk	38672	Westchester	32766
5/23/2020	New York City	202062	Nassau	39726	Orange	10212	Rockland	12934	Suffolk	38802	Westchester	32880
5/24/2020	New York City	202931	Nassau	39837	Orange	10240	Rockland	12963	Suffolk	38964	Westchester	32967
5/25/2020	New York City	203569	Nassau	39907	Orange	10259	Rockland	12996	Suffolk	39090	Westchester	33048
5/26/2020	New York City	204111	Nassau	39974	Orange	10292	Rockland	13019	Suffolk	39199	Westchester	33106
5/27/2020	New York City	204781	Nassau	40034	Orange	10307	Rockland	13047	Suffolk	39258	Westchester	33185
5/28/2020	New York City	205854	Nassau	40140	Orange	10340	Rockland	13076	Suffolk	39359	Westchester	33292
5/29/2020	New York City	206800	Nassau	40226	Orange	10376	Rockland	13100	Suffolk	39445	Westchester	33348
5/30/2020	New York City	207539	Nassau	40307	Orange	10404	Rockland	13128	Suffolk	39532	Westchester	33428
5/31/2020	New York City	208085	Nassau	40396	Orange	10421	Rockland	13151	Suffolk	39643	Westchester	33480

6/1/2020	New York City	208550	Nassau	40479	Orange	10437	Rockland	13185	Suffolk	39705	Westchester	33551
6/2/2020	New York City	209195	Nassau	40572	Orange	10464	Rockland	13223	Suffolk	39980	Westchester	33632
6/3/2020	New York City	209688	Nassau	40644	Orange	10475	Rockland	13259	Suffolk	40062	Westchester	33690
6/4/2020	New York City	210227	Nassau	40713	Orange	10486	Rockland	13280	Suffolk	40153	Westchester	33766

Table 2. A Sample Output of the Modified Regression Runs.

Regression Statistics								
Multiple R	0.992092							
R Square	0.984246							
Adjusted R Square	0.976369							
Standard Error	0.372065							
Observations	4							
ANOVA								
	df	SS	MS	F	Significance F			
Regression	1	17.29721	17.29721	124.9503	0.007908			
Residual	2	0.276865	0.138433					
Total	3	17.57407						
	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	-7476.32	669.1315	-11.1732	0.007915	-10355.4	-4597.28	-10355.4	-4597.28
date	0.170252	0.015231	11.17812	0.007908	0.104719	0.235785	0.104719	0.235785