Title

Viewing the US presidential electoral map through the lens of public health.

Authors

Tymor Hamamsy^{3,5}, Michael Danziger¹, Jonathan Nagler^{2,3}, Richard Bonneau^{3,4,5,6}

¹ SUNY Downstate Health Sciences University College of Medicine. Brooklyn, NY 11203, USA.

² Department of Politics, NYU, New York, NY 10010, USA

³ Center for Social Media and Politics, NYU, NY 10010, USA

⁴ Center for Computational Biology, Flatiron Institute, Simons Foundation, NY 10010, USA.

⁵ New York University, Center for Data Science, New York, NY 10010, USA.

⁶ New York University, Department of Biology, New York, NY 10012, USA

Abstract

Health, disease, and mortality vary greatly at the county level, and there are strong geographical trends of disease. Healthcare is a top priority for voters in the United States, and it is important to examine the relationship between voting patterns at the county level and health, disease, and mortality. We perform a comprehensive analysis of the relationship between voting patterns and over 150 different public health and wellbeing variables, comparing counties in all states, including counties in 2016 battleground states, and counties in states that flipped from Democrat to Republican from 2012 to 2016. We also investigate county-level health trends over the last 30+ years and find statistically significant relationships between a number of health measures and the voting patterns of counties in presidential elections. Collectively, this data exhibits a strong pattern: counties that voted Republican in the 2016 election counties are “sicker” than those that voted Democrat.

Introduction

Healthcare is one of the top priorities for voters.¹² In some polls, substantial fractions of Democratic voters indicate it is their top priority.³ This party-specific preference is reflected in the Democratic primary candidates debates, in which candidates devoted more time to healthcare than any other topic.⁴ While still important to Republican voters, it is subordinate to the topics of terrorism, the economy, social security, immigration, and the military, with an 18 point gap between Democratic and Republican voters on the issue of health care costs and 13 point gap on the issue of Medicare reform.²

An important prerequisite to understanding the mechanisms driving this significant difference in topical focus is the systematic examination of demographic differences between Republican and Democratic voters.⁵ A recent study demonstrated the contrasting economic realities between Republican and Democratic voters, showing divergence between their economic fortunes and wealth trajectories from 2008 to 2018.⁶ For example, the median household income in Republican districts declined from \$55,000 to \$53,000, while that of Democrat districts experienced an increase from \$54,000 to \$61,000. Additionally, Republican states have experienced relative wage stagnation, with income declining 3.6 percent from 2008 to 2018.⁷⁸ Given these different economic realities for Republican and Democratic districts, our study suggests that voter concern around the economy will vary by state.

Just as the economy varies greatly by county, so too does health, disease, and mortality. Studies examining county-level trends in mortality rates for the different major causes of death show geographical trends.⁹ Disparities have been demonstrated in life expectancy among US counties over the period from 1980 to 2014.¹⁰ Part of these geographical differences and county-

level inequalities are due to deaths of despair (drug overdose, alcoholic liver disease, and suicide deaths), highlighted as a driving factor in the rising midlife morbidity and mortality among white non-Hispanic Americans.¹¹¹² Previous studies have shown strong associations between voting patterns, mortality, health, and disease in the 2016 presidential election. Strong associations have additionally been demonstrated between counties that flipped Republican in 2016 (i.e. those that voted Democrat in 2012) and the rising midlife mortality among white non-Hispanic Americans. This demographic was key for Donald Trump's victory.¹³ It has been shown that Trump over-performed in counties with high drug, alcohol, and suicide mortality rates.¹⁴ A strong association has been shown between life expectancy and both the proportion of votes in a county that went Republican in 2016 as well as the Republican margin shift from 2012 to 2016. This highlights the diverging life expectancies of Republican and Democratic counties and the possible impact of life expectancy on voting behavior.¹⁵ Additional associations between several county community health variables and the net Republican voting shift in 2016 have been previously demonstrated.¹⁶

Investigating the relationship between voting patterns at the county level and health, disease, and mortality in the US is important for framing future narratives surrounding healthcare reform in the context of the 2016 presidential election results and in the context of ongoing 2020 election. While previous studies have looked at the relationship between voting patterns and life expectancy, mortality risk, and public health variables individually, we aim to do a comprehensive analysis of the relationship between voting patterns and over 150 different public health and wellbeing variables. In our analysis, we compared counties in all states, as well as counties in battleground states, and counties in states that flipped from Republican to Democrat from 2012 to 2016, investigating both the relationship of health and wellbeing with the voting

margin shifts from 2012 to 2016 as well as overall voting proportions. We believe that investigating associations with shifts in voting and focusing on the battleground and flipped states can provide discontinuities that allow higher-resolution exploration of associations between political and health outcomes. In addition to comparing recent values of these variables with county-level voting patterns, we look at the dynamics of different public health and wellbeing variables over the last 30+ years. We believe that examining these changes over time can both shed light on a changing electorate and elucidate healthcare trends in counties. Our objective is to present data showing the relationship between voting patterns in the US and public health, healthcare, life expectancy and mortality rates at the county level.

Materials and Methods

In order to show the relationship between over 150 different public health, mortality, and life expectancy variables, with voting patterns at the county level, variables from a number of different publicly available data sources were aggregated and aligned at the county level. The health and wellbeing data as well as their sources include: diabetes, physical inactivity, and obesity crude rates from the Centers for Disease Control and Prevention diabetes surveillance atlas;¹⁷ mortality rate data from the Global Burden of Disease, including county level mortality rates for a number of respiratory diseases, infectious diseases, cardiovascular diseases, cancers, deaths of despair, and mortality risk at different ages as well as life expectancy;¹⁸ healthcare cost data from the Centers for Medicare and Medicaid Services, including variables such as costs per capita and costs broken down by imaging/drugs/hospice/procedures/dialysis;¹⁹ Medicaid-relevant data collected from the American Community Survey (ACS), including variables about

Medicaid usage at the county level;²⁰ disability related data also collected from the ACS; Insurance/Uninsurance rate information collected from the Small Area Health Insurance Estimates (SAHIE);²¹ and a number of public health and demographic variables were collected from the County Health Rankings resource, including health behavioral information (i.e. smoking, drinking, and food indices), access to healthcare, and demographic information, among other data.²² All of these variables are presented in Tables 1 and 2 and categorized into the following groups: social, physical and economic environment; respiratory diseases; life expectancy and mortality; insurance and healthcare cost; infectious diseases; health outcomes; health behaviors; demographic; deaths of despair; clinical care; cardiovascular diseases; and cancers.

Political voting data at the county level for presidential voting in 2012 and 2016 was collected from the MIT Election project.²³ The margin shift was calculated by taking the difference in the Republican margin (Republican percentage of total vote minus Democrat percentage of total vote) from 2012 to 2016. We define Republican or Democratic counties as those that voted in favor of the Republican or Democratic candidate in 2016. Whenever possible, data from years as close to 2016 as possible was used (while 2016 data is available for most sources, the GBD data is from 2014).

Pearson correlations and confidence intervals for the correlations between all of the public health-related variables collected, the percentage of voters in the county that voted for Donald Trump or Hillary Clinton, and the Republican margin shift were computed from 2012 to 2016 (Table 1). Correlations for counties from all states, counties from battleground states (defined as states that could be reasonably won by either party), and counties from states that “flipped” from Democrat in 2012 to Republican in 2016, are presented. The battleground states

are: Nevada, Colorado, Virginia, Florida, Michigan, Minnesota, Wisconsin, Iowa, New Hampshire, Ohio, and Pennsylvania. The flipped states are: Michigan, Pennsylvania, Wisconsin, Maine. In order to make Supplementary Table 1, we use the same data and structure as Table 1, except the correlations are instead weighed correlations, where the weights are equal to the base 10 logarithm of the county's population.

Table 1. Pearson correlations between different public health-related variables with the percentage of voters in the county that voted for Donald Trump or Hilary Clinton, and the Republican margin shift (from 2012 to 2016). Correlations for counties from all states, counties from battleground states, and counties from states that flipped from Democrat in 2012 to Republican in 2016, are presented.

Variable	All States % Trump 2016	All States % Clinton 2016	All States Rep. margin change	Battle States % Trump 2016	Battle States % Clinton 2016	Battle States Rep. margin change	Flip States % Trump 2016	Flip States % Clinton 2016	Flip States Rep. margin change	category
Graduation Rate	0.35 (0.32 to 0.38)	-0.34 (-0.37 to -0.3)	0.13 (0.1 to 0.17)	0.31 (0.23 to 0.38)	-0.33 (-0.4 to -0.26)	0.1 (0.02 to 0.18)	0.16 (0.03 to 0.28)	-0.16 (-0.28 to -0.03)	-0.02 (-0.15 to 0.11)	Social, Physical and Economic Environment
% Some College	-0.26 (-0.29 to -0.23)	0.18 (0.15 to 0.22)	-0.24 (-0.27 to -0.2)	-0.14 (-0.22 to -0.06)	0.08 (0 to 0.16)	-0.23 (-0.31 to -0.16)	-0.59 (-0.67 to -0.5)	0.56 (0.47 to 0.64)	-0.57 (-0.65 to -0.47)	Social, Physical and Economic Environment
% Children in Poverty	-0.02 (-0.06 to 0.01)	0.11 (0.08 to 0.15)	0.12 (0.08 to 0.15)	-0.03 (-0.1 to 0.05)	0.11 (0.03 to 0.18)	0.01 (-0.07 to 0.09)	0.15 (0.02 to 0.27)	-0.11 (-0.23 to 0.02)	0.52 (0.42 to 0.61)	Social, Physical and Economic Environment
% Single-Parent Households	-0.37 (-0.4 to -0.34)	0.45 (0.42 to 0.48)	0.02 (-0.01 to 0.06)	-0.42 (-0.48 to -0.35)	0.48 (0.41 to 0.54)	-0.06 (-0.14 to 0.02)	-0.2 (-0.32 to -0.07)	0.23 (0.11 to 0.35)	0.24 (0.12 to 0.36)	Social, Physical and Economic Environment
Violent Crime Rate	-0.31 (-0.34 to -0.28)	0.35 (0.32 to 0.38)	-0.21 (-0.25 to -0.18)	-0.3 (-0.37 to -0.22)	0.36 (0.29 to 0.43)	-0.28 (-0.35 to -0.2)	-0.26 (-0.38 to -0.14)	0.29 (0.16 to 0.4)	-0.07 (-0.2 to 0.06)	Social, Physical and Economic Environment
Injury Death Rate	0.28	-0.27	0.26	0.17	-0.14	0.19	0.1	-0.06	0.33	Social, Physical

	(0.25 to 0.31)	(-0.3 to -0.24)	(0.23 to 0.3)	(0.09 to 0.25)	(-0.22 to -0.06)	(0.11 to 0.27)	(-0.02 to 0.23)	(-0.18 to 0.07)	(0.21 to 0.44)	and Economic Environment
	-0.57	0.59	-0.34	-0.57	0.61	-0.35	-0.55	0.56	-0.15	
% Severe Housing Problems	(-0.6 to -0.55)	(0.56 to 0.61)	(-0.37 to -0.31)	(-0.62 to -0.51)	(0.56 to 0.66)	(-0.42 to -0.28)	(-0.63 to -0.45)	(0.46 to 0.64)	(-0.28 to -0.03)	Social, Physical and Economic Environment
	0.24	-0.19	0.23	0.3	-0.25	0.24	0.23	-0.21	0.47	
% Disconnected Youth	(0.19 to 0.28)	(-0.24 to -0.14)	(0.18 to 0.28)	(0.2 to 0.39)	(-0.35 to -0.15)	(0.14 to 0.34)	(0.09 to 0.37)	(-0.35 to -0.07)	(0.34 to 0.57)	Social, Physical and Economic Environment
	-0.24	0.18	-0.34	-0.2	0.14	-0.3	-0.31	0.29	-0.67	
Household Income	(-0.27 to -0.21)	(0.14 to 0.21)	(-0.37 to -0.31)	(-0.27 to -0.12)	(0.06 to 0.21)	(-0.37 to -0.23)	(-0.42 to -0.19)	(0.17 to 0.41)	(-0.74 to -0.6)	Social, Physical and Economic Environment
	0.24	-0.21	0.13	0.22	-0.17	0.14	0.19	-0.15	0.41	
Firearm Fatalities Rate	(0.2 to 0.28)	(-0.25 to -0.17)	(0.09 to 0.17)	(0.13 to 0.31)	(-0.26 to -0.07)	(0.04 to 0.23)	(0.05 to 0.31)	(-0.28 to -0.02)	(0.29 to 0.52)	Social, Physical and Economic Environment
	0.47	-0.47	0.34	0.43	-0.43	0.49	0.55	-0.56	0.42	
% Homeowners	(0.44 to 0.5)	(-0.5 to -0.45)	(0.31 to 0.37)	(0.36 to 0.49)	(-0.49 to -0.36)	(0.43 to 0.55)	(0.45 to 0.63)	(-0.64 to -0.47)	(0.31 to 0.52)	Social, Physical and Economic Environment
	-0.59	0.61	-0.3	-0.54	0.61	-0.34	-0.48	0.49	-0.2	
% Severe Housing Cost Burden	(-0.61 to -0.56)	(0.59 to 0.63)	(-0.34 to -0.27)	(-0.59 to -0.48)	(0.55 to 0.65)	(-0.41 to -0.27)	(-0.57 to -0.37)	(0.39 to 0.59)	(-0.32 to -0.08)	Social, Physical and Economic Environment
	0.02	-0.02	-0.05	-0.09	0.11	0.01	-0.06	0.04	0.11	
Asbestosis	(-0.01 to 0.06)	(-0.05 to 0.02)	(-0.09 to -0.02)	(-0.17 to -0.02)	(0.03 to 0.19)	(-0.07 to 0.09)	(-0.19 to 0.07)	(-0.09 to 0.16)	(-0.02 to 0.23)	Respiratory diseases
	-0.21	0.26	-0.05	0.03	-0.01	0	-0.23	0.24	0.18	
Asthma	(-0.25 to -0.18)	(0.23 to 0.29)	(-0.08 to -0.01)	(-0.05 to 0.11)	(-0.09 to 0.07)	(-0.08 to 0.08)	(-0.34 to -0.1)	(0.11 to 0.35)	(0.06 to 0.3)	Respiratory diseases
	0.46	-0.42	0.26	0.34	-0.3	0.12	0.17	-0.19	0.47	
Chronic obstructive pulmonary	(0.43 to 0.49)	(-0.45 to -0.39)	(0.22 to 0.29)	(0.26 to 0.4)	(-0.37 to -0.23)	(0.04 to 0.2)	(0.05 to 0.29)	(-0.31 to -0.06)	(0.37 to 0.57)	Respiratory diseases
	0.43	-0.39	0.25	0.3	-0.26	0.11	0.14	-0.15	0.46	
Chronic respiratory diseases	(0.4 to 0.46)	(-0.42 to -0.36)	(0.21 to 0.28)	(0.22 to 0.37)	(-0.34 to -0.19)	(0.03 to 0.18)	(0.01 to 0.26)	(-0.27 to -0.03)	(0.35 to 0.55)	Respiratory diseases
Coal workers	0.1	-0.09	0.07	0.09	-0.06	0.12	0.22	-0.19	0.17	Respiratory

pneumoconiosis	(0.06 to 0.13)	(-0.13 to -0.06)	(0.03 to 0.1)	(0.01 to 0.17)	(-0.14 to 0.02)	(0.04 to 0.19)	(0.1 to 0.34)	(-0.31 to -0.07)	(0.04 to 0.29)	diseases
	-0.26	0.26	-0.07	-0.24	0.26	-0.1	-0.3	0.27	-0.07	
Interstitial lung disease	(-0.3 to -0.23)	(0.22 to 0.29)	(-0.1 to -0.03)	(-0.32 to -0.17)	(0.19 to 0.34)	(-0.18 to -0.03)	(-0.41 to -0.18)	(0.14 to 0.38)	(-0.2 to 0.06)	Respiratory diseases
Other chronic respiratory	0.11	-0.06	0.07	0.11	-0.08	0.1	-0.11	0.09	0.4	Respiratory diseases
	(0.07 to 0.14)	(-0.1 to -0.03)	(0.04 to 0.11)	(0.03 to 0.19)	(-0.16 to 0)	(0.02 to 0.18)	(-0.23 to 0.02)	(-0.04 to 0.21)	(0.29 to 0.5)	
Other pneumoconiosis	0.25	-0.18	0.01	0.3	-0.29	0.27	0.54	-0.51	0.34	Respiratory diseases
	(0.21 to 0.28)	(-0.22 to -0.15)	(-0.03 to 0.04)	(0.23 to 0.37)	(-0.36 to -0.22)	(0.19 to 0.34)	(0.44 to 0.62)	(-0.6 to -0.41)	(0.22 to 0.45)	
Pneumoconiosis	0.11	-0.1	0.05	0.05	-0.04	0.13	0.22	-0.2	0.22	Respiratory diseases
	(0.08 to 0.15)	(-0.13 to -0.07)	(0.02 to 0.09)	(-0.03 to 0.13)	(-0.12 to 0.04)	(0.05 to 0.21)	(0.1 to 0.34)	(-0.32 to -0.07)	(0.09 to 0.33)	
Silicosis	-0.01	-0.01	-0.02	-0.04	-0.05	0.01	0.2	-0.2	0.05	Respiratory diseases
	(-0.05 to 0.02)	(-0.05 to 0.02)	(-0.06 to 0.01)	(-0.12 to 0.04)	(-0.13 to 0.03)	(-0.06 to 0.09)	(0.08 to 0.32)	(-0.32 to -0.08)	(-0.08 to 0.18)	
Mortality risk, age 0-5	0.07	0.02	0.01	-0.08	0.16	-0.17	-0.1	0.15	0.26	Life expectancy and Mortality
	(0.04 to 0.11)	(-0.02 to 0.05)	(-0.03 to 0.05)	(-0.16 to 0)	(0.08 to 0.24)	(-0.25 to -0.09)	(-0.22 to 0.03)	(0.02 to 0.27)	(0.14 to 0.38)	
Mortality risk, age 25-45	0.11	-0.02	0.08	-0.02	0.09	-0.05	0.06	0	0.47	Life expectancy and Mortality
	(0.07 to 0.14)	(-0.06 to 0.01)	(0.04 to 0.11)	(-0.1 to 0.06)	(0.01 to 0.17)	(-0.13 to 0.03)	(-0.07 to 0.18)	(-0.13 to 0.13)	(0.37 to 0.57)	
Mortality risk, age 45-65	0.16	-0.06	0.15	0.01	0.08	0.01	0.07	-0.02	0.47	Life expectancy and Mortality
	(0.13 to 0.19)	(-0.1 to -0.03)	(0.11 to 0.18)	(-0.07 to 0.08)	(0 to 0.15)	(-0.07 to 0.09)	(-0.06 to 0.19)	(-0.14 to 0.11)	(0.36 to 0.56)	
Mortality risk, age 5-25	0.21	-0.13	0.11	0.1	-0.04	0.03	0.26	-0.22	0.58	Life expectancy and Mortality
	(0.18 to 0.25)	(-0.17 to -0.1)	(0.07 to 0.14)	(0.02 to 0.18)	(-0.12 to 0.04)	(-0.05 to 0.11)	(0.14 to 0.38)	(-0.34 to -0.1)	(0.49 to 0.66)	
Mortality risk, age 65-85	0.25	-0.17	0.2	-0.02	0.07	0.12	0.16	-0.13	0.43	Life expectancy and Mortality
	(0.21 to 0.28)	(-0.2 to -0.13)	(0.16 to 0.23)	(-0.1 to 0.06)	(-0.01 to 0.15)	(0.04 to 0.2)	(0.03 to 0.28)	(-0.26 to -0.01)	(0.32 to 0.53)	
pct_male_under_18_medicaid	-0.1	0.17	0.14	-0.15	0.22	0.08	0.11	-0.1	0.5	Insurance and Healthcare cost
	(-0.14 to -0.07)	(0.14 to 0.21)	(0.1 to 0.17)	(-0.22 to -0.07)	(0.14 to 0.29)	(0 to 0.15)	(-0.02 to 0.23)	(-0.22 to 0.03)	(0.39 to 0.59)	
pct_male_18_64_	-0.16	0.17	0.29	-0.24	0.23	0.34	0.1	-0.1	0.56	Insurance and

medicaid	(-0.19 to -0.12)	(0.14 to 0.21)	(0.26 to 0.32)	(-0.31 to -0.16)	(0.16 to 0.31)	(0.27 to 0.41)	(-0.03 to 0.22)	(-0.22 to 0.03)	(0.47 to 0.65)	Healthcare cost
	-0.19	0.25	0	-0.19	0.25	0.07	-0.15	0.15	0.32	
prct_male_over_64_medicaid	(-0.22 to -0.16)	(0.22 to 0.28)	(-0.03 to 0.04)	(-0.27 to -0.12)	(0.17 to 0.32)	(-0.01 to 0.15)	(-0.28 to -0.03)	(0.02 to 0.27)	(0.2 to 0.43)	Insurance and Healthcare cost
	-0.16	0.21	0.19	-0.25	0.28	0.2	0.03	-0.03	0.53	
prct_male_medicaid	(-0.19 to -0.12)	(0.18 to 0.24)	(0.16 to 0.22)	(-0.32 to -0.17)	(0.21 to 0.35)	(0.13 to 0.28)	(-0.09 to 0.16)	(-0.16 to 0.1)	(0.43 to 0.61)	Insurance and Healthcare cost
	-0.1	0.17	0.14	-0.12	0.2	0.09	0.12	-0.11	0.49	
prct_female_under_18_medicaid	(-0.13 to -0.06)	(0.13 to 0.2)	(0.11 to 0.18)	(-0.2 to -0.05)	(0.12 to 0.27)	(0.01 to 0.16)	(0 to 0.25)	(-0.23 to 0.02)	(0.38 to 0.58)	Insurance and Healthcare cost
	-0.16	0.19	0.31	-0.24	0.24	0.35	0.09	-0.08	0.55	
prct_female_18_64_medicaid	(-0.2 to -0.13)	(0.15 to 0.22)	(0.28 to 0.34)	(-0.32 to -0.17)	(0.16 to 0.31)	(0.28 to 0.42)	(-0.04 to 0.21)	(-0.2 to 0.05)	(0.45 to 0.63)	Insurance and Healthcare cost
	-0.21	0.28	0	-0.26	0.31	-0.01	-0.14	0.14	0.31	
prct_female_over_64_medicaid	(-0.24 to -0.17)	(0.25 to 0.31)	(-0.03 to 0.04)	(-0.33 to -0.18)	(0.24 to 0.38)	(-0.09 to 0.07)	(-0.27 to -0.02)	(0.01 to 0.26)	(0.19 to 0.42)	Insurance and Healthcare cost
	-0.15	0.21	0.22	-0.23	0.27	0.23	0.04	-0.04	0.53	
prct_female_medicaid	(-0.19 to -0.12)	(0.18 to 0.24)	(0.18 to 0.25)	(-0.31 to -0.16)	(0.19 to 0.34)	(0.15 to 0.3)	(-0.09 to 0.17)	(-0.16 to 0.09)	(0.43 to 0.61)	Insurance and Healthcare cost
	-0.05	0.02	0.32	-0.02	-0.05	0.31	-0.02	0.01	0.08	
prcnt_no_highs_25_64_with_ins	(-0.08 to -0.01)	(-0.01 to 0.06)	(0.29 to 0.35)	(-0.09 to 0.06)	(-0.13 to 0.03)	(0.24 to 0.38)	(-0.14 to 0.11)	(-0.11 to 0.14)	(-0.05 to 0.2)	Insurance and Healthcare cost
	0.12	-0.16	-0.02	0.25	-0.29	0.04	0.1	-0.1	-0.23	
prcnt_no_highs_25_64_with_private_ins	(0.08 to 0.15)	(-0.19 to -0.13)	(-0.05 to 0.02)	(0.17 to 0.32)	(-0.37 to -0.22)	(-0.04 to 0.12)	(-0.03 to 0.22)	(-0.23 to 0.02)	(-0.35 to -0.11)	Insurance and Healthcare cost
	-0.16	0.17	0.33	-0.27	0.25	0.29	-0.08	0.08	0.29	
prcnt_no_highs_25_64_with_public_ins	(-0.19 to -0.12)	(0.14 to 0.21)	(0.3 to 0.36)	(-0.34 to -0.2)	(0.17 to 0.32)	(0.22 to 0.36)	(-0.21 to 0.05)	(-0.04 to 0.21)	(0.17 to 0.41)	Insurance and Healthcare cost
	0.01	-0.05	0.32	0.03	-0.11	0.4	0.2	-0.2	-0.08	
prcnt_yes_highs_25_64_with_ins	(-0.03 to 0.04)	(-0.09 to -0.02)	(0.29 to 0.35)	(-0.05 to 0.11)	(-0.18 to -0.03)	(0.33 to 0.46)	(0.08 to 0.32)	(-0.32 to -0.08)	(-0.2 to 0.05)	Insurance and Healthcare cost
prcnt_yes_highs_2	0.18	-0.23	0.1	0.26	-0.31	0.15	0.21	-0.2	-0.26	Insurance and

5_64_with_private_ins	(0.15 to 0.22)	(-0.26 to -0.19)	(0.07 to 0.14)	(0.19 to 0.34)	(-0.38 to -0.24)	(0.07 to 0.23)	(0.08 to 0.32)	(-0.32 to -0.08)	(-0.38 to -0.14)	Healthcare cost
prcnt_yes_highs_2_5_64_with_public_ins	-0.23	0.25	0.22	-0.34	0.34	0.26	-0.1	0.09	0.38	Insurance and Healthcare cost
prcnt_bachelor_2_5_64_with_ins	(-0.27 to -0.2)	(0.21 to 0.28)	(0.18 to 0.25)	(-0.41 to -0.27)	(0.27 to 0.41)	(0.18 to 0.33)	(-0.22 to 0.03)	(-0.03 to 0.22)	(0.27 to 0.48)	Insurance and Healthcare cost
prcnt_bachelor_2_5_64_with_private_ins	0.02	-0.05	0.09	0.05	-0.12	0.17	-0.06	0.07	-0.25	Insurance and Healthcare cost
prcnt_bachelor_2_5_64_with_public_ins	(-0.01 to 0.06)	(-0.08 to -0.01)	(0.06 to 0.13)	(-0.03 to 0.13)	(-0.19 to -0.04)	(0.09 to 0.25)	(-0.19 to 0.07)	(-0.06 to 0.19)	(-0.37 to -0.13)	Insurance and Healthcare cost
prcnt_bachelor_2_5_64_with_private_ins	0.1	-0.11	-0.04	0.11	-0.15	-0.05	-0.13	0.13	-0.41	Insurance and Healthcare cost
prcnt_bachelor_2_5_64_with_public_ins	(0.06 to 0.13)	(-0.15 to -0.08)	(-0.08 to -0.01)	(0.03 to 0.19)	(-0.23 to -0.07)	(-0.13 to 0.03)	(-0.25 to 0)	(0.01 to 0.26)	(-0.51 to -0.29)	Insurance and Healthcare cost
prcnt_bachelor_2_5_64_with_public_ins	-0.11	0.11	0.19	-0.1	0.1	0.27	0.21	-0.22	0.47	Insurance and Healthcare cost
wnh_prnt_18_dis	(-0.15 to -0.08)	(0.08 to 0.15)	(0.15 to 0.22)	(-0.17 to -0.02)	(0.02 to 0.18)	(0.19 to 0.34)	(0.09 to 0.33)	(-0.34 to -0.1)	(0.36 to 0.56)	Insurance and Healthcare cost
wnh_prnt_18_dis	0.1	-0.08	0.14	0.02	0.02	0.17	0.32	-0.32	0.31	Insurance and Healthcare cost
wnh_prnt_18_64_dis	(0.07 to 0.14)	(-0.12 to -0.05)	(0.11 to 0.18)	(-0.05 to 0.1)	(-0.06 to 0.1)	(0.09 to 0.24)	(0.2 to 0.43)	(-0.43 to -0.2)	(0.19 to 0.42)	Insurance and Healthcare cost
wnh_prnt_18_64_dis	0.26	-0.21	0.26	0.09	-0.04	0.21	0.38	-0.37	0.62	Insurance and Healthcare cost
wnh_prnt_65_dis	(0.22 to 0.29)	(-0.24 to -0.17)	(0.22 to 0.29)	(0.01 to 0.17)	(-0.11 to 0.04)	(0.13 to 0.28)	(0.26 to 0.48)	(-0.48 to -0.26)	(0.53 to 0.69)	Insurance and Healthcare cost
w_prnt_18_dis	0.3	-0.25	0.15	0.22	-0.17	0.09	0.34	-0.32	0.44	Insurance and Healthcare cost
w_prnt_18_64_dis	(0.27 to 0.34)	(-0.29 to -0.22)	(0.11 to 0.18)	(0.14 to 0.29)	(-0.25 to -0.09)	(0.01 to 0.17)	(0.22 to 0.45)	(-0.43 to -0.2)	(0.33 to 0.54)	Insurance and Healthcare cost
w_prnt_65_dis	0.09	-0.06	0.16	0.03	0	0.18	0.31	-0.3	0.3	Insurance and Healthcare cost
Uninsured %: <=	(0.05 to 0.12)	(-0.1 to -0.03)	(0.13 to 0.2)	(-0.05 to 0.11)	(-0.08 to 0.08)	(0.1 to 0.26)	(0.19 to 0.42)	(-0.41 to -0.18)	(0.18 to 0.41)	Insurance and Healthcare cost
Uninsured %: <=	0.26	-0.21	0.29	0.1	-0.05	0.24	0.38	-0.37	0.61	Insurance and Healthcare cost
Uninsured %: <=	(0.23 to 0.3)	(-0.24 to -0.18)	(0.26 to 0.32)	(0.02 to 0.18)	(-0.13 to 0.03)	(0.16 to 0.31)	(0.27 to 0.48)	(-0.48 to -0.26)	(0.53 to 0.69)	Insurance and Healthcare cost
Uninsured %: <=	0.27	-0.22	0.12	0.2	-0.16	0.07	0.34	-0.31	0.44	Insurance and Healthcare cost
Uninsured %: <=	(0.24 to 0.3)	(-0.25 to -0.19)	(0.09 to 0.16)	(0.12 to 0.28)	(-0.24 to -0.09)	(-0.01 to 0.15)	(0.22 to 0.44)	(-0.42 to -0.19)	(0.33 to 0.53)	Insurance and Healthcare cost
Uninsured %: <=	0.25	-0.2	-0.37	0.17	-0.1	-0.44	-0.13	0.11	-0.12	Insurance and Healthcare cost

138% of Poverty	(0.22 to 0.28)	(-0.24 to -0.17)	(-0.4 to -0.34)	(0.09 to 0.25)	(-0.18 to -0.02)	(-0.5 to -0.37)	(-0.26 to -0.01)	(-0.02 to 0.23)	(-0.24 to 0.01)	Healthcare cost
	0.19	-0.13	-0.34	0.07	0	-0.41	-0.13	0.12	0.04	
Uninsured %: <= 400% of Poverty	(0.15 to 0.22)	(-0.17 to -0.1)	(-0.37 to -0.31)	(-0.01 to 0.15)	(-0.08 to 0.08)	(-0.47 to -0.34)	(-0.26 to -0.01)	(-0.01 to 0.24)	(-0.09 to 0.16)	Insurance and Healthcare cost
	0.22	-0.15	-0.24	0.12	-0.04	-0.29	0.02	-0.03	0.31	
Uninsured %: All Incomes	(0.18 to 0.25)	(-0.19 to -0.12)	(-0.27 to -0.2)	(0.04 to 0.2)	(-0.12 to 0.04)	(-0.36 to -0.22)	(-0.11 to 0.14)	(-0.16 to 0.1)	(0.19 to 0.42)	Insurance and Healthcare cost
	-0.15	0.02	-0.16	-0.29	0.32	-0.37	-0.44	0.48	-0.47	
Part B Drugs Actual Costs	(-0.19 to -0.12)	(-0.01 to 0.06)	(-0.2 to -0.13)	(-0.36 to -0.21)	(0.25 to 0.39)	(-0.44 to -0.3)	(-0.54 to -0.33)	(0.38 to 0.57)	(-0.56 to -0.36)	Insurance and Healthcare cost
	-0.15	0.02	-0.16	-0.41	0.44	-0.39	-0.49	0.52	-0.39	
Emergency Department Visits	(-0.19 to -0.12)	(-0.01 to 0.06)	(-0.2 to -0.13)	(-0.47 to -0.34)	(0.38 to 0.5)	(-0.46 to -0.32)	(-0.58 to -0.38)	(0.42 to 0.61)	(-0.49 to -0.27)	Insurance and Healthcare cost
	-0.17	0.22	-0.26	-0.13	0.19	-0.39	-0.05	0.1	-0.21	
Imaging Per Capita Actual Costs	(-0.2 to -0.13)	(0.18 to 0.25)	(-0.29 to -0.23)	(-0.21 to -0.05)	(0.12 to 0.27)	(-0.45 to -0.32)	(-0.18 to 0.08)	(-0.03 to 0.22)	(-0.33 to -0.09)	Insurance and Healthcare cost
	-0.22	0.25	-0.4	-0.08	0.15	-0.46	-0.02	0.08	-0.34	
Procedures Per Capita Actual Costs	(-0.25 to -0.19)	(0.21 to 0.28)	(-0.43 to -0.37)	(-0.15 to 0)	(0.07 to 0.22)	(-0.52 to -0.39)	(-0.14 to 0.11)	(-0.05 to 0.2)	(-0.44 to -0.22)	Insurance and Healthcare cost
	-0.02	0.06	-0.22	-0.14	0.17	-0.35	-0.2	0.18	-0.32	
Hospice Per Capita Actual Costs	(-0.06 to 0.01)	(0.02 to 0.09)	(-0.25 to -0.19)	(-0.22 to -0.06)	(0.09 to 0.25)	(-0.42 to -0.28)	(-0.32 to -0.07)	(0.06 to 0.31)	(-0.43 to -0.21)	Insurance and Healthcare cost
	-0.1	0.17	-0.26	-0.13	0.22	-0.45	-0.14	0.19	-0.25	
Tests Per Capita Actual Costs	(-0.14 to -0.07)	(0.14 to 0.2)	(-0.29 to -0.22)	(-0.21 to -0.05)	(0.14 to 0.29)	(-0.51 to -0.38)	(-0.26 to -0.01)	(0.06 to 0.31)	(-0.37 to -0.13)	Insurance and Healthcare cost
	-0.07	0.13	-0.1	0	0.05	-0.1	-0.1	0.16	-0.16	
Actual Per Capita Costs	(-0.1 to -0.03)	(0.1 to 0.17)	(-0.13 to -0.06)	(-0.08 to 0.08)	(-0.03 to 0.12)	(-0.18 to -0.02)	(-0.23 to 0.02)	(0.04 to 0.28)	(-0.28 to -0.03)	Insurance and Healthcare cost
	-0.14	0.24	0.15	-0.31	0.34	0.21	-0.13	0.11	0.34	
Percent Eligible for Medicaid	(-0.17 to -0.1)	(0.21 to 0.27)	(0.12 to 0.19)	(-0.38 to -0.23)	(0.27 to 0.41)	(0.13 to 0.28)	(-0.25 to 0)	(-0.01 to 0.24)	(0.22 to 0.44)	Insurance and Healthcare cost
Percent Male	0.18	-0.21	0.18	0.13	-0.16	0.39	0.32	-0.33	0.52	Insurance and

	(0.15 to 0.22)	(-0.24 to -0.17)	(0.15 to 0.22)	(0.05 to 0.2)	(-0.24 to -0.08)	(0.32 to 0.46)	(0.2 to 0.43)	(-0.44 to -0.21)	(0.42 to 0.61)	Healthcare cost
	-0.18	0.21	-0.18	-0.13	0.16	-0.39	-0.32	0.33	-0.52	
Percent Female	(-0.22 to -0.15)	(0.17 to 0.24)	(-0.22 to -0.15)	(-0.2 to -0.05)	(0.08 to 0.24)	(-0.46 to -0.32)	(-0.43 to -0.2)	(0.21 to 0.44)	(-0.61 to -0.42)	Insurance and Healthcare cost
	-0.11	0.14	0.12	-0.23	0.27	-0.27	0.12	-0.1	-0.22	
Diarrheal diseases	(-0.14 to -0.08)	(0.1 to 0.17)	(0.08 to 0.15)	(-0.3 to -0.15)	(0.2 to 0.34)	(-0.34 to -0.2)	(-0.01 to 0.24)	(-0.22 to 0.03)	(-0.34 to -0.1)	Infectious diseases
	-0.1	0.12	-0.25	-0.02	0.05	-0.17	-0.34	0.36	-0.17	
Hepatitis	(-0.14 to -0.07)	(0.09 to 0.16)	(-0.28 to -0.22)	(-0.1 to 0.06)	(-0.03 to 0.13)	(-0.25 to -0.09)	(-0.44 to -0.22)	(0.25 to 0.47)	(-0.29 to -0.04)	Infectious diseases
	-0.31	0.38	-0.21	-0.1	0.16	-0.19	-0.4	0.46	-0.25	
HIV AIDS	(-0.34 to -0.27)	(0.35 to 0.41)	(-0.24 to -0.17)	(-0.18 to -0.03)	(0.08 to 0.23)	(-0.27 to -0.11)	(-0.5 to -0.29)	(0.35 to 0.55)	(-0.37 to -0.13)	Infectious diseases
	0.13	-0.05	0.04	-0.01	0.07	-0.1	0.08	-0.03	-0.02	
Lower respiratory infections	(0.1 to 0.17)	(-0.08 to -0.01)	(0 to 0.07)	(-0.08 to 0.07)	(-0.01 to 0.15)	(-0.18 to -0.02)	(-0.05 to 0.2)	(-0.16 to 0.1)	(-0.15 to 0.11)	Infectious diseases
	-0.17	0.27	-0.16	-0.25	0.31	-0.34	-0.27	0.34	-0.07	
Meningitis	(-0.21 to -0.14)	(0.23 to 0.3)	(-0.19 to -0.13)	(-0.32 to -0.18)	(0.24 to 0.38)	(-0.41 to -0.26)	(-0.39 to -0.15)	(0.23 to 0.45)	(-0.2 to 0.05)	Infectious diseases
	-0.36	0.44	-0.24	-0.34	0.41	-0.38	-0.45	0.5	-0.19	
Tuberculosis	(-0.39 to -0.33)	(0.41 to 0.46)	(-0.27 to -0.21)	(-0.41 to -0.27)	(0.35 to 0.48)	(-0.44 to -0.31)	(-0.54 to -0.34)	(0.4 to 0.59)	(-0.31 to -0.06)	Infectious diseases
	0.17	-0.09	0.21	0.05	0.01	0.07	0.14	-0.09	0.39	
Years of Potential Life Lost Rate	(0.13 to 0.2)	(-0.13 to -0.06)	(0.18 to 0.25)	(-0.03 to 0.14)	(-0.07 to 0.1)	(-0.01 to 0.15)	(0.02 to 0.27)	(-0.21 to 0.04)	(0.28 to 0.49)	Health Outcomes
	0.07	-0.06	0.08	-0.03	0.07	0.31	0	0	0.32	
YPLL Rate (Black)	(0.02 to 0.12)	(-0.12 to -0.01)	(0.03 to 0.13)	(-0.16 to 0.09)	(-0.06 to 0.19)	(0.2 to 0.42)	(-0.22 to 0.23)	(-0.23 to 0.23)	(0.1 to 0.51)	Health Outcomes
	0.34	-0.27	0.41	0.41	-0.32	0.37	0.31	-0.25	0.66	
YPLL Rate (White)	(0.29 to 0.38)	(-0.31 to -0.22)	(0.36 to 0.45)	(0.3 to 0.5)	(-0.43 to -0.21)	(0.26 to 0.47)	(0.09 to 0.49)	(-0.44 to -0.03)	(0.52 to 0.77)	Health Outcomes
% Fair/Poor	-0.05	0.14	0.02	-0.14	0.22	-0.15	-0.03	0.06	0.35	Health

	(-0.09 to -0.02)	(0.11 to 0.18)	(-0.02 to 0.05)	(-0.22 to -0.07)	(0.14 to 0.29)	(-0.22 to -0.07)	(-0.15 to 0.1)	(-0.07 to 0.19)	(0.23 to 0.45)	Outcomes
	0.04	0.02	0.12	-0.19	0.25	-0.05	0.07	-0.05	0.37	
Physically Unhealthy Days	(0.01 to 0.08)	(-0.01 to 0.06)	(0.09 to 0.16)	(-0.26 to -0.11)	(0.18 to 0.33)	(-0.13 to 0.03)	(-0.06 to 0.19)	(-0.17 to 0.08)	(0.25 to 0.47)	Health Outcomes
	0.02	0.04	0.1	-0.23	0.31	-0.11	0.12	-0.08	0.25	
Mentally Unhealthy Days	(-0.01 to 0.06)	(0 to 0.07)	(0.07 to 0.14)	(-0.31 to -0.16)	(0.24 to 0.38)	(-0.19 to -0.03)	(-0.01 to 0.24)	(-0.21 to 0.05)	(0.13 to 0.37)	Health Outcomes
	-0.16	0.25	-0.1	-0.22	0.32	-0.29	-0.16	0.21	-0.05	
% LBW	(-0.2 to -0.13)	(0.22 to 0.29)	(-0.14 to -0.07)	(-0.3 to -0.14)	(0.25 to 0.39)	(-0.36 to -0.21)	(-0.28 to -0.03)	(0.08 to 0.33)	(-0.17 to 0.08)	Health Outcomes
	-0.23	0.15	-0.23	-0.08	0.01	-0.13	-0.19	0.15	-0.45	
Life Expectancy	(-0.26 to -0.19)	(0.12 to 0.19)	(-0.26 to -0.19)	(-0.16 to 0)	(-0.07 to 0.09)	(-0.21 to -0.05)	(-0.31 to -0.06)	(0.02 to 0.27)	(-0.55 to -0.34)	Health Outcomes
	-0.15	0.09	-0.2	-0.02	-0.03	-0.15	0	-0.03	-0.16	
Life Expectancy (Black)	(-0.2 to -0.1)	(0.04 to 0.14)	(-0.25 to -0.15)	(-0.14 to 0.1)	(-0.15 to 0.09)	(-0.27 to -0.03)	(-0.21 to 0.21)	(-0.24 to 0.18)	(-0.36 to 0.05)	Health Outcomes
	-0.42	0.33	-0.38	-0.37	0.28	-0.38	-0.29	0.23	-0.71	
Life Expectancy (White)	(-0.46 to -0.38)	(0.29 to 0.38)	(-0.42 to -0.34)	(-0.46 to -0.27)	(0.17 to 0.37)	(-0.47 to -0.28)	(-0.45 to -0.11)	(0.05 to 0.4)	(-0.79 to -0.6)	Health Outcomes
	0.2	-0.12	0.21	0.09	-0.02	0.08	0.17	-0.12	0.44	
Age-Adjusted Mortality	(0.16 to 0.23)	(-0.15 to -0.08)	(0.17 to 0.24)	(0.01 to 0.16)	(-0.1 to 0.06)	(0 to 0.16)	(0.04 to 0.29)	(-0.24 to 0.01)	(0.34 to 0.54)	Health Outcomes
	0.06	-0.06	0.04	0.09	-0.07	0.38	0.24	-0.22	0.42	
Age-Adjusted Mortality (Black)	(0 to 0.11)	(-0.11 to 0)	(-0.01 to 0.09)	(-0.03 to 0.22)	(-0.19 to 0.06)	(0.27 to 0.48)	(0.01 to 0.44)	(-0.43 to 0)	(0.21 to 0.59)	Health Outcomes
	0.36	-0.28	0.42	0.41	-0.34	0.4	0.26	-0.21	0.72	
Age-Adjusted Mortality (White)	(0.32 to 0.4)	(-0.33 to -0.24)	(0.38 to 0.46)	(0.31 to 0.51)	(-0.45 to -0.23)	(0.3 to 0.5)	(0.05 to 0.46)	(-0.41 to 0.01)	(0.6 to 0.81)	Health Outcomes
	0.13	-0.07	0.16	0.02	0.03	0.06	0.06	-0.04	0.22	
Child Mortality Rate	(0.09 to 0.18)	(-0.12 to -0.03)	(0.11 to 0.2)	(-0.08 to 0.11)	(-0.07 to 0.13)	(-0.04 to 0.16)	(-0.09 to 0.2)	(-0.18 to 0.11)	(0.07 to 0.35)	Health Outcomes
Infant Mortality	0.16	-0.09	0.28	0.01	0.06	0.15	-0.04	0.07	0.31	Health

Rate	(0.11 to 0.21)	(-0.14 to -0.03)	(0.23 to 0.33)	(-0.11 to 0.13)	(-0.06 to 0.18)	(0.04 to 0.26)	(-0.22 to 0.15)	(-0.11 to 0.25)	(0.14 to 0.47)	Outcomes
	0	0.07	0.11	-0.19	0.26	-0.08	0.02	0	0.37	
% Frequent Physical Distress	(-0.04 to 0.03)	(0.04 to 0.11)	(0.07 to 0.14)	(-0.27 to -0.12)	(0.19 to 0.33)	(-0.16 to 0)	(-0.11 to 0.14)	(-0.12 to 0.13)	(0.25 to 0.47)	Health Outcomes
	0	0.07	0.12	-0.22	0.3	-0.1	0.04	-0.01	0.34	
% Frequent Mental Distress	(-0.04 to 0.03)	(0.04 to 0.11)	(0.09 to 0.16)	(-0.29 to -0.14)	(0.23 to 0.37)	(-0.17 to -0.02)	(-0.09 to 0.17)	(-0.14 to 0.12)	(0.22 to 0.45)	Health Outcomes
	-0.4	0.47	-0.25	-0.2	0.29	-0.31	-0.44	0.49	-0.27	
HIV Prevalence Rate	(-0.44 to -0.37)	(0.44 to 0.5)	(-0.28 to -0.21)	(-0.29 to -0.11)	(0.21 to 0.38)	(-0.39 to -0.23)	(-0.54 to -0.32)	(0.38 to 0.59)	(-0.39 to -0.13)	Health Outcomes
	0.17	-0.1	0.23	0.13	-0.07	0.17	0.39	-0.37	0.38	
diabetes_crude	(0.14 to 0.2)	(-0.13 to -0.06)	(0.2 to 0.26)	(0.05 to 0.21)	(-0.15 to 0.01)	(0.09 to 0.25)	(0.28 to 0.49)	(-0.47 to -0.25)	(0.26 to 0.48)	Health Behaviors
	0.16	-0.1	0.28	0.2	-0.17	0.33	0.26	-0.26	0.38	
obesity_crude	(0.12 to 0.19)	(-0.14 to -0.07)	(0.24 to 0.31)	(0.12 to 0.27)	(-0.25 to -0.09)	(0.25 to 0.39)	(0.14 to 0.38)	(-0.38 to -0.14)	(0.27 to 0.49)	Health Behaviors
	0.36	-0.28	0.3	0.38	-0.31	0.2	0.46	-0.43	0.53	
physical_inactivity_crude	(0.33 to 0.39)	(-0.31 to -0.25)	(0.26 to 0.33)	(0.31 to 0.45)	(-0.38 to -0.24)	(0.13 to 0.28)	(0.35 to 0.55)	(-0.53 to -0.32)	(0.44 to 0.62)	Health Behaviors
	0.12	-0.04	0.35	-0.03	0.09	0.14	0.04	-0.04	0.43	
% Smokers	(0.09 to 0.16)	(-0.07 to 0)	(0.32 to 0.38)	(-0.11 to 0.05)	(0.01 to 0.17)	(0.06 to 0.22)	(-0.09 to 0.17)	(-0.16 to 0.09)	(0.32 to 0.53)	Health Behaviors
	0.06	-0.1	0.06	-0.01	-0.02	0.16	0.17	-0.2	-0.19	
Food Environment Index	(0.02 to 0.09)	(-0.13 to -0.06)	(0.03 to 0.1)	(-0.09 to 0.07)	(-0.1 to 0.06)	(0.08 to 0.24)	(0.05 to 0.3)	(-0.32 to -0.07)	(-0.31 to -0.06)	Health Behaviors
	-0.16	0.11	0.07	-0.12	0.05	0.18	-0.34	0.3	-0.25	
% Excessive Drinking	(-0.19 to -0.12)	(0.07 to 0.14)	(0.03 to 0.1)	(-0.2 to -0.04)	(-0.03 to 0.13)	(0.1 to 0.26)	(-0.44 to -0.22)	(0.18 to 0.41)	(-0.36 to -0.12)	Health Behaviors
	0.22	-0.15	0.1	0.11	-0.07	0	0.19	-0.16	0.42	
Teen Birth Rate	(0.19 to 0.26)	(-0.18 to -0.11)	(0.07 to 0.14)	(0.03 to 0.19)	(-0.15 to 0.01)	(-0.08 to 0.08)	(0.07 to 0.31)	(-0.28 to -0.03)	(0.31 to 0.52)	Health Behaviors
% Food Insecure	-0.14	0.21	-0.07	-0.21	0.28	-0.23	-0.15	0.17	0.2	Health

	(-0.17 to -0.1)	(0.18 to 0.24)	(-0.11 to -0.04)	(-0.28 to -0.13)	(0.21 to 0.35)	(-0.3 to -0.15)	(-0.27 to -0.02)	(0.05 to 0.29)	(0.08 to 0.32)	Behaviors
	0.15	-0.13	0.3	0.12	-0.07	0.11	0.02	0.06	0.05	
Drug Overdose Mortality Rate	(0.11 to 0.2)	(-0.18 to -0.09)	(0.25 to 0.34)	(0.02 to 0.21)	(-0.17 to 0.03)	(0.01 to 0.21)	(-0.13 to 0.16)	(-0.09 to 0.2)	(-0.1 to 0.19)	Health Behaviors
	0.37	-0.32	0.21	0.31	-0.28	0.21	0.36	-0.34	0.54	
MV Mortality Rate	(0.33 to 0.4)	(-0.35 to -0.28)	(0.17 to 0.24)	(0.23 to 0.39)	(-0.36 to -0.2)	(0.13 to 0.29)	(0.25 to 0.47)	(-0.45 to -0.22)	(0.44 to 0.62)	Health Behaviors
	-0.16	0.25	0.03	-0.27	0.36	-0.03	0.09	-0.05	0.14	
% Insufficient Sleep	(-0.19 to -0.12)	(0.22 to 0.28)	(-0.01 to 0.06)	(-0.35 to -0.2)	(0.29 to 0.43)	(-0.11 to 0.05)	(-0.04 to 0.22)	(-0.17 to 0.08)	(0.02 to 0.26)	Health Behaviors
	0.13	-0.1	-0.02	0.1	-0.04	-0.06	0.13	-0.13	0.16	
opioid_prescribing_rate	(0.09 to 0.16)	(-0.13 to -0.06)	(-0.05 to 0.02)	(0.02 to 0.18)	(-0.12 to 0.04)	(-0.14 to 0.02)	(0 to 0.25)	(-0.25 to 0)	(0.03 to 0.28)	Health Behaviors
	0.28	-0.27	0.34	0.35	-0.32	0.26	0.38	-0.37	0.4	
% 65 and over	(0.25 to 0.32)	(-0.3 to -0.24)	(0.3 to 0.37)	(0.28 to 0.42)	(-0.39 to -0.24)	(0.18 to 0.33)	(0.26 to 0.48)	(-0.47 to -0.25)	(0.29 to 0.5)	Demographic
	0.53	-0.58	0.44	0.51	-0.55	0.48	0.59	-0.64	0.35	
% Non-Hispanic White	(0.5 to 0.56)	(-0.61 to -0.56)	(0.41 to 0.47)	(0.45 to 0.57)	(-0.61 to -0.5)	(0.42 to 0.54)	(0.5 to 0.66)	(-0.71 to -0.56)	(0.23 to 0.45)	Demographic
	0.49	-0.47	0.44	0.47	-0.47	0.49	0.45	-0.46	0.59	
% Rural	(0.46 to 0.52)	(-0.49 to -0.44)	(0.41 to 0.47)	(0.41 to 0.53)	(-0.53 to -0.4)	(0.42 to 0.55)	(0.34 to 0.54)	(-0.56 to -0.36)	(0.5 to 0.66)	Demographic
	-0.23	0.18	-0.02	-0.3	0.27	-0.02	-0.4	0.4	0.09	
Alcohol use disorders	(-0.26 to -0.19)	(0.15 to 0.21)	(-0.06 to 0.01)	(-0.37 to -0.22)	(0.2 to 0.34)	(-0.1 to 0.06)	(-0.5 to -0.28)	(0.29 to 0.5)	(-0.04 to 0.21)	Deaths of Despair
	0.11	-0.08	0.09	-0.15	0.2	-0.1	-0.06	0.11	0.04	
Drug use disorders	(0.07 to 0.14)	(-0.12 to -0.05)	(0.06 to 0.12)	(-0.23 to -0.07)	(0.12 to 0.27)	(-0.18 to -0.02)	(-0.18 to 0.07)	(-0.02 to 0.24)	(-0.09 to 0.17)	Deaths of Despair
	-0.29	0.37	-0.14	-0.3	0.37	-0.3	-0.36	0.42	-0.09	
Interpersonal violence	(-0.32 to -0.26)	(0.34 to 0.4)	(-0.17 to -0.1)	(-0.37 to -0.22)	(0.3 to 0.43)	(-0.37 to -0.22)	(-0.47 to -0.24)	(0.31 to 0.52)	(-0.21 to 0.04)	Deaths of Despair
Self-harm	0.22	-0.26	0.13	0.12	-0.12	0.16	0.18	-0.15	0.56	Deaths of

	(0.19 to 0.25)	(-0.3 to -0.23)	(0.09 to 0.16)	(0.04 to 0.19)	(-0.2 to -0.04)	(0.09 to 0.24)	(0.05 to 0.3)	(-0.27 to -0.03)	(0.47 to 0.64)	Despair
	-0.37	0.32	-0.25	-0.41	0.39	-0.21	-0.28	0.28	-0.38	
% With Access	(-0.4 to -0.34)	(0.28 to 0.35)	(-0.28 to -0.22)	(-0.48 to -0.35)	(0.32 to 0.46)	(-0.28 to -0.13)	(-0.4 to -0.16)	(0.16 to 0.4)	(-0.48 to -0.26)	Clinical Care
	-0.35	0.31	-0.27	-0.3	0.27	-0.21	-0.35	0.34	-0.38	
PCP Rate	(-0.38 to -0.32)	(0.28 to 0.35)	(-0.3 to -0.24)	(-0.37 to -0.23)	(0.2 to 0.35)	(-0.28 to -0.13)	(-0.46 to -0.23)	(0.22 to 0.45)	(-0.48 to -0.26)	Clinical Care
	-0.38	0.34	-0.23	-0.35	0.32	-0.24	-0.47	0.49	-0.41	
Dentist Rate	(-0.41 to -0.35)	(0.31 to 0.37)	(-0.27 to -0.2)	(-0.42 to -0.28)	(0.25 to 0.39)	(-0.31 to -0.16)	(-0.57 to -0.37)	(0.39 to 0.58)	(-0.51 to -0.29)	Clinical Care
	-0.4	0.35	-0.23	-0.47	0.46	-0.26	-0.52	0.5	-0.35	
MHP Rate	(-0.43 to -0.37)	(0.32 to 0.39)	(-0.26 to -0.19)	(-0.53 to -0.41)	(0.39 to 0.52)	(-0.33 to -0.18)	(-0.61 to -0.42)	(0.4 to 0.59)	(-0.46 to -0.23)	Clinical Care
	0.13	-0.05	0.14	-0.05	0.08	0.16	-0.02	0.06	0.15	
Preventable Hosp. Rate	(0.09 to 0.16)	(-0.09 to -0.02)	(0.11 to 0.17)	(-0.12 to 0.03)	(0 to 0.16)	(0.08 to 0.23)	(-0.15 to 0.1)	(-0.07 to 0.18)	(0.03 to 0.27)	Clinical Care
	-0.17	0.16	0.09	-0.11	0.1	0.12	-0.01	-0.03	-0.1	
% Screened	(-0.21 to -0.14)	(0.12 to 0.19)	(0.06 to 0.13)	(-0.19 to -0.03)	(0.02 to 0.18)	(0.04 to 0.2)	(-0.14 to 0.12)	(-0.15 to 0.1)	(-0.23 to 0.03)	Clinical Care
	-0.23	0.21	-0.1	-0.35	0.35	-0.26	-0.34	0.34	-0.51	
% Vaccinated	(-0.26 to -0.19)	(0.18 to 0.25)	(-0.13 to -0.06)	(-0.42 to -0.28)	(0.28 to 0.42)	(-0.33 to -0.18)	(-0.45 to -0.22)	(0.23 to 0.45)	(-0.6 to -0.41)	Clinical Care
	0.29	-0.29	0.45	0.15	-0.17	0.51	0.2	-0.22	0.45	
Aortic aneurysm	(0.25 to 0.32)	(-0.32 to -0.26)	(0.42 to 0.48)	(0.07 to 0.23)	(-0.25 to -0.09)	(0.45 to 0.57)	(0.07 to 0.31)	(-0.34 to -0.1)	(0.34 to 0.55)	Cardiovascular diseases
	0.06	-0.12	-0.01	0.04	-0.06	0.15	-0.06	0.04	0.04	
Atrial fibrillation & flutter	(0.03 to 0.1)	(-0.16 to -0.09)	(-0.05 to 0.02)	(-0.04 to 0.12)	(-0.14 to 0.02)	(0.07 to 0.23)	(-0.19 to 0.07)	(-0.09 to 0.17)	(-0.09 to 0.16)	Cardiovascular diseases
	-0.2	0.27	-0.05	-0.25	0.34	-0.17	0	0.04	-0.09	
Cardiomyopathy & myocarditis	(-0.23 to -0.16)	(0.24 to 0.31)	(-0.08 to -0.01)	(-0.32 to -0.17)	(0.27 to 0.41)	(-0.24 to -0.09)	(-0.13 to 0.13)	(-0.09 to 0.16)	(-0.21 to 0.04)	Cardiovascular diseases
Cardiovascular	0.23	-0.14	0.2	0.06	0.01	0.18	0.26	-0.22	0.42	Cardiovascular

diseases	(0.2 to 0.26)	(-0.17 to -0.11)	(0.17 to 0.24)	(-0.01 to 0.14)	(-0.07 to 0.09)	(0.11 to 0.26)	(0.14 to 0.38)	(-0.34 to -0.09)	(0.3 to 0.52)	diseases
Cerebrovascular disease	0.12 (0.09 to 0.16)	-0.06 (-0.1 to -0.03)	0.05 (0.01 to 0.08)	-0.07 (-0.15 to 0.01)	0.11 (0.03 to 0.19)	0.01 (-0.07 to 0.09)	-0.01 (-0.14 to 0.12)	0.02 (-0.1 to 0.15)	0.06 (-0.06 to 0.19)	Cardiovascular diseases
Endocarditis	0.05 (0.02 to 0.09)	-0.06 (-0.09 to -0.02)	0.04 (0 to 0.07)	0.14 (0.06 to 0.22)	-0.11 (-0.19 to -0.03)	0.04 (-0.04 to 0.12)	0.08 (-0.05 to 0.21)	-0.05 (-0.18 to 0.08)	-0.03 (-0.16 to 0.1)	Cardiovascular diseases
Hemorrhagic stroke	0 (-0.03 to 0.04)	0.09 (0.06 to 0.13)	0.01 (-0.03 to 0.04)	-0.14 (-0.22 to -0.06)	0.21 (0.13 to 0.29)	-0.05 (-0.13 to 0.03)	0.02 (-0.11 to 0.14)	0.03 (-0.1 to 0.15)	0.12 (0 to 0.25)	Cardiovascular diseases
Hypertensive heart disease	-0.13 (-0.16 to -0.09)	0.18 (0.15 to 0.22)	-0.13 (-0.17 to -0.1)	-0.19 (-0.26 to -0.11)	0.23 (0.15 to 0.3)	-0.22 (-0.3 to -0.14)	-0.31 (-0.42 to -0.19)	0.32 (0.2 to 0.43)	-0.12 (-0.24 to 0.01)	Cardiovascular diseases
Ischemic heart disease	0.28 (0.25 to 0.31)	-0.2 (-0.23 to -0.16)	0.26 (0.22 to 0.29)	0.14 (0.06 to 0.21)	-0.06 (-0.14 to 0.01)	0.24 (0.17 to 0.32)	0.33 (0.21 to 0.44)	-0.29 (-0.4 to -0.17)	0.47 (0.36 to 0.56)	Cardiovascular diseases
Ischemic stroke	0.17 (0.13 to 0.2)	-0.13 (-0.17 to -0.1)	0.06 (0.03 to 0.1)	-0.03 (-0.11 to 0.05)	0.07 (-0.01 to 0.14)	0.03 (-0.05 to 0.11)	-0.02 (-0.15 to 0.11)	0.02 (-0.11 to 0.15)	0.04 (-0.09 to 0.16)	Cardiovascular diseases
Other cardiovascular	0.01 (-0.02 to 0.05)	0 (-0.03 to 0.04)	0.1 (0.07 to 0.14)	0.1 (0.03 to 0.18)	-0.09 (-0.16 to -0.01)	0.17 (0.09 to 0.24)	0.08 (-0.05 to 0.2)	-0.06 (-0.19 to 0.06)	-0.01 (-0.13 to 0.12)	Cardiovascular diseases
Peripheral vascular disease	0.05 (0.01 to 0.08)	0.01 (-0.02 to 0.05)	0.13 (0.09 to 0.16)	-0.08 (-0.15 to 0)	0.1 (0.02 to 0.18)	0.1 (0.02 to 0.17)	0.07 (-0.06 to 0.19)	-0.06 (-0.19 to 0.07)	0.12 (-0.01 to 0.24)	Cardiovascular diseases
Rheumatic heart disease	0.13 (0.1 to 0.17)	-0.1 (-0.14 to -0.07)	-0.03 (-0.06 to 0.01)	0.29 (0.21 to 0.36)	-0.31 (-0.38 to -0.24)	0.29 (0.21 to 0.36)	0.12 (-0.01 to 0.24)	-0.12 (-0.24 to 0.01)	0.29 (0.17 to 0.4)	Cardiovascular diseases
Acute lymphoid leukemia	0.14 (0.1 to 0.17)	-0.07 (-0.11 to -0.04)	-0.02 (-0.06 to 0.01)	0.05 (-0.03 to 0.13)	-0.04 (-0.12 to 0.04)	0.05 (-0.03 to 0.13)	0.26 (0.13 to 0.37)	-0.21 (-0.33 to -0.09)	0.46 (0.36 to 0.56)	Cancers
Acute myeloid leukemia	0.26 (0.23 to 0.3)	-0.24 (-0.27 to -0.21)	0.41 (0.38 to 0.44)	0.12 (0.04 to 0.2)	-0.13 (-0.21 to -0.05)	0.48 (0.42 to 0.54)	0.15 (0.03 to 0.28)	-0.16 (-0.28 to -0.03)	0.41 (0.3 to 0.51)	Cancers
Bladder cancer	0.11	-0.12	0.34	-0.01	0.03	0.24	0.19	-0.22	0.29	Cancers

	(0.08 to 0.15)	(-0.15 to -0.08)	(0.3 to 0.37)	(-0.09 to 0.07)	(-0.05 to 0.11)	(0.17 to 0.32)	(0.07 to 0.31)	(-0.33 to -0.09)	(0.17 to 0.4)	
	0.48	-0.48	0.29	0.31	-0.35	0.35	0.08	-0.15	0.35	
Brain & nervous system cancer	(0.45 to 0.51)	(-0.5 to -0.45)	(0.26 to 0.32)	(0.24 to 0.38)	(-0.42 to -0.28)	(0.28 to 0.42)	(-0.05 to 0.2)	(-0.27 to -0.02)	(0.24 to 0.46)	Cancers
	-0.04	0.12	-0.03	-0.11	0.18	-0.12	0	0.05	0.1	
Breast cancer	(-0.07 to 0)	(0.08 to 0.15)	(-0.07 to 0)	(-0.19 to -0.03)	(0.1 to 0.25)	(-0.2 to -0.04)	(-0.12 to 0.13)	(-0.07 to 0.18)	(-0.03 to 0.22)	Cancers
	-0.04	0.14	0.06	-0.13	0.22	-0.09	0.1	-0.03	0.26	
Cervical cancer	(-0.07 to 0)	(0.11 to 0.17)	(0.02 to 0.09)	(-0.21 to -0.05)	(0.14 to 0.29)	(-0.17 to -0.01)	(-0.03 to 0.22)	(-0.16 to 0.1)	(0.14 to 0.38)	Cancers
	0.38	-0.38	0.5	0.24	-0.29	0.54	0.36	-0.37	0.33	
Chronic lymphoid leukemia	(0.35 to 0.41)	(-0.41 to -0.35)	(0.47 to 0.52)	(0.17 to 0.32)	(-0.36 to -0.22)	(0.48 to 0.59)	(0.24 to 0.46)	(-0.47 to -0.25)	(0.22 to 0.44)	Cancers
	0.22	-0.16	0.17	-0.04	0.05	0.22	0.07	-0.08	0.31	
Chronic myeloid leukemia	(0.19 to 0.25)	(-0.2 to -0.13)	(0.14 to 0.2)	(-0.12 to 0.04)	(-0.03 to 0.13)	(0.15 to 0.3)	(-0.05 to 0.2)	(-0.21 to 0.05)	(0.19 to 0.42)	Cancers
	0.19	-0.11	0.32	0.22	-0.18	0.23	0.24	-0.19	0.39	
Colon & rectum cancer	(0.16 to 0.23)	(-0.14 to -0.07)	(0.29 to 0.35)	(0.14 to 0.29)	(-0.26 to -0.11)	(0.15 to 0.3)	(0.11 to 0.35)	(-0.31 to -0.06)	(0.27 to 0.49)	Cancers
	-0.03	0.04	0.41	0.01	-0.02	0.41	0.21	-0.22	0.47	
Esophageal cancer	(-0.06 to 0.01)	(0.01 to 0.08)	(0.38 to 0.44)	(-0.07 to 0.08)	(-0.1 to 0.06)	(0.34 to 0.47)	(0.09 to 0.33)	(-0.33 to -0.09)	(0.37 to 0.57)	Cancers
	-0.15	0.15	0.25	-0.18	0.13	0.27	-0.11	0.15	0.17	
Gallbladder & biliary tract	(-0.18 to -0.11)	(0.11 to 0.18)	(0.22 to 0.29)	(-0.25 to -0.1)	(0.05 to 0.21)	(0.19 to 0.34)	(-0.23 to 0.02)	(0.02 to 0.27)	(0.04 to 0.29)	Cancers
	0.06	0.03	0.17	0.12	-0.11	0.33	0.29	-0.28	0.39	
Hodgkin lymphoma	(0.02 to 0.09)	(-0.01 to 0.06)	(0.14 to 0.2)	(0.04 to 0.19)	(-0.18 to -0.03)	(0.26 to 0.4)	(0.17 to 0.4)	(-0.39 to -0.16)	(0.28 to 0.49)	Cancers
	0.35	-0.3	0.35	0.11	-0.14	0.37	0.07	-0.07	0.46	
Kidney cancer	(0.32 to 0.38)	(-0.33 to -0.27)	(0.32 to 0.38)	(0.03 to 0.19)	(-0.21 to -0.06)	(0.3 to 0.43)	(-0.05 to 0.2)	(-0.19 to 0.06)	(0.35 to 0.55)	Cancers
Larynx cancer	0	0.12	0.18	-0.11	0.21	-0.07	0	0.03	0.34	Cancers

		(-0.04 to 0.03)	(0.08 to 0.15)	(0.15 to 0.22)	(-0.19 to -0.03)	(0.13 to 0.28)	(-0.15 to 0.01)	(-0.13 to 0.12)	(-0.1 to 0.16)	(0.22 to 0.44)	
		0.34	-0.31	0.44	0.17	-0.19	0.51	0.26	-0.26	0.44	
Leukemia		(0.31 to 0.37)	(-0.34 to -0.28)	(0.41 to 0.47)	(0.09 to 0.25)	(-0.27 to -0.12)	(0.45 to 0.57)	(0.14 to 0.37)	(-0.38 to -0.14)	(0.33 to 0.54)	Cancers
Lip & oral cavity cancer		0.04	0.05	0.01	-0.03	0.1	-0.04	-0.02	0	0.44	
		(0.01 to 0.08)	(0.02 to 0.09)	(-0.03 to 0.04)	(-0.11 to 0.05)	(0.02 to 0.17)	(-0.12 to 0.04)	(-0.14 to 0.11)	(-0.13 to 0.12)	(0.33 to 0.54)	Cancers
Liver cancer		-0.18	0.25	-0.13	-0.28	0.32	-0.12	-0.26	0.32	0.24	
		(-0.21 to -0.14)	(0.22 to 0.28)	(-0.16 to -0.1)	(-0.35 to -0.2)	(0.25 to 0.39)	(-0.2 to -0.04)	(-0.38 to -0.14)	(0.2 to 0.43)	(0.12 to 0.36)	Cancers
Malignant skin melanoma		0.54	-0.56	0.15	0.46	-0.44	-0.06	0.34	-0.36	0.14	
		(0.51 to 0.56)	(-0.59 to -0.54)	(0.11 to 0.18)	(0.4 to 0.52)	(-0.5 to -0.37)	(-0.13 to 0.02)	(0.22 to 0.45)	(-0.46 to -0.24)	(0.02 to 0.27)	Cancers
Mesothelioma		-0.05	0.01	0.13	-0.16	0.13	0.27	-0.08	0.06	0.01	
		(-0.09 to -0.02)	(-0.02 to 0.05)	(0.1 to 0.17)	(-0.24 to -0.08)	(0.05 to 0.21)	(0.19 to 0.34)	(-0.21 to 0.04)	(-0.07 to 0.19)	(-0.12 to 0.14)	Cancers
Multiple myeloma		-0.21	0.27	0	-0.27	0.3	0.03	-0.2	0.21	0.1	
		(-0.24 to -0.17)	(0.23 to 0.3)	(-0.04 to 0.03)	(-0.34 to -0.2)	(0.22 to 0.37)	(-0.05 to 0.11)	(-0.32 to -0.08)	(0.08 to 0.33)	(-0.03 to 0.22)	Cancers
Nasopharynx cancer		-0.24	0.34	-0.11	-0.25	0.34	-0.22	-0.31	0.35	0.16	
		(-0.28 to -0.21)	(0.3 to 0.37)	(-0.14 to -0.07)	(-0.32 to -0.18)	(0.27 to 0.41)	(-0.29 to -0.14)	(-0.42 to -0.19)	(0.23 to 0.45)	(0.03 to 0.28)	Cancers
Neoplasms		0.18	-0.09	0.29	-0.01	0.06	0.2	0.09	-0.06	0.49	
		(0.14 to 0.21)	(-0.12 to -0.05)	(0.26 to 0.32)	(-0.09 to 0.07)	(-0.02 to 0.14)	(0.12 to 0.27)	(-0.04 to 0.21)	(-0.19 to 0.07)	(0.38 to 0.58)	Cancers
Non-Hodgkin lymphoma		0.29	-0.28	0.43	0.12	-0.14	0.4	0.38	-0.37	0.23	
		(0.26 to 0.32)	(-0.32 to -0.25)	(0.4 to 0.45)	(0.04 to 0.2)	(-0.22 to -0.06)	(0.33 to 0.46)	(0.26 to 0.48)	(-0.48 to -0.26)	(0.11 to 0.35)	Cancers
Non-melanoma skin cancer		0.34	-0.31	0.02	0.13	-0.08	-0.21	0.17	-0.19	0.29	
		(0.3 to 0.37)	(-0.34 to -0.28)	(-0.01 to 0.06)	(0.05 to 0.21)	(-0.16 to -0.01)	(-0.28 to -0.13)	(0.04 to 0.29)	(-0.31 to -0.06)	(0.17 to 0.41)	Cancers
Other neoplasms		0.03	0.03	0.28	-0.13	0.12	0.39	-0.04	0.03	0.36	Cancers

	(-0.01 to 0.06)	(-0.01 to 0.06)	(0.25 to 0.31)	(-0.21 to -0.05)	(0.04 to 0.2)	(0.32 to 0.45)	(-0.17 to 0.09)	(-0.1 to 0.16)	(0.24 to 0.46)	
	-0.15	0.25	0.05	-0.21	0.29	-0.05	-0.14	0.13	0.32	
Other pharynx cancer	(-0.18 to -0.11)	(0.21 to 0.28)	(0.02 to 0.09)	(-0.28 to -0.13)	(0.21 to 0.36)	(-0.13 to 0.03)	(-0.26 to -0.01)	(0 to 0.25)	(0.2 to 0.43)	Cancers
	0.02	-0.03	0.07	0.06	-0.06	0.21	0.2	-0.16	0.14	
Ovarian cancer	(-0.01 to 0.06)	(-0.06 to 0.01)	(0.03 to 0.1)	(-0.02 to 0.13)	(-0.13 to 0.02)	(0.14 to 0.29)	(0.07 to 0.32)	(-0.28 to -0.03)	(0.01 to 0.26)	Cancers
	-0.12	0.19	0.11	-0.25	0.29	0.16	-0.1	0.13	0.16	
Pancreatic cancer	(-0.15 to -0.08)	(0.16 to 0.23)	(0.08 to 0.15)	(-0.32 to -0.17)	(0.21 to 0.36)	(0.08 to 0.23)	(-0.23 to 0.03)	(0.01 to 0.26)	(0.04 to 0.28)	Cancers
	-0.22	0.26	-0.05	-0.23	0.22	0.13	-0.2	0.2	0.07	
Prostate cancer	(-0.25 to -0.18)	(0.22 to 0.29)	(-0.08 to -0.01)	(-0.3 to -0.15)	(0.15 to 0.3)	(0.05 to 0.21)	(-0.32 to -0.07)	(0.08 to 0.32)	(-0.06 to 0.2)	Cancers
	-0.35	0.44	-0.16	-0.47	0.52	-0.13	-0.3	0.37	0.03	
Stomach cancer	(-0.38 to -0.32)	(0.41 to 0.47)	(-0.2 to -0.13)	(-0.53 to -0.4)	(0.46 to 0.57)	(-0.21 to -0.05)	(-0.41 to -0.18)	(0.25 to 0.47)	(-0.09 to 0.16)	Cancers
	0.31	-0.29	0.27	0.25	-0.23	0.21	0.42	-0.41	0.52	
Testicular cancer	(0.28 to 0.34)	(-0.32 to -0.25)	(0.24 to 0.3)	(0.17 to 0.32)	(-0.31 to -0.16)	(0.13 to 0.29)	(0.31 to 0.52)	(-0.51 to -0.3)	(0.43 to 0.61)	Cancers
	-0.1	0.1	0	-0.17	0.13	0.19	-0.06	0.12	0.14	
Thyroid cancer	(-0.14 to -0.07)	(0.06 to 0.13)	(-0.03 to 0.04)	(-0.25 to -0.1)	(0.05 to 0.2)	(0.11 to 0.26)	(-0.19 to 0.07)	(-0.01 to 0.24)	(0.01 to 0.26)	Cancers
	0.27	-0.18	0.32	0.05	0.02	0.15	0.1	-0.09	0.51	
Tracheal, bronchus, & lung	(0.24 to 0.31)	(-0.22 to -0.15)	(0.29 to 0.36)	(-0.03 to 0.13)	(-0.06 to 0.1)	(0.08 to 0.23)	(-0.03 to 0.23)	(-0.21 to 0.04)	(0.41 to 0.6)	Cancers
	-0.34	0.35	0.21	-0.24	0.27	0.12	-0.18	0.22	-0.04	
Uterine cancer	(-0.37 to -0.31)	(0.32 to 0.38)	(0.18 to 0.25)	(-0.32 to -0.17)	(0.19 to 0.34)	(0.04 to 0.2)	(-0.3 to -0.05)	(0.1 to 0.34)	(-0.17 to 0.09)	Cancers

Supplemental Table 1. Weighted Pearson correlations (weighted by the log 10 of the county population) between different public health-related variables with the percentage of voters in the

county that voted for Donald Trump or Hilary Clinton, and the Republican margin shift (from 2012 to 2016).

	All States	All States	All States	Battle States	Battle States	Battle States	Flip States	Flip States	Flip States	
Variable	% Trump 2016	% Clinton 2016	Rep. margin change	% Trump 2016	% Clinton 2016	Rep. margin change	% Trump 2016	% Clinton 2016	Rep. margin change	category
Graduation Rate	0.35	-0.34	0.14	0.29	-0.31	0.11	0.17	-0.18	-0.02	Social, Physical and Economic Environment
% Some College	-0.31	0.24	-0.28	-0.22	0.15	-0.26	-0.60	0.57	-0.59	Social, Physical and Economic Environment
% Children in Poverty	0.01	0.08	0.14	-0.02	0.10	0.03	0.14	-0.10	0.52	Social, Physical and Economic Environment
% Single-Parent Households	-0.35	0.43	0.03	-0.39	0.45	-0.07	-0.21	0.25	0.24	Social, Physical and Economic Environment
Violent Crime Rate	-0.32	0.36	-0.22	-0.32	0.38	-0.29	-0.32	0.35	-0.09	Social, Physical and Economic Environment
Injury Death Rate	0.30	-0.29	0.30	0.18	-0.16	0.21	0.11	-0.07	0.34	Social, Physical and Economic Environment
% Severe Housing Problems	-0.59	0.60	-0.36	-0.56	0.61	-0.37	-0.57	0.58	-0.17	Social, Physical and Economic Environment
% Disconnected Youth	0.25	-0.20	0.24	0.31	-0.26	0.25	0.25	-0.23	0.48	Social, Physical and Economic Environment
Household Income	-0.27	0.22	-0.37	-0.21	0.15	-0.33	-0.31	0.29	-0.68	Social, Physical and Economic Environment
Firearm Fatalities Rate	0.26	-0.23	0.15	0.22	-0.17	0.15	0.16	-0.13	0.41	Social, Physical and Economic Environment

% Homeowners	0.50	-0.50	0.36	0.47	-0.48	0.51	0.58	-0.59	0.43	Social, Physical and Economic Environment
% Severe Housing Cost Burden	-0.60	0.62	-0.32	-0.55	0.62	-0.37	-0.52	0.54	-0.22	Social, Physical and Economic Environment
Asbestosis	0.03	-0.03	-0.04	-0.06	0.08	0.02	-0.06	0.03	0.11	Respiratory diseases
Asthma	-0.20	0.24	-0.04	0.01	0.01	0.02	-0.25	0.27	0.17	Respiratory diseases
Chronic obstructive pulmonary	0.50	-0.45	0.29	0.36	-0.33	0.15	0.19	-0.21	0.50	Respiratory diseases
Chronic respiratory diseases	0.47	-0.42	0.28	0.32	-0.29	0.14	0.16	-0.17	0.48	Respiratory diseases
Coal workers pneumoconiosis	0.11	-0.10	0.07	0.10	-0.07	0.13	0.23	-0.19	0.18	Respiratory diseases
Interstitial lung disease	-0.23	0.22	-0.07	-0.22	0.23	-0.10	-0.30	0.26	-0.08	Respiratory diseases
Other chronic respiratory	0.15	-0.11	0.11	0.11	-0.09	0.13	-0.11	0.09	0.39	Respiratory diseases
Other pneumoconiosis	0.29	-0.23	0.04	0.30	-0.29	0.30	0.53	-0.50	0.36	Respiratory diseases
Pneumoconiosis	0.12	-0.11	0.06	0.09	-0.07	0.16	0.22	-0.20	0.23	Respiratory diseases
Silicosis	0.00	-0.03	-0.01	-0.02	-0.07	0.03	0.20	-0.20	0.06	Respiratory diseases
Mortality risk, age 0-5	0.11	-0.02	0.04	-0.07	0.15	-0.15	-0.13	0.17	0.24	Life expectancy and Mortality
Mortality risk, age 25-45	0.15	-0.06	0.11	0.00	0.07	-0.03	0.03	0.02	0.46	Life expectancy and Mortality
Mortality risk, age 45-65	0.20	-0.11	0.18	0.03	0.05	0.03	0.04	0.00	0.46	Life expectancy and Mortality
Mortality risk, age 5-25	0.26	-0.19	0.14	0.14	-0.08	0.05	0.28	-0.24	0.59	Life expectancy and Mortality
Mortality risk, age 65-85	0.30	-0.22	0.23	0.04	0.02	0.15	0.16	-0.14	0.45	Life expectancy and Mortality

prct_male_under_18_medicaid	-0.07	0.14	0.16	-0.10	0.18	0.09	0.10	-0.08	0.51	Insurance and Healthcare cos
prct_male_18_64_medicaid	-0.13	0.15	0.30	-0.18	0.17	0.35	0.09	-0.09	0.57	Insurance and Healthcare cos
prct_male_over_64_medicaid	-0.19	0.25	0.00	-0.19	0.24	0.07	-0.16	0.16	0.32	Insurance and Healthcare cos
prct_male_medicaid	-0.13	0.18	0.21	-0.19	0.23	0.22	0.03	-0.02	0.53	Insurance and Healthcare cos
prct_female_under_18_medicaid	-0.06	0.13	0.16	-0.09	0.16	0.10	0.11	-0.10	0.50	Insurance and Healthcare cos
prct_female_18_64_medicaid	-0.13	0.16	0.33	-0.18	0.17	0.37	0.08	-0.08	0.55	Insurance and Healthcare cos
prct_female_over_64_medicaid	-0.20	0.27	0.01	-0.23	0.29	-0.01	-0.15	0.14	0.31	Insurance and Healthcare cos
prct_female_medicaid	-0.12	0.18	0.23	-0.18	0.21	0.24	0.04	-0.03	0.53	Insurance and Healthcare cos
prcnt_no_highs_25_64_with_ins	-0.04	0.02	0.33	-0.01	-0.06	0.34	-0.02	0.02	0.08	Insurance and Healthcare cos
prcnt_no_highs_25_64_with_private_ins	0.11	-0.15	-0.02	0.23	-0.28	0.06	0.11	-0.11	-0.24	Insurance and Healthcare cos
prcnt_no_highs_25_64_with_public_ins	-0.13	0.15	0.35	-0.23	0.21	0.30	-0.09	0.09	0.30	Insurance and Healthcare cos
prcnt_yes_highs_25_64_with_ins	0.01	-0.05	0.32	0.06	-0.13	0.40	0.20	-0.20	-0.08	Insurance and Healthcare cos
prcnt_yes_highs_25_64_with_private_ins	0.18	-0.22	0.10	0.25	-0.30	0.16	0.21	-0.21	-0.26	Insurance and Healthcare cos

prcnt_yes_highs_25_64_with_public_ins	-0.22	0.23	0.22	-0.30	0.29	0.26	-0.12	0.11	0.38	Insurance and Healthcare cos
prcnt_bachelor_25_64_with_ins	0.01	-0.04	0.08	0.04	-0.11	0.16	-0.06	0.07	-0.27	Insurance and Healthcare cos
prcnt_bachelor_25_64_with_private_ins	0.08	-0.10	-0.06	0.08	-0.12	-0.06	-0.13	0.14	-0.43	Insurance and Healthcare cos
prcnt_bachelor_25_64_with_public_ins	-0.08	0.09	0.20	-0.04	0.05	0.28	0.22	-0.23	0.50	Insurance and Healthcare cos
wnh_prct_18_dis	0.13	-0.11	0.17	0.07	-0.03	0.19	0.32	-0.31	0.34	Insurance and Healthcare cos
wnh_prct_18_64_dis	0.30	-0.25	0.29	0.15	-0.10	0.24	0.39	-0.38	0.64	Insurance and Healthcare cos
wnh_prct_65_dis	0.33	-0.28	0.17	0.23	-0.18	0.12	0.32	-0.30	0.45	Insurance and Healthcare cos
w_prct_18_dis	0.12	-0.09	0.18	0.08	-0.04	0.21	0.30	-0.29	0.33	Insurance and Healthcare cos
w_prct_18_64_dis	0.31	-0.26	0.32	0.17	-0.11	0.27	0.38	-0.38	0.63	Insurance and Healthcare cos
w_prct_65_dis	0.30	-0.25	0.15	0.21	-0.17	0.10	0.32	-0.29	0.45	Insurance and Healthcare cos
Uninsured %: <= 138% of Poverty	0.24	-0.20	-0.36	0.14	-0.06	-0.43	-0.13	0.10	-0.13	Insurance and Healthcare cos
Uninsured %: <= 400% of Poverty	0.18	-0.13	-0.33	0.05	0.03	-0.40	-0.13	0.11	0.03	Insurance and Healthcare cos
Uninsured %: All Incomes	0.22	-0.16	-0.21	0.10	-0.02	-0.27	0.03	-0.04	0.31	Insurance and Healthcare cos

Part B Drugs Actual Costs	-0.34	0.35	-0.31	-0.30	0.33	-0.39	-0.47	0.51	-0.48	Insurance and Healthcare cos
Emergency Department Visits	-0.41	0.42	-0.31	-0.42	0.46	-0.40	-0.51	0.55	-0.39	Insurance and Healthcare cos
Imaging Per Capita Actual Costs	-0.18	0.24	-0.30	-0.13	0.19	-0.40	-0.09	0.14	-0.22	Insurance and Healthcare cos
Procedures Per Capita Actual Costs	-0.23	0.27	-0.46	-0.08	0.15	-0.46	-0.05	0.11	-0.35	Insurance and Healthcare cos
Hospice Per Capita Actual Costs	-0.03	0.06	-0.28	-0.16	0.18	-0.37	-0.22	0.20	-0.34	Insurance and Healthcare cos
Tests Per Capita Actual Costs	-0.10	0.18	-0.30	-0.13	0.21	-0.45	-0.18	0.23	-0.27	Insurance and Healthcare cos
Actual Per Capita Costs	-0.11	0.18	-0.13	-0.04	0.10	-0.13	-0.16	0.22	-0.18	Insurance and Healthcare cos
Percent Eligible for Medicaid	-0.17	0.23	0.18	-0.27	0.30	0.22	-0.13	0.11	0.34	Insurance and Healthcare cos
Percent Male	0.21	-0.24	0.22	0.17	-0.21	0.41	0.35	-0.36	0.53	Insurance and Healthcare cos
Percent Female	-0.21	0.24	-0.22	-0.17	0.21	-0.41	-0.35	0.36	-0.53	Insurance and Healthcare cos
Diarrheal diseases	-0.10	0.12	0.11	-0.20	0.25	-0.27	0.11	-0.08	-0.22	Infectious diseases
Hepatitis	-0.11	0.13	-0.26	-0.03	0.06	-0.18	-0.38	0.41	-0.18	Infectious diseases
HIV AIDS	-0.32	0.39	-0.21	-0.12	0.18	-0.21	-0.43	0.49	-0.26	Infectious diseases
Lower respiratory infections	0.16	-0.08	0.06	0.02	0.05	-0.08	0.07	-0.01	-0.02	Infectious diseases
Meningitis	-0.15	0.24	-0.15	-0.25	0.31	-0.33	-0.30	0.37	-0.09	Infectious diseases

Tuberculosis	-0.35	0.42	-0.25	-0.33	0.41	-0.38	-0.47	0.52	-0.22	Infectious diseases
Years of Potential Life Lost Rate	0.21	-0.14	0.24	0.08	-0.01	0.09	0.15	-0.09	0.40	Health Outcomes
YPLL Rate (Black)	0.08	-0.07	0.09	-0.02	0.05	0.33	0.00	0.01	0.33	Health Outcomes
YPLL Rate (White)	0.37	-0.30	0.42	0.42	-0.34	0.40	0.29	-0.23	0.67	Health Outcomes
% Fair/Poor	-0.01	0.10	0.04	-0.12	0.19	-0.13	-0.03	0.06	0.36	Health Outcomes
Physically Unhealthy Days	0.09	-0.02	0.15	-0.14	0.20	-0.04	0.07	-0.05	0.38	Health Outcomes
Mentally Unhealthy Days	0.06	-0.01	0.13	-0.19	0.27	-0.10	0.11	-0.07	0.26	Health Outcomes
% LBW	-0.14	0.23	-0.09	-0.23	0.33	-0.28	-0.21	0.26	-0.06	Health Outcomes
Life Expectancy	-0.27	0.20	-0.26	-0.11	0.04	-0.16	-0.19	0.15	-0.47	Health Outcomes
Life Expectancy (Black)	-0.16	0.11	-0.21	-0.02	-0.03	-0.16	0.01	-0.04	-0.17	Health Outcomes
Life Expectancy (White)	-0.44	0.36	-0.40	-0.37	0.29	-0.40	-0.27	0.22	-0.71	Health Outcomes
Age-Adjusted Mortality	0.24	-0.16	0.24	0.11	-0.04	0.11	0.16	-0.11	0.46	Health Outcomes
Age-Adjusted Mortality (Black)	0.06	-0.06	0.05	0.10	-0.07	0.39	0.22	-0.21	0.43	Health Outcomes
Age-Adjusted Mortality (White)	0.39	-0.32	0.44	0.42	-0.35	0.43	0.24	-0.19	0.72	Health Outcomes
Child Mortality Rate	0.15	-0.10	0.17	0.02	0.03	0.07	0.04	-0.01	0.22	Health Outcomes
Infant Mortality Rate	0.17	-0.11	0.29	0.01	0.06	0.16	-0.07	0.10	0.31	Health Outcomes
% Frequent Physical Distress	0.04	0.03	0.13	-0.15	0.22	-0.07	0.03	-0.01	0.38	Health Outcomes
% Frequent Mental Distress	0.04	0.02	0.15	-0.18	0.26	-0.08	0.05	-0.02	0.36	Health Outcomes
HIV Prevalence Rate	-0.43	0.49	-0.25	-0.24	0.33	-0.33	-0.47	0.52	-0.27	Health Outcomes
diabetes_crude	0.21	-0.14	0.25	0.18	-0.12	0.19	0.39	-0.37	0.39	Health Behaviors
obesity_crude	0.21	-0.16	0.30	0.24	-0.22	0.36	0.30	-0.30	0.41	Health Behaviors
physical_inactivity_crude	0.40	-0.31	0.33	0.39	-0.32	0.24	0.47	-0.44	0.55	Health Behaviors

% Smokers	0.18	-0.10	0.38	0.02	0.04	0.18	0.06	-0.06	0.45	Health Behaviors
Food Environment Index	0.05	-0.09	0.04	0.04	-0.07	0.15	0.19	-0.22	-0.18	Health Behaviors
% Excessive Drinking	-0.19	0.14	0.04	-0.13	0.06	0.16	-0.33	0.30	-0.26	Health Behaviors
Teen Birth Rate	0.25	-0.18	0.13	0.14	-0.10	0.02	0.19	-0.16	0.43	Health Behaviors
% Food Insecure	-0.11	0.18	-0.05	-0.21	0.28	-0.21	-0.18	0.21	0.19	Health Behaviors
Drug Overdose Mortality Rate	0.14	-0.12	0.30	0.10	-0.06	0.11	-0.01	0.09	0.04	Health Behaviors
MV Mortality Rate	0.40	-0.35	0.24	0.33	-0.30	0.24	0.41	-0.39	0.56	Health Behaviors
% Insufficient Sleep	-0.13	0.23	0.04	-0.23	0.32	-0.03	0.07	-0.02	0.14	Health Behaviors
opioid_prescribing_rate	0.16	-0.13	0.00	0.12	-0.07	-0.04	0.12	-0.12	0.18	Health Behaviors
% 65 and over	0.30	-0.28	0.37	0.36	-0.32	0.28	0.40	-0.39	0.42	Demographic
% Non-Hispanic White	0.54	-0.59	0.45	0.52	-0.56	0.50	0.61	-0.66	0.38	Demographic
% Rural	0.52	-0.49	0.47	0.48	-0.48	0.53	0.48	-0.50	0.60	Demographic
Alcohol use disorders	-0.22	0.17	-0.03	-0.27	0.25	-0.03	-0.39	0.38	0.08	Deaths of Despair
Drug use disorders	0.12	-0.10	0.10	-0.12	0.17	-0.10	-0.10	0.16	0.03	Deaths of Despair
Interpersonal violence	-0.27	0.35	-0.13	-0.29	0.36	-0.30	-0.39	0.45	-0.10	Deaths of Despair
Self-harm	0.26	-0.30	0.15	0.16	-0.16	0.18	0.21	-0.19	0.58	Deaths of Despair
% With Access	-0.40	0.35	-0.29	-0.41	0.39	-0.26	-0.34	0.34	-0.42	Clinical Care
PCP Rate	-0.38	0.34	-0.30	-0.33	0.30	-0.24	-0.37	0.36	-0.40	Clinical Care
Dentist Rate	-0.41	0.37	-0.27	-0.37	0.34	-0.27	-0.49	0.50	-0.44	Clinical Care
MHP Rate	-0.42	0.38	-0.24	-0.48	0.47	-0.28	-0.54	0.51	-0.36	Clinical Care
Preventable Hosp. Rate	0.15	-0.08	0.16	-0.03	0.07	0.15	-0.04	0.08	0.15	Clinical Care
% Screened	-0.17	0.16	0.07	-0.07	0.06	0.12	0.00	-0.04	-0.10	Clinical Care
% Vaccinated	-0.23	0.21	-0.12	-0.33	0.34	-0.27	-0.35	0.35	-0.53	Clinical Care
Aortic aneurysm	0.31	-0.32	0.47	0.16	-0.18	0.53	0.21	-0.23	0.47	Cardiovascular diseases
Atrial fibrillation & flutter	0.07	-0.13	0.00	0.05	-0.08	0.16	-0.04	0.02	0.05	Cardiovascular diseases

Cardiomyopathy & myocarditis	-0.17	0.25	-0.04	-0.21	0.31	-0.17	-0.03	0.07	-0.11	Cardiovascular diseases
Cardiovascular diseases	0.27	-0.19	0.23	0.11	-0.03	0.21	0.24	-0.19	0.41	Cardiovascular diseases
Cerebrovascular disease	0.16	-0.10	0.06	-0.03	0.08	0.02	-0.02	0.03	0.07	Cardiovascular diseases
Endocarditis	0.07	-0.08	0.06	0.13	-0.10	0.07	0.07	-0.04	-0.02	Cardiovascular diseases
Hemorrhagic stroke	0.04	0.05	0.02	-0.11	0.18	-0.04	-0.02	0.06	0.12	Cardiovascular diseases
Hypertensive heart disease	-0.12	0.17	-0.13	-0.19	0.23	-0.22	-0.34	0.36	-0.13	Cardiovascular diseases
Ischemic heart disease	0.32	-0.24	0.29	0.18	-0.10	0.27	0.32	-0.27	0.47	Cardiovascular diseases
Ischemic stroke	0.20	-0.17	0.08	0.00	0.03	0.04	-0.02	0.02	0.04	Cardiovascular diseases
Other cardiovascular	0.04	-0.03	0.12	0.12	-0.10	0.19	0.08	-0.06	0.00	Cardiovascular diseases
Peripheral vascular disease	0.07	-0.02	0.14	-0.05	0.08	0.10	0.06	-0.06	0.12	Cardiovascular diseases
Rheumatic heart disease	0.17	-0.15	0.00	0.27	-0.30	0.31	0.15	-0.14	0.31	Cardiovascular diseases
Acute lymphoid leukemia	0.16	-0.09	-0.01	0.07	-0.06	0.05	0.26	-0.22	0.46	Cancers
Acute myeloid leukemia	0.30	-0.28	0.42	0.17	-0.18	0.49	0.17	-0.18	0.41	Cancers
Bladder cancer	0.13	-0.13	0.35	0.03	-0.01	0.26	0.19	-0.21	0.31	Cancers
Brain & nervous system cancer	0.50	-0.50	0.31	0.34	-0.38	0.37	0.10	-0.17	0.36	Cancers
Breast cancer	-0.01	0.09	-0.01	-0.11	0.17	-0.11	-0.04	0.10	0.08	Cancers
Cervical cancer	-0.01	0.11	0.08	-0.12	0.21	-0.08	0.06	0.01	0.26	Cancers
Chronic lymphoid leukemia	0.41	-0.41	0.51	0.27	-0.32	0.54	0.37	-0.38	0.34	Cancers
Chronic myeloid leukemia	0.26	-0.21	0.20	0.00	0.00	0.24	0.08	-0.09	0.32	Cancers
Colon & rectum cancer	0.23	-0.15	0.34	0.23	-0.19	0.25	0.23	-0.18	0.40	Cancers
Esophageal cancer	0.01	0.00	0.44	0.04	-0.06	0.43	0.21	-0.22	0.49	Cancers
Gallbladder & biliary tract	-0.14	0.14	0.25	-0.15	0.10	0.27	-0.08	0.12	0.18	Cancers
Hodgkin lymphoma	0.08	0.00	0.19	0.15	-0.14	0.36	0.26	-0.25	0.40	Cancers
Kidney cancer	0.39	-0.35	0.37	0.17	-0.20	0.39	0.13	-0.13	0.49	Cancers
Larynx cancer	0.03	0.08	0.20	-0.08	0.18	-0.06	-0.04	0.07	0.33	Cancers
Leukemia	0.38	-0.35	0.46	0.22	-0.24	0.52	0.28	-0.28	0.44	Cancers
Lip & oral cavity cancer	0.08	0.01	0.03	0.00	0.07	-0.03	-0.02	0.00	0.45	Cancers
Liver cancer	-0.17	0.24	-0.13	-0.26	0.31	-0.14	-0.29	0.35	0.21	Cancers

Malignant skin melanoma	0.56	-0.58	0.17	0.48	-0.45	-0.03	0.35	-0.37	0.15	Cancers
Mesothelioma	-0.05	0.01	0.13	-0.12	0.09	0.27	-0.07	0.05	0.02	Cancers
Multiple myeloma	-0.18	0.23	0.00	-0.25	0.27	0.03	-0.23	0.24	0.08	Cancers
Nasopharynx cancer	-0.23	0.32	-0.11	-0.23	0.32	-0.22	-0.32	0.35	0.15	Cancers
Neoplasms	0.22	-0.13	0.32	0.04	0.01	0.22	0.08	-0.05	0.49	Cancers
Non-Hodgkin lymphoma	0.32	-0.32	0.44	0.16	-0.19	0.41	0.38	-0.38	0.25	Cancers
Non-melanoma skin cancer	0.35	-0.33	0.04	0.15	-0.10	-0.19	0.17	-0.19	0.30	Cancers
Other neoplasms	0.07	-0.01	0.30	-0.08	0.07	0.39	-0.04	0.03	0.36	Cancers
Other pharynx cancer	-0.11	0.21	0.07	-0.17	0.25	-0.05	-0.16	0.16	0.32	Cancers
Ovarian cancer	0.04	-0.05	0.08	0.08	-0.07	0.22	0.18	-0.14	0.14	Cancers
Pancreatic cancer	-0.09	0.16	0.13	-0.21	0.25	0.16	-0.14	0.18	0.14	Cancers
Prostate cancer	-0.19	0.23	-0.03	-0.21	0.20	0.13	-0.20	0.21	0.07	Cancers
Stomach cancer	-0.34	0.43	-0.16	-0.44	0.49	-0.14	-0.31	0.38	0.02	Cancers
Testicular cancer	0.32	-0.30	0.29	0.28	-0.27	0.23	0.43	-0.42	0.54	Cancers
Thyroid cancer	-0.10	0.10	0.00	-0.14	0.09	0.18	-0.07	0.12	0.12	Cancers
Tracheal, bronchus, & lung	0.32	-0.23	0.35	0.10	-0.03	0.18	0.11	-0.09	0.52	Cancers
Uterine cancer	-0.34	0.36	0.21	-0.25	0.27	0.12	-0.22	0.26	-0.06	Cancers

Table 2. Quantile and mean comparisons of Republican and Democrat counties across public-health measures. Every county was assigned as either Republican or Democrat depending on the majority vote in 2016, and the mean, median, 1st quartile, and 3rd quartile values for different public health-related variables were calculated. The differences in these values for Republican and Democrat counties are presented in Table 2, along with the Student t-test statistics and p values for the mean comparisons.

key	% Mean Difference	% Median Difference	% Top Quartile Difference	% Bottom Quartile Difference	t-test p value	t-test t statistic	category
Violent Crime Rate	-39%	-41%	-39%	-36%	2.1E-27	-1.1E+01	Social, Physical and Economic Environment

% Severe Housing Cost Burden	-32%	-33%	-31%	-35%	3.7E-110	-2.8E+01	Social, Physical and Economic Environment
% Severe Housing Problems	-30%	-29%	-29%	-31%	9.1E-106	-2.7E+01	Social, Physical and Economic Environment
% Single-Parent Households	-22%	-16%	-25%	-13%	2.9E-34	-1.3E+01	Social, Physical and Economic Environment
% Children in Poverty	-10%	1%	-22%	18%	1.1E-04	-3.9E+00	Social, Physical and Economic Environment
Household Income	-10%	-10%	-16%	9%	8.9E-09	-5.8E+00	Social, Physical and Economic Environment
% Some College	-9%	-11%	-11%	-6%	5.7E-15	-8.0E+00	Social, Physical and Economic Environment
Graduation Rate	5%	5%	5%	5%	2.5E-30	1.2E+01	Social, Physical and Economic Environment
% Homeowners	15%	14%	10%	20%	3.2E-68	2.0E+01	Social, Physical and Economic Environment
Firearm Fatalities Rate	16%	29%	5%	51%	3.9E-07	5.1E+00	Social, Physical and Economic Environment

Injury Death Rate	17%	17%	16%	26%	2.9E-19	9.3E+00	Social, Physical and Economic Environment
% Disconnected Youth	20%	26%	20%	26%	7.1E-06	4.5E+00	Social, Physical and Economic Environment
Asthma	-16%	-2%	-24%	6%	1.8E-12	-7.2E+00	Respiratory diseases
Silicosis	-8%	0%	33%	0%	5.6E-01	-5.9E-01	Respiratory diseases
Interstitial lung disease	-8%	-7%	-7%	-6%	6.3E-11	-6.7E+00	Respiratory diseases
Other chronic respiratory	2%	10%	-6%	18%	1.1E-01	1.6E+00	Respiratory diseases
Asbestosis	3%	-7%	4%	-10%	6.1E-01	5.1E-01	Respiratory diseases
Other pneumoconiosis	10%	26%	8%	25%	1.4E-05	4.4E+00	Respiratory diseases
Chronic respiratory diseases	27%	25%	24%	27%	1.9E-70	2.0E+01	Respiratory diseases
Chronic obstructive pulmonary	33%	32%	31%	33%	2.0E-85	2.2E+01	Respiratory diseases
Pneumoconiosis	37%	9%	8%	15%	3.1E-09	5.9E+00	Respiratory diseases
Coal workers pneumoconiosis	360%	50%	75%	0%	8.0E-10	6.2E+00	Respiratory diseases
Mortality risk, age 0-5	-2%	11%	-11%	17%	2.5E-01	-1.1E+00	Life expectancy and Mortality
Mortality risk, age 25-45	1%	11%	-8%	19%	7.7E-01	2.9E-01	Life expectancy and Mortality
Mortality risk, age 45-65	4%	9%	-2%	13%	1.2E-02	2.5E+00	Life expectancy and Mortality
Mortality risk, age 65-85	5%	6%	3%	7%	3.0E-13	7.5E+00	Life expectancy and Mortality

Mortality risk, age 5-25	9%	25%	0%	32%	4.3E-05	4.1E+00	Life expectancy and Mortality
Part B Drugs Actual Costs	-97%	-86%	-91%	-60%	2.7E-03	-3.0E+00	Insurance and Healthcare cost
Emergency Department Visits	-97%	-82%	-90%	-65%	2.7E-03	-3.0E+00	Insurance and Healthcare cost
prct_male_over_64_medicaid	-24%	-16%	-26%	-15%	3.7E-19	-9.3E+00	Insurance and Healthcare cost
prct_female_over_64_medicaid	-24%	-17%	-28%	-12%	4.9E-20	-9.5E+00	Insurance and Healthcare cost
Percent Eligible for Medicaid	-15%	-9%	-16%	-12%	1.5E-14	-7.9E+00	Insurance and Healthcare cost
Tests Per Capita Actual Costs	-14%	-17%	-12%	-19%	5.7E-15	-8.0E+00	Insurance and Healthcare cost
prcnt_yes_highs_25_64_with_public_ins	-14%	-12%	-13%	-17%	2.7E-15	-8.1E+00	Insurance and Healthcare cost
Imaging Per Capita Actual Costs	-13%	-14%	-14%	-11%	5.0E-16	-8.3E+00	Insurance and Healthcare cost
prct_male_18_64_medicaid	-13%	-12%	-13%	-15%	2.7E-07	-5.2E+00	Insurance and Healthcare cost
prct_male_medicaid	-13%	-10%	-16%	-5%	2.8E-10	-6.4E+00	Insurance and Healthcare cost
prct_female_medicaid	-12%	-8%	-16%	-5%	2.5E-09	-6.1E+00	Insurance and Healthcare cost
Procedures Per Capita Actual Costs	-11%	-10%	-12%	-10%	3.6E-26	-1.1E+01	Insurance and Healthcare cost

prct_female_18_64_medicaid	-11%	-9%	-12%	-12%	8.2E-07	-5.0E+00	Insurance and Healthcare cost
prct_male_under_18_medicaid	-9%	-5%	-11%	-4%	1.6E-06	-4.8E+00	Insurance and Healthcare cost
prct_female_under_18_medicaid	-9%	-7%	-11%	-4%	2.9E-06	-4.7E+00	Insurance and Healthcare cost
prcnt_no_highs_25_64_with_public_ins	-9%	-8%	-7%	-13%	6.9E-06	-4.5E+00	Insurance and Healthcare cost
prcnt_bachelor_25_64_with_public_ins	-8%	-4%	-9%	-7%	2.8E-03	-3.0E+00	Insurance and Healthcare cost
Hospice Per Capita Actual Costs	-6%	-9%	1%	-22%	4.5E-04	-3.5E+00	Insurance and Healthcare cost
Actual Per Capita Costs	-5%	-4%	-7%	-3%	1.8E-10	-6.5E+00	Insurance and Healthcare cost
Percent Female	-2%	-2%	-2%	-1%	4.3E-20	-9.4E+00	Insurance and Healthcare cost
prcnt_bachelor_25_64_with_ins	1%	1%	0%	1%	3.6E-05	4.2E+00	Insurance and Healthcare cost
prcnt_bachelor_25_64_with_private_ins	2%	2%	1%	2%	2.4E-08	5.7E+00	Insurance and Healthcare cost
prcnt_no_highs_25_64_with_ins	2%	3%	2%	4%	3.4E-02	2.1E+00	Insurance and Healthcare cost
Percent Male	2%	2%	2%	2%	4.3E-20	9.4E+00	Insurance and Healthcare cost
Uninsured %: <= 400% of Poverty	3%	-2%	3%	-2%	1.7E-01	1.4E+00	Insurance and Healthcare cost

prcnt_yes_highs_25_64_with_ins	3%	3%	2%	4%	1.2E-08	5.8E+00	Insurance and Healthcare cost
Uninsured %: All Incomes	6%	2%	4%	11%	5.9E-03	2.8E+00	Insurance and Healthcare cost
w_prcnt_65_dis	7%	9%	8%	8%	1.4E-11	6.9E+00	Insurance and Healthcare cost
Uninsured %: <= 138% of Poverty	9%	11%	12%	0%	3.2E-06	4.7E+00	Insurance and Healthcare cost
wnh_prcnt_65_dis	10%	10%	10%	9%	1.9E-19	9.3E+00	Insurance and Healthcare cost
prcnt_yes_highs_25_64_with_private_ins	10%	8%	9%	9%	2.1E-29	1.2E+01	Insurance and Healthcare cost
w_prcnt_18_dis	12%	18%	17%	12%	1.3E-04	3.9E+00	Insurance and Healthcare cost
prcnt_no_highs_25_64_with_private_ins	13%	10%	11%	10%	1.7E-16	8.4E+00	Insurance and Healthcare cost
wnh_prcnt_18_dis	16%	20%	17%	16%	4.2E-07	5.1E+00	Insurance and Healthcare cost
wnh_prcnt_18_64_dis	20%	27%	25%	28%	1.4E-17	8.8E+00	Insurance and Healthcare cost
w_prcnt_18_64_dis	21%	24%	22%	29%	3.8E-22	1.0E+01	Insurance and Healthcare cost
HIV AIDS	-59%	-58%	-68%	-45%	3.3E-30	-1.2E+01	Infectious diseases
Tuberculosis	-43%	-41%	-47%	-35%	1.3E-35	-1.3E+01	Infectious diseases
Hepatitis	-21%	-22%	-16%	-24%	2.1E-14	-7.8E+00	Infectious diseases

Meningitis	-16%	-7%	-25%	0%	2.1E-17	-8.8E+00	Infectious diseases
Diarrheal diseases	-9%	-13%	-6%	-12%	2.0E-07	-5.3E+00	Infectious diseases
Lower respiratory infections	3%	2%	-2%	9%	1.2E-01	1.5E+00	Infectious diseases
HIV Prevalence Rate	-56%	-59%	-58%	-50%	5.7E-33	-1.3E+01	Health Outcomes
% LBW	-13%	-9%	-17%	-5%	5.1E-18	-8.9E+00	Health Outcomes
% Fair/Poor	-8%	-2%	-14%	7%	1.7E-06	-4.8E+00	Health Outcomes
% Frequent Physical Distress	-3%	0%	-5%	3%	8.5E-03	-2.6E+00	Health Outcomes
Life Expectancy (White)	-2%	-3%	-3%	-2%	1.3E-21	-1.0E+01	Health Outcomes
% Frequent Mental Distress	-2%	0%	-1%	-1%	2.2E-02	-2.3E+00	Health Outcomes
Life Expectancy	-1%	-2%	-2%	-1%	1.1E-08	-5.8E+00	Health Outcomes
Life Expectancy (Black)	-1%	-1%	-1%	0%	9.9E-03	-2.6E+00	Health Outcomes
Mentally Unhealthy Days	-1%	1%	2%	-3%	4.0E-01	-8.4E-01	Health Outcomes
Physically Unhealthy Days	-1%	1%	0%	1%	5.3E-01	-6.3E-01	Health Outcomes
Child Mortality Rate	5%	13%	0%	21%	5.2E-02	1.9E+00	Health Outcomes
Years of Potential Life Lost Rate	6%	17%	1%	23%	6.8E-03	2.7E+00	Health Outcomes
Infant Mortality Rate	6%	13%	0%	23%	1.4E-02	2.5E+00	Health Outcomes
Age-Adjusted Mortality	7%	16%	2%	22%	1.3E-04	3.9E+00	Health Outcomes
YPLL Rate (Black)	11%	2%	2%	9%	3.6E-02	2.1E+00	Health Outcomes
Age-Adjusted Mortality (White)	15%	21%	12%	30%	2.7E-15	8.1E+00	Health Outcomes
YPLL Rate (White)	16%	22%	14%	32%	2.6E-14	7.8E+00	Health Outcomes
Age-Adjusted Mortality (Black)	18%	6%	5%	12%	6.4E-02	1.9E+00	Health Outcomes

% Food Insecure	-14%	-5%	-20%	1%	2.8E-12	-7.1E+00	Health Behaviors
% Insufficient Sleep	-5%	-5%	-7%	-4%	4.7E-14	-7.7E+00	Health Behaviors
% Excessive Drinking	-2%	-4%	-4%	1%	3.1E-02	-2.2E+00	Health Behaviors
% Smokers	4%	6%	1%	10%	1.2E-03	3.3E+00	Health Behaviors
Food Environment Index	6%	3%	0%	11%	4.3E-08	5.6E+00	Health Behaviors
obesity_crude	9%	13%	3%	20%	2.7E-14	7.8E+00	Health Behaviors
Teen Birth Rate	13%	31%	7%	53%	5.9E-05	4.0E+00	Health Behaviors
diabetes_crude	14%	21%	12%	20%	9.1E-13	7.3E+00	Health Behaviors
Drug Overdose Mortality Rate	15%	13%	12%	15%	6.2E-06	4.6E+00	Health Behaviors
opioid_prescribing_rate	17%	24%	26%	13%	3.9E-09	6.0E+00	Health Behaviors
physical_inactivity_crude	17%	19%	12%	29%	2.8E-32	1.3E+01	Health Behaviors
MV Mortality Rate	33%	69%	32%	75%	2.8E-17	8.7E+00	Health Behaviors
% 65 and over	20%	21%	18%	25%	1.6E-47	1.6E+01	Demographic
% Non-Hispanic White	50%	69%	22%	102%	2.7E-85	2.3E+01	Demographic
% Rural	94%	234%	81%	788%	2.5E-66	1.9E+01	Demographic
Interpersonal violence	-39%	-28%	-42%	-9%	3.1E-23	-1.0E+01	Deaths of Despair
Alcohol use disorders	-26%	-22%	-19%	-16%	4.7E-08	-5.5E+00	Deaths of Despair
Drug use disorders	9%	2%	16%	-4%	1.4E-03	3.2E+00	Deaths of Despair
Self-harm	18%	22%	21%	23%	1.2E-17	8.8E+00	Deaths of Despair
MHP Rate	-52%	-61%	-51%	-66%	7.3E-37	-1.4E+01	Clinical Care
Dentist Rate	-36%	-42%	-34%	-40%	2.8E-35	-1.3E+01	Clinical Care
PCP Rate	-34%	-37%	-34%	-33%	1.0E-32	-1.3E+01	Clinical Care

% With Access	-19%	-24%	-19%	-25%	1.3E-27	-1.1E+01	Clinical Care
% Vaccinated	-6%	-5%	-4%	-8%	3.0E-08	-5.6E+00	Clinical Care
% Screened	-1%	-2%	0%	-3%	3.1E-01	-1.0E+00	Clinical Care
Preventable Hosp. Rate	5%	6%	4%	13%	2.6E-02	2.2E+00	Clinical Care
Hypertensive heart disease	-23%	-18%	-26%	-14%	2.0E-09	-6.1E+00	Cardiovascular diseases
Cardiomyopathy & myocarditis	-13%	-15%	-16%	-6%	2.6E-11	-6.8E+00	Cardiovascular diseases
Hemorrhagic stroke	-4%	5%	-8%	8%	2.1E-02	-2.3E+00	Cardiovascular diseases
Peripheral vascular disease	1%	4%	-4%	7%	4.3E-01	7.9E-01	Cardiovascular diseases
Other cardiovascular	2%	1%	-1%	5%	1.0E-01	1.6E+00	Cardiovascular diseases
Endocarditis	2%	1%	0%	7%	6.0E-02	1.9E+00	Cardiovascular diseases
Rheumatic heart disease	4%	10%	1%	13%	2.5E-02	2.2E+00	Cardiovascular diseases
Cerebrovascular disease	4%	5%	3%	8%	2.0E-03	3.1E+00	Cardiovascular diseases
Atrial fibrillation & flutter	5%	4%	3%	5%	9.1E-05	3.9E+00	Cardiovascular diseases
Cardiovascular diseases	8%	11%	5%	15%	3.0E-09	6.0E+00	Cardiovascular diseases
Ischemic stroke	8%	9%	7%	9%	1.3E-10	6.5E+00	Cardiovascular diseases
Aortic aneurysm	12%	9%	8%	16%	2.4E-35	1.3E+01	Cardiovascular diseases
Ischemic heart disease	13%	16%	13%	20%	1.9E-16	8.5E+00	Cardiovascular diseases
Nasopharynx cancer	-21%	-10%	-30%	-4%	1.9E-21	-9.9E+00	Cancers

Stomach cancer	-20%	-19%	-26%	-13%	1.8E-42	-1.5E+01	Cancers
Liver cancer	-13%	-12%	-13%	-10%	2.7E-20	-9.6E+00	Cancers
Uterine cancer	-10%	-9%	-13%	-7%	2.1E-25	-1.1E+01	Cancers
Prostate cancer	-9%	-3%	-13%	-1%	2.5E-12	-7.2E+00	Cancers
Other pharynx cancer	-9%	-3%	-16%	2%	4.5E-08	-5.5E+00	Cancers
Cervical cancer	-8%	0%	-14%	7%	6.8E-06	-4.5E+00	Cancers
Multiple myeloma	-5%	-1%	-14%	4%	1.6E-08	-5.7E+00	Cancers
Gallbladder & biliary tract	-5%	1%	-5%	1%	1.7E-03	-3.1E+00	Cancers
Larynx cancer	-4%	1%	-11%	6%	1.8E-02	-2.4E+00	Cancers
Breast cancer	-4%	1%	-8%	3%	4.1E-04	-3.6E+00	Cancers
Pancreatic cancer	-3%	-3%	-6%	1%	3.1E-06	-4.7E+00	Cancers
Thyroid cancer	-3%	-2%	-3%	1%	8.1E-06	-4.5E+00	Cancers
Lip & oral cavity cancer	-1%	3%	-3%	7%	3.9E-01	-8.6E-01	Cancers
Other neoplasms	1%	2%	-2%	5%	1.9E-01	1.3E+00	Cancers
Hodgkin lymphoma	1%	3%	-2%	6%	9.5E-02	1.7E+00	Cancers
Ovarian cancer	1%	0%	1%	1%	2.0E-02	2.3E+00	Cancers
Mesothelioma	2%	8%	-1%	19%	4.7E-01	7.2E-01	Cancers
Esophageal cancer	2%	3%	-2%	10%	9.9E-02	1.7E+00	Cancers
Acute lymphoid leukemia	2%	6%	-1%	7%	4.9E-02	2.0E+00	Cancers
Chronic myeloid leukemia	4%	5%	2%	7%	5.7E-11	6.7E+00	Cancers
Colon & rectum cancer	5%	10%	1%	12%	2.9E-05	4.2E+00	Cancers
Neoplasms	5%	7%	1%	9%	7.6E-08	5.4E+00	Cancers
Bladder cancer	6%	5%	4%	7%	1.1E-12	7.3E+00	Cancers
Acute myeloid leukemia	8%	7%	6%	9%	4.1E-36	1.3E+01	Cancers
Leukemia	9%	8%	7%	11%	3.4E-48	1.6E+01	Cancers
Non-Hodgkin lymphoma	10%	10%	10%	9%	3.1E-57	1.8E+01	Cancers
Kidney cancer	12%	13%	9%	16%	8.6E-33	1.3E+01	Cancers
Non-melanoma skin cancer	14%	11%	13%	12%	2.8E-41	1.4E+01	Cancers
Chronic lymphoid leukemia	14%	12%	10%	15%	7.3E-59	1.8E+01	Cancers
Brain & nervous system cancer	15%	15%	12%	18%	1.2E-89	2.4E+01	Cancers

Testicular cancer	17%	22%	19%	25%	9.0E-27	1.1E+01	Cancers
Tracheal, bronchus, & lung	18%	16%	14%	20%	6.6E-29	1.2E+01	Cancers
Malignant skin melanoma	27%	27%	22%	31%	9.7E-98	2.5E+01	Cancers

Every county was assigned as either Republican or Democrat depending on the majority vote in 2016, and the mean, median, 1st quartile, and 3rd quartile values for different public health-related variables were calculated. The differences in these values for Republican and Democrat counties are presented in Table 2, along with the Student t-test statistics and p values for the mean comparisons.

The distributions of different public health variables for Republican and Democratic counties are presented in Fig 1. The dynamics of different public health variables over time for counties based on their 2016 political party are compared across the aggregated data (Fig 2). The Republican margin shift was then compared with different public health variables for counties in states that flipped from Democrat in 2012 to Republican in 2016, indicating the 2016 total number of votes and the 2016 election outcome for counties by the size and color of their points, respectively (Fig 3).

Fig 1: Boxplots comparing select public health variables for Democratic and Republican counties. As shown, there are higher rates of lifestyle factors like smoking, obesity, and physical inactivity, and chronic diseases that are affected by lifestyle like cardiovascular diseases and diabetes in Republican counties than in Democratic counties. Democratic counties also have higher life expectancy, insurance rates, and lower mortality rates than Republican counties. The percent of individuals who are food insecure or get insufficient sleep in Democratic counties is higher than in Republican counties.

Fig 2: Boxplots comparing Democratic and Republican counties (defined by 2016 presidential election voting) over time for a number of public health variables. For diabetes, obesity, and physical inactivity, there has been a growing divide between Republican and Democratic counties between 2006 and 2016. For mortality risk across every age group, Democrat counties have improved more than Republican counties over the time period from 1980 to 2014.

Fig 3: Scatterplots for all counties in the 4 states that flipped from Democrat to Republican in 2016 (Michigan, Pennsylvania, Wisconsin, Maine), showing the Republican margin shift on the x axis, and different demographic and public health related variables on the y axis. Counties are sized by the total number of votes made in the 2016 election, and they are colored by the 2012 and 2016 outcomes. The top row includes variables frequently discussed in the narrative around the electoral shift in these states, including the percentage of Non-Hispanic Whites in the county. There is a clear relationship between the obesity rate, physical inactivity rate, smoking rate, and life expectancy and the Republican margin shift in these states.

Results

Our analysis covers 3,156 counties from all 50 states and Washington DC, of which 2650 went Republican in 2016, and 506 went Democratic in 2016. These counties exhibit significantly

different demographics: the average “% 65 and older” in Republican counties was 19.68% higher compared to Democratic counties; the average “% Non-Hispanic White” in Republican counties was 50.20% higher; the average “% Rural” in Republican counties was 93.91% higher; and the average “% with Some College” in Republican counties was 8.51% lower. These demographic differences are also driving healthcare differences. For example, Republican counties received 52% of Medicare funding (of which patients over 65 account for 85%²⁴) in 2017, compared to 50.5% of spending in 2007. Additionally, the total number of non-elderly individuals with preexisting conditions in states that voted Republican in 2016 was 74.3 million, compared to 59.4 million in Democrat states. However, the average rate of non-elderly people with preexisting conditions in Republican states was 50% compared to 51% in Democratic states.

Table 1 shows Pearson correlations between different public health-related variables and the percentage of voters in counties who voted for Trump in 2016, for Clinton in 2016, and the Republican margin change from 2012 to 2016. These correlations were calculated for all states, for 2016 battleground states, and for states that flipped in 2016. For counties in all states, the percentage of votes for Trump had a correlation with the life expectancy of whites of -.42, and a correlation with physical inactivity of .36. Some of the variables that are highly correlated with the Republican margin shift in flipped states include mortality risk across all age groups, the percentage of people in the counties on Medicaid across all ages/sex groups, and the overall uninsured rate.

The median Republican county had 11% fewer residents who completed some college and the bottom and top quartiles were 6% and 11% less respectively. Table 2 shows percent differences between the 1st quartile, median, 3rd quartile and means for different health-related variables as well as t-statistics and p-values. The median Republican county had a 17% higher

“injury death rate” and a 26% higher “% Disconnected Youth” rate. The median Republican county had a 50% higher rate of coal workers’ pneumoconiosis, 25% higher rate of chronic respiratory diseases, and a 32% higher rate of chronic obstructive pulmonary disease. The mortality risk was higher in every age group for the median, and bottom quartile counties, and lower for the age groups less than 65. The healthcare costs per capita were higher in Democratic counties (including Imaging Costs per Capita, Procedures Per Capita Actual Costs, Tests Per Capita Actual Costs, and Actual Costs per capita). There were consistently higher Medicaid participation rates among Democratic counties. The median uninsured % and uninsured % among individuals with less than 138% of the poverty line were higher in Republican counties by 2% and 11%, respectively. The insurance rates were much higher in Democratic counties among those with and without a high school education. The median Republican county had 2% lower life expectancy overall and 3% lower life expectancy among whites. Cancer rates were higher in most Republican counties than Democratic counties, with the exceptions of prostate, liver, and stomach cancers.

The median Republican county has a 13% higher obesity rate, a 21% higher diabetes rate, 19% higher physical inactivity rate, a 24% higher opioid prescribing rate, and a 6% higher smoking rate. Republican counties are older, with the median Republican county having 21% more individuals in the % 65 and over demographic. They are also whiter, with the median Republican county having a 69% greater rate in the % Non-Hispanic White demographic. Republican counties are more rural (median % rural rate is 234% higher for Republican counties), and access to care decreases in these counties accordingly: the primary care physician rate (ratio of population to primary care physicians) is 37% lower in the median Republican

counties. Some of these health behavior, life expectancy, and health insurance rate differences presented in Table 2 are visualized in Figure 1.

Figure 2 shows the dynamics of healthcare and mortality in Democratic and Republican counties over time, visualizing the rates of different diseases, and mortality over time. Over the past 10+ years, life expectancy has changed at different paces, and has improved faster in Democratic counties. For health behaviors and chronic disease, since 2008, physical inactivity, diabetes, and obesity have become notably worse in Republican counties. While the mortality risk across all age groups has decreased overall since 1980, the mortality risk is now higher in the median Republican county compared to the median Democrat county for all age groups. Supplemental Figure 1 shows the clear growing differences between several health and life expectancy measures in the median Republican and Democrat county over time.

Supplemental Fig 1. Percent differences in the median value of Republican and Democratic counties for select life expectancy, mortality, and health behavior measures. The median Republican county has experienced sustained increases in mortality risk across every age group compared to the median Democratic county between 1980 and 2014; this manifests in worse life expectancy for the median Republican county over time. Diabetes, obesity, physical inactivity, and uninsurance rates in the median Republican county are higher than in the median Democratic county between 2006 and 2017, and this difference is growing.

Much of the 2016 election media narrative was focused on the rural, white, over 65 voters who supported Trump. Figure 3 shows health and demographic variables that are strongly correlated with the Republican margin shift in counties in the states that flipped from Democrat to Republican in 2016. We can also see that obesity, diabetes, physical inactivity and smoking are all highly correlated with the Republican margin shift. There is a strong negative correlation between the life expectancy of whites and the Republican margin shift in these flip states.

Most of the states that participated in Medicaid expansion (though not all) voted Democrat in 2016. States that expanded Medicaid improved the insurance rates of their states and tended to have higher insured rate changes than states that did not, although there are a few exceptions (such as Florida and Idaho) that experienced large changes over this period without expansion. Medicaid expansion was particularly impactful for the insurance rates of individuals making less than 138% of the poverty line. Supplementary Fig 2 shows insurance rate changes from 2008 to 2017 (capturing the impact of the ACA) for counties in States that did and did not implement Medicaid expansion. Each point represents a county. For this group, Medicaid expansion directly improved the insurance rates of states.

Supplemental Fig 2. Boxplots of insurance rate changes between 2008 and 2017 for counties in states. Boxplots are filled by whether the state expanded Medicaid, and state names are colored by the 2016 political party. States that expanded Medicaid experienced higher insurance rate changes during this time period, indicating the positive impact of the policy.

Discussion

In this retrospective cohort study, we found statistically significant relationships between a number of health measures and the political voting patterns of counties in 2016 and over the last three decades. By calculating the median difference between counties that voted Democrat or Republican in the 2016 election, we found that residents of counties that voted Republican in the last presidential election have increased median incidence cardiovascular disease (11% median difference), diabetes (21%), obesity (13%), self-harm (22%), decreased median life expectancy (2%), and physical activity (19%) compared to residents of counties that voted Democrat. Collectively, these data indicate that counties that voted Republican in the 2016 election are “sicker” than those that voted Democrat.

The trends in Fig 2 show increases over time in counties that voted Republican in 2016 compared to Democrat in negative health outcomes such as diabetes and obesity concomitantly with decreases in life expectancy. This indicates that these counties have experienced an overall worsening in quality of health over time. It is important to note that these are not necessarily counties that have voted Republican in previous elections. The Affordable Care Act (ACA) was the signature legislative accomplishment of the Obama administration. Yet during his presidency, counties that ultimately voted Republican in the 2016 election continued to experience an overall worsening of healthcare measures, despite improved insurance rates. This worsening in the context of the ACA may be one of a number of factors contributing to individual voting decisions for Trump in 2016.²⁵

As the incidence of these chronic diseases grows, so does the overall cost of treating them. 90% of the nation's annual healthcare expenditures of \$3.5 trillion is for people with chronic and/or psychiatric conditions. Diabetes accounts for \$237 billion every year, with 30 million Americans affected and 84 million with prediabetes; obesity directly costs \$147 billion a year; lack of physical activity costs \$117 billion annually; smoking leads to \$170 billion in direct medical costs; and heart disease and stroke cost \$199 billion per year and lead to \$131 billion in lost productivity.²⁶ As patients live with these chronic diseases for longer, the number of complications for which treatment will be necessary will increase, further increasing costs. As these costs rise, it is likely that attempts will be made to curb healthcare spending. This will trap patients in these vulnerable counties in a vicious cycle: lack of access will lead to increased incidence of chronic disease, which will increase healthcare costs per patient, which will further increase total healthcare expenditure. In light of proposed measures amounting to healthcare

austerity, as well as the evidence of the deleterious effects of austerity on health in general, more targeted and effective healthcare spending (rather than cuts) is warranted.²⁷

The majority of Medicare funds (52%) go to counties that voted Republican in 2016. Nevertheless, the Trump administration is mulling large cuts to Medicare and other entitlement programs.²⁸ Additionally, the majority of individuals with preexisting conditions live in states that voted Republican in 2016 (55.5%), running counter to the Trump administration's policies that weaken laws protecting those with pre-existing conditions.²⁹

Our analysis showed trends between voting patterns and health outcomes, but it is also important to study patterns between health policy and political party affiliation. One direct consequence of political party affiliation on health policy is Medicaid expansion, which many more Democratic states adopted. All together, our data indicate that the health needs of certain areas are not being adequately addressed by their elected officials. States that expanded Medicaid were associated with a number of positive health measures, including improved access to care, better glucose monitoring in diabetes, better hypertension control, reductions in rates of major postoperative morbidity, and reductions in preventable hospitalizations.³⁰³¹³² The 14 states that have not expanded Medicaid (Alabama, Florida, Georgia, Kansas, Mississippi, Missouri, North Carolina, Oklahoma, South Carolina, South Dakota, Tennessee, Texas, Wisconsin, Wyoming) have overall lower median insured rates among those making 138% below the federal poverty level compared to states that expanded Medicaid. Lawmakers in states that have not expanded Medicaid have claimed doing so would harm the state economy.³³³⁴ It has been demonstrated that Medicaid expansion has saved at least 19,200 lives and, conversely, 15,600 deaths have occurred as a result of non-expansion.³⁵ In light of these data, as well as those indicating states that had Medicaid expansion showed improved health measures, it is clear that states that did not

expand Medicaid harm their constituency by failing to do so. The impact of health has been previously shown to affect political participation, with people in poor health being less likely to vote.³⁶ Researchers have also looked at the public health voting patterns in the US senate and found that Democratic senators averaged 59.1% points higher in voting accordance with public health policy recommendations compared to Republican Senators, suggesting that Republican senators diverge significantly from the recommendations of the American Public Health Association (APHA).³⁷ Given the large the differences in health behaviors of Democrat and Republican counties with respect to physical inactivity, obesity, and smoking, the policy differences should be fully examined. It is worth systematically exploring the extent to which political party affiliation affects public health policymaking and the impact this has on public health.

As of late May 2020, the COVID-19 pandemic has affected Democratic and Republican counties differently. The most cases and deaths from the virus have occurred in dense urban areas, which lean Democrat, including the epicenter in New York City. The New York Times estimated that counties Trump won in 2016 reported 27 percent of the cases and 21 percent of the deaths.³⁸ This divide is further highlighted by the partisan nature of policies implemented by elected officials (i.e. governors) in response to the crisis.

Healthcare is arguably the central topic of the 2020 election, with COVID-19 serving as an avatar for the politicization of healthcare. Medical care during the pandemic, risk of complications during the pandemic, perceptions of the pandemic, behavior change during the pandemic, the government response during a pandemic, and the social safety net during the pandemic, have all been divided along partisan lines.

This study has several limitations. The first is that we cannot attribute voting behavior to individual Democrat and Republican voters. While we have examined the voting patterns at the county level, it is true that voter turnout in the United States is low (55.7% in the 2016 election) compared to other developed countries and varies between demographics, so whether the results in a given county reflect the true preferences of its residents is questionable. Similarly, the majority of lower socioeconomic individuals do not vote, which skews the data towards those who can, who may also be healthier on average. These data do not indicate the healthcare differences between individual voters and should not be understood as a reflection on individual party members.

Here we find strong relationships between voter party affiliation and health outcomes. These outcomes stem from both individual mechanisms (like the self-expressed lower priority of health issues in republican voters) as well as institutional aggregate measures (e.g. ACA and Medicare expansion choices falling along party lines). Although polarization and partisanship are increasing in western democracies, the link between partisanship and health is particularly strong in the US, and our work suggests that it is in the public interest to further study the mechanisms that link partisanship to health outcomes in an attempt to decouple political affiliation and health in the future.

Data and code availability.

The analysis and code from this manuscript can be found at the following link:

<https://github.com/tymor22/Health-and-Politics/>. All of the data analyzed in this manuscript is available at the following link: https://zenodo.org/record/3936108#.Xyc5O_hKh_Q with the DOI number 10.5281/zenodo.3936108.

Competing Interests.

R.B. has ongoing or recent consulting or advisory relationships with Eli Lilly, Merus, Merck and Epistemic AI. R.B. has an active research collaboration with Facebook. TH cofounded Fermat's Library. M.D. has no competing interests to declare.

Acknowledgments.

We thank Kevin Aslett for a careful reading of the manuscript.

¹ Public's 2019 Priorities: Economy, Health Care, Education and Security All Near Top of List. Pew Research Center - U.S. Politics & Policy. 2019. Available from: <https://www.people-press.org/2019/01/24/publics-2019-priorities-economy-health-care-education-and-security-all-near-top-of-list/>

² Blendon RJ, Benson JM, McMurtry CL. Health Care in the 2018 Election. New England Journal of Medicine. 2018 Nov 1;379(18):e32.

³ Jones B. Republicans and Democrats have grown further apart on what the nation's top priorities should be. Pew Research Center. 2019. Available from: <https://www.pewresearch.org/fact-tank/2019/02/05/republicans-and-democrats-have-grown-further-apart-on-what-the-nations-top-priorities-should-be/>

⁴ Brown H. The Democratic debates have spent 93 minutes on health care. Vox. 2019. Available from: <https://www.vox.com/policy-and-politics/2019/10/15/20914415/democratic-debates-health-care-issues>

⁵ Teixeira RG William H Frey, and Ruy. States of change: How demographic change is transforming the Republican and Democratic parties. Brookings. 2019. Available from: <https://www.brookings.edu/research/states-of-change-2019/>

⁶ Edsall TB. Opinion | Red and Blue Voters Live in Different Economies. The New York Times. 2019 Sep 25; Available from: <https://www.nytimes.com/2019/09/25/opinion/trump-economy.html>

⁷ Edsall TB. Opinion | Red and Blue Voters Live in Different Economies. The New York Times. 2019 Sep 25; Available from: <https://www.nytimes.com/2019/09/25/opinion/trump-economy.html>

- ⁸ Whiton MM and J. America has two economies—and they’re diverging fast. Brookings. 2019. Available from: <https://www.brookings.edu/blog/the-avenue/2019/09/10/america-has-two-economies-and-theyre-diverging-fast/>
- ⁹ Dwyer-Lindgren L, Bertozzi-Villa A, Stubbs RW, Morozoff C, Kutz MJ, Huynh C, et al. US County-Level Trends in Mortality Rates for Major Causes of Death, 1980-2014. JAMA. 2016 Dec 13;316(22):2385–401.
- ¹⁰ Dwyer-Lindgren L, Bertozzi-Villa A, Stubbs RW, Morozoff C, Mackenbach JP, Lenthe FJ van, et al. Inequalities in Life Expectancy Among US Counties, 1980 to 2014: Temporal Trends and Key Drivers. JAMA Intern Med. 2017 Jul 1;177(7):1003–11.
- ¹¹ Case A, Deaton A. Rising morbidity and mortality in midlife among white non-Hispanic Americans in the 21st century. Proc Natl Acad Sci USA. 2015 Dec 8;112(49):15078.
- ¹² Case A, Deaton A. Mortality and Morbidity in the 21st Century. Brookings Papers on Economic Activity. 2017.
- ¹³ Bilal U, Knapp EA, Cooper RS. Swing voting in the 2016 presidential election in counties where midlife mortality has been rising in white non-Hispanic Americans. Social Science & Medicine. 2018 Jan 1;197:33–8.
- ¹⁴ Monnat SM. Deaths of Despair and Support for Trump in the 2016 Presidential Election. University Park, PA: Pennsylvania State University, Department of Agricultural Economics, Sociology, and Education; 2016.
- ¹⁵ Bor J. Diverging Life Expectancies and Voting Patterns in the 2016 US Presidential Election. Am J Public Health. 2017 Oct;107(10):1560–2.
- ¹⁶ Wasfy JH, Iii CS, Bhambhani V. County community health associations of net voting shift in the 2016 U.S. presidential election. PLOS ONE. 2017 Oct 2;12(10):e0185051.
- ¹⁷ U.S. Diabetes Surveillance System. [cited 2020 Apr 1]. Available from: <https://gis.cdc.gov/grasp/diabetes/DiabetesAtlas.html>
- ¹⁸ US Health Map. Institute for Health Metrics and Evaluation. 2014 [cited 2020 Apr 1]. Available from: <http://www.healthdata.org/data-visualization/us-health-map>
- ¹⁹ CMS. [cited 2020 Apr 1]. Available from: <https://www.cms.gov/Research-Statistics-Data-and-Systems/Statistics-Trends-and-Reports/NationalHealthExpendData/NationalHealthAccountsHistorical>
- ²⁰ Bureau UC. American Community Survey (ACS). The United States Census Bureau. [cited 2020 Apr 1]. Available from: <https://www.census.gov/programs-surveys/acs>
- ²¹ Bureau UC. SAHIE Datasets. The United States Census Bureau. [cited 2020 Apr 1]. Available from: <https://www.census.gov/programs-surveys/sahie/data/datasets.html>
- ²² University of Wisconsin Population Health Institute. County Health Rankings & Roadmaps 2019. Available from: www.countyhealthrankings.org.
- ²³ MIT Election Lab. [cited 2020 Apr 1]. Available from: <https://electionlab.mit.edu/data>
- ²⁴ An Overview of Medicare. The Henry J. Kaiser Family Foundation. 2019. Available from: <https://www.kff.org/medicare/issue-brief/an-overview-of-medicare/>
- ²⁵ Capelos T, Katsanidou A. Reactionary Politics: Explaining the Psychological Roots of Anti Preferences in European Integration and Immigration Debates. Political Psychology. 2018;39(6):1271–88.
- ²⁶ Health and Economic Costs of Chronic Disease. CDC. 2020 [cited 2020 Apr 1]. Available from: <https://www.cdc.gov/chronicdisease/about/costs/index.htm>

- ²⁷ Tyrovolas S, Kassebaum NJ, Stergachis A, Abraha HN, Alla F, Androudi S, et al. The burden of disease in Greece, health loss, risk factors, and health financing, 2000–16: an analysis of the Global Burden of Disease Study 2016. *The Lancet Public Health*. 2018 Aug;3(8):e395–406.
- ²⁸ Rappeport A, Haberman M. Trump Opens Door to Cuts to Medicare and Other Entitlement Programs. *The New York Times*. 2020 Jan 22; Available from: <https://www.nytimes.com/2020/01/22/us/politics/medicare-trump.html>
- ²⁹ Sanger-Katz M. To the Contrary, Trump Has Tried to Weaken Protections for Pre-existing Conditions. *The New York Times*. 2020 Jan 13. Available from: <https://www.nytimes.com/2020/01/13/upshot/trump-tweets-health-care.html>
- ³⁰ Mazurenko O, Balio CP, Agarwal R, Carroll AE, Menachemi N. The Effects Of Medicaid Expansion Under The ACA: A Systematic Review. *Health Affairs*. 2018 Jun 1;37(6):944–50.
- ³¹ Wen H, Johnston KJ, Allen L, Waters TM. Medicaid Expansion Associated With Reductions In Preventable Hospitalizations. *Health Affairs*. 2019 Nov 1;38(11):1845–9.
- ³² Graves JA, Hatfield LA, Blot W, Keating NL, McWilliams JM. Medicaid Expansion Slowed Rates Of Health Decline For Low-Income Adults In Southern States. *Health Affairs*. 2020 Jan 1;39(1):67–76.
- ³³ McCausland P. This state rejected the cost of Medicaid expansion. Its residents pay the price. *NBC News*. 2019. Available from: <https://www.nbcnews.com/news/us-news/residents-suffer-mississippi-13-other-states-debate-medicaid-expansion-n1075661>
- ³⁴ Medicaid Expansion Has Saved at Least 19,000 Lives, New Research Finds. Center on Budget and Policy Priorities. 2019. Available from: <https://www.cbpp.org/research/health/medicaid-expansion-has-saved-at-least-19000-lives-new-research-finds>
- ³⁵ Medicaid Expansion Has Saved at Least 19,000 Lives, New Research Finds. Center on Budget and Policy Priorities. 2019. Available from: <https://www.cbpp.org/research/health/medicaid-expansion-has-saved-at-least-19000-lives-new-research-finds>
- ³⁶ Pacheco J, Fletcher J. Incorporating Health into Studies of Political Behavior: Evidence for Turnout and Partisanship. *Polit Res Q*. 2015 Mar;68(1):104–16.
- ³⁷ Purtle J, Goldstein ND, Edson E, Hand A. Who votes for public health? U.S. senator characteristics associated with voting in concordance with public health policy recommendations (1998–2013). *SSM - Population Health*. 2017 Dec 1;3:136–40.
- ³⁸ Medina J, Gebeloff R. What the Coronavirus Revealed About Life in Red vs. Blue States. *The New York Times*. 2020. Available from: <https://www.nytimes.com/2020/05/25/us/politics/coronavirus-red-blue-states.html>