Coding Complete Genome Sequences of Twenty-three SARS-CoV-2 Strains Isolated in the Philippines

John Mark Velasco,^{a,c} Piyawan Chinnawirotpisan,^a Khajohn Joonlasak,^a Wudtichai Manasatienkij,^a Angkana Huang,^a Ma. Theresa Valderama,^a Paula Corazon Diones,^a Susie Leonardia,^a Ma. Leanor Timbol,^a Fatima Claire Navarro,^b Vicente Villa II,^b Henry Tabinas Jr.,^b Domingo Chua Jr.,^b Stefan Fernandez,^a Anthony Jones,^a Chonticha Klungthong,^a

^a Department of Virology, U.S. Army Medical Directorate – Armed Forces Research Institute of Medical Sciences, Bangkok, Thailand

^b V Luna Medical Center, Armed Forces of the Philippines Health Service Command, Quezon City, Philippines

^c University of the Philippines Manila, Ermita, Manila, Philippines

Running Head: Twenty-three SARS-CoV-2 from the Philippines

#Address correspondence to John Mark S. Velasco, VelascoJM@afirms.org; JSVelasco@up.edu.ph

Coding Complete Genome Sequences of Twenty-three SARS-CoV-2 Strains Isolated in the Philippines

Abstract

Here, we report the coding complete genome sequences of 23 severe acute respiratory syndrome coronavirus 2(SARS-CoV-2) strains from the Philippines. Sequences were obtained from nasopharyngeal and oropharyngeal swabs from COVID-19 positive patients. Mutation analysis showed the presence of the D614G mutation in the spike protein in 22 of 23 genomes.

Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) belonging to the family *Coronaviridae* and genus *Betacoronavirus* is the causative agent of COVID-19(1). In the Philippines, the first confirmed SARS-CoV-2 case was reported on 30 January 2020(2) and as of 31 Aug 2020, more than 200,000 cases had been reported(3). Here, we announce the coding complete genome sequences of 23 SARS-CoV-2 strains collected from 3 April-18 July 2020 from COVID-19 RT-PCR positive Filipino patients(4). Viral RNA was extracted from nasopharyngeal/oropharyngeal swabs using QIAamp viral RNA Mini kit (Qiagen) and used as template for amplicon sequencing using ARTIC SARS-CoV-2 V3 primers(4). DNA libraries were constructed and multiplexed using Illumina DNA prep, and then pooled before sequencing. Sequencing was performed on MiSeq using the MiSeq reagent kit V 2(Illumina). Reference mapping was performed by BWA-MEM aligner using Wuhan-Hu-1 genome sequence(GenBank Accession number NC_045512.2) as the reference sequence(5). Primer regions trimming and call variants ($Q \geq 25$) were performed using iVar v.1.2.2(6) and samtools (7), respectively. Consensus sequences were generated by iVar v.1.2.2(6) ($Q \geq 25$ and depth of coverage ≥ 10). Gaps, deletion, and ambiguous bases were identified and confirmed by genome-guided assembly with the reference sequence(NC_045512.2) using Trinity v2.8.5(8) and Sanger sequencing. Lineage and clade were determined using Pangolin v.2.0.4(9), GISAID clade nomenclature(10), and phylogenetic analysis(11, 12, 13). We used MEGA 7.0(14) to examine nucleotide and amino acid substitutions. All tools were run with default parameters. Raw reads yielded a total of 8.4 gigabases (94% of the clusters with Phred quality score ($Q \geq 30$)). The length of reads obtained were 35-251 nucleotides and the range of number of reads obtained per library was 0.87 – 1.48 million reads. Consensus sequences lengths were similar to the Wuhan-Hu-1 strain(NC_045512.2) with mean coverage ranging from 2,361X to 7,177X.

Table 1 shows strain details and mutations. 20/23 genomes collected between 25 June-18 July 2020 were classified under

clade GR/lineage B.1.1, a major lineage frequently found in Europe and exported to the rest of the world(9, 10). Two genomes(2/23) from 6 and 7 July 2020 were classified under clade GR/lineage B.1.1.28, found in Brazil(89%), UK(8%), and China(2%) (https://cov-lineages.org/lineages/lineage_B.1.2.html). A single genome (1/23) was classified under clade O/lineage B.6, a global lineage mostly found in Singapore and India (<https://cov-lineages.org>). Four amino acid substitutions (ORF1b-P314L,S-D614G,N-R203K,and N-G204R), unique to clade GR (both lineages B.1.1 and B.1.1.28), were seen in all our sequences in this clade. Two sequences of lineage B.1.1 had a 21-nucleotide deletion in the N gene region. Five substitutions (ORF1a-R226K,ORF1a-E1126K,ORF1a-L3930F,S-V1176F,and ORF7b-V21I) were observed uniquely in 2 sequences of lineage B.1.1.28.

None of the Philippine SARS-CoV-2 sequences in GISAID (accessed 22 August 2020) with collection date before 25 June 2020(15, 16) contained the D614G mutation. From the same set of data, lineage B.1.1 containing D614G was found in a sample collected on 25 June 2020. This observation coincides with our findings that the D614G mutation was observed from samples collected in June 2020(16). Our findings show the presence of lineages B.6, B.1.1 and B1.1.28, with the latter being first reported in the Philippines in this study.

The D614G mutation is currently the most prevalent variant worldwide and is associated with higher viral RNA levels and titers of pseudo viruses(17). In this study, all patients had no history of travel outside the country and acquired the disease in the National Capital Region, Region 3 and 4A(Table 1), providing evidence of local transmission. Multiple lineages and strains could have been introduced by travelers and Filipino repatriates(18). The D614G mutation is replacing and rapidly surpassing in prevalence the original strain circulating prior to June 2020 and may partially explain the rapid rise of cases in the Philippines.

Data availability. The SARS-CoV-2 genomes from the Philippines were deposited in the GenBank database (accession nos. [MT919768-90](#)). The raw reads have been deposited in the NCBI Sequence Read Archive (SRA accession nos. [SRS7273360-82](#)). The Bio Project accession no. is [PRJNA659293](#). The Bio Sample accession nos. are [SAMN15903138-60](#).

Acknowledgments

The authors acknowledge the support of the Department of Research and Training, Department of Pathology and Laboratories and Hospital Infection Control Committee of the V. Luna Medical Center (Quezon City, Philippines) for support with specimen collection. Informed consent for was obtained from the patients for SARS-CoV-2 testing. Sample

collection was considered as a public health effort and did not require an Institutional Review Board approved human use protocol. This study was funded by the Armed Forces Health Surveillance Branch (AFHSB) and its Global Emerging Infections Surveillance (GEIS) Section, USA under grant number P0128_20_AF_13 for FY 2020. Material has been reviewed by the Walter Reed Army Institute of Research. There is no objection to its presentation and/or publication. The opinions or assertions contained herein are the private views of the author, and are not to be construed as official, or as reflecting true views of the Department of the Army or the Department of Defense. The investigators have adhered to the policies for protection of human subjects as prescribed in AR 70–25.

Competing interests

None declared.

References

1. Zhu N, Zhang D, Wang W, Li X, Yang B, Song J, Zhao X, Huang B, Shi W, Lu R, Niu P, Zhan F, Ma X, Wang D, Xu W, Wu G, Gao GF, Tan W, China Novel Coronavirus I, Research T. 2020. A Novel Coronavirus from Patients with Pneumonia in China, 2019. *N Engl J Med* 382:727-733.
2. Edrada EM, Lopez EB, Villarama JB, Salva Villarama EP, Dagoc BF, Smith C, Sayo AR, Verona JA, Trifalgar-Arches J, Lazaro J, Balinas EGM, Telan EFO, Roy L, Galon M, Florida CHN, Ukawa T, Villanueva AMG, Saito N, Nepomuceno JR, Ariyoshi K, Carlos C, Nicolasora AD, Solante RM. 2020. Correction to: First COVID-19 infections in the Philippines: a case report. *Trop Med Health* 48:30.
3. WHO. 2020. Coronavirus disease 2019 (COVID-19) situation reports: World Health Organization;. <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports>. Accessed 8 Aug 2020.
4. al. DPRDe. 2020. COVID-19 ARTIC v3 Illumina library construction and sequencing protocol V.4, *on* Wellcome Sanger Institute. <https://www.protocols.io/view/covid-19-artic-v3-illumina-library-construction-an-bgxjxkn>. Accessed 25 August 2020.
5. Li H. and Durbin R. 2009. Fast and accurate short read alignment with Burrows-Wheeler Transform. *Bioinformatics* 25:1754-60. <https://doi.org/10.1093/bioinformatics/btp324>.
6. Grubaugh ND, Gangavarapu K, Quick J, Matteson NL, De Jesus JG, Main BJ, Tan AL, Paul LM, Brackney DE, Grewal S, Gurfield N. 2019. An amplicon-based sequencing framework for accurately measuring intrahost virus diversity using PrimalSeq and iVar. *Genome biology* 20(1): 1-19. <https://genomebiology.biomedcentral.com/articles/10.1186/s13059-018-1618-7>.
7. Li H, Handsaker B, Wysoker A, Fennell T, Ruan J, Homer N, Marth G, Abecasis G, Durbin R. 2009. The sequence alignment/map format and SAMtools. *Bioinformatics* 25(16): 2078-2079. <https://doi.org/10.1093/bioinformatics/btp352>.
8. Grabherr MG, Haas BJ, Yassour M, Levin JZ, Thompson DA, Amit I, Adiconis X, Fan L, Raychowdhury R, Zeng Q, Chen Z. 2011. Trinity: reconstructing a full-length transcriptome without a genome from RNA-Seq data. *Nature biotechnology* 29(7): 644-652. <https://www.nature.com/articles/nbt.1883>.
9. Rambaut A, Holmes EC, O'Toole Á, Hill V, McCrone JT, Ruis C, Plessis L, Pybus OG. 2020. A dynamic nomenclature proposal for SARS-CoV-2 lineages to assist genomic epidemiology. *Nature Microbiology* (online ahead of print). <https://doi.org/10.1101/2020.04.17.046086>.
10. Alm E, Broberg EK, Connor T, Hodcroft EB, Komissarov AB, Maurer-Stoh S, Melidou A, Neher RA, Toole AO, Pereyaslov D. 2020. Geographical and temporal distribution of SARS-CoV-2 clades in the WHO European Region, January to June 2020. *Eurosurveillance* 25(32):2001410. <https://doi.org/10.2807/1560-7917.ES.2020.25.32.2001410>.
11. Katoh K, Standley DM, 2013. MAFFT multiple sequence alignment software version 7: improvements in performance and usability. *Molecular biology and evolution* 30(4): 772-780. <https://doi.org/10.1093/molbev/mst010>.

12. Nguyen L-T, Schmidt HA, Haeseler A, Minh BQ. 2015. IQ-TREE: A fast and effective stochastic algorithm for estimating maximum likelihood phylogenies. *Molecular biology and evolution* 32:268-274. <https://doi.org/10.1093/molbev/msu300>.
13. Rambaut A. 2014. Figtree, a graphical viewer of phylogenetic trees. <http://tree.bio.ed.ac.uk/software/figtree>.
14. Kumar S, Stecher G, Tamura K. 2016. MEGA7: Molecular Evolutionary Genetics Analysis Version 7.0 for Bigger Datasets. *Molecular biology and evolution* 33(7):1870-1874. <https://doi.org/10.1093/molbev/msw054>.
15. RITM. 2020. RITM releases first 17 sets of SARS-CoV-2 genome sequences from PH cases through Third Generation Sequencing Technology. <http://ritm.gov.ph/ritm-releases-first-17-sets-of-sars-cov-2-genome-sequences-from-ph-cases-through-third-generation-sequencing-technology/>. Accessed 22 August 2020.
16. PGC. 2020. PGC SARS-CoV-2 Bulletin No.1: Philippine Genome Center Reports Detection of the D614G Variant of SARS-CoV-2 Virus in the Philippines. <https://pgc.up.edu.ph/pgc-sars-cov-2-bulletin-no-1-philippine-genome-center-reports-detection-of-the-d614g-variant-of-sars-cov-2-virus-in-the-philippines/>. Accessed 22 August 2020.
17. Korber B, Fischer WM, Gnanakaran S, Yoon H, Theiler J, Abfalterer W, Hengartner N, Giorgi EE, Bhattacharya T, Foley B, Hastie KM, Parker MD, Partridge DG, Evans CM, Freeman TM, de Silva TI, Sheffield C-GG, McDanal C, Perez LG, Tang H, Moon-Walker A, Whelan SP, LaBranche CC, Saphire EO, Montefiori DC. 2020. Tracking Changes in SARS-CoV-2 Spike: Evidence that D614G Increases Infectivity of the COVID-19 Virus. *Cell* doi:10.1016/j.cell.2020.06.043.
18. Ramos CM. 2020. Over 124,000 overseas Filipinos flown home amid COVID-19 pandemic — DFA, p *In* Philippine Daily Inquirer. Inquirer, Manila. <https://globalnation.inquirer.net/190171/over-124000-overseas-filipinos-flown-home-amid-covid-19-pandemic-dfa>.

Sequence name	GenBank accession no. and Sequence Read Archive (SRA) accession no.	Collection date	Ct Value	City/Town, Region (province)	Initial Clinical Presentation/ Classification/Clinical Outcome	Genome size (bp)	GC content (%)	Mean Depth of coverage (x)	Coverage (%)	Clade	Lineage	Nucleotide substitution	Gene region:Amino acid substitution
SAR-CoV-2/Philippines/AFRIMS-COVID-GS	MT919768 SRS7273360	3-Apr-20	25.27	Makati City, National Capital Region	Moderate/Admitted/ Recovered	29903	37.9	4508	99.8	O	B.6	C6312A G11083T C13730T C23929T C26224T C28311T	ORF1a: T2016K ORF1a: L3606F ORF1b: A88V S: Synonymous mutation Non-translation region N: P13L
SAR-CoV-2/Philippines/AFRIMS-COVID-3304	MT919769 SRS7273361	25-Jun-20	18.80	Quezon City, National Capital Region	Unknown/Admitted/ Recovered	29903	38.0	4958	99.7	GR	B.1.1	C3037T G11083T C13051T C14408T C16726T C21597T A23403G A27224C G28881A, G28882A G28883C C29144T	ORF1a: Synonymous mutation ORF1a: L3606F ORF1a: Synonymous mutation ORF1b: P314L ORF1b: H1087Y S: S12F S: D614G ORF6: Q8P N: R203K N: G204R N: Synonymous mutation
SAR-CoV-2/Philippines/AFRIMS-COVID-3353	MT919770 SRS7273362	26-Jun-20	18.93	Quezon City, National Capital Region	Mild/Admitted/ Recovered	29903	38.0	4134	99.7	GR	B.1.1	C3037T A3938C C14408T A23403G G28881A, G28882A G28883C G28908T	ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1b: P314L S: D614G N: R203K N: G204R N: G212V
SAR-CoV-2/Philippines/AFRIMS-COVID-3477	MT919771 SRS7273363	29-Jun-20	24.74	Taguig City, National Capital Region	Moderate/Admitted/ Recovered	29903	38.0	3856	99.7	GR	B.1.1	C3037T C6726T C14408T G14414T C21597T A23403G C26607T G28881A, G28882A G28883C C29144T G29543T G29654A	ORF1a: Synonymous mutation ORF1a: T2154I ORF1b: P314L ORF1b: S316I S: S12F S: D614G M: L29F N: R203K N: G204R N: Synonymous mutation Non-translation region ORF10: V33I
SAR-CoV-2/Philippines/AFRIMS-COVID-3493	MT919772 SRS7273364	29-Jun-20	20.97	Quezon City, National Capital Region	Mild/Admitted/ Recovered	29903	38.0	4448	99.7	GR	B.1.1	C3037T A3938C C14408T A23403G G28881A, G28882A G28883C	ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1b: P314L S: D614G N: R203K N: G204R
SAR-CoV-2/Philippines/AFRIMS-COVID-3563	MT919773 SRS7273365	29-Jun-20	23.29	Pasay City, National Capital Region	Unknown/Quarantine Facility/ Recovered	29903	38.0	5154	99.7	GR	B.1.1	C3037T G11083T C13051T C14408T C16726T C21597T	ORF1a: Synonymous mutation ORF1a: L3606F ORF1a: Synonymous mutation ORF1b: P314L ORF1b: H1087Y S: S12F

ID	Accession	Date	Age	Region	Status	N	S	G	T	GR	Lineage	Mutations	
												ORF1a	ORF1b
SAR-CoV-2/Philippines/AFRIMS-COVID-3593	MT919774 SRS7273366	29-Jun-20	22.11	Quezon City, National Capital Region	Mild/Admitted/ Recovered	29903	38.0	5987	99.7	GR	B.1.1	A23403G	S: D614G
												A27224C	ORF6: Q8P
												G28881A, G28882A	N: R203K
												G28883C	N: G204R
												C29144T	N: Synonymous mutation
												C3037T	ORF1a: Synonymous mutation
												C7165T	ORF1a: Synonymous mutation
												G11083T	ORF1a: L3606F
												C13051T	ORF1a: Synonymous mutation
												C14408T	ORF1b: P314L
SAR-CoV-2/Philippines/AFRIMS-COVID-4149	MT919775 SRS7273367	6-Jul-20	27.40	Quezon City, National Capital Region	Moderate/Unknown/ Unknown	29903	37.9	5774	99.8	GR	B.1.1	C21597T	S: S12F
												A23403G	S: D614G
												C23934T	S: T791I
												A27224C	ORF6: Q8P
												G28881A, G28882A	N: R203K
												G28883C	N: G204R
												C29144T	N: Synonymous mutation
												C3037T	ORF1a: Synonymous mutation
												C7086T	ORF1a: T2274I
												C9474T	ORF1a: A3070V
SAR-CoV-2/Philippines/AFRIMS-COVID-4281	MT919776 SRS7273368	6-Jul-20	18.01	Pasay City, National Capital Region	Mild/Quarantine Facility/ Recovered	29903	38.0	4402	99.7	GR	B.1.1.28	G11083T	ORF1a: L3606F
												C13051T	ORF1a: Synonymous mutation
												C14408T	ORF1b: P314L
												C21597T	S: S12F
												A23403G	S: D614G
												G28881A, G28882A	N: R203K
												G28883C	N: G204R
												C29144T	N: Synonymous mutation
												G942A	ORF1a: R226K
												C3037T	ORF1a: Synonymous mutation
SAR-CoV-2/Philippines/AFRIMS-COVID-4282	MT919777 SRS7273369	6-Jul-20	17.81	Pasay City, National Capital Region	Asymptomatic/Quarantine Facility/ Recovered	29903	38.0	5454	99.7	GR	B.1.1	G3641A	ORF1a: E1126K
												C12053T	ORF1a: L3930F
												C14408T	ORF1b: P314L
												C20133T	ORF1b: Synonymous mutation
												A23403G	S: D614G
												G25088T	S: V1176F
												G27816A	ORF7b: V21I
												G28881A, G28882A	N: R203K
												G28883C	N: G204R
												C2973T	ORF1a: A903V
SAR-CoV-2/Philippines/AFRIMS-COVID-4282	MT919777 SRS7273369	6-Jul-20	17.81	Pasay City, National Capital Region	Asymptomatic/Quarantine Facility/ Recovered	29903	38.0	5454	99.7	GR	B.1.1	C3037T	ORF1a: Synonymous mutation
												C3411T	ORF1a: A1049V
												C10138T	ORF1a: Synonymous mutation
												C14408T	ORF1b: P314L
												C20312T	ORF1b: A2282V
												C21597T	S: S12F
												A23403G	S: D614G
												C28308G	N: A12G
												G28881A, G28882A	N: R203K
												G28883C	N: G204R
SAR-CoV-2/Philippines/AFRIMS-COVID-4282	MT919777 SRS7273369	6-Jul-20	17.81	Pasay City, National Capital Region	Asymptomatic/Quarantine Facility/ Recovered	29903	38.0	5454	99.7	GR	B.1.1	21-nucleotide deletion (28890-28910)	N: S206Y and 7-amino acid deletion (207-PARMAGN-213)
												C29144T	N: Synonymous mutation

medRxiv preprint doi: <https://doi.org/10.1101/2020.09.29.20203695>; this version posted September 29, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.

SAR-CoV-2/Philippines/AFRIMS-COVID-4402	MT919778 SRS7273370	7-Jul-20	24.84	Pasay City, National Capital Region	Asymptomatic/Admitted/ Recovered	29903	38.0	6836	99.7	GR	B.1.1.28	G942A C3037T G3641A C12053T C14408T C20133T A23403G G25088T G27816A G28881A, G28882A G28883C	ORF1a: R226K ORF1a: Synonymous mutation ORF1a: E1126K ORF1a: L3930F ORF1b: P314L ORF1b: Synonymous mutation S: D614G S: V1176F ORF7b: V211 N: R203K N: G204R
SAR-CoV-2/Philippines/AFRIMS-COVID-4650	MT919779 SRS7273371	10-Jul-20	26.60	Cavite City, Region 4A (Cavite)	Severe/Admitted/ Recovered	29903	38.0	4987	99.7	GR	B.1.1	C3037T A3938C C5575T C14408T A19767G A23403G G28881A, G28882A G28883C G28908T	ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1b: P314L ORF1b: Synonymous mutation S: D614G N: R203K N: G204R N: G212V
SAR-CoV-2/Philippines/AFRIMS-COVID-4792	MT919780 SRS7273372	10-Jul-20	17.74	Calamba City, Region 4A (Laguna)	Asymptomatic/ Quarantine Facility/ Recovered	29903	37.9	6351	99.8	GR	B.1.1	C2973T C3037T C3411T G11083T C14408T C20312T C21597T A23403G C28308G G28881A, G28882A G28883C 21-nucleotide deletion (28890-28910) C29144T	ORF1a: A903V ORF1a: Synonymous mutation ORF1a: A1049V ORF1a: L3606F ORF1b: P314L ORF1b: A2282V S: S12F S: D614G N: A12G N: R203K N: G204R N: S206Y and 7-amino acid deletion (207-PARMAGN-213) N: Synonymous mutation
SAR-CoV-2/Philippines/AFRIMS-COVID-4837	MT919781 SRS7273373	13-Jul-20	28.30	Taguig City, National Capital Region	Asymptomatic/Self-quarantine/ Recovered	29903	38.0	2361	99.7	GR	B.1.1	C539T C3037T C8818T A10912G C14408T G17347T T21198C C22120T A23403G G28881A, G28882A G28883C G29540T	ORF1a: L92F ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1b: P314L ORF1b: V1294F ORF1b: Synonymous mutation S: Synonymous mutation S: D614G N: R203K N: G204R Non-translation region
SAR-CoV-2/Philippines/AFRIMS-COVID-5127	MT919782 SRS7273374	14-Jul-20	30.22	Taguig City, National Capital Region	Severe/Unknown/ Unknown	29903	38.0	6780	99.7	GR	B.1.1	C3037T C4039T C14408T C16559A G16808A C19983T C21575T A23403G	ORF1a: Synonymous mutation ORF1a: Synonymous mutation ORF1b: P314L ORF1b: A1031E ORF1b: S1114N ORF1b: Synonymous mutation S: L5F S: D614G

medRxiv preprint doi: https://doi.org/10.1101/2020.09.29.20203695 ; this version posted September 29, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. All rights reserved. No reuse allowed without permission.												
SAR-CoV-2/Philippines/AFRIMS-COVID-5524	MT919783 SRS7273375	15-Jul-20	24.04	Caloocan City, National Capital Region	Unknown/Self-quarantine/ Recovered	29903	38.0	7110	99.7	GR	B.1.1	G28881A, G28882A G28883C N: R203K N: R209I C3037T ORF1a: Synonymous mutation G5924A ORF1a: V1887I G6943T ORF1a: Synonymous mutation C14408T ORF1b: P314L C18877T ORF1b: Synonymous mutation T21775G S: Synonymous mutation A23403G S: D614G G28881A, G28882A N: R203K G28883C N: G204R
SAR-CoV-2/Philippines/AFRIMS-COVID-5658	MT919784 SRS7273376	16-Jul-20	20.85	Rodriguez, Region 4A (Rizal)	Moderate/Admitted/ Recovered	29903	37.9	5351	99.8	GR	B.1.1	C2973T ORF1a: A903V C3037T ORF1a: Synonymous mutation C11572T OFr1a: Synonymous mutation C14408T ORF1b: P314L C18828T ORF1b: Synonymous mutation C20312T ORF1b: A2282V C21597T S: S12F A23403G S: D614G C26464T E: Synonymous mutation G28881A, G28882A N: R203K G28883C N: G204R C29144T N: Synonymous mutation
CSAR-CoV-2/Philippines/AFRIMS-OVID-5698	MT919785 SRS7273377	16-Jul-20	19.37	San Juan City, National Capital Region	Unknown/Quarantine Facility/ Recovered	29903	38.0	6330	99.7	GR	B.1.1	C593T ORF1a: H110Y C3037T ORF1a: Synonymous mutation G5924A ORF1a: V1887I C6525T ORF1a: T2087I G6943T ORF1a: Synonymous mutation C14408T ORF1b: P314L G17278T ORF1b: V1271L C18395T ORF1b: A1643V T21775G S: Synonymous mutation A23403G S: D614G G28881A, G28882A N: R203K G28883C N: G204R
SAR-CoV-2/Philippines/AFRIMS-COVID-5918	MT919786 SRS7273378	17-Jul-20	27.90	Taguig City, National Capital Region	Severe/Admitted/ Died	29903	37.9	6038	99.8	GR	B.1.1	C3037T ORF1a: Synonymous mutation C6726T ORF1a: T2154I G11083T ORF1a: L3606F C13051T ORF1a: Synonymous mutation C14408T ORF1b: P314L C21597T S: S12F A23403G S: D614G A27224C ORF6: Q8P G27632C ORF7a: R80T G28378A N: Synonymous mutation G28881A, G28882A N: R203K G28883C N: G204R C29144T N: Synonymous mutation
SAR-CoV-2/Philippines/AFRIMS-COVID-5926	MT919787	18-Jul-20	28.22	Quezon City, National Capital Region	Asymptomatic/Admitted/ Recovered	29903	38.0	6537.5	99.7	GR	B.1.1	C3037T ORF1a: Synonymous mutation G11083T ORF1a: L3606F C13051T ORF1a: Synonymous mutation C14408T ORF1b: P314L C21597T S: S12F

SAR-CoV-2/Philippines/AFRIMS-COVID-5970	SRS7273379	18-Jul-20	20.52	Region	Recovered	29903	38.0	6521.5	99.7	GR	B.1.1	A23403G	S: D614G
												A27224C	ORF6: Q8P
												G28881A, G28882A	N: R203K
												G28883C	N: G204R
												C29144T	N: Synonymous mutation
SAR-CoV-2/Philippines/AFRIMS-COVID-5983	MT919788 SRS7273380	18-Jul-20	22.27	Pasay City, National Capital Region	Mild/Quarantine Facility/ Recovered	29903	38.0	6974.4	99.7	GR	B.1.1	C3037T	ORF1a: Synonymous mutation
												A3938C	ORF1a: Synonymous mutation
												G7042T	ORF1a: M2259I
												C7735T	ORF1a: Synonymous mutation
												A9782G	ORF1a: S3173G
												C14408T	ORF1b: P314L
												A23403G	S: D614G
												C28093T	ORF8: S67F
												G28881A, G28882A	N: R203K
												G28883C	N: G204R
SAR-CoV-2/Philippines/AFRIMS-COVID-5984	MT919789 SRS7273381	18-Jul-20	22.96	Quezon City, National Capital Region	Unknown/Quarantine Facility/ Recovered	29903	38.0	7177	99.7	GR	B.1.1	C3037T	ORF1a: Synonymous mutation
												A3938C	ORF1a: Synonymous mutation
												G7042T	ORF1a: M2259I
												C7735T	ORF1a: Synonymous mutation
												A9782G	ORF1a: S3173G
												C14408T	ORF1b: P314L
												A23403G	S: D614G
												C28093T	ORF8: S67F
												G28881A, G28882A	N: R203K
												G28883C	N: G204R
SAR-CoV-2/Philippines/AFRIMS-COVID-6009	MT919790 SRS7273382	18-Jul-20	26.55	San Jose del Monte City, Region 3 (Bulacan)	Mild/Self-quarantine/ Recovered	29903	38.0	6970	99.7	GR	B.1.1	C3037T	ORF1a: Synonymous mutation
												A3938C	ORF1a: Synonymous mutation
												G7042T	ORF1a: M2259I
												C7735T	ORF1a: Synonymous mutation
												A9782G	ORF1a: S3173G
												C14408T	ORF1b: P314L
												A23403G	S: D614G
												C26305T	E: L21F
												C28093T	ORF8: S67F
												G28881A, G28882A	N: R203K

G28883C
N: G204R