

Supplementary Table S3. Effects of intervention on dual-method use at last sexual intercourse among women at 2 months after enrollement

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	4.62 (3.18 - 6.7125)		<0.001	1.17 (0.46 - 2.9811)		0.745	1.19 (0.48 - 2.95)		0.712
Time				2.76 (1.63 - 4.6676)		<0.001	2.89 (1.70 - 4.89)		1.712
Intervention*time^c				4.29 (2.12 - 8.69)		<0.001	4.12 (2.02 - 8.39)		<0.001
1) Socio-demographic characteristics									
Age in years							1.00 (0.96 - 1.04)		0.712
Education									
Never							Ref.		
Primary and more							0.98 (0.66 - 1.47)		0.935
Religion									
Christian							Ref.		
Muslim							1.42 (0.78 - 2.58)		0.246
Wealth index									
Poor							Ref.		
Middle							1.35 (0.89 - 2.05)		0.164
Rich							1.31 (0.84 - 2.05)		0.24
No. of children							0.87 (0.75 - 1.00)		0.057
Pregnancy intention									
No							Ref.		
Yes							1.17 (0.66 - 2.09)		0.592
Don't know							1.54 (0.71 - 3.34)		0.274
Partner's pregnancy intention									
No							Ref.		
Yes							0.45 (0.24 - 0.85)		0.013
Don't know							0.49 (0.25 - 0.96)		0.038
History of unintended pregnancy									
No							Ref.		
Yes							0.93 (0.64 - 1.34)		0.68
Multiple sex partners									
No							Ref.		
Yes							3.50 (1.85 - 6.62)		<0.001
2) HIV-related characteristics									
HIV status									
Negative							Ref.		
Positive							1.57 (0.71 - 3.49)		0.267
Partner's HIV status									
Negative							Ref.		
Positive							1.27 (0.54 - 2.99)		0.583
Don't know							0.95 (0.57 - 1.58)		0.837
Perceived risk for HIV/STIs									
No risk at all							Ref.		
Small							0.80 (0.47 - 1.37)		0.421
Moderate							1.05 (0.60 - 1.83)		0.858
Great							1.18 (0.65 - 2.15)		0.588
3) HEC use									
Type of HECs									
Injectables							Ref.		
Implants							0.94 (0.65 - 1.35)		0.726
IUD							1.21 (0.69 - 2.12)		0.505
Pill							0.83 (0.40 - 1.72)		0.611
Female sterilization								perfect success	
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)							1.03 (0.97 - 1.11)		0.338
Condom use self-efficacy scale							1.02 (1.00 - 1.05)		0.035
Sexual Relationship Power Scale									
Low							Ref.		
Medium							1.13 (0.76 - 1.69)		0.551
High							1.07 (0.70 - 1.66)		0.748

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.

Supplementary Table S4. Effects of intervention on dual-method use at last sexual intercourse among women at 4 months after enrollement

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	2.13 (1.49 - 3.0643)		<0.001	1.62 (0.81 - 3.2637)		0.176	1.66 (0.87 - 3.16)		0.121
Time				3.55 (2.07 - 6.0778)		<0.001	3.55 (2.08 - 6.08)		<0.001
Intervention*time^c				1.66 (0.84 - 3.30)		0.148	1.66 (0.84 - 3.30)		0.146
1) Socio-demographic characteristics									
Age in years							0.99 (0.95 - 1.03)		0.530
Education							Ref.		
Never							Ref.		
Primary and more							0.79 (0.51 - 1.22)		0.278
Religion							Ref.		
Christian							Ref.		
Muslim							1.28 (0.66 - 2.49)		0.465
Wealth index							Ref.		
Poor							Ref.		
Middle							1.12 (0.71 - 1.76)		0.624
Rich							1.14 (0.70 - 1.85)		0.608
No. of children							0.92 (0.78 - 1.08)		0.314
Pregnancy intention							Ref.		
No							Ref.		
Yes							0.75 (0.40 - 1.42)		0.376
Don't know							1.17 (0.51 - 2.66)		0.715
Partner's pregnancy intention							Ref.		
No							Ref.		
Yes							0.55 (0.28 - 1.09)		0.085
Don't know							0.55 (0.26 - 1.15)		0.113
History of unintended pregnancy							Ref.		
No							Ref.		
Yes							0.62 (0.40 - 0.94)		0.026
Multiple sex partners							Ref.		
No							Ref.		
Yes							2.87 (1.45 - 5.67)		0.002
2) HIV-related characteristics									
HIV status							Ref.		
Negative							Ref.		
Positive							1.61 (0.69 - 3.80)		0.273
Partner's HIV status							Ref.		
Negative							Ref.		
Positive							1.40 (0.55 - 3.52)		0.48
Don't know							1.26 (0.74 - 2.15)		0.389
Perceived risk for HIV/STIs							Ref.		
No risk at all							Ref.		
Small							0.84 (0.47 - 1.49)		0.544
Moderate							1.01 (0.56 - 1.83)		0.975
Great							0.96 (0.50 - 1.84)		0.894
3) HEC use									
Type of HECs							Ref.		
Injectables							Ref.		
Implants							0.94 (0.62 - 1.44)		0.788
IUD							1.18 (0.63 - 2.21)		0.603
Pill							2.35 (1.17 - 4.74)		0.017
Female sterilization							0.974144 (0.05 - 19.29)		0.99
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)							1.01 (0.94 - 1.08)		0.858
Condom use self-efficacy scale							1.04 (1.01 - 1.06)		0.002
Sexual Relationship Power Scale							Ref.		
Low							Ref.		
Medium							1.44 (0.91 - 2.27)		0.119
High							1.21 (0.74 - 1.98)		0.443

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.

Supplementary Table S5. Effects of intervention on dual-method use at last sexual intercourse among women at 6 months after enrollement

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	2.53 (1.69 - 3.7922)		<0.001	1.42 (0.55 - 3.6676)		0.465	1.40 (0.53 - 3.67)		0.494
Time				2.16 (1.24 - 3.7523)		0.006	2.17 (1.25 - 3.76)		0.006
Intervention*time^c				2.04 (1.00 - 4.17)		0.051	2.03 (0.99 - 4.14)		0.052
1) Socio-demographic characteristics									
Age in years							0.97 (0.93 - 1.02)		0.208
Education									
Never							Ref.		
Primary and more							0.89 (0.56 - 1.41)		0.618
Religion									
Christian							Ref.		
Muslim							1.36 (0.70 - 2.65)		0.366
Wealth index									
Poor							Ref.		
Middle							0.96 (0.60 - 1.55)		0.875
Rich							0.75 (0.45 - 1.27)		0.283
No. of children							1.02 (0.86 - 1.20)		0.853
Pregnancy intention									
No							Ref.		
Yes							0.84 (0.44 - 1.61)		0.602
Don't know							1.29 (0.55 - 3.03)		0.565
Partner's pregnancy intention									
No							Ref.		
Yes							0.69 (0.34 - 1.41)		0.307
Don't know							0.62 (0.29 - 1.35)		0.228
History of unintended pregnancy									
No							Ref.		
Yes							0.73 (0.48 - 1.13)		0.157
Multiple sex partners									
No							Ref.		
Yes							2.96 (1.50 - 5.85)		0.002
2) HIV-related characteristics									
HIV status									
Negative							Ref.		
Positive							1.24 (0.52 - 2.97)		0.629
Partner's HIV status									
Negative							Ref.		
Positive							1.67 (0.64 - 4.31)		0.292
Don't know							1.09 (0.62 - 1.92)		0.758
Perceived risk for HIV/STIs									
No risk at all							Ref.		
Small							0.76 (0.41 - 1.40)		0.377
Moderate							1.03 (0.55 - 1.92)		0.937
Great							0.77 (0.38 - 1.53)		0.452
3) HEC use									
Type of HECs									
Injectables							Ref.		
Implants							0.92 (0.60 - 1.42)		0.715
IUD							1.19 (0.63 - 2.25)		0.589
Pill							2.03 (0.99 - 4.17)		0.054
Female sterilization								perfect success	
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)							1.05 (0.97 - 1.13)		0.226
Condom use self-efficacy scale							1.04 (1.01 - 1.06)		0.006
Sexual Relationship Power Scale									
Low							Ref.		
Medium							1.59 (0.99 - 2.54)		0.056
High							1.19 (0.71 - 1.97)		0.513

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.

Supplementary Table S6. Effects of intervention on dual-method use at last sexual intercourse among women at 8 months after enrollement

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	2.76 (1.79 - 4.2587)		<0.001	1.41 (0.58 - 3.40)		0.450	1.39 (0.59 - 3.31)		0.452
Time				1.59 (0.91 - 2.76)		0.101	1.60 (0.92 - 2.77)		0.094
Intervention*time^c				2.19 (1.07 - 4.48)		0.032	2.16 (1.06 - 4.41)		0.034
1) Socio-demographic characteristics									
Age in years							0.97 (0.93 - 1.01)		0.114
Education							Ref.		
Never							Ref.		
Primary and more							1.03 (0.66 - 1.62)		0.884
Religion							Ref.		
Christian							Ref.		
Muslim							1.13 (0.57 - 2.21)		0.728
Wealth index							Ref.		
Poor							Ref.		
Middle							1.11 (0.71 - 1.75)		0.647
Rich							0.89 (0.54 - 1.48)		0.664
No. of children							1.04 (0.88 - 1.22)		0.676
Pregnancy intention							Ref.		
No							Ref.		
Yes							0.82 (0.44 - 1.55)		0.550
Don't know							1.66 (0.75 - 3.65)		0.210
Partner's pregnancy intention							Ref.		
No							Ref.		
Yes							0.65 (0.33 - 1.28)		0.214
Don't know							0.71 (0.35 - 1.47)		0.359
History of unintended pregnancy							Ref.		
No							Ref.		
Yes							0.83 (0.55 - 1.25)		0.375
Multiple sex partners							Ref.		
No							Ref.		
Yes							3.22 (1.69 - 6.12)		<0.001
2) HIV-related characteristics									
HIV status							Ref.		
Negative							Ref.		
Positive							0.97 (0.40 - 2.31)		0.938
Partner's HIV status							Ref.		
Negative							Ref.		
Positive							2.04 (0.82 - 5.09)		0.128
Don't know							1.04 (0.60 - 1.81)		0.887
Perceived risk for HIV/STIs							Ref.		
No risk at all							Ref.		
Small							0.68 (0.39 - 1.20)		0.187
Moderate							0.79 (0.44 - 1.42)		0.437
Great							0.77 (0.41 - 1.47)		0.429
3) HEC use									
Type of HECs							Ref.		
Injectables							Ref.		
Implants							0.86 (0.56 - 1.31)		0.483
IUD							1.23 (0.67 - 2.25)		0.511
Pill							1.36 (0.66 - 2.80)		0.408
Female sterilization								perfect success	
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)							1.04 (0.96 - 1.12)		0.312
Condom use self-efficacy scale							1.03 (1.00 - 1.05)		0.029
Sexual Relationship Power Scale							Ref.		
Low							Ref.		
Medium							1.29 (0.81 - 2.05)		0.290
High							1.42 (0.87 - 2.31)		0.165

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.

Supplementary Table S7. Effects of intervention on consistent dual-method use among women at 2 months after enrollement

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	11.98 (4.74 - 30.29)		<0.001	13.71 (3.59 - 52.43)		<0.001	14.53 (3.63 - 58.134)		<0.001
1) Socio-demographic characteristics									
Age in years							1.01 (0.94 - 1.076)		0.856
Education									
Never							Ref.		
Primary and more							0.69 (0.34 - 1.3896)		0.298
Religion									
Christian							Ref.		
Muslim							0.93 (0.30 - 2.8508)		0.898
Wealth index									
Poor							Ref.		
Middle							1.47 (0.70 - 3.1084)		0.307
Rich							1.37 (0.61 - 3.0864)		0.441
No. of children							0.89 (0.69 - 1.1615)		0.396
Pregnancy intention									
No							Ref.		
Yes							0.56 (0.20 - 1.5436)		0.264
Don't know							1.51 (0.39 - 5.8358)		0.551
Partner's pregnancy intention									
No							Ref.		
Yes							0.89 (0.30 - 2.6386)		0.834
Don't know							0.59 (0.17 - 2.0459)		0.405
History of unintended pregnancy									
No							Ref.		
Yes							0.76 (0.39 - 1.4826)		0.421
Multiple sex partners									
No							Ref.		
Yes							3.21 (1.06 - 9.6705)		0.039
2) HIV-related characteristics									
HIV status									
Negative							Ref.		
Positive							1.47 (0.39 - 5.5239)		0.566
Partner's HIV status									
Negative							Ref.		
Positive							1.23 (0.28 - 5.4303)		0.785
Don't know							1.15 (0.48 - 2.7661)		0.747
Perceived risk for HIV/STIs									
No risk at all							Ref.		
Small							1.98 (0.57 - 6.9055)		0.283
Moderate							2.37 (0.67 - 8.43)		0.181
Great							4.04 (1.10 - 14.824)		0.035
3) HEC use									
Type of HECs									
Injectables							Ref.		
Implants							0.53 (0.27 - 1.0388)		0.064
IUD							0.47 (0.14 - 1.5696)		0.219
Pill							0.16 (0.02 - 1.3684)		0.093
Female sterilization									perfect success
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)							1.02 (0.90 - 1.156)		0.722
Condom use self-efficacy scale							0.98 (0.94 - 1.0221)		0.359
Sexual Relationship Power Scale									
Low							Ref.		
Medium							1.36 (0.62 - 2.9545)		0.445
High							1.87 (0.84 - 4.1729)		0.124

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.

Supplementary Table S8. Effects of intervention on consistent dual-method use among women at 4 months after enrollement

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	5.22 (2.42 - 11.279)		<0.001	6.28 (2.01 - 19.60)		0.002	6.30 (2.20 - 18.03)		0.001
1) Socio-demographic characteristics									
Age in years									
							1.05 (0.98 - 1.12)		0.181
Education									
Never							Ref.		
Primary and more							0.56 (0.28 - 1.13)		0.104
Religion									
Christian							Ref.		
Muslim							0.73 (0.19 - 2.82)		0.651
Wealth index									
Poor							Ref.		
Middle							1.63 (0.74 - 3.56)		0.224
Rich							1.51 (0.65 - 3.54)		0.340
No. of children									
							0.79 (0.59 - 1.05)		0.104
Pregnancy intention									
No							Ref.		
Yes							0.37 (0.13 - 1.06)		0.063
Don't know							0.61 (0.16 - 2.43)		0.488
Partner's pregnancy intention									
No							Ref.		
Yes							1.45 (0.47 - 4.49)		0.523
Don't know							1.08 (0.32 - 3.67)		0.907
History of unintended pregnancy									
No							Ref.		
Yes							0.52 (0.24 - 1.12)		0.094
Multiple sex partners									
No							Ref.		
Yes							0.37 (0.05 - 3.05)		0.356
2) HIV-related characteristics									
HIV status									
Negative							Ref.		
Positive							1.01 (0.24 - 4.31)		0.985
Partner's HIV status									
Negative							Ref.		
Positive							1.84 (0.36 - 9.30)		0.462
Don't know							1.63 (0.68 - 3.92)		0.275
Perceived risk for HIV/STIs									
No risk at all							Ref.		
Small							2.14 (0.58 - 7.93)		0.253
Moderate							2.15 (0.56 - 8.32)		0.268
Great							1.65 (0.39 - 7.03)		0.499
3) HEC use									
Type of HECs									
Injectables							Ref.		
Implants							1.01 (0.49 - 2.06)		0.987
IUD							1.58 (0.54 - 4.62)		0.400
Pill							0.66 (0.13 - 3.32)		0.618
Female sterilization									perfect success
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)									
							0.72 (0.32 - 1.63)		0.434
Condom use self-efficacy scale									
							0.96 (0.42 - 2.21)		0.932
Sexual Relationship Power Scale									
Low							Ref.		
Medium							1.36 (0.62 - 2.9545)		0.445
High							1.87 (0.84 - 4.1729)		0.124

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.

Supplementary Table S9. Effects of intervention on consistent dual-method use among women at 6 months after enrollement

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	6.58 (2.53 - 17.074)		<0.001	7.80 (1.22 - 49.73)		0.030	8.04 (1.17 - 55.08)		0.034
1) Socio-demographic characteristics									
Age in years									
							1.05 (0.96 - 1.15)		0.311
Education									
Never							Ref.		
Primary and more							1.18 (0.45 - 3.13)		0.738
Religion									
Christian							Ref.		
Muslim							1.75 (0.46 - 6.61)		0.409
Wealth index									
Poor							Ref.		
Middle							1.35 (0.53 - 3.47)		0.528
Rich							0.75 (0.26 - 2.20)		0.604
No. of children									
							0.90 (0.64 - 1.28)		0.560
Pregnancy intention									
No							Ref.		
Yes							0.73 (0.18 - 2.92)		0.657
Don't know							1.31 (0.23 - 7.51)		0.763
Partner's pregnancy intention									
No							Ref.		
Yes							1.27 (0.30 - 5.40)		0.743
Don't know							0.84 (0.17 - 4.17)		0.836
History of unintended pregnancy									
No							Ref.		
Yes							0.79 (0.32 - 1.96)		0.607
Multiple sex partners									
No							Ref.		
Yes							1.59 (0.29 - 8.78)		0.597
2) HIV-related characteristics									
HIV status									
Negative							Ref.		
Positive							4.08 (0.86 - 19.27)		0.076
Partner's HIV status									
Negative							Ref.		
Positive							0.51 (0.07 - 3.47)		0.489
Don't know							0.93 (0.30 - 2.92)		0.901
Perceived risk for HIV/STIs									
No risk at all							Ref.		
Small							1.21 (0.29 - 5.09)		0.791
Moderate							0.91 (0.20 - 4.25)		0.907
Great							0.98 (0.20 - 4.82)		0.983
3) HEC use									
Type of HECs									
Injectables							Ref.		
Implants							1.09 (0.44 - 2.67)		0.853
IUD							1.95 (0.55 - 6.93)		0.304
Pill							1.51 (0.27 - 8.57)		0.642
Female sterilization									perfect success
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)									
							1.02 (0.87 - 1.18)		0.834
Condom use self-efficacy scale									
							1.02 (0.97 - 1.07)		0.549
Sexual Relationship Power Scale									
Low							Ref.		
Medium							0.93 (0.36 - 2.43)		0.885
High							0.56 (0.18 - 1.71)		0.310

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.

Supplementary Table S10. Effects of intervention on consistent dual-method use among women at 8 months after enrollement

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	9.43 (3.70 - 24.055)		<0.001	9.97 (2.11 - 47.15)		0.004	10.72 (2.03 - 56.64)		0.005
1) Socio-demographic characteristics									
Age in years									
							1.05 (0.96 - 1.14)		0.270
Education									
Never							Ref.		
Primary and more							0.90 (0.40 - 2.00)		0.788
Religion									
Christian							Ref.		
Muslim							1.15 (0.31 - 4.29)		0.832
Wealth index									
Poor							Ref.		
Middle							1.46 (0.63 - 3.38)		0.373
Rich							1.52 (0.61 - 3.80)		0.373
No. of children									
							0.89 (0.65 - 1.22)		0.463
Pregnancy intention									
No							Ref.		
Yes							0.40 (0.12 - 1.34)		0.137
Don't know							0.93 (0.22 - 3.98)		0.923
Partner's pregnancy intention									
No							Ref.		
Yes							1.80 (0.47 - 6.86)		0.390
Don't know							1.34 (0.34 - 5.24)		0.674
History of unintended pregnancy									
No							Ref.		
Yes							0.86 (0.40 - 1.83)		0.688
Multiple sex partners									
No							Ref.		
Yes							0.94 (0.17 - 5.16)		0.942
2) HIV-related characteristics									
HIV status									
Negative							Ref.		
Positive							1.16 (0.20 - 6.63)		0.868
Partner's HIV status									
Negative							Ref.		
Positive							1.12 (0.18 - 7.00)		0.905
Don't know							0.41 (0.12 - 1.36)		0.146
Perceived risk for HIV/STIs									
No risk at all							Ref.		
Small							0.85 (0.27 - 2.70)		0.782
Moderate							0.96 (0.29 - 3.16)		0.944
Great							1.20 (0.33 - 4.34)		0.785
3) HEC use									
Type of HECs									
Injectables							Ref.		
Implants							0.85 (0.38 - 1.89)		0.685
IUD							2.55 (0.87 - 7.46)		0.087
Pill							0.60 (0.11 - 3.37)		0.566
Female sterilization									perfect success
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)									
							1.02 (0.89 - 1.16)		0.779
Condom use self-efficacy scale									
							1.00 (0.96 - 1.05)		0.858
Sexual Relationship Power Scale									
Low							Ref.		
Medium							0.90 (0.37 - 2.16)		0.806
High							1.11 (0.44 - 2.83)		0.829

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.

Supplementary Table S11. Effects of intervention on communication about HIV/STI risk among women at 2 months after enrolment

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	2.73 (1.92 - 3.90)		<0.001	1.03 (0.73 - 1.46)		0.863	0.98 (0.68 - 1.42)		0.920
Time				2.19 (1.62 - 2.97)		<0.001	2.29 (1.70 - 3.09)		<0.001
Intervention*time^c				2.70 (1.72 - 4.23)		<0.001	2.70 (1.72 - 4.24)		<0.001
1) Socio-demographic characteristics									
Age in years							0.99 (0.97 - 1.02)		0.518
Education							Ref.		
Never							Ref.		
Primary and more							0.92 (0.70 - 1.20)		0.527
Religion							Ref.		
Christian							Ref.		
Muslim							0.88 (0.59 - 1.32)		0.540
Wealth index							Ref.		
Poor							Ref.		
Middle							0.98 (0.75 - 1.29)		0.909
Rich							0.97 (0.73 - 1.30)		0.852
No. of children							0.92 (0.84 - 1.02)		0.101
Pregnancy intention							Ref.		
No							Ref.		
Yes							0.77 (0.52 - 1.13)		0.185
Don't know							0.75 (0.45 - 1.23)		0.247
Partner's pregnancy intention							Ref.		
No							Ref.		
Yes							1.14 (0.74 - 1.75)		0.560
Don't know							1.13 (0.73 - 1.76)		0.588
History of unintended pregnancy							Ref.		
No							Ref.		
Yes							1.30 (1.02 - 1.66)		0.037
Multiple sex partners							Ref.		
No							Ref.		
Yes							1.88 (1.12 - 3.17)		0.017
2) HIV-related characteristics									
HIV status							Ref.		
Negative							Ref.		
Positive							2.03 (1.06 - 3.89)		0.034
Partner's HIV status							Ref.		
Negative							Ref.		
Positive							0.87 (0.44 - 1.72)		0.683
Don't know							0.90 (0.65 - 1.25)		0.518
Perceived risk for HIV/STIs							Ref.		
No risk at all							Ref.		
Small							1.07 (0.77 - 1.48)		0.704
Moderate							1.10 (0.78 - 1.55)		0.598
Great							1.04 (0.71 - 1.53)		0.835
3) HEC use									
Type of HECs							Ref.		
Injectables							Ref.		
Implants							0.97 (0.76 - 1.24)		0.817
IUD							1.17 (0.80 - 1.70)		0.421
Pill							1.07 (0.68 - 1.70)		0.765
Female sterilization							3.75 (0.61 - 22.98)		0.153
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)							1.04 (1.00 - 1.09)		0.058
Condom use self-efficacy scale							1.04 (1.02 - 1.05)		<0.001
Sexual Relationship Power Scale							Ref.		
Low							Ref.		
Medium							1.02 (0.79 - 1.33)		0.858
High							1.19 (0.89 - 1.59)		0.248

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.

Supplementary Table S12. Effects of intervention on communication about HIV/STI risk among women at 4 months after enrolment

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	1.81 (1.21 - 2.71)		0.004	1.04 (0.72 - 1.50)		0.841	0.99 (0.68 - 1.44)		0.943
Time				5.07 (3.55 - 7.25)		<0.001	5.72 (4.08 - 8.02)		<0.001
Intervention*time^c				1.76 (1.08 - 2.86)		0.023	1.76 (1.07 - 2.89)		0.025
1) Socio-demographic characteristics									
Age in years							1.00 (0.98 - 1.03)		0.973
Education									
Never							Ref.		
Primary and more							0.88 (0.66 - 1.17)		0.372
Religion									
Christian							Ref.		
Muslim							0.88 (0.57 - 1.34)		0.548
Wealth index									
Poor							Ref.		
Middle							1.01 (0.76 - 1.34)		0.947
Rich							0.88 (0.64 - 1.19)		0.396
No. of children							0.92 (0.83 - 1.02)		0.109
Pregnancy intention									
No							Ref.		
Yes							0.97 (0.64 - 1.45)		0.868
Don't know							1.07 (0.64 - 1.81)		0.790
Partner's pregnancy intention									
No							Ref.		
Yes							1.12 (0.71 - 1.76)		0.636
Don't know							0.99 (0.62 - 1.58)		0.964
History of unintended pregnancy									
No							Ref.		
Yes							1.66 (1.28 - 2.16)		<0.001
Multiple sex partners									
No							Ref.		
Yes							1.86 (1.08 - 3.19)		0.025
2) HIV-related characteristics									
HIV status									
Negative							Ref.		
Positive							1.88 (0.95 - 3.73)		0.072
Partner's HIV status									
Negative							Ref.		
Positive							0.96 (0.46 - 1.98)		0.907
Don't know							0.87 (0.61 - 1.22)		0.410
Perceived risk for HIV/STIs									
No risk at all							Ref.		
Small							1.14 (0.80 - 1.61)		0.470
Moderate							1.07 (0.74 - 1.54)		0.725
Great							1.09 (0.73 - 1.64)		0.677
3) HEC use									
Type of HECs									
Injectables							Ref.		
Implants							0.87 (0.67 - 1.13)		0.287
IUD							1.29 (0.87 - 1.93)		0.206
Pill							1.24 (0.75 - 2.04)		0.400
Female sterilization							3.41 (0.52 - 22.20)		0.200
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)							1.03 (0.98 - 1.08)		0.219
Condom use self-efficacy scale							1.04 (1.03 - 1.06)		<0.001
Sexual Relationship Power Scale									
Low							Ref.		
Medium							1.12 (0.85 - 1.47)		0.419
High							1.32 (0.97 - 1.81)		0.075

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.

Supplementary Table S13. Effects of intervention on communication about HIV/STI risk among women at 6 months after enrolment

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	3.33 (2.13 - 5.20)		<0.001	1.05 (0.78 - 1.41)		0.741	1.00 (0.74 - 1.35)		0.991
Time				4.12 (3.04 - 5.59)		<0.001	4.45 (3.25 - 6.10)		<0.001
Intervention*time^c				3.23 (1.93 - 5.41)		<0.001	3.35 (1.99 - 5.66)		<0.001
1) Socio-demographic characteristics									
Age in years							0.99 (0.96 - 1.01)		0.298
Education							Ref.		
Never							Ref.		
Primary and more							0.91 (0.69 - 1.20)		0.492
Religion							Ref.		
Christian							Ref.		
Muslim							0.99 (0.65 - 1.51)		0.967
Wealth index							Ref.		
Poor							Ref.		
Middle							1.01 (0.76 - 1.34)		0.958
Rich							0.90 (0.66 - 1.22)		0.481
No. of children							0.95 (0.86 - 1.05)		0.291
Pregnancy intention							Ref.		
No							Ref.		
Yes							1.12 (0.75 - 1.67)		0.576
Don't know							0.93 (0.56 - 1.56)		0.795
Partner's pregnancy intention							Ref.		
No							Ref.		
Yes							0.91 (0.58 - 1.42)		0.678
Don't know							0.89 (0.56 - 1.41)		0.621
History of unintended pregnancy							Ref.		
No							Ref.		
Yes							1.45 (1.12 - 1.87)		0.005
Multiple sex partners							Ref.		
No							Ref.		
Yes							2.29 (1.32 - 3.99)		0.003
2) HIV-related characteristics									
HIV status							Ref.		
Negative							Ref.		
Positive							1.19 (0.62 - 2.29)		0.591
Partner's HIV status							Ref.		
Negative							Ref.		
Positive							1.09 (0.54 - 2.19)		0.807
Don't know							1.03 (0.73 - 1.45)		0.858
Perceived risk for HIV/STIs							Ref.		
No risk at all							Ref.		
Small							1.14 (0.81 - 1.61)		0.443
Moderate							1.03 (0.72 - 1.48)		0.875
Great							1.05 (0.70 - 1.56)		0.828
3) HEC use									
Type of HECs							Ref.		
Injectables							Ref.		
Implants							1.03 (0.80 - 1.33)		0.810
IUD							0.97 (0.66 - 1.42)		0.869
Pill							1.30 (0.80 - 2.12)		0.288
Female sterilization							1.51 (0.25 - 9.05)		0.650
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)							1.04 (0.99 - 1.08)		0.106
Condom use self-efficacy scale							1.03 (1.02 - 1.05)		<0.001
Sexual Relationship Power Scale							Ref.		
Low							Ref.		
Medium							1.09 (0.83 - 1.43)		0.551
High							1.27 (0.94 - 1.72)		0.122

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.

Supplementary Table S14. Effects of intervention on communication about HIV/STI risk among women at 8 months after enrolment

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	1.75 (1.22 - 2.52)		0.002	1.04 (0.68 - 1.59)		0.858	0.99 (0.65 - 1.51)		0.959
Time				3.65 (2.71 - 4.92)		<0.001	3.85 (2.83 - 5.22)		<0.001
Intervention*time^c				1.75 (1.12 - 2.74)		0.015	1.80 (1.14 - 2.84)		0.012
1) Socio-demographic characteristics									
Age in years							0.99 (0.97 - 1.02)		0.555
Education							Ref.		
Never							Ref.		
Primary and more							1.07 (0.82 - 1.40)		0.610
Religion							Ref.		
Christian							Ref.		
Muslim							0.85 (0.57 - 1.29)		0.453
Wealth index							Ref.		
Poor							Ref.		
Middle							1.05 (0.79 - 1.38)		0.749
Rich							0.98 (0.73 - 1.33)		0.918
No. of children							0.97 (0.88 - 1.07)		0.552
Pregnancy intention							Ref.		
No							Ref.		
Yes							0.94 (0.64 - 1.39)		0.763
Don't know							0.94 (0.57 - 1.55)		0.814
Partner's pregnancy intention							Ref.		
No							Ref.		
Yes							1.17 (0.76 - 1.80)		0.474
Don't know							1.20 (0.77 - 1.87)		0.432
History of unintended pregnancy							Ref.		
No							Ref.		
Yes							1.44 (1.13 - 1.85)		0.004
Multiple sex partners							Ref.		
No							Ref.		
Yes							1.92 (1.13 - 3.24)		0.015
2) HIV-related characteristics									
HIV status							Ref.		
Negative							Ref.		
Positive							2.07 (1.07 - 3.99)		0.031
Partner's HIV status							Ref.		
Negative							Ref.		
Positive							0.72 (0.36 - 1.43)		0.345
Don't know							0.87 (0.62 - 1.21)		0.405
Perceived risk for HIV/STIs							Ref.		
No risk at all							Ref.		
Small							1.15 (0.83 - 1.61)		0.398
Moderate							1.19 (0.84 - 1.69)		0.320
Great							1.16 (0.79 - 1.72)		0.446
3) HEC use									
Type of HECs							Ref.		
Injectables							Ref.		
Implants							1.11 (0.86 - 1.42)		0.426
IUD							1.18 (0.81 - 1.72)		0.399
Pill							1.08 (0.68 - 1.72)		0.753
Female sterilization							2.74 (0.44 - 17.17)		0.283
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)							1.03 (0.99 - 1.08)		0.148
Condom use self-efficacy scale							1.03 (1.01 - 1.04)		<0.001
Sexual Relationship Power Scale							Ref.		
Low							Ref.		
Medium							1.28 (0.98 - 1.67)		0.066
High							1.44 (1.07 - 1.94)		0.016

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.

Supplementary Table S15. Effects of intervention on the incidence of pregnancy among women at 2 months after enrollement

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	0.69 (0.15 - 3.0905)		0.624	0.69 (0.15 - 3.09)		0.002	1.27 (0.19 - 8.65)		0.804
1) Socio-demographic characteristics									
Age in years									
							1.13 (0.93 - 1.38)		0.207
Education									
Never							Ref.		
Primary and more							1.13 (0.08 - 15.65)		0.925
Religion									
Christian							Ref.		
Muslim									perfect success
Wealth index									
Poor							Ref.		
Middle							3.38 (0.17 - 68.99)		0.429
Rich							3.36 (0.18 - 61.53)		0.414
No. of children									
							0.59 (0.25 - 1.39)		0.226
Pregnancy intention									
No							Ref.		
Yes							0.12 (0.00 - 2.76)		0.183
Don't know									perfect success
Partner's pregnancy intention									
No							Ref.		
Yes							2.12 (0.09 - 47.51)		0.636
Don't know									perfect success
History of unintended pregnancy									
No							Ref.		
Yes							1.15 (0.15 - 8.78)		0.890
Multiple sex partners									
No							Ref.		
Yes									collinearity
2) HIV-related characteristics									
HIV status									
Negative							Ref.		
Positive							1.07 (0.00 - 1320.72)		0.986
Partner's HIV status									
Negative							Ref.		
Positive							6.75 (0.01 - 8258.21)		0.599
Don't know							3.91 (0.29 - 52.16)		0.302
Perceived risk for HIV/STIs									
No risk at all							Ref.		
Small							0.93 (0.11 - 8.07)		0.950
Moderate							0.46 (0.04 - 4.70)		0.512
Great									perfect success
3) HEC use									
Type of HECs									
Injectables							Ref.		
Implants							3.55 (0.48 - 26.01)		0.213
IUD							1.93 (0.11 - 35.13)		0.656
Pill									perfect success
Female sterilization									collinearity
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)									
							0.96 (0.64 - 1.45)		0.843
Condom use self-efficacy scale									
							0.90 (0.81 - 0.99)		0.039
Sexual Relationship Power Scale									
Low							Ref.		
Medium							0.52 (0.05 - 5.38)		0.580
High							3.74 (0.33 - 41.91)		0.285

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.

Supplementary Table S16. Effects of intervention on the incidence of pregnancy among women at 4 months after enrollement

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	0.47 (0.09 - 2.5689)		0.382	0.47 (0.09 - 2.57)		0.382	0.24 (0.00 - 16.42)		0.506
1) Socio-demographic characteristics									
Age in years									
							0.86 (0.54 - 1.35)		0.505
Education									
Never							Ref.		
Primary and more									perfect success
Religion									
Christian							Ref.		
Muslim									perfect success
Wealth index									
Poor							Ref.		
Middle							0.12 (0.00 - 5.29)		0.274
Rich									perfect success
No. of children									
							1.06 (0.25 - 4.46)		0.938
Pregnancy intention									
No							Ref.		
Yes							0.03 (0.00 - 19.06)		0.281
Don't know							0.05 (0.00 - 23.60)		0.335
Partner's pregnancy intention									
No							Ref.		
Yes							0.25 (0.00 - 32.44)		0.578
Don't know									perfect success
History of unintended pregnancy									
No							Ref.		
Yes							2.37 (0.09 - 65.37)		0.609
Multiple sex partners									
No							Ref.		
Yes									perfect success
2) HIV-related characteristics									
HIV status									
Negative							Ref.		
Positive									perfect success
Partner's HIV status									
Negative							Ref.		
Positive									perfect success
Don't know									perfect success
Perceived risk for HIV/STIs									
No risk at all							Ref.		
Small							0.27 (0.01 - 6.67)		0.427
Moderate							1.01 (0.05 - 20.07)		0.997
Great									perfect success
3) HEC use									
Type of HECs									
Injectables							Ref.		
Implants							0.16 (0.01 - 3.19)		0.228
IUD									perfect success
Pill							0.93 (0.02 - 43.06)		0.970
Female sterilization									collinearity
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)									
							0.87 (0.56 - 1.36)		0.543
Condom use self-efficacy scale									
							1.06 (0.91 - 1.23)		0.476
Sexual Relationship Power Scale									
Low							Ref.		
Medium							0.37 (0.01 - 9.78)		0.555
High							0.75 (0.03 - 17.19)		0.859

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.

Supplementary Table S17. Effects of intervention on the incidence of pregnancy among women at 8 months after enrollement

Variables	Model 1			Model 2			Model 3		
	OR	(95% CI)	p-value	AOR ^a	(95% CI)	p-value	AOR ^b	(95% CI)	p-value
Intervention									
Control	Ref.			Ref.			Ref.		
Intervention	0.38 (0.07 - 1.9557)		0.246	0.38 (0.07 - 2.19)		0.281	0.40 (0.02 - 8.19)		0.552
1) Socio-demographic characteristics									
Age in years									
							0.85 (0.64 - 1.13)		0.263
Education									
Never							Ref.		perfect success
Primary and more									perfect success
Religion									
Christian							Ref.		perfect success
Muslim									perfect success
Wealth index									
Poor							Ref.		
Middle							0.08 (0.01 - 1.14)		0.062
Rich									perfect success
No. of children									
							1.23 (0.40 - 3.83)		0.716
Pregnancy intention									
No							Ref.		
Yes									perfect success
Don't know									perfect success
Partner's pregnancy intention									
No							Ref.		
Yes									perfect success
Don't know									perfect success
History of unintended pregnancy									
No							Ref.		
Yes							0.92 (0.05 - 16.15)		0.955
Multiple sex partners									
No							Ref.		
Yes									perfect success
2) HIV-related characteristics									
HIV status									
Negative							Ref.		
Positive							6.80 (0.17 - 272.13)		0.309
Partner's HIV status									
Negative							Ref.		
Positive									perfect success
Don't know									perfect success
Perceived risk for HIV/STIs									
No risk at all							Ref.		
Small							2.90 (0.34 - 24.54)		0.328
Moderate									collinearity
Great									perfect success
3) HEC use									
Type of HECs									
Injectables							Ref.		
Implants							0.09 (0.00 - 2.08)		0.133
IUD									perfect success
Pill							0.80 (0.04 - 16.43)		0.885
Female sterilization									perfect success
4) Other psychosocial characteristics									
HIV-related knowledge (HIV-KQ-18)									
							0.86 (0.56 - 1.34)		0.507
Condom use self-efficacy scale									
							0.92 (0.79 - 1.07)		0.255
Sexual Relationship Power Scale									
Low							Ref.		
Medium							2.24 (0.15 - 34.45)		0.564
High							3.01 (0.08 - 113.51)		0.552

OR: odds ratio; AOR: adjusted odds ratio; SD: standard deviation; HIV: human immunodeficiency virus; STI: sexually transmitted infection; HEC: highly effective contraceptive; IUD: intrauterine device

a. Adjusted for the cluster effect

b. Adjusted for age, education, religion, wealth index, number of children, pregnancy intention, partner's pregnancy intention, history of unintended pregnancy, multiple sex partnership, HIV status, partner's HIV status, risk perception of HIV/STIs, HIV-related knowledge, condom use self-efficacy, and sexual relationship control power.

c. Intervention*time represents the status of the intervention group at follow-up in comparison with the control group at the baseline.