

## Supplemental Table

Table S1. Mean change in Clinician-Administered PTSD Scale for DSM-5 (CAPS-5) subscale scores by group.

CAPS-5 Subscale Group	Pre-ECT Mean(SD)	Post-ECT Mean(SD)	3-month Mean(SD)	F-statistic (p-value)	Effect size
PTSD symptom number* Traumatic Non-traumatic	15.6 (2.7) 15.4 (2.6)	11.9 (6.6) 8.4 (4.9)	10.6 (6.1) 9.9 (5.4)	Time: 22.38 (<.001) Group*Time: 2.10 (.160)	.493 .084
Intrusion Traumatic Non-traumatic	14.1 (3.4) 10.8 (4.5)	9.0 (6.5) 5.5 (4.1)	8.6 (7.4) 6.4 (4.4)	Time: 16.60 (<.001) Group*Time: 0.01 (.910)	.419 .001
Avoidance Traumatic Non-traumatic	5.7 (2.6) 5.4 (1.9)	4.1 (2.9) 3.1 (1.7)	3.9 (3.1) 7.4 (5.4)	Time: 8.38 (.008) Group*Time: 0.28 (.602)	.267 .012
Cognition and mood Traumatic Non-traumatic	20.1 (5.1) 17.7 (5.6)	12.4 (7.8) 8.8 (6.6)	12.7 (7.6) 11.7 (7.8)	Time:37.22 (<.001) Group*Time: 0.19 (.665)	.618 .008
Arousal and reactivity Traumatic Non-traumatic	11.4 (3.0) 11.5 (4.5)	9.5 (5.6) 7.8 (6.2)	8.5 (5.4) 7.4 (5.4)	Time: 6.83 (.016) Group*Time: 0.72 (.406)	.229 .030
Distress or impairment** Traumatic Non-traumatic	9.9 (1.6) 9.6 (1.4)	6.3 (3.9) 4.6 (2.5)	7.2 (2.8) 6.0 (2.6)	Time: 36.25 (<.001) Group*Time: 1.00 (.329)	.612 .042
Global severity Traumatic Non-traumatic	3.1 (1.0) 3.1 (0.7)	2.0 (1.5) 2.0 (0.9)	2.1 (1.0) 2.2 (1.0)	Time: 14.10 (.001) Group*Time: 0.01 (.946)	.380 .000

\*The total number of items on the CAPS-5 that are scored  $\geq 2$  indicating clinically significant severity.

\*\*The sum of CAPS-5 items G23 (overall subjective distress), G24 (impairment in social functioning), and G25 (impairment in occupational or other important area of functioning)

Table S2. Correlations between PTSD symptom change, trauma, and number of ECT sessions

Correlations Between PTSD Change and Number of Trauma Types (LEC)
LEC total number of exposures and MPSS-SR change post-ECT Trauma (n = 13): Spearman's rho = .076, p = .805 Neutral (n = 11): Spearman's rho = .265, p = .431 Fisher's z-test: z = -.41, p = .681 Full sample: Spearman's rho = .144, p = .502
LEC total number of exposures and CAPS-5 total change post-ECT Trauma (n = 14): Spearman's rho = .143, p = .625 Neutral (n = 11): Spearman's rho = .235, p = .479 Fisher's z-test: z = -.29, p = .771 Full sample: Spearman's rho = .235, p = .257
LEC total number of exposures and MPSS-SR change at 3 months Trauma (n = 10): Spearman's rho = .508, p = .134 Neutral (n = 10): Spearman's rho = .080, p = .827 Fisher's z-test: z = .90, p = .369 Full sample: Spearman's rho = .184, p = .438
LEC total number of exposures and CAPS-5 change at 3 months Trauma (n = 11): Spearman's rho = .431, p = .186 Neutral (n = 9): Spearman's rho = .408, p = .276 Fisher's z-test: z = .05, p = .959 Full sample: Spearman's rho = .461, p = .041

## Correlations Between PTSD Change and Age of Index Trauma

Age of trauma ( $\leq 12$  yo vs.  $> 12$  yo) and MPSS-SR change post-ECT

Trauma (n = 13): Point biserial  $r = .082$ ,  $p = .789$

Neutral (n = 10):

Point biserial  $r = -.454$ ,  $p = .188$

Fisher's z-test:  $z = 1.16$ ,  $p = .256$

Full sample: Spearman's  $\rho = -.066$ ,  $p = .766$

Age of trauma ( $\leq 12$  yo vs.  $> 12$  yo) and CAPS-5 total change post-ECT

Trauma (n = 14): Point biserial  $r = .443$ ,  $p = .112$

Neutral (n = 10):

Point biserial  $r = .244$ ,  $p = .496$

Fisher's z-test:  $z = .47$ ,  $p = .639$

Full sample: Spearman's  $\rho = .337$ ,  $p = .107$

Age of trauma ( $\leq 12$  yo vs.  $> 12$  yo) and MPSS-SR change at 3 months

Trauma (n = 10): Point biserial  $r = -.213$ ,  $p = .554$

Neutral (n = 9): Point biserial  $r = .000$ ,  $p = 1.00$

Fisher's z-test:  $z = -.39$ ,  $p = .697$

Full sample: Spearman's  $\rho = -.096$ ,  $p = .695$

Age of trauma ( $\leq 12$  yo vs.  $> 12$  yo) and CAPS-5 total change at 3 months

Trauma (n = 11): Point biserial  $r = .000$ ,  $p = 1.00$

Neutral (n = 9): Point biserial  $r = .348$ ,  $p = .359$

Fisher's z-test:  $z = -.67$ ,  $p = .501$

Full sample: Spearman's  $\rho = .122$ ,  $p = .609$

## Correlations Between PTSD Change and Number of Total ECT Treatments

### Total number of ECT treatments and MPSS-SR change post-ECT

Trauma (n = 13): Spearman's rho =  $-.172$ , p =  $.575$

Neutral (n = 11): Spearman's rho =  $-.186$ , p =  $.584$

Fisher's z-test: z =  $.03$ , p =  $.976$

Full sample: Spearman's rho =  $-.102$ , p =  $.635$

### Total number of ECT treatments and CAPS-5 total change post-ECT

Trauma (n = 14): Spearman's rho =  $-.403$ , p =  $.153$

Neutral (n = 11): Spearman's rho =  $-.117$ , p =  $.732$

Fisher's z-test: z =  $-.67$ , p =  $.505$

Full sample: Spearman's rho =  $.280$

### Total number of ECT treatments and MPSS-SR change at 3 months

Trauma (n = 10): Spearman's rho =  $-.477$ , p =  $.163$

Neutral (n = 10): Spearman's rho =  $-.095$ , p =  $.794$

Fisher's z-test: z =  $-.79$ , p =  $.428$

Full sample: Spearman's rho =  $-.210$ , p =  $.374$

### Total number of ECT treatments and CAPS-5 total change at 3 months

Trauma (n = 11): Spearman's rho =  $-.638$ , p =  $.035$

Neutral (n = 9): Spearman's rho =  $-.308$ , p =  $.420$

Fisher's z-test: z =  $-1.01$ , p =  $.312$

Full sample: Spearman's rho =  $-.433$ , p =  $.056$