

Performance evaluation of the Simtomax® CoronaCheck rapid diagnostic test

Supplementary Material

RT-PCR Positive samples

Sample #	Age Range (gender)	DPS	IgG	IgM	Elecsys® Anti-SARS-CoV-2 total Ig (COI)
1	>50 (F)	180	POS	NEG	NT
2	>50 (M)	170	POS	NEG	NT
3	<20 (F)	57	POS	NEG	NT
4	>50 (F)	15	POS	NEG	NT
5	>50 (F)	22	POS	POS	NT
6	>50 (F)	14	POS	NEG	NT
7	30-40 (M)	17	POS	NEG	NT
8	>50 (M)	19	POS	NEG	NT
9	30-40 (M)	19	POS	NEG	NT
10	>50 (F)	17	POS	NEG	NT
11	20-30 (F)	20	POS	NEG	NT
12	>50 (F)	21	POS	NEG	NT
13	>50 (M)	11	POS	NEG	NT
14	30-40 (F)	36	POS	POS	NT
15	40-50 (M)	19	POS	NEG	NT
16	20-30 (F)	16	NEG	NEG	NT
17	20-30 (F)	30	POS	NEG	NT
18	30-40 (F)	24	POS	NEG	NT
19	>50 (M)	14	NEG	NEG	NT
20	>50 (F)	27	POS	POS	NT
21	40-50 (F)	21	POS	NEG	NT
22	20-30 (F)	22	POS	POS	NT
23	>50 (M)	18	POS	NEG	NT
24	>50 (M)	16	POS	NEG	NT
25	>50 (M)	36	POS	POS	NT
26	>50 (M)	39	POS	POS	180,9
27	<20 (M)	22	POS	NEG	169,6
28	20-30 (F)	35	POS	POS	154,2
29	<20 (M)	34	POS	NEG	130,8
30	>50 (F)	27	POS	NEG	126,7
31	<20 (M)	20	POS	POS	114,9
32	30-40 (M)	41	POS	POS	107,7
33	>50 (M)	14	POS	POS	91,45
34	30-40 (M)	28	POS	NEG	89,2
35	>50 (M)	33	POS	POS	85,5
36	<20 (F)	41	POS	POS	76,85
37	<20 (M)	27	POS	NEG	63,4
38	30-40 (F)	32	POS	NEG	58,6
39	>50 (M)	10	POS	POS	51,1
40	>50 (M)	16	NEG	POS	49,05

41	40-50 (M)	20	POS	POS	42,2
42	>50 (F)	19	POS	POS	36,9
43	>50 (F)	17	POS	NEG	20,16
44	30-40 (F)	24	POS	NEG	10,1
45	>50 (F)	15	NEG	POS	4,98
46	>50 (M)	26	POS	NEG	2,06
47	40-50 (M)	13	NEG	NEG	1,43
48	30-40 (F)	10	NEG	NEG	1,19

NT: not tested

Control Group Samples

Sample #	Age (gender)	IgG	IgM
1	20-30 (M)	NEG	NEG
2	20-30 (M)	NEG	NEG
3	>50 (M)	NEG	NEG
4	40-50 (F)	NEG	NEG
5	>50 (F)	NEG	NEG
6	20-30 (F)	NEG	POS
7	30-40 (M)	NEG	NEG
8	>50 (M)	NEG	NEG
9	20-30 (M)	NEG	NEG
10	40-50 (M)	NEG	NEG
11	40-50 (F)	NEG	NEG
12	20-30 (M)	NEG	NEG
13	20-30 (F)	NEG	NEG
14	30-40 (F)	NEG	NEG
15	20-30 (M)	NEG	NEG
16	>50 (F)	NEG	NEG
17	>50 (F)	NEG	NEG
18	40-50 (F)	NEG	NEG
19	30-40 (M)	NEG	NEG
20	40-50 (F)	NEG	NEG
21	30-40 (F)	NEG	NEG
22	>50 (M)	NEG	NEG
23	30-40 (M)	NEG	NEG
24	20-30 (M)	NEG	NEG
25	40-50 (M)	NEG	NEG
26	>50 (F)	NEG	NEG
27	20-30 (F)	NEG	NEG
28	20-30 (F)	NEG	NEG
29	30-40 (M)	NEG	NEG
30	30-40 (F)	NEG	NEG
31	30-40 (M)	NEG	NEG
32	30-40 (M)	NEG	NEG
33	30-40 (F)	NEG	NEG
34	40-50 (M)	NEG	NEG
35	30-40 (F)	NEG	NEG
36	30-40 (M)	NEG	NEG
37	20-30 (F)	NEG	NEG

38	20-30 (F)	NEG	NEG
39	30-40 (M)	NEG	NEG
40	>50 (M)	NEG	NEG
41	>50 (F)	NEG	NEG
42	>50 (M)	NEG	NEG
43	20-30 (M)	NEG	NEG
44	>50 (M)	NEG	NEG
45	30-40 (M)	NEG	NEG
46	>50 (M)	NEG	NEG
47	>50 (F)	NEG	NEG
48	>50 (F)	NEG	NEG
49	30-40 (M)	NEG	NEG
50	20-30 (F)	NEG	NEG
51	30-40 (F)	NEG	NEG
52	40-50 (F)	NEG	NEG
53	30-40 (F)	NEG	NEG
54	40-50 (F)	NEG	NEG
55	30-40 (M)	NEG	NEG
56	>50 (M)	NEG	NEG
57	40-50 (F)	NEG	NEG
58	>50 (M)	NEG	POS
59	20-30 (M)	NEG	NEG
60	30-40 (F)	NEG	NEG
61	30-40 (M)	NEG	NEG
62	40-50 (M)	NEG	NEG
63	>50 (M)	NEG	NEG
64	30-40 (F)	NEG	NEG
65	30-40 (F)	NEG	NEG
66	>50 (F)	NEG	NEG
67	40-50 (M)	NEG	NEG
68	<20 (F)	NEG	NEG
69	20-30 (F)	NEG	NEG
70	30-40 (F)	NEG	NEG
71	30-40 (F)	NEG	NEG
72	30-40 (M)	NEG	NEG
73	>50 (F)	NEG	NEG
74	30-40 (F)	NEG	NEG
75	<20 (M)	NEG	NEG
76	>50 (F)	NEG	NEG
77	40-50 (M)	NEG	NEG
78	40-50 (F)	NEG	NEG
79	30-40 (M)	NEG	NEG
80	>50 (F)	NEG	NEG
81	20-30 (M)	NEG	NEG
82	>50 (F)	NEG	NEG
83	20-30 (F)	NEG	NEG
84	40-50 (F)	NEG	POS
85	>50 (F)	NEG	NEG

86	40-50 (M)	NEG	NEG
87	40-50 (M)	NEG	NEG
88	>50 (M)	NEG	NEG
89	30-40 (F)	NEG	NEG
90	20-30 (F)	NEG	NEG
91	>50 (M)	NEG	NEG
92	30-40 (M)	NEG	NEG
93	>50 (F)	NEG	NEG
94	40-50 (F)	NEG	NEG
95	40-50 (F)	NEG	NEG
96	>50 (M)	NEG	NEG
97	>50 (M)	NEG	NEG
98	20-30 (F)	NEG	NEG

na: unknown