

Supplementary Appendix for

Investigating the effects of absolute humidity and human encounters on transmission of COVID-19 in the United States

Gary Lin¹, Alisa Hamilton¹, Oliver Gatalo¹, Fardad Haghpanah¹, Takeru Igusa^{2,3,4}, Eili Klein^{1,5,6},
For the CDC MInD-Healthcare Network

1. Center for Disease Dynamics, Economics & Policy, Silver Spring, MD, USA
2. Department of Civil and Systems Engineering, Johns Hopkins University, Baltimore, MD, USA
3. Department of Earth and Planetary Sciences, Johns Hopkins University, Baltimore, MD, USA
4. Center for Systems Science and Engineering, Johns Hopkins University, Baltimore, MD, USA
5. Department of Emergency Medicine, Johns Hopkins University, Baltimore, MD, USA
6. Department of Epidemiology, Johns Hopkins University, Baltimore, MD, USA

Table S1. GAM Regression against new cases for Group 1. The standard errors are shown in parenthesis.

	Both (March- Sept)	Absolute Humidity Model (March-Sept)	Non-essential Visitations (March-Sept)	Both (March- June)	Absolute Humidity Model (March- June)	Non-essential Visitations (March-June)	Both (July- Sept)	Absolute Humidity Model (July- Sept)	Non-essential Visitations (July-Sept)
<i>Predictors</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>
Intercept	-7.292 *** (0.018)	-7.351 *** (0.016)	-8.681 *** (0.015)	-8.398 *** (0.033)	-7.861 *** (0.025)	-9.620 *** (0.029)	-10.444 *** (0.046)	-8.597 *** (0.028)	-10.584 *** (0.038)
Absolute Humidity (14-day Lag)	-0.114 *** (0.001)	-0.115 *** (0.001)		-0.123 *** (0.002)	-0.121 *** (0.002)		-0.007 *** (0.001)	-0.011 *** (0.001)	
Non-essential Visitations (14-day Lag)	-0.090 *** (0.012)		-0.331 *** (0.012)	0.854 *** (0.035)		0.764 *** (0.034)	2.060 *** (0.040)		2.083 *** (0.040)
spline(time)	8.992 *** (NA)	8.992 *** (NA)	8.992 *** (NA)	8.989 *** (NA)	8.987 *** (NA)	8.985 *** (NA)	8.803 *** (NA)	8.726 *** (NA)	8.780 *** (NA)
Observations	19834	19834	20196	8870	8870	9106	10964	10964	11090
R ²	0.569	0.569	0.517	0.651	0.648	0.617	0.650	0.636	0.646

* $p < 0.05$ ** $p < 0.01$ *** $p < 0.001$

Table S2. GAM Regression against new cases for Group 2. The standard errors are shown in parenthesis.

	Both (March- Sept)	Absolute Humidity Model (March-Sept)	Non-essential Visitations (March-Sept)	Both (March- June)	Absolute Humidity Model (March-June)	Non-essential Visitations (March-June)	Both (July- Sept)	Absolute Humidity Model (July- Sept)	Non-essential Visitations (July-Sept)
<i>Predictors</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>
Intercept	-10.406 *** (0.061)	-9.567 *** (0.045)	-10.639 *** (0.052)	-12.221 *** (0.230)	-11.372 *** (0.216)	-12.068 *** (0.166)	-12.546 *** (0.094)	-9.203 *** (0.056)	-12.123 *** (0.077)
Absolute Humidity (14-day Lag)	-0.013 *** (0.002)	-0.017 *** (0.002)		-0.017 ** (0.006)	-0.023 *** (0.006)		0.023 *** (0.003)	0.008 ** (0.003)	
Non-essential Visitations (14-day Lag)	1.376 *** (0.067)		1.387 *** (0.066)	1.422 *** (0.128)		1.398 *** (0.126)	4.541 *** (0.101)		4.414 *** (0.100)
spline(time)	8.937 ***	8.931 ***	8.940 ***	8.924 ***	8.885 ***	8.935 ***	8.955 ***	8.861 ***	8.951 ***
Observations	4678	4678	4765	2103	2103	2152	2575	2575	2613
R ²	0.638	0.634	0.639	0.583	0.569	0.585	0.647	0.629	0.648

* $p < 0.05$ ** $p < 0.01$ *** $p < 0.001$

Table S3. GAM Regression against new cases for Group 3. The standard errors are shown in parenthesis.

	Both (March- Sept)	Absolute Humidity Model (March-Sept)	Non-essential Visitations (March-Sept)	Both (March- June)	Absolute Humidity Model (March-June)	Non-essential Visitations (March-June)	Both (July- Sept)	Absolute Humidity Model (July- Sept)	Non-essential Visitations (July-Sept)
<i>Predictors</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>
Intercept	-12.889 *** (0.213)	-12.406 *** (0.201)	-13.193 *** (0.212)	-10.524 *** (1.008)	-11.276 *** (1.001)	-10.524 *** (1.007)	-14.296 *** (0.266)	-12.142 *** (0.206)	-14.619 *** (0.263)
Absolute Humidity (14-day Lag)	-0.028 *** (0.002)	-0.029 *** (0.002)		-0.000 (0.006)	0.004 (0.005)		-0.023 *** (0.003)	-0.025 *** (0.003)	
Non-essential Visitations (14-day Lag)	0.353 *** (0.052)		0.394 *** (0.051)	-0.614 *** (0.100)		-0.614 *** (0.099)	1.463 *** (0.115)		1.510 *** (0.114)
spline(time)	8.982 ***	8.984 ***	8.985 ***	8.821 ***	8.837 ***	8.845 ***	8.854 ***	8.775 ***	8.853 ***
Observations	6020	6020	6035	2537	2537	2544	3483	3483	3491
R ²	0.625	0.625	0.624	0.743	0.744	0.743	0.607	0.605	0.606

* $p < 0.05$ ** $p < 0.01$ *** $p < 0.001$

Table S4. GAM Regression against new cases for Group 4. The standard errors are shown in parenthesis.

	Both (March- Sept)	Absolute Humidity Model (March-Sept)	Non-essential Visitations (March-Sept)	Both (March- June)	Absolute Humidity Model (March-June)	Non-essential Visitations (March-June)	Both (July- Sept)	Absolute Humidity Model (July- Sept)	Non-essential Visitations (July-Sept)
<i>Predictors</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>
Intercept	-7.991 *** (0.013)	-7.567 *** (0.012)	-8.261 *** (0.012)	-8.902 *** (0.024)	-8.347 *** (0.019)	-9.608 *** (0.022)	-9.361 *** (0.028)	-7.890 *** (0.017)	-10.391 *** (0.024)
Absolute Humidity (14- day Lag)	-0.242 *** (0.001)	-0.228 *** (0.000)		-0.254 *** (0.001)	-0.241 *** (0.001)		-0.095 *** (0.001)	-0.106 *** (0.001)	
Non-essential Visitations (14-day Lag)	0.827 *** (0.012)		-1.243 *** (0.010)	0.993 *** (0.024)		0.215 *** (0.024)	2.183 *** (0.032)		2.706 *** (0.032)
spline(time)	8.999 ***	8.998 ***	8.998 ***	8.996 ***	8.996 ***	8.991 ***	8.970 ***	8.980 ***	8.959 ***
Observations	38602	38611	39037	18573	18582	18674	20029	20029	20363
R ²	0.655	0.655	0.578	0.652	0.655	0.566	0.727	0.720	0.724

* $p < 0.05$ ** $p < 0.01$ *** $p < 0.001$

Table S5. GAM Regression against new cases for Group 5. The standard errors are shown in parenthesis.

	Both (March- Sept)	Absolute Humidity Model (March-Sept)	Non-essential Visitations (March-Sept)	Both (March- June)	Absolute Humidity Model (March- June)	Non-essential Visitations (March-June)	Both (July- Sept)	Absolute Humidity Model (July- Sept)	Non-essential Visitations (July-Sept)
<i>Predictors</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>
Intercept	-10.152 *** (0.037)	-9.068 *** (0.028)	-9.765 *** (0.032)	-9.228 *** (0.058)	-8.458 *** (0.050)	-9.943 *** (0.053)	-12.846 *** (0.058)	-10.114 *** (0.041)	-10.403 *** (0.046)
Absolute Humidity (14-day Lag)	0.022 *** (0.001)	0.018 *** (0.001)		-0.060 *** (0.002)	-0.057 *** (0.002)		0.114 *** (0.002)	0.099 *** (0.002)	
Non-essential Visitations (14-day Lag)	1.077 *** (0.023)		1.027 *** (0.023)	0.976 *** (0.036)		0.927 *** (0.036)	2.329 *** (0.035)		2.001 *** (0.034)
spline(time)	8.987 *** (NA)	8.982 *** (NA)	8.988 *** (NA)	8.974 *** (NA)	8.962 *** (NA)	8.966 *** (NA)	8.987 *** (NA)	8.989 *** (NA)	8.991 *** (NA)
Observations	16301	16301	16760	7622	7622	7854	8679	8679	8906
R ²	0.365	0.365	0.363	0.601	0.599	0.575	0.352	0.351	0.342

* $p < 0.05$ ** $p < 0.01$ *** $p < 0.001$

Table S6. GAM Regression against new cases for Group 6. The standard errors are shown in parenthesis.

	Both (March- Sept)	Absolute Humidity Model (March-Sept)	Non-essential Visitations (March-Sept)	Both (March- June)	Absolute Humidity Model (March-June)	Non- essential Visitations (March- June)	Both (July- Sept)	Absolute Humidity Model (July- Sept)	Non-essential Visitations (July-Sept)
<i>Predictors</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>
Intercept	-9.527 *** (0.030)	-9.069 *** (0.020)	-9.664 *** (0.025)	-12.094 *** (0.060)	-11.364 *** (0.047)	-11.171 *** (0.053)	-8.502 *** (0.050)	-7.316 *** (0.031)	-9.525 *** (0.039)
Absolute Humidity (14- day Lag)	-0.006 *** (0.001)	-0.008 *** (0.001)		0.054 *** (0.002)	0.052 *** (0.002)		-0.051 *** (0.001)	-0.053 *** (0.001)	
Non-essential Visitations (14-day Lag)	0.282 *** (0.014)		0.296 *** (0.014)	0.585 *** (0.029)		0.527 *** (0.028)	0.674 *** (0.022)		0.654 *** (0.022)
spline(time)	8.995 ***	8.995 ***	8.996 ***	8.981 ***	8.980 ***	8.985 ***	8.997 ***	8.997 ***	8.996 ***
Observations	16264	16264	16634	7852	7852	8046	8412	8412	8588
R ²	0.629	0.628	0.628	0.713	0.711	0.706	0.619	0.617	0.617

* $p < 0.05$ ** $p < 0.01$ *** $p < 0.001$

Table S7. GAM Regression against new cases for Group 7. The standard errors are shown in parenthesis.

	Both (March-Sept)	Absolute Humidity Model (March-Sept)	Non-essential Visitations (March-Sept)	Both (March- June)	Absolute Humidity Model (March-June)	Non-essential Visitations (March-June)	Both (July- Sept)	Absolute Humidity Model (July- Sept)	Non-essential Visitations (July-Sept)
<i>Predictors</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>
Intercept	-8.223 *** (0.021)	-8.367 *** (0.017)	-9.519 *** (0.020)	-10.061 *** (0.057)	-10.197 *** (0.053)	-10.837 *** (0.058)	-7.736 *** (0.034)	-7.466 *** (0.019)	-9.185 *** (0.033)
Absolute Humidity (14- day Lag)	-0.160 *** (0.001)	-0.159 *** (0.001)		-0.194 *** (0.002)	-0.196 *** (0.002)		-0.164 *** (0.001)	-0.163 *** (0.001)	
Non-essential Visitations (14-day Lag)	-0.195 *** (0.016)		-0.030 (0.017)	-0.223 *** (0.035)		-0.608 *** (0.039)	0.350 *** (0.036)		0.388 *** (0.037)
spline(time)	8.994 ***	8.994 ***	8.991 ***	8.971 ***	8.973 ***	8.875 ***	8.970 ***	8.971 ***	8.966 ***
Observations	14670	14833	14729	6630	6710	6630	8040	8123	8099
R ²	0.772	0.771	0.712	0.749	0.745	0.723	0.792	0.792	0.724

* $p < 0.05$ ** $p < 0.01$ *** $p < 0.001$

Table S8. GAM Regression against new cases for Group 8. The standard errors are shown in parenthesis.

	Both (March- Sept)	Absolute Humidity Model (March-Sept)	Non-essential Visitations (March-Sept)	Both (March- June)	Absolute Humidity Model (March-June)	Non-essential Visitations (March-June)	Both (July- Sept)	Absolute Humidity Model (July- Sept)	Non-essential Visitations (July-Sept)
<i>Predictors</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>	<i>Log-Mean</i>
Intercept	-8.570 *** (0.037)	-9.006 *** (0.033)	-8.265 *** (0.029)	-9.806 *** (0.083)	-10.000 *** (0.077)	-10.028 *** (0.081)	-10.581 *** (0.065)	-8.649 *** (0.040)	-9.982 *** (0.055)
Absolute Humidity (14-day Lag)	-0.011 *** (0.001)	-0.011 *** (0.001)		-0.017 *** (0.001)	-0.016 *** (0.001)		0.012 *** (0.001)	0.007 *** (0.001)	
Non-essential Visitations (14-day Lag)	-0.364 *** (0.013)		-0.495 *** (0.013)	-0.183 *** (0.029)		-0.134 *** (0.029)	1.427 *** (0.038)		1.354 *** (0.037)
spline(time)	8.977 *** (NA)	8.979 *** (NA)	8.978 *** (NA)	8.942 *** (NA)	8.947 *** (NA)	8.905 *** (NA)	8.915 *** (NA)	8.903 *** (NA)	8.941 *** (NA)
Observations	22595	22595	23138	10532	10532	10756	12063	12063	12382
R ²	0.556	0.556	0.556	0.664	0.664	0.657	0.541	0.540	0.540

* $p < 0.05$ ** $p < 0.01$ *** $p < 0.001$

Table S9. GAM Regression against new cases for Group 9. The standard errors are shown in parenthesis.

	Both (March- Sept)	Absolute Humidity Model (March- Sept)	Non-essential Visitations (March-Sept)	Both (March- June)	Absolute Humidity Model (March- June)	Non- essential Visitations (March- June)	Both (July-Sept)	Absolute Humidity Model (July- Sept)	Non-essential Visitations (July-Sept)
<i>Predictors</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>
Intercept	-9.443 *** (0.028)	-8.711 *** (0.026)	-10.721 *** (0.026)	-11.987 *** (0.036)	-9.761 *** (0.030)	-11.712 *** (0.033)	-11.816 *** (0.073)	-10.149 *** (0.056)	-12.281 *** (0.068)
Absolute Humidity (14- day Lag)	-0.119 *** (0.001)	-0.117 *** (0.001)		0.035 *** (0.002)	0.017 *** (0.002)		-0.026 *** (0.002)	-0.032 *** (0.002)	
Non-essential Visitations (14-day Lag)	0.895 *** (0.012)		0.840 *** (0.012)	3.110 *** (0.027)		3.058 *** (0.027)	1.555 *** (0.044)		1.619 *** (0.044)
spline(time)	8.998 ***	8.997 ***	8.998 ***	8.996 ***	8.983 ***	8.996 ***	8.909 ***	8.915 ***	8.909 ***
Observations	21067	21067	21418	9986	9986	10157	11081	11081	11261
R ²	0.675	0.675	0.661	0.756	0.751	0.756	0.816	0.814	0.813

* $p < 0.05$ ** $p < 0.01$ *** $p < 0.001$

Table S10. GAM Regression against new cases for Group 10. The standard errors are shown in parenthesis.

	Both (March- Sept)	Absolute Humidity Model (March- Sept)	Non-essential Visitations (March-Sept)	Both (March- June)	Absolute Humidity Model (March- June)	Non-essential Visitations (March-June)	Both (July- Sept)	Absolute Humidity Model (July- Sept)	Non- essential Visitations (July- Sept)
<i>Predictors</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>	<i>Estimates</i>
Intercept	-8.168 *** (0.058)	-8.510 *** (0.030)	-8.231 *** (0.052)	-7.669 *** (0.096)	-8.972 *** (0.056)	-7.370 *** (0.078)	-12.645 *** (0.126)	-8.752 *** (0.051)	-12.460 *** (0.118)
Absolute Humidity (14- day Lag)	-0.006 ** (0.002)	-0.006 ** (0.002)		0.034 *** (0.007)	0.044 *** (0.007)		0.016 *** (0.003)	0.017 *** (0.003)	
Non-essential Visitations (14-day Lag)	-0.393 *** (0.057)		-0.401 *** (0.057)	-1.849 *** (0.115)		-1.901 *** (0.114)	3.790 *** (0.112)		3.822 *** (0.112)
spline(time)	8.965 ***	8.969 ***	8.968 ***	8.645 ***	8.854 ***	8.461 ***	8.947 ***	8.951 ***	8.947 ***
Observations	3154	3154	3170	1445	1445	1445	1709	1709	1725
R ²	0.457	0.458	0.457	0.473	0.464	0.472	0.556	0.531	0.555

* $p < 0.05$ ** $p < 0.01$ *** $p < 0.001$




Figure S1. Non-essential travel, absolute humidity, and daily case trends based on absolute humidity clusters. All three series are based on a smoothed 7-day moving average.




Figure S2. Spline fits from the GAM analysis described in Equation (1) for all three time periods. The fitted standard errors resulting from the residuals are shaded in grey.







Figure S3. Residuals analysis for Group 7 cluster.

Cluster	Non-essential visits (14-day lag)	Absolute Humidity (14-day lag)
Group 1	0.023	0.084
Group 2	-0.078	-0.116
Group 3	-0.199	-0.217
Group 4	-0.113	-0.259
Group 5	-0.111	0.045
Group 6	0.037	0.105
Group 7	-0.062	-0.089
Group 8	-0.065	0.019
Group 9	-0.048	-0.068
Group 10	0.074	-0.161

Figure S4. Pearson Correlation between daily new cases and predictor variables.