

Davies *et al.* Community factors and excess mortality in first wave of the COVID-19 pandemic

Extended Data

Extended Data Table 1. Characteristics of the 6,791 Middle Super Output Areas in England.

	Mean	Median	Range	Inter-quartile range
Population	8,288	7,992	2,224 – 24,795	6,853 – 9,338
Population (M)	4,098	3,928	1,089 – 13,648	3,362 – 4,631
Population (F)	4,191	4,058	1,135 – 11,147	3,476 – 4,714
Population over 40 (M)	1,994	1,930	410 – 4,466	1,662 – 2,275
Population over 40 (F)	2,155	2,089	286 – 4,808	1,788 – 2,470
Area (km ²)	19.2	3.04	0.294 – 1128	1.69 – 10.5
Baseline deaths (M), per 100,000 males over 40, 2015 – 2019	447	443	131 – 1,118	375 – 513
Baseline deaths (F), per 100,000 females over 40, 2015 – 2019	429	413	118 – 1,419	339 – 505

M – male; F – female; km- kilometre.

Extended Data Table 2. Characteristics of the study and comparison populations.

	Comparison period (1 March – 31 May, 2015 – 2019)	Study period (1 March – 31 May 2020)		
	Mean deaths per year (%)	Total deaths (%)	Deaths with COVID-19 as underlying cause of death (%)	Deaths with COVID-19 mentioned on death certificate (%)
Total	121,358	171,294	41,833	44,666
Sex				
Male	59,347 (48.9)	86,071 (50.2)	23,222 (55.5)	24,736 (55.4)
Female	62,011 (51.1)	85,223 (49.8)	18,611 (44.5)	19,930 (44.6)
Age				
40-59	10,296 (8.48)	11,876 (6.93)	2,505 (5.99)	2,728 (6.1)
60-69	14,287 (11.8)	17,763 (10.4)	4,074 (9.74)	4,377 (9.8)
70-79	26,961 (22.2)	38,378 (22.4)	9,430 (22.5)	10,133 (22.7)
80+	69,814 (57.5)	103,277 (60.3)	25,824 (61.7)	27,428 (61.4)
Place of death				
Hospital	56,735 (46.8)	69,068 (40.3)	26,755 (64.0)	28,380 (63.5)
Care home	27,123 (22.3)	52,112 (30.4)	12,598 (30.1)	13,281 (29.7)
Home	28,294 (23.3)	40,678 (23.7)	1,776 (4.24)	2,028 (4.54)
Hospice	6,907 (5.69)	6,348 (3.71)	382 (0.91)	617 (1.38)
Other/elsewhere	2,299 (1.89)	3,088 (1.80)	322 (0.77)	360 (0.81)
Population on income support (%)				
≥ 0.80 to < 6.00	22,877 (18.9)	32,743 (19.1)	7,715 (18.4)	8,251 (18.5)
≥ 6.00 to < 8.79	25,047 (20.6)	34,341 (20.0)	7,603 (18.2)	8,146 (18.2)
≥ 8.79 to < 12.7	25,272 (20.8)	35,021 (20.4)	8,111 (19.4)	8,690 (19.5)
≥ 12.7 to < 18.8	24,435 (20.1)	34,561 (20.2)	9,045 (21.6)	9,611 (21.5)
≥ 18.8 to < 48.9	23,727 (19.6)	34,628 (20.2)	9,359 (22.4)	9,968 (22.3)
Population density (population per km²)				
≥ 5.65 to < 456	26,569 (21.9)	35,011 (20.4)	6,641 (15.9)	7,102 (15.9)
≥ 456 to < 1,877	27,214 (22.4)	37,532 (21.9)	8,527 (20.4)	9,112 (20.4)
≥ 1,877 to < 3,445	25,429 (21.0)	35,538 (20.7)	8,619 (20.6)	9,222 (20.6)
≥ 3,445 to < 5,340	24,246 (20.0)	34,926 (20.4)	9,034 (21.6)	9,672 (21.7)
≥ 5,340 to < 29,000	17,900 (14.7)	28,287 (16.5)	9,015 (21.5)	9,558 (21.4)
Population non-White (%)				
≥ 0.43 to < 2.10	28,373 (23.4)	36,559 (21.3)	6,896 (16.5)	7,363 (16.5)
≥ 2.10 to < 3.72	27,412 (22.6)	36,974 (21.6)	7,967 (19.0)	8,563 (19.2)
≥ 3.72 to < 8.28	25,513 (21.0)	34,834 (20.3)	8,044 (19.2)	8,598 (19.2)
≥ 8.28 to < 22.2	22,401 (18.5)	33,010 (19.3)	8,729 (20.9)	9,323 (20.9)
≥ 22.2 to < 94.4	17,659 (14.6)	29,917 (17.5)	10,197 (24.4)	10,819 (24.2)
Overcrowded homes (%)				
≥ 0.334 to < 1.65	26,425 (21.8)	35,553 (20.8)	7,332 (17.5)	7,869 (17.6)
≥ 1.65 to < 2.42	26,769 (22.1)	36,170 (21.1)	7,747 (18.5)	8,314 (18.6)
≥ 2.42 to < 3.67	26,564 (21.9)	36,282 (21.2)	8,353 (20.0)	8,923 (20.0)
≥ 3.67 to < 6.26	23,979 (19.8)	34,031 (19.9)	8,622 (20.6)	9,209 (20.6)

≥ 6.26 to < 36.5	17,612 (14.5)	29,258 (17.1)	9,779 (23.4)	10,351 (23.2)
NO₂ annual average (µg/m³)				
≥ 3.60 to < 9.52	28,640 (23.6)	36,695 (21.4)	6,393 (15.3)	6,868 (15.4)
≥ 9.52 to < 12.3	26,833 (22.1)	36,275 (21.2)	7,898 (18.9)	8,441 (18.9)
≥ 12.3 to < 14.9	24,449 (20.1)	33,997 (19.8)	8,110 (19.4)	8,701 (19.5)
≥ 14.9 to < 18.7	23,884 (19.7)	34,896 (20.4)	9,422 (22.5)	10,051 (22.5)
≥ 18.7 to < 47.5	17,553 (14.5)	29,431 (17.2)	10,010 (23.9)	10,605 (23.7)
PM_{2.5} annual average (µg/m³)				
≥ 5.05 to < 7.76	27,660 (22.8)	36,543 (21.3)	7,731 (18.5)	8,286 (18.6)
≥ 7.76 to < 8.91	26,173 (21.6)	35,901 (21.0)	8,253 (19.7)	8,796 (19.7)
≥ 8.91 to < 9.88	26,131 (21.5)	35,491 (20.7)	7,743 (18.5)	8,338 (18.7)
≥ 9.88 to < 10.9	23,709 (19.5)	33,929 (19.8)	8,207 (19.6)	8,760 (19.6)
≥ 10.9 to < 14.4	17,684 (14.6)	29,430 (17.2)	9,899 (23.7)	10,486 (23.5)
Care homes per 1,000 population				
0	19,457 (16.0)	26,536 (15.5)	6,678 (15.0)	7,157 (16.0)
≥ 0.040 to < 0.145	19,431 (16.0)	27,553 (16.2)	6,993 (16.7)	7,502 (16.8)
≥ 0.145 to < 0.265	24,163 (19.7)	34,577 (20.2)	8,732 (20.9)	9,282 (20.8)
≥ 0.265 to < 0.438	27,229 (22.4)	38,375 (22.4)	9,161 (21.9)	9,736 (21.8)
≥ 0.438 to < 4.23	31,078 (25.6)	43,253 (25.8)	10,269 (24.5)	10,989 (24.6)

Extended Data Table 3. Excess death rates, percent increase in mortality and posterior probabilities for Middle Super Output Areas in England.

	Mean	Median	Range	Inter-quartile range
Excess death rate (M), per 100,000 males over 40	206	182	-248 – 1488	96.2 – 288
Excess death rate (F), per 100,000 females over 40	166	132	-272 - 2550	55.2 - 237
Percent increase in mortality (M)	51.2	45.0	-36.9 – 288	24.7 – 70.2
Percent increase in mortality (F)	42.2	36.3	-41.8 - 302	16.4 – 61.6
Posterior probability that excess rate is greater than zero (M)	0.872	0.948	0.032 – 1.00	0.819 – 0.992
Posterior probability that excess rate is greater than zero (F)	0.803	0.882	0.009 – 1.00	0.969 – 0.973

M – male; F – female.

Extended Data Table 4. One-variable-at-a-time models for community characteristics.

Age is included in all the models.

Variable	n-tile	Males		Females	
		Mean	95% credible interval	Mean	95% credible interval
Population on income support	1 (lowest)	ref	ref	ref	ref
	2	1.05	1.01 – 1.08	0.99	0.96 – 1.03
	3	1.10	1.06 – 1.13	1.03	1.00 – 1.07
	4	1.15	1.11 – 1.18	1.06	1.02 – 1.09
	5 (highest)	1.21	1.17 – 1.25	1.15	1.11 – 1.19
	% of variation contributed by variable	5.66	4.15 – 7.35	3.28	2.17 – 4.65
Population density	1 (lowest)	ref	ref	ref	ref
	2	1.06	1.03 – 1.09	1.04	1.01 – 1.07
	3	1.09	1.06 – 1.13	1.04	1.01 – 1.08
	4	1.10	1.06 – 1.13	1.09	1.05 – 1.13
	5 (highest)	1.16	1.11 – 1.20	1.11	1.06 – 1.15
	% of variation contributed by variable	3.20	1.77 – 4.90	1.71	0.784 – 2.88
Population non-White	1 (lowest)	ref	ref	ref	ref
	2	1.04	1.01 – 1.07	1.04	1.01 – 1.08
	3	1.06	1.03 – 1.10	1.04	1.01 – 1.08
	4	1.12	1.08 – 1.16	1.12	1.08 – 1.16
	5 (highest)	1.26	1.20 – 1.31	1.21	1.15 – 1.26
	% of variation contributed by variable	8.80	5.93 – 11.9	5.32	3.15 – 7.73
Overcrowded homes	1 (lowest)	ref	ref	ref	ref
	2	1.04	1.01 – 1.07	1.02	0.99 – 1.05
	3	1.08	1.05 – 1.12	1.05	1.02 – 1.09
	4	1.15	1.11 – 1.18	1.09	1.06 – 1.13
	5 (highest)	1.26	1.22 – 1.31	1.18	1.14 – 1.23
	% of variation contributed by variable	9.21	6.64 – 12.1	4.44	2.68 – 6.50
NO₂	1 (lowest)	ref	ref	ref	ref
	2	1.04	1.01 – 1.08	1.04	1.00 – 1.07
	3	1.09	1.05 – 1.13	1.04	1.01 – 1.08
	4	1.13	1.09 – 1.17	1.11	1.07 – 1.16
	5 (highest)	1.22	1.16 – 1.28	1.17	1.11 – 1.23
	% of variation contributed by variable	6.42	3.75 – 9.64	3.92	1.98 – 6.30
PM_{2.5}	1 (lowest)	ref	ref	ref	ref
	2	1.06	1.02 – 1.10	1.04	1.00 – 1.08
	3	1.12	1.07 – 1.18	1.06	1.01 – 1.12
	4	1.17	1.10 – 1.23	1.10	1.04 – 1.16
	5 (highest)	1.28	1.20 – 1.37	1.19	1.10 – 1.27
	% of variation contributed by variable	9.30	5.27 – 14.13	4.12	1.50 – 7.55

Care home per 1,000 population	1 (lowest)	ref	ref	ref	ref
	2	1.10	1.07 – 1.13	1.13	1.09 – 1.17
	3	1.13	1.09 – 1.16	1.18	1.14 – 1.22
	4	1.15	1.12 – 1.18	1.21	1.18 – 1.25
	5 (highest)	1.21	1.17 – 1.25	1.27	1.23 – 1.31
	% of variation contributed by variable	4.61	3.43 – 5.81	6.66	5.17 – 8.14

NO₂ – nitrogen dioxide; PM_{2.5} – particulate matter 2.5 μ diameter

Extended Data Table 5. Correlation between community characteristics for Middle Super Output Areas in England: Kendall's Tau coefficients between covariates (quintiles)

	Population on income support	Population density	Non-White population	Overcrowding	NO₂	PM_{2.5}	Care homes per 1000 population*
Population on income support	1						
Population density	0.37	1					
Population non-White	0.21	0.56	1				
Overcrowding	0.55	0.61	0.61	1			
NO₂	0.26	0.59	0.67	0.56	1		
PM_{2.5}	0.04	0.39	0.55	0.42	0.55	1	
Care homes per 1000 population*	-0.04	-0.17	-0.17	-0.16	-0.20	-0.16	1

*All MSOAs with a care home density of 0 (n=1,535) are in quintile 1. Quintile 2 has reduced number of MSOAs (n=1,182)

Extended Data Table 6. Mutually adjusted multivariable models for all MSOA characteristics. Age is included in all the models.

Variable	Quintile	Males		Females	
		Mean	95% credible interval	Mean	95% credible interval
Population on income support	1 (lowest)	ref	ref	ref	ref
	2	1.02	0.99 – 1.05	0.97	0.94 – 1.01
	3	1.04	1.01 – 1.08	0.99	0.95 – 1.03
	4	1.07	1.03 – 1.12	1.01	0.96 – 1.05
	5 (highest)	1.10	1.05 – 1.16	1.08	1.02 – 1.13
Population density	1 (lowest)	ref	ref	ref	ref
	2	1.02	0.97 – 1.04	1.01	0.97 – 1.04
	3	1.01	0.98 – 1.05	0.99	0.95 – 1.03
	4	0.99	0.95 – 1.04	1.02	0.97 – 1.06
	5 (highest)	0.99	0.95 – 1.04	1.00	0.94 – 1.05
Population non-White	1 (lowest)	ref	ref	ref	ref
	2	1.01	0.98 – 1.04	1.03	0.99 – 1.06
	3	1.02	0.98 – 1.06	1.02	0.98 – 1.06
	4	1.04	0.99 – 1.08	1.06	1.01 – 1.12
	5 (highest)	1.08	1.02 – 1.15	1.09	1.02 – 1.17
Overcrowded homes	1 (lowest)	ref	ref	ref	ref
	2	1.01	0.98 – 1.05	1.01	0.98 – 1.04
	3	1.02	0.99 – 1.06	1.01	0.97 – 1.06
	4	1.06	1.01 – 1.11	1.02	0.97 – 1.07
	5 (highest)	1.12	1.04 – 1.19	1.06	0.99 – 1.14
NO₂	1 (lowest)	ref	ref	ref	ref
	2	1.01	0.97 – 1.04	1.02	0.98 – 1.06
	3	1.02	0.98 – 1.07	1.01	0.96 – 1.06
	4	1.01	0.95 – 1.06	1.04	0.98 – 1.10
	5 (highest)	1.02	0.95 – 1.10	1.05	0.98 – 1.13
PM_{2.5}	1 (lowest)	ref	ref	ref	ref
	2	1.00	0.96 – 1.05	0.99	0.95 – 1.04
	3	1.03	0.97 – 1.09	0.98	0.92 – 1.04
	4	1.02	0.95 – 1.09	0.98	0.91 – 1.05
	5 (highest)	1.07	0.98 – 1.17	1.02	0.93 – 1.11
Care homes per 1,000 population	1 (lowest)	ref	ref	ref	ref
	2	1.09	1.06 – 1.12	1.12	1.09 – 1.16
	3	1.13	1.10 – 1.17	1.19	1.15 – 1.22
	4	1.15	1.12 – 1.19	1.22	1.19 – 1.26
	5 (highest)	1.22	1.19 – 1.26	1.27	1.23 – 1.31
% of variation contributed by all variables		17.6	13.9 – 21.9	14.9	12.1 – 18.2
% of variance explained by local clustering for model with all variables		30.8	28.6 – 32.9	18.4	17.2 – 20.1
% of variance explained by local clustering for model with no variables		39.0	38.6 – 41.1	21.9	20.8 – 23.1

Extended Data Table 7. Mutually adjusted multivariable models for all MSOA characteristics, results of sensitivity analyses. Age is included in all the models.

a) Penalised complexity prior.

Variable	Quintile	Males		Females	
		Mean	95% credible interval	Mean	95% credible interval
Population on income support	1 (lowest)	ref	ref	ref	ref
	2	1.02	0.99 – 1.05	0.97	0.94 – 1.01
	3	1.04	1.00 – 1.08	0.99	0.95 – 1.03
	4	1.07	1.02 – 1.11	1.00	0.96 – 1.05
	5 (highest)	1.10	1.05 – 1.15	1.07	1.02 – 1.13
Population density	1 (lowest)	ref	ref	ref	ref
	2	1.02	0.97 – 1.04	1.01	0.97 – 1.04
	3	1.01	0.98 – 1.05	0.99	0.95 – 1.03
	4	0.99	0.95 – 1.04	1.02	0.97 – 1.06
	5 (highest)	0.99	0.95 – 1.04	0.99	0.94 – 1.05
Population non-White	1 (lowest)	ref	ref	ref	ref
	2	1.01	0.98 – 1.05	1.03	1.00 – 1.06
	3	1.02	0.99 – 1.06	1.02	0.98 – 1.06
	4	1.04	0.99 – 1.09	1.07	1.01 – 1.12
	5 (highest)	1.09	1.02 – 1.15	1.10	1.03 – 1.17
Overcrowded homes	1 (lowest)	ref	ref	ref	ref
	2	1.01	0.98 – 1.05	1.01	0.98 – 1.04
	3	1.02	0.99 – 1.06	1.02	0.97 – 1.06
	4	1.06	1.01 – 1.11	1.02	0.97 – 1.08
	5 (highest)	1.12	1.04 – 1.19	1.06	0.99 – 1.14
NO₂	1 (lowest)	ref	ref	ref	ref
	2	1.01	0.97 – 1.04	1.02	0.98 – 1.06
	3	1.02	0.98 – 1.07	1.01	0.96 – 1.06
	4	1.01	0.95 – 1.06	1.04	0.98 – 1.10
	5 (highest)	1.02	0.95 – 1.10	1.06	0.98 – 1.13
PM_{2.5}	1 (lowest)	ref	ref	ref	ref
	2	1.00	0.96 – 1.05	1.00	0.95 – 1.04
	3	1.03	0.97 – 1.09	0.98	0.93 – 1.04
	4	1.02	0.95 – 1.10	0.99	0.92 – 1.06
	5 (highest)	1.07	0.98 – 1.17	1.03	0.93 – 1.12
Care homes per 1,000 population	1 (lowest)	ref	ref	ref	ref
	2	1.09	1.06 – 1.12	1.12	1.09 – 1.16
	3	1.13	1.10 – 1.17	1.19	1.15 – 1.22
	4	1.15	1.12 – 1.19	1.22	1.18 – 1.26
	5 (highest)	1.22	1.19 – 1.26	1.27	1.23 – 1.31
% of variation contributed by all variables		17.9	14.1 – 22.3	15.3	12.4 – 18.5

b) Priors on the hyperparameters τ_v and τ_u : $\log\text{Gamma}(0.5, 0.05)$.

Variable	Quintile	Males		Females	
		Mean	95% credible interval	Mean	95% credible interval
Population on income support	1 (lowest)	ref	ref	ref	ref
	2	1.02	0.99 – 1.05	0.97	0.94 – 1.00
	3	1.04	1.01 – 1.08	0.99	0.95 – 1.03
	4	1.07	1.03 – 1.11	1.01	0.96 – 1.05
	5 (highest)	1.10	1.05 – 1.16	1.08	1.02 – 1.13
Population density	1 (lowest)	ref	ref	ref	ref
	2	1.02	0.99 – 1.06	1.01	0.97 – 1.04
	3	1.01	0.98 – 1.05	0.99	0.95 – 1.03
	4	0.99	0.95 – 1.03	1.02	0.97 – 1.06
	5 (highest)	1.00	0.95 – 1.05	0.99	0.94 – 1.04
Population non-White	1 (lowest)	ref	ref	ref	ref
	2	1.01	0.98 – 1.04	1.03	1.00 – 1.06
	3	1.02	0.98 – 1.06	1.02	0.98 – 1.06
	4	1.03	0.99 – 1.08	1.07	1.02 – 1.12
	5 (highest)	1.08	1.02 – 1.15	1.10	1.03 – 1.17
Overcrowded homes	1 (lowest)	ref	ref	ref	ref
	2	1.01	0.98 – 1.05	1.01	0.98 – 1.04
	3	1.02	0.98 – 1.06	1.01	0.97 – 1.05
	4	1.06	1.01 – 1.11	1.02	0.97 – 1.08
	5 (highest)	1.11	1.04 – 1.19	1.06	0.99 – 1.13
NO₂	1 (lowest)	ref	ref	ref	ref
	2	1.01	0.97 – 1.05	1.02	0.98 – 1.06
	3	1.02	0.98 – 1.07	1.01	0.96 – 1.06
	4	1.01	0.95 – 1.07	1.04	0.98 – 1.10
	5 (highest)	1.03	0.96 – 1.10	1.05	0.98 – 1.13
PM_{2.5}	1 (lowest)	ref	ref	ref	ref
	2	1.00	0.96 – 1.05	1.00	0.95 – 1.04
	3	1.03	0.97 – 1.09	0.98	0.92 – 1.04
	4	1.02	0.95 – 1.09	0.98	0.91 – 1.06
	5 (highest)	1.07	0.98 – 1.17	1.02	0.93 – 1.12
Care homes per 1,000 population	1 (lowest)	ref	ref	ref	ref
	2	1.09	1.06 – 1.12	1.12	1.09 – 1.16
	3	1.13	1.10 – 1.17	1.19	1.15 – 1.23
	4	1.15	1.12 – 1.19	1.22	1.18 – 1.27
	5 (highest)	1.22	1.19 – 1.26	1.27	1.23 – 1.32
% of variation contributed by all variables		17.6	13.9 – 22.0	15.0	12.0 – 18.1

c) Excluding care homes per 1,000 population.

Variables	Quintile	Males		Females	
		Mean	95% credible interval	Mean	95% credible interval
Population on income support	1 (lowest)	ref	ref	ref	ref
	2	1.03	1.00 – 1.06	0.98	0.95 – 1.02
	3	1.06	1.02 – 1.10	1.01	0.97 – 1.05
	4	1.09	1.04 – 1.13	1.02	0.98 – 1.07
	5 (highest)	1.12	1.07 – 1.18	1.10	1.04 – 1.16
Population density	1 (lowest)	ref	ref	ref	ref
	2	1.02	0.99 – 1.05	1.01	0.97 – 1.05
	3	1.01	0.97 – 1.05	0.99	0.95 – 1.03
	4	0.98	0.94 – 1.02	1.01	0.96 – 1.05
	5 (highest)	0.99	0.94 – 1.03	0.98	0.93 – 1.03
Population non-White	1 (lowest)	ref	ref	ref	ref
	2	1.02	0.99 – 1.05	1.04	1.00 – 1.07
	3	1.03	0.99 – 1.07	1.03	0.99 – 1.07
	4	1.05	1.00 – 1.10	1.08	1.03 – 1.13
	5 (highest)	1.11	1.04 – 1.18	1.12	1.05 – 1.19
Overcrowded homes	1 (lowest)	ref	ref	ref	ref
	2	1.01	0.98 – 1.05	1.01	0.97 – 1.04
	3	1.02	0.98 – 1.06	1.01	0.97 – 1.05
	4	1.05	1.00 – 1.10	1.01	0.96 – 1.06
	5 (highest)	1.09	1.02 – 1.16	1.03	0.96 – 1.11
NO₂	1 (lowest)	ref	ref	ref	ref
	2	1.01	0.97 – 1.04	1.02	0.98 – 1.06
	3	1.01	0.97 – 1.06	1.00	0.95 – 1.05
	4	1.01	0.95 – 1.07	1.04	0.98 – 1.10
	5 (highest)	1.02	0.95 – 1.10	1.04	0.97 – 1.12
PM_{2.5}	1 (lowest)	ref	ref	ref	ref
	2	1.00	0.96 – 1.04	0.99	0.95 – 1.04
	3	1.02	0.96 – 1.07	0.97	0.91 – 1.02
	4	1.00	0.93 – 1.07	0.96	0.91 – 1.02
	5 (highest)	1.04	0.95 – 1.13	0.98	0.90 – 1.08
% of variation contributed by all variables		12.7	9.12 – 16.9	8.00	5.53 – 11.0


d) Excluding care homes per 1,000 population and deaths in care homes.

Covariate	Quintile	Males		Females	
		Mean	95% credible interval	Mean	95% credible interval
Population on income support	1 (lowest)	ref	ref	ref	ref
	2	1.05	1.02 – 1.09	1.02	0.99 – 1.06
	3	1.09	1.05 – 1.13	1.08	1.04 – 1.12
	4	1.12	1.07 – 1.17	1.13	1.08 – 1.18
	5 (highest)	1.19	1.13 – 1.25	1.24	1.17 – 1.30
Population density	1 (lowest)	ref	ref	ref	ref
	2	1.01	0.98 – 1.05	1.02	0.99 – 1.06
	3	1.01	0.97 – 1.05	1.01	0.97 – 1.05
	4	0.97	0.93 – 1.01	1.02	0.98 – 1.07
	5 (highest)	0.97	0.92 – 1.02	0.99	0.94 – 1.04
Population non-White	1 (lowest)	ref	ref	ref	ref
	2	1.00	0.97 – 1.03	1.01	0.98 – 1.05
	3	0.99	0.95 – 1.03	0.97	0.94 – 1.02
	4	0.99	0.94 – 1.04	1.03	0.98 – 1.09
	5 (highest)	1.06	1.00 – 1.13	1.05	0.98 – 1.12
Overcrowded homes	1 (lowest)	ref	ref	ref	ref
	2	1.01	0.98 – 1.05	1.02	0.98 – 1.06
	3	1.03	0.98 – 1.07	1.00	0.96 – 1.04
	4	1.06	1.01 – 1.11	1.02	0.97 – 1.07
	5 (highest)	1.10	1.03 – 1.18	1.07	1.00 – 1.15
NO₂	1 (lowest)	ref	ref	ref	ref
	2	1.01	0.97 – 1.05	0.99	0.95 – 1.03
	3	1.02	0.97 – 1.07	0.98	0.93 – 1.03
	4	1.01	0.96 – 1.07	1.00	0.94 – 1.07
	5 (highest)	1.05	0.98 – 1.13	1.03	0.95 – 1.11
PM_{2.5}	1 (lowest)	ref	ref	ref	ref
	2	1.00	0.96 – 1.05	0.99	0.94 – 1.03
	3	1.02	0.96 – 1.08	0.96	0.90 – 1.02
	4	1.02	0.95 – 1.10	0.96	0.89 – 1.04
	5 (highest)	1.05	0.96 – 1.16	0.98	0.89 – 1.08
% of variation contributed by all variables		20.0	15.1 – 25.7	24.0	18.5 – 30.0

e) Both sexes combined.

Variables	Quintile	Mean	95% credible interval
Population on income support	1 (lowest)	ref	ref
	2	0.99	0.97 – 1.02
	3	1.01	0.98 – 1.04
	4	1.02	0.99 – 1.06
	5 (highest)	1.06	1.02 – 1.10
Population density	1 (lowest)	ref	ref
	2	1.01	0.99 – 1.04
	3	1.00	0.97 – 1.03
	4	1.01	0.97 – 1.04
	5 (highest)	1.00	0.96 – 1.04
Population non-White	1 (lowest)	ref	ref
	2	1.02	0.99 – 1.04
	3	1.02	0.98 – 1.05
	4	1.05	1.01 – 1.09
	5 (highest)	1.09	1.04 – 1.15
Overcrowded homes	1 (lowest)	ref	ref
	2	1.01	0.98 – 1.03
	3	1.00	0.97 – 1.04
	4	1.02	0.98 – 1.06
	5 (highest)	1.05	0.99 – 1.11
NO₂	1 (lowest)	ref	ref
	2	1.01	0.98 – 1.04
	3	1.01	0.98 – 1.05
	4	1.02	0.97 – 1.07
	5 (highest)	1.04	0.98 – 1.10
PM_{2.5}	1 (lowest)	ref	ref
	2	1.00	0.96 – 1.03
	3	1.00	0.95 – 1.05
	4	0.99	0.94 – 1.06
	5 (highest)	1.04	0.96 – 1.11
Care homes per 1,000 population	1 (lowest)	ref	ref
	2	1.09	1.07 – 1.12
	3	1.14	1.11 – 1.16
	4	1.16	1.13 – 1.19
	5 (highest)	1.21	1.18 – 1.24
% of variation contributed by all variables		13.7	11.0 – 16.7

Extended Data Fig. 1. Scatter plot showing male vs female percent increase in deaths age 40 and over for 6,701 Middle Super Output Areas in England. Spearman's rank correlation coefficient 0.43



Extended Data Fig. 2. Scatter plot showing male vs female excess mortality rate per 100,000 males/females age 40 and over for 6,701 Middle Super Output Areas in England. Spearman's rank correlation coefficient 0.45

