

Supplementary Tables

Table S1: Predictability & Control

Difficulty not knowing:	Autistic	Parents	Control	Autistic.Control	Autistic.Parent	Parent.Control
Which doctor you will see	292 (57.6%)	54 (27.6%)	38 (24.2%)	p<0.001 **	p<0.001 **	p=0.555 ns
How long you will wait	355 (70.0%)	96 (49.0%)	47 (29.9%)	p<0.001 **	p<0.001 **	p<0.001 **
How long the consultation will last	201 (39.6%)	27 (13.8%)	12 (7.6%)	p<0.001 **	p<0.001 **	p=0.098 ns
What will happen during the consultation	320 (63.1%)	33 (16.8%)	25 (15.9%)	p<0.001 **	p<0.001 **	p=0.932 ns
None of the above	36 (7.1%)	64 (32.7%)	84 (53.5%)	p<0.001 **	p<0.001 **	p<0.001 **

Table S2: Judgements & Attitudes

Going to the doctor, I am anxious :	Autistic	Parents	Control	Autistic.Control	Autistic.Parent	Parent.Control
I won't be taken seriously when I describe my symptoms	341 (67.3%)	51 (26.0%)	54 (34.4%)	p<0.001 **	p<0.001 **	p=0.111 ns
I might be wasting the doctor's time	333 (65.7%)	71 (36.2%)	53 (33.8%)	p<0.001 **	p<0.001 **	p=0.711 ns
I might be considered a hypochondriac	330 (65.1%)	43 (21.9%)	42 (26.8%)	p<0.001 **	p<0.001 **	p=0.355 ns
about asking for help	318 (62.7%)	41 (20.9%)	28 (17.8%)	p<0.001 **	p<0.001 **	p=0.554 ns
about discussing mental health	301 (59.4%)	57 (29.1%)	37 (23.6%)	p<0.001 **	p<0.001 **	p=0.297 ns
that there might be something wrong	217 (42.8%)	41 (20.9%)	55 (35.0%)	p=0.102 ns	p<0.001 **	p=0.004 **
I don't feel anxious going to the doctor	17 (3.4%)	56 (28.6%)	52 (33.1%)	p<0.001 **	p<0.001 **	p=0.420 ns
Is stimming a problem for you at the doctors' office?	Autistic	Parents	Control	Autistic.Control	Autistic.Parent	Parent.Control
Unusual behaviours or stimming elicit negative reactions from other patients	74 (14.6%)	69 (35.2%)	4 (2.5%)	p<0.001 **	p<0.001 **	p<0.001 **
Unusual behaviours or stimming elicit negative reactions from other reception staff	44 (8.7%)	26 (13.3%)	1 (0.6%)	p=0.001 **	p=0.093 ns	p<0.001 **
Unusual behaviours or stimming elicit negative reactions from other medical staff	37 (7.3%)	18 (9.2%)	2 (1.3%)	p=0.009 **	p=0.498 ns	p=0.003 **
I feel comfortable with stimming at the doctors' office	101 (19.9%)	69 (35.2%)	74 (47.1%)	p<0.001 **	p<0.001 **	p=0.031 *
I do not feel comfortable with stimming at the doctors' office	4 (0.8%)	38 (19.4%)	5 (3.2%)	p=0.061 ns	p<0.001 **	p<0.001 **
No need to stim at the doctors' office	133 (26.2%)	0 (0.0%)	0 (0.0%)	p<0.001 **	p<0.001 **	
I don't understand the term "stimming"	29 (5.7%)	11 (5.6%)	62 (39.5%)	p<0.001 **	p=1.000 ns	p<0.001 **

Table S3: Planning & Organising

Planning & organising	Autistic	Parents	Control	Autistic.Control	Autistic.Parent	Parent.Control
I find it difficult to prioritise when describing my medical problems	333 (65.7%)	38 (19.4%)	34 (21.7%)	p<0.001 **	p<0.001 **	p=0.695 ns
I need to give the whole story and not leave anything out	332 (65.5%)	30 (15.3%)	18 (11.5%)	p<0.001 **	p<0.001 **	p=0.373 ns
I find it difficult to make appointments in advance	300 (59.2%)	71 (36.2%)	45 (28.7%)	p<0.001 **	p<0.001 **	p=0.165 ns
Making changes to my lifestyle or habits is difficult for me	282 (55.6%)	50 (25.5%)	36 (22.9%)	p<0.001 **	p<0.001 **	p=0.663 ns
I have forgotten to attend a medical appointment	230 (45.4%)	54 (27.6%)	34 (21.7%)	p<0.001 **	p<0.001 **	p=0.251 ns
I need to write things down	227 (44.8%)	19 (9.7%)	17 (10.8%)	p<0.001 **	p<0.001 **	p=0.863 ns
I find waiting difficult	221 (43.6%)	26 (13.3%)	15 (9.6%)	p<0.001 **	p<0.001 **	p=0.361 ns
I have difficulty making decisions about my health	222 (43.8%)	18 (9.2%)	20 (12.7%)	p<0.001 **	p<0.001 **	p=0.369 ns
I have turned up for a medical appointment on the wrong day	151 (29.8%)	27 (13.8%)	16 (10.2%)	p<0.001 **	p<0.001 **	p=0.390 ns
It is difficult to arrange someone to come with me	103 (20.3%)	6 (3.1%)	2 (1.3%)	p<0.001 **	p<0.001 **	p=0.446 ns
I have forgotten why I made the appointment	54 (10.7%)	4 (2.0%)	1 (0.6%)	p<0.001 **	p<0.001 **	p=0.512 ns
None of the above	13 (2.6%)	53 (27.0%)	64 (40.8%)	p<0.001 **	p<0.001 **	p=0.009 **

Table S4: Support needs

Do you visit your doctor:	Autistic	Parents	Control	Autistic.Control	Autistic.Parent	Parent.Control
Alone, by choice	306 (60.4%)	105 (53.6%)	134 (85.4%)	p<0.001 **	p=0.121 ns	p<0.001 **
Alone, but would prefer to have a support person	165 (32.5%)	3 (1.5%)	10 (6.4%)	p<0.001 **	p<0.001 **	p=0.034 *
With a parent, partner or support person	137 (27.0%)	15 (7.7%)	9 (5.7%)	p<0.001 **	p<0.001 **	p=0.617 ns
With a parent, partner or support person but I would prefer to go alone	12 (2.4%)	0 (0.0%)	0 (0.0%)	p=0.109 ns	p=0.065 ns	
With a support animal	5 (1.0%)	1 (0.5%)	0 (0.0%)	p=0.471 ns	p=0.874 ns	p=1.000 ns
To support an autistic adult	26 (5.1%)	29 (14.8%)	0 (0.0%)	p=0.008 **	p<0.001 **	p<0.001 **
As a parent to access healthcare for my child	78 (15.4%)	115 (58.7%)	30 (19.1%)	p=0.327 ns	p<0.001 **	p<0.001 **
With my child, but I would prefer to go alone	6 (1.2%)	61 (31.1%)	12 (7.6%)	p<0.001 **	p<0.001 **	p<0.001 **

If you were suddenly admitted to hospital, who would be able to bring your personal belongings to you?

	Autistic	Parents	Control	Autistic.Control	Autistic.Parent	Parent.Control
Spouse or partner	234 (46.2%)	137 (69.9%)	106 (67.5%)	p<0.001 **	p<0.001 **	p=0.715 ns
Parent	168 (33.1%)	76 (38.8%)	70 (44.6%)	p=0.012 *	p=0.187 ns	p=0.321 ns
Other family member	96 (18.9%)	57 (29.1%)	72 (45.9%)	p<0.001 **	p=0.005 **	p=0.002 **
Friend	118 (23.3%)	41 (20.9%)	57 (36.3%)	p=0.002 **	p=0.569 ns	p=0.002 **
Neighbour	17 (3.4%)	6 (3.1%)	14 (8.9%)	p=0.008 **	p=1.000 ns	p=0.033 *
Paid support person or carer	15 (3.0%)	7 (3.6%)	1 (0.6%)	p=0.174 ns	p=0.860 ns	p=0.139 ns
Volunteer support person or carer	6 (1.2%)	0 (0.0%)	0 (0.0%)	p=0.375 ns	p=0.284 ns	
Nobody available	88 (17.4%)	13 (6.6%)	5 (3.2%)	p<0.001 **	p<0.001 **	p=0.222 ns

If you were admitted to hospital for a day case surgical procedure, who would be available to collect you afterwards?

	Autistic	Parents	Control	Autistic.Control	Autistic.Parent	Parent.Control
Spouse or partner	208 (41.0%)	135 (68.9%)	100 (63.7%)	p<0.001 **	p<0.001 **	p=0.362 ns
Parent	176 (34.7%)	78 (39.8%)	73 (46.5%)	p=0.010 *	p=0.242 ns	p=0.248 ns
Other family member	96 (18.9%)	60 (30.6%)	75 (47.8%)	p<0.001 **	p=0.001 **	p=0.001 **
Friend	116 (22.9%)	46 (23.5%)	67 (42.7%)	p<0.001 **	p=0.947 ns	p<0.001 **
Neighbour	17 (3.4%)	4 (2.0%)	8 (5.1%)	p=0.446 ns	p=0.503 ns	p=0.201 ns
Paid support person or carer	17 (3.4%)	9 (4.6%)	0 (0.0%)	p=0.042 *	p=0.577 ns	p=0.017 *
Volunteer support person or carer	3 (0.6%)	0 (0.0%)	0 (0.0%)	p=0.776 ns	p=0.664 ns	
Nobody available	99 (19.5%)	14 (7.1%)	3 (1.9%)	p<0.001 **	p<0.001 **	p=0.042 *

If you needed assistance at home after an operation, who would be available to provide that care?

	Autistic	Parents	Control	Autistic.Control	Autistic.Parent	Parent.Control
Spouse or partner	219 (43.2%)	123 (62.8%)	101 (64.3%)	p<0.001 **	p<0.001 **	p=0.846 ns
Parent	152 (30.0%)	71 (36.2%)	74 (47.1%)	p<0.001 **	p=0.132 ns	p=0.050 *
Other family member	83 (16.4%)	50 (25.5%)	61 (38.9%)	p<0.001 **	p=0.008 **	p=0.010 *
Friend	74 (14.6%)	31 (15.8%)	43 (27.4%)	p<0.001 **	p=0.772 ns	(p=0.012 *)

Neighbour	14 (2.8%)	7 (3.6%)	8 (5.1%)	p=0.241 ns	p=0.750 ns	p=0.660 ns
Paid support person or carer	30 (5.9%)	11 (5.6%)	3 (1.9%)	p=0.071 ns	p=1.000 ns	p=0.135 ns
Volunteer support person or carer	4 (0.8%)	0 (0.0%)	0 (0.0%)	p=0.599 ns	p=0.491 ns	
Nobody available	131 (25.8%)	34 (17.3%)	13 (8.3%)	p<0.001 **	p=0.022 *	p=0.020 *

If you are a parent and you were unable to care for your child due to illness, who would be available to provide that care to your child?

	Autistic	Parents	Control	Autistic.Control	Autistic.Parent	Parent.Control
Spouse or partner	110 (21.7%)	135 (68.9%)	64 (40.8%)	p<0.001 **	p<0.001 **	p<0.001 **
Parent	37 (7.3%)	63 (32.1%)	40 (25.5%)	p<0.001 **	p<0.001 **	p=0.211 ns
Other family member	40 (7.9%)	52 (26.5%)	40 (25.5%)	p<0.001 **	p<0.001 **	p=0.919 ns
Friend	21 (4.1%)	24 (12.2%)	27 (17.2%)	p<0.001 **	p<0.001 **	p=0.245 ns
Neighbour	4 (0.8%)	8 (4.1%)	8 (5.1%)	p<0.001 **	p=0.007 **	p=0.843 ns
Paid support person or carer	5 (1.0%)	20 (10.2%)	9 (5.7%)	p<0.001 **	p<0.001 **	p=0.185 ns
Volunteer support person or carer	1 (0.2%)	1 (0.5%)	0 (0.0%)	p=1.000 ns	p=1.000 ns	p=1.000 ns
Nobody available	34 (6.7%)	27 (13.8%)	6 (3.8%)	p=0.256 ns	p=0.005 **	p=0.003 **
I don't have a child requiring care	274 (54.0%)	1 (0.5%)	78 (49.7%)	p=0.387 ns	p<0.001 **	p<0.001 **

Table S5: Facilitators

Visits to my doctor would be easier if:	Autistic	Parents	Control	Autistic.Control	Autistic.Parent	Parent.Control
I could book an appointment online	339 (66.9%)	113 (57.7%)	102 (65.0%)	p=0.732 ns	p=0.028 *	p=0.197 ns
I could email my doctor in advance with a description of the issue I need to discuss	316 (62.3%)	51 (26.0%)	35 (22.3%)	p<0.001 **	p<0.001 **	p=0.493 ns
I could wait in a quiet place or outside until it was my turn	284 (56.0%)	45 (23.0%)	13 (8.3%)	p<0.001 **	p<0.001 **	p<0.001 **
I could book the first or last appointment of the day	210 (41.4%)	79 (40.3%)	38 (24.2%)	p<0.001 **	p=0.854 ns	p=0.002 **
I could book an appointment by text	209 (41.2%)	54 (27.6%)	44 (28.0%)	p=0.004 **	p=0.001 **	p=1.000 ns
There was a sensory box available in the waiting room	80 (15.8%)	28 (14.3%)	4 (2.5%)	p<0.001 **	p=0.707 ns	p<0.001 **
None of the above	16 (3.2%)	32 (16.3%)	34 (21.7%)	p<0.001 **	p<0.001 **	p=0.255 ns