Water, Sanitation, Hygiene (WASH) or others? - a global analysis on determinants of Covid-19 pandemic

Ajishnu Roy ^a, Aman Basu ^b, Kousik Pramanick ^{a, *}

^a Integrative Biology Research Unit, Department of Life Sciences, Presidency University, 86/1, College Street, Kolkata - 700073, India

Email: ajishnuroy1990@gmail.com (A.R.)

ORCID: 0000-0001-9494-3963 (A.R.)

Email: kousik.dbs@presiuniv.ac.in (K.P)

ORCID: 0000-0003-1822-4646 (K.P)

^b Department of Environmental Studies, Siksha Bhavana (Institute of Science), Visva-Bharati, West Bengal - 731235, India

Email: amansantiniketan@gmail.com (A.B)

ORCID: 0000-0001-6814-4615 (A.B)

*Corresponding author

Declaration of competing interest: The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Funding: This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

Dedication: We salute and dedicate our work to all the individuals who are working tirelessly to control and mitigate this Covid-19 pandemic.

CRedit authorship contribution statement:

23 **Ajishnu Roy:** Conceptualization, Methodology, Data curation, Analysis, Visualization,
24 Interpretation, Writing - original draft, review & editing.

25 **Aman Basu:** Formal analysis, Visualization, Writing - review & editing.

26 **Kousik Pramanick:** Writing – review, Guidance.

27 **Abstract:**

28 Coronavirus (SARS Covid-19) has become a global public health concern due to its
29 unpredictable nature and lack of adequate pre-existing conditions. Achievement of WASH
30 services is being acknowledged as indispensable in safeguarding health. However, on a global
31 scale, it is currently not clear whether deprivation or non-obtainability of which of the factors are
32 closely related to Covid-19 dynamics and up to which degree. We have analysed 6 months' data
33 related to five Covid-19 indicators for most of the countries in the world with three groups of
34 indicators of WASH, socio-economic factors and mobility & stringency. Four successive steps
35 were followed to carry out the analysis: (a) identification of relevant key explanatory variables of
36 Covid-19, (b) identification of indicators (n=103) for other 5 sub-groups of factors (viz. WASH,
37 economy, health, society, mobility & stringency) through literature review, (c) utilizing
38 Spearman's rank-order correlation for measuring the association of the possible explanatory
39 variables with those of Covid-19 (of spatial nature), and then (d) continuing the same for 6
40 consecutive months (from March to August 2020) until we get an almost unchanging trend. We
41 have found a strong positive correlation between lesser effects (i.e. either less confirmed case or
42 higher recovery rate) of Covid-19 and better access to WASH as well as socioeconomic factors
43 throughout this time for a significant amount of the indicators. Since a handful of research is
44 available to discuss the association between Covid-19 with other probable determinants along
45 with the nature and degree of their relationship, this study should be perceived as an expanded

view on the complexities of Covid-19 interrelationships towards understanding determinants of Covid-19 dynamics, which could help to shape an agenda for research into some unanswered questions.

Keywords: socioeconomy; WASH; stringency; mobility; covid-19; global;

1. Introduction:

Severe acute respiratory syndrome-coronavirus (SARS-CoV-2), emerged in China in December 2019, is causing an outbreak of respiratory disease (COVID-19 disease by WHO). The new SARS-CoV-2 virus is known to spread by person-to-person contact (through respiratory droplets over a short distance) or via faecal-oral routes (hypothesised by Heller et al. 2020). Studies have shown that coronaviruses exist and can maintain their viability in sewage and hospital wastewater, originating from the faecal discharge of infected patients. Concerns have been raised over inequity in access to various prevention and control measures for slum dwellers, refugees etc. (Singh et al. 2020), even though Tedros Adhanom Ghebreyesus (DG, WHO) has urged a “whole-of-government, whole-of-society approach” for Covid-19 (Lau et al. 2020). According to Lau et al. (2020), one of the important reasons for this might be limited access to safe water and sanitation. Connection of control of covid-19 and global access to handwashing facilities has also been established for low-income countries (Brauer et al. 2020). The insecurity of water may also act as a deterrent for covid-19 mitigation, especially in developing areas (Stoler et al., 2020). Odith et al. (2020) have also emphasized probable induction of Covid-19 transmission rate from the shortfall in water and sanitation, using Nigeria as a case study. Amankwaa & Fischer (2020) and Jiwani & Antiporta (2020) have also emphasised on the effects of poor WASH services on Covid-19 fatalities in sub-Saharan African countries. Caruso & Freeman (2020) have argued on the effects of inequality of sanitation facility with relation to the spread of Covid-19. Mushi &

Shao (2020) have stated the possible role of WASH services regarding the prevention of the further spread of covid-19, especially for lower- and middle-income countries. Ray (2020) have opined on the importance of hygiene about Covid-19. All of these works indicate a possible significant level of connection between inequality of WASH services and Covid-19. WHO and UNICEF have long been suggested about the importance of WASH in itself (UNICEF 2019) and also related to Covid-19 (WHO, 2020 a, b). Thus, these works indicate towards shortfalls WASH may relate to higher Covid-19 (occurrence and transmission).

Some socio-economic and demographic parameters were closely associated with COVID-19 cases-fatality rate. These include - per capita gross national income, net migration, voters' turnout ratio for Asian countries (Varkey et al. 2020), average age, the population density and density of doctors in Germany (Ehlert, 2020), tourism (Farzanegan et al. 2020; Lapointe, 2020; Gössling et al. 2020), household size, use of public transport, aged population and self-reported health for England and Wales (Sá, 2020), mean income in the 10 districts of the city of Barcelona – Spain (Baena-Díez et al., 2020), socioeconomic characteristics in neighbourhood community in 7 states of USA (Hatef et al., 2020), early life environment, life trajectory and socioeconomic status (Holuka et al. 2020), income and population density (Jani & Mavalankar, 2020), morbidity rate, risky health behaviours, crowding, and population mobility in South Korea (Weinstein et al. 2020), poor healthcare infrastructure, high population and room density, and informal job markets in low-income countries (UN Habitat, 2020; Mishra et al., 2020), poverty and income inequality in ten Latin America and the Caribbean (LAC) cities (Bolaño-Ortiz et al., 2020), working age population (i.e. demographic composition) in Italy and South Korea (Dowd et al., 2020), total population, poverty and income for some of the 31 countries in Europe (Sannigrahi et al., 2020), population, GDP and population density for Wuhan, China (Xiong et al., 2020) etc.

These studies indicate a varied relationship between social, economic, demographic influencing factors and Covid-19.

Apart from these, there are, at least 2 groups of real-time indicators which are supposed to have intervened with the dynamic of Covid-19, one is government measures through lockdowns and containment protocols and another is people's daily behaviour and activities. First, has mostly been interpreted through Oxford COVID-19 Government Response Tracker (OxCGRT) (Hale et al. 2020) and the second through Google community mobility reports (Google, 2020). Some works have suggested in support of their association with Covid-19 (Carlitz and Makhura, 2020; Castex et al., 2020; Yang et al., 2020).

There are some drawbacks to these works. Either some studies have incorporated a selectively few arrays of indicators, or their operational boundary is one or a group of countries of a region. Also, most of them deal with Covid-19 dataset of one single date, whereas it is well known that various parameters of this pandemic are very spatiotemporally dynamic i.e., changing with time as well as space (Sahin et al., 2020). For these reasons, we have conceptualized this work.

2. Research Questions:

There are some features that we have tried to encapsulate in this study.

- (a) Are the various indicators of Covid-19 and indicators of WASH-related, at the global scale?
- (b) If they are related, how much is their degree of association?
- (c) Does their relationship remain similar throughout Covid-19 pandemic? i.e. Do the WASH conditions are affecting covid-19 conditions similarly from the onset of the pandemic?

- (d) If the effect of WASH on indicators of Covid-19 have decreased over time, then what about other socioeconomic factors?
- (e) Are the various indicators of socioeconomic dimensions and indicators of WASH-related, at the global scale?
- (f) If socioeconomic factors and Covid-19 are related, how much is their degree of association?
- (g) Do the socioeconomic factors are affecting covid-19 conditions similarly from the onset of the pandemic?
- (h) If the effects of socioeconomic factors (excluding WASH) on indicators of Covid-19 have decreased over time, then what about stringency and mobility factors?
- (i) If the stringency and mobility factors are related to Covid-19, how much is their degree of association?
- (j) Do the stringency and mobility factors affect covid-19 conditions similarly from the onset of the pandemic?

3. Method and data:

We have collected data of water, sanitation and hygiene from WHO/UNICEF JMP (2017) dataset and WDI (2020). We have used the data from the latest available year in this work. These set of indicators have been used as indicators of socioeconomic status following the framework used by Roy and Pramanick (2019). We have collected data of Covid-19 from for 6 different dates (30th of March to 30th August, 2020) from JHU CCSE (2020). We have used data for 5 dimensions of water, 5 dimensions of sanitation, 3 dimensions of hygiene (i.e. 63 indicators of WASH, suppl. table 1-3) and 5 dimensions (with 5 indicators) of Covid-19. Also, we have used data for 21 dimensions (via 33 indicators) of socio-economy (except – WASH, suppl. table 4)

and 2 dimensions (with 7 indicators, suppl. table 5) of stringency and mobility. List of indicators is given in table 1. More details about sub-indicators are provided in the supplementary file.

The statistical analysis has been conducted using R 3.6.2, (R Core Team. 2019) and ‘Hmisc’ (v. 4.4-0) package for performing correlation. Data for worldwide coronavirus cases are taken from package ‘coronavirus’ (v. 0.2.0) from Johns Hopkins University Center for Systems Science and Engineering (JHU CCSE) Coronavirus repository and analysed for cumulative cases for 6 different dates of consecutive 6 months (30-03-2020, 30-04-2020, 30-05-2020, 30-06-2020, 30-07-2020 and 30-08-2020). Though this Covi-19 pandemic started in 31st Dec. 2019, we have taken up March as our starting phase of consideration. Because, the spread of the SARS-CoV2 virus is asymmetrical for the countries of the world, and we can see that from March-April 2020, it had spread to most of the countries of the world with varying degree. We have also selected the span of the duration of study as 6 months (March-August, 2020), because – we think if nothing severely disturbs the dynamics of pandemic (as we can see so far, Nov. 2020), six months is sufficient to convey information about changing influence of various factors (WASH or others) on Covid-19 pandemic. Spearman’s rank-order correlation has been used for finding the association between the variables because the data is not normally distributed. Datasets, used for analysis, is provided in the supplementary files.

Table 1: List of indicators used related to various dimensions & Covid-19. (See suppl. file for calculation formula used for RR & CFR)

Covid-19

Total confirmed cases per million (TC),

Total recovered cases per million (TR),

<p>Total deaths per million (TD),</p> <p>Recovery rate (RR),</p> <p>Case fatality rate (CFR),</p>		
<p>Socioeconomy of Water</p> <p>Unimproved water services,</p> <p>Limited water services (not more than 30 min),</p> <p>Basic drinking water services,</p> <p>Improved water source,</p> <p>Safely managed drinking water service,</p> <p>Socioeconomy of Water</p> <p>Unimproved water services,</p> <p>Limited water services (not more than 30 min),</p> <p>Basic drinking water services,</p> <p>Improved water source,</p> <p>Safely managed drinking water service,</p> <p>Socioeconomy of Hygiene</p>	<p>Socioeconomic dimensions</p> <p>Connectivity,</p> <p>Crude death rate,</p> <p>Democracy,</p> <p>Demography,</p> <p>Employment,</p> <p>Globalization,</p> <p>Health expenditure,</p> <p>Health personnel density,</p> <p>Health security,</p> <p>Human capital,</p> <p>Human development,</p> <p>Hunger,</p> <p>Income,</p> <p>Inequality,</p> <p>Life expectancy,</p> <p>Literacy,</p> <p>Out-of-pocket expenditure on health,</p> <p>Social progress,</p>	<p>Stringency and Mobility trends</p> <p>Change in mobility,</p> <p>Government Response</p> <p>Stringency Index,</p>

Basic handwashing facilities, Limited handwashing facilities, No facilities,	Tourism, Urbanization, WASH-related deaths,	
--	---	--

156

157 **4. Results:**

158 **4.1. WASH and Covid-19:**

159 **4.1.1. Water and Covid-19:**

160 Most of the indicators that represent good socioeconomic condition related to water, like - basic
 161 drinking water, piped services, on-premises services, available when needed services, safely
 162 managed drinking water services etc. are strongly positively related to total confirmed, recovered
 163 and death. They show a lesser degree of positive correlation with recovery rate and case fatality
 164 rate. Another group of indicators that represent not so good socioeconomic condition related to
 165 water, like – non-piped services, unimproved water services, limited water services etc. have a
 166 strongly negative correlation to total confirmed, recovered and death. They show a lesser degree
 167 of negative correlation with recovery rate and case fatality rate.

168 However, if we delve deeper into each indicator, the see some apparent conflict in results, for all
 169 6 dates (i.e. total span under consideration of the study, 6 months), especially concerning total
 170 confirmed (TC) and total death (TD). Some of the indicators that represent good (BDWS) or
 171 better (IWS, IWS – P, IWS – AN, IWS - AP) conditions of safe and better access to water are

positively related to total confirmed and total death. Also, some of the indicators that represent poor (UWS, LWS) of safe and better access to water are negatively related to total death.

4.1.2. Sanitation and Covid-19:

Most of the indicators that represent good socioeconomic condition related to sanitation, like – basic sanitation services, improved sanitation facilities, sewer connection facilities, wastewater treated facilities, septic tank facilities etc. are a higher degree of positive correlation to total confirmed, recovered and death. They show a lesser degree of positive correlation with recovery rate and even lesser with case fatality rate. Another group of indicators that represent not so good socioeconomic condition related to sanitation, like – limited sanitation facilities, open defecation, unimproved sanitation facilities etc. have a strongly negative correlation to total confirmed, recovered and death. They show a less strong negative correlation with recovery rate and even lesser with case fatality rate.

For all 6 dates (i.e. total span under consideration of the study, 6 months), some of the indicators that represent poor (OD, USF, LSF) conditions of safe and better access to sanitation facilities are negatively related to total death and confirmed. Also, indicators that represent good (BSS) or better (ISF, ISF – SC, ISF – ST, ISF – WT, ISF - SM) conditions of safe and better access to water are positively related to total confirmed and total death.

Indicators that depict poor (OD, USF, LSF) conditions of safe and better access to sanitation facilities are negatively related to CFR; whereas indicators that represent good (BSS) or better (ISF, ISF – SC, ISF – WT) conditions of safe and better access to water are positively related to CFR.

4.1.3. Hygiene and Covid-19:

194 Basic handwashing facility has a higher degree of positive correlation to total confirmed,
195 recovered, death and recovery rate. However, it has a lesser degree of positive correlation with
196 the case fatality rate. Another group of hygiene indicator, that represent not so good
197 socioeconomic condition, like – limited and no handwashing facilities have a higher degree of
198 negative correlation with total confirmed, recovered, death and recovery rate. These have a lesser
199 degree of negative correlation with the case fatality rate.

200 Indicators that represent good (BHF) conditions of safe and better access to hygiene facilities are
201 positively correlated to total confirmed (TC) and total death (TD).

It is made available under a [CC-BY-ND 4.0 International license](#).

Fig 1. Correlogram from Spearman's correlation of Covid-19 indicators (n=5) and indicators of water, sanitation and hygiene, WASH access (n=63) for countries (n=175) in the world (March-August, 2020).

The area marked in red box from the complete correlogram is the interest of this study. Hence, these selected portions, for 6 consecutive months have been displayed in the lower part of this figure.

4.1.4. Trends in WASH- Covid-19 relationships:

We can see from Fig 1 that the level of correlation, be it either positive or negative, has decreased over time, i.e. from March to August 2020. This is similar to 3 indicators of Covid-19, namely – total confirmed, recovered and death. Especially, from June 2020 onwards, this is very distinct.

From the dendrogram (Suppl. Figure 1) of WASH-Covid-19, it is visible that there have 2 distinct groups throughout the study, one with case fatality and recovery and another with total confirmed, recovered and death. Most of the indicators of WASH have remained polarized in heatmap i.e., indicators of good and bad WASH conditions have remained in two opposite correlation groups in case of one group (with total confirmed, recovered and death). But, for the other group (containing case fatality rate and recovery rate), this is not distinctly different related to WASH indicators.

4.2. Socioeconomic dimensions and Covid-19:

This study has identified a few contributory elements which have exhibited high association with Covid-19 dynamics across the countries. Among health-related indicators, the share of health expenditure, health security, life expectancy, physician-nurse density and per capita out-of-

pocket health expenditure have a higher degree of positive correlation with total confirmed, recovered and death related to Covid-19. Two other health-related indicators have a lesser degree of positive correlation with the same, namely – per capita share of health expenditure and crude death rate. Share of per capita out-of-pocket health expenditure has a higher degree of negative correlation with the same 3 indicators related to Covid-19.

Among economy-related indicators, globalization, real GDP and connectedness have a higher degree of positive correlation with total confirmed, recovered and death related to Covid-19. But the Gini coefficient has a lesser degree of negative correlation with the same.

Among demographic indicators, the median age of the population and aged population have a higher degree of positive correlation than population density with total confirmed, recovered and death; whereas the total population is negatively correlated with them.

Among societal indicators, literacy rate, democracy level, human capital and development, international tourism arrival, the share of urban population and social progress have a higher degree of positive correlation than with total confirmed, recovered and death; whereas employment to population ratio, hunger level, the share of vulnerable employment, unemployment and prevalence of deaths from water, sanitation and handwashing facilities have a negative correlation with the same.

It is made available under a [CC-BY-ND 4.0 International license](#).

Decreasing overall correlation

Fig 2. Correlogram from Spearman's correlation of Covid-19 indicators (n=5) and indicators of socio-economic situations (n=33) for countries (n=175) in the world (March-August, 2020).

The area marked in red box from the complete correlogram is the interest of this study. Hence, these selected portions, for 6 consecutive months have been displayed in the lower part of this figure.

4.2.1. Trends in Socioeconomy- Covid-19 relationship:

From the dendrogram (Suppl. Figure 2) of socioeconomy-Covid-19, it is clearly visible that there have 2 distinct groups throughout the study, one with case fatality and recovery and another with the rest (i.e. total confirmed, recovered and death).

Mostly, the indicators of socioeconomic conditions have remained polarized in heatmap i.e., indicators of improved and poor socioeconomic conditions have remained in two opposite correlation groups in case of one group (with total confirmed, recovered and death). But, for the other group (containing case fatality rate and recovery rate), this is not distinctly different related to socioeconomic indicators.

4.3. Stringency, mobility and Covid-19:

Among these indicators, time spent in residential areas (i.e. Rsd) has a higher degree of positive correlation with total confirmed, recovered and death related to Covid-19, than stringency index (SnI). On the other hand, the density of visitors in workplaces (WkP), transit stations (TnS) and retail & recreation places (RnR) have a higher degree of negative correlation to those indicators of Covid-19, than the density of visitors in grocery, pharmacy (GnP) and parks (Pks). Primarily (i.e. March 2020), the case fatality rate is more correlated to these indicators that recovery rate, and both have a lesser degree of correlation that aforementioned 3 indicators regarding Covid-19.

265 Excluding the first month (March 2020), the recovery rate has been negatively correlated to
266 stringency.

Fig 3. Correlogram from Spearman's correlation of Covid-19 indicators (n=5) and indicators of socio-economic situations (n=7) for countries (n=175) in the world (March-August, 2020).

4.3.1. Trends in Stringency and mobility - Covid-19 relationships:

From the dendrogram (Suppl. Figure 3) of stringency-mobility-Covid-19, it is clearly visible that there have 2 distinct groups during the earlier stage of study (March-May 2020), one with case fatality and another with the rest (i.e. recovery, total confirmed, recovered and death). However, its nature has changed in the following months (June – August 2020), one group with case fatality and recovery and another group with the rest (i.e. total confirmed, recovered and death).

Mostly, the indicators of stringency and mobility conditions have not remained polarized in heatmap i.e., the nature and degree of correlation are changing with time.

The overall time wise (here, month) change of number of significantly correlated associations between Covid-19 and other 3 groups of indicators (viz. WASH, socioeconomic factors and stringency & mobility) are shown in Fig 4.

Fig 4. Temporal change (month wise) in the number of significantly correlated indicators in association with Covid-19 pandemic. (See Suppl. Table 6 for underlying data from calculation)

5. Discussion:

From this study, there are some basic understanding that can be inferred. For the WASH sphere, providing basic as well as improved drinking water, sanitation and hygiene facilities are directly positively connected to the recovery rate of Covid-19. Likewise, reducing unimproved drinking water, sanitation and open defecation is negatively connected to recovery rate. This means, not only for the specific domain of WASH but inclusive access to these facilities are also connected

to the health sector as well as disaster prevention (like – a pandemic connected to water). The hassle-free access of purified water (at least not associated to wastewater, Lapolla et al., 2020; Bogler et al, 2020) at home premises (Frumkin et al., 2020; Kassem and Jaafar, 2020; Staddon et al., 2020), access to improved sanitation facilities at household level as well as the availability of household hygiene measures (in form of soaps, hand sanitizers etc.) (Schmidt, 2020; Yu et al., 2020) have become the frontier force of precautionary prevention.

The other socio-economic factors also ascribe to similar perception regarding the covid-19 pandemic. Among the health-related factors, better health security, a higher density of physicians and nurses, better life expectancy, higher per capita out of pocket expenditure and the lower crude death rate is positively associated with better recovery rate. These results are in line with Adams & Walls, 2020 (for healthcare workforce), Kandel et al., 2020 (for health security) etc. Among the economic factors, higher real GDP, connectedness, globalization and lower economic inequality are positively associated with a better rate of recovery. These outcomes are in line with Makridis & Hartley, 2020 (for real GDP), McKibbin & Fernando, 2020 (for macroeconomy) etc. Among the societal factors, higher literacy, social progress, democracy score, human capital and development along with lower unemployment, employment vulnerability and hunger are associated with better recovery. These findings are also in line with UNDP report (for human development), Khemraj & Yu, 2020 (for human capital), Kawohl & Nordt, 2020 (for unemployment) etc (see Fig 5).

Fig 5. An overall global pandemic preparedness as well as mitigation actions that need to be given significance as the outcome established from this study.

This new pandemic has undoubtedly emphasised the frivolity of the present condition as well as the significance of the global WASH access system. These are the bare minimum requirements which have been either neglected or not properly implemented (sometimes due to lack of awareness). Other socioeconomic factors, though of varying degree, has a high level of correlation with various indicators of the covid-19 pandemic. This entails towards the importance of deliverance of socio-economic development globally.

There are some possible drawbacks in our work. Firstly, WASH data is from 2017, not immediate pre-pandemic data. It is because WHO-UNICEF JMP dataset is most robust and

uniform till date. However, recently, there have been some issues regarding the applicability of WASH data towards predicting the WASH-Covid19 relationship accurately (Quispe-Coica and Pérez-Foguet, 2020). But we don't have any better alternative. Second, the socio-economic indicators are also not of immediately pre-pandemic time (see Suppl. Table 5). This is due to the unavailability of the latest data (2019-20) for all of the socioeconomic indicators. Third, this analysis has not been done on the sub-national or lower scale. Because the objective was to understand the determinants of the covid-19 pandemic in general, for large scale. Also, the sub-national data are not comprehensive and uniformly available for all countries. Fourth, the study period (March-August 2020, i.e. 6 months) is odd. Though the onset and spread of covid-19 pandemic are asymmetric for different countries, we think from March 2020 onwards, it had started in most of the major countries of the world. Also, we have taken 6 months (up to August 2020) because the study also tries to understand and lingering association of determinants with Covid-19 pandemic, and as we can see from the data that this duration is long enough to serve the purpose. Lastly, we have chosen only one date (30th of each month) which is not continuous. We have taken nearly equidistant dates from each month as we think this is enough to give us a broad outline of the role of determinants.

We see whatever kind of association do the determining factors have with those of Covid-19, the degree is lessening through time (except – those related to mobility and stringency). This means two things, (a) other factors (which are outside the operational boundary of this study) might be getting superior control over the dynamics of Covid-19 than those included in this study, and/or (b) the data of aforementioned determinants are of pre-pandemic time, means they are not being updated daily or monthly (like – Covid-19). From this we can infer, these factors have been determining the trajectory of the covid-19 pandemic in the old normal (pre-pandemic) as well as

will continue to do so in the new normal (post-pandemic). We think once robust data are available of these determinants after the pandemic, we might see a similar level of association.

The present study has advocated the utility of interpreting determinants in epidemiological research, which can be diverse, with this Covid-19 pandemic as a case of example. The present work has explored the association between the WASH, social, demographic, mobility, economic as well as health parameters and Covid-19, extracting insightful tales of dynamics of Covid-19 pandemic. Therefore, we hope, this study could be a reference for future health research and their controlling factors towards synthesizing a multidisciplinary approach for either prevention or control or both (Ross et al., 2020). Additionally, all the data used in this work are open source and freely available (we have also provided the raw data and results in supplement), in so doing, reproducibility, as well as scientific replicability, can be achievable.

References

Adams, J. G., Walls, R. M., 2020. Supporting the health care workforce during the Covid-19 global epidemic. JAMA.; 323 (15):1439-1440. <https://doi.org/10.1001/jama.2020.3972>

Amankwaa, G., Fischer, C., 2020. Exploring the correlation between COVID-19 fatalities and poor WASH (Water, Sanitation and Hygiene) services. medRxiv, <https://doi.org/10.1101/2020.06.08.20125864>

Baena-Díez, J. M., Barroso, M., Cordeiro-Coelho, S. I., Díaz, J. L., Grau, M., 2020. Impact of COVID-19 outbreak by income: hitting hardest the most deprived. Journal of Public Health, 1–6. <https://doi.org/10.1093/pubmed/fdaa136>

363 Bogler, A., Packman, A., Furman, A., Gross, A., Kushmaro, A., Ronen, A.,...Morgenroth, E.,
364 2020. Rethinking wastewater risks and monitoring in light of the COVID-19 pandemic. *Nature*
365 *Sustainability*, 1–10. <https://doi.org/10.1038/s41893-020-00605-2>

366 Bolaño-Ortiz, T. R., Camargo-Caicedo, Y., Puliafito, S. E., Ruggeri, M. F., Bolaño-Díaz, S.,
367 Pascual-Flores, R., Saturno, J., Ibarra-Espinosa, S., Mayol-Bracero, O. L., Torres- Delgado, E.,
368 Cereceda-Balic, F., 2020. Spread of SARS-CoV-2 through Latin America and the Caribbean
369 region: a look from its economic conditions, climate and air pollution indicators. *Environmental*
370 *Research*, 191, 109938. <https://doi.org/10.1016/j.envres.2020.109938>

371 Brauer, M., Zhao, J. T., Bennitt, F. B., Stanaway, J. D., 2020. Global access to handwashing:
372 implications for COVID-19 control in low-income countries. *Environmental Health*
373 *Perspectives*, 128 (5), 1-9. <https://doi.org/10.1289/EHP7200>

374 Carlitz, R. D., Makhura, M. N., 2021. Life under lockdown: Illustrating tradeoffs in South
375 Africa's response to COVID-19. *World Development*, 137, 105168.
376 <https://doi.org/10.1016/j.worlddev.2020.105168>

377 Caruso, B. A., Freeman, M. C., 2020. Shared sanitation and the spread of COVID-19: risks and
378 next steps. *Lancet Planetary Health*, 4 (5), e173. [https://doi.org/10.1016/S2542-5196\(20\)30086-3](https://doi.org/10.1016/S2542-5196(20)30086-3)

379 Castex, G., Dechter, E., Lorca, M., 2020. COVID-19: The impact of social distancing policies,
380 cross-country analysis. *Economics of Disasters and Climate Change*,
381 <https://doi.org/10.1007/s41885-020-00076-x>

382 Dowd, J. B., Andriano, L., Brazel, D. M., Rotondi, V., Block, P., Ding, X., Liu, Y., Mills, M. C.,
383 2020. Demographic science aids in understanding the spread and fatality rates of COVID-19.
384 *Proc. Natl. Acad. Sci.* 117, 18. <https://doi.org/10.1073/pnas.2004911117>

385 Ehlert, A., 2020. The socioeconomic determinants of COVID-19: A spatial analysis of German
386 county level data. medRxiv, <https://doi.org/10.1101/2020.06.25.20140459>

387 Farzanegan, M. R., Gholipour, H. F., Feizi, M., Nunkoo, R., Andargoli, A. E., 2020.
388 International Tourism and Outbreak of Coronavirus (COVID-19): A Cross-Country Analysis.
389 Journal of Travel Research, 1–6, <https://doi.org/10.1177/0047287520931593>

390 Frumkin, H., Das, M. B., Negev, M., Rogers, B. C., Bertollini, R., Dora, C., Desai, S., 2020.
391 Protecting health in dry cities: considerations for policy makers. BMJ; 371: m2936.
392 <https://doi.org/10.1136/bmj.m2936>

393 Google, 2020. Google LLC "Google COVID-19 Community Mobility Reports". Available from
394 <https://www.google.com/covid19/mobility/>

395 Gössling, S., Scott, D., Hall, C. M., 2020. Pandemics, tourism and global change: a rapid
396 assessment of COVID-19. Journal of Sustainable Tourism, 29:1, 1-20.
397 <https://doi.org/10.1080/09669582.2020.1758708>

398 Hale, T., Petherick, A., Phillips, T., Webster, S., 2020. Variation in Government Responses to
399 COVID-19. BSG-WP-2020/032. Version 6.0. Blavatnik School of Government Working Paper.
400 May 25, 2020. Available: www.bsg.ox.ac.uk/covidtracker

401 Hatef, E., Chang, H. Y., Kitchen, C., Weiner, J. P., Kharrazi, H., 2020. Assessing the Impact of
402 Neighborhood Socioeconomic Characteristics on COVID-19 Prevalence Across Seven States in
403 the United States. Frontiers in Public Health, 8:571808.
404 <https://doi.org/10.3389/fpubh.2020.571808>

405 Heller, L., Mota, C. R., Greco, D. B., 2020. COVID-19 faecal-oral transmission: Are we asking
 406 the right questions? Science of the Total Environment, 729, 138919.
 407 <https://doi.org/10.1016/j.scitotenv.2020.138919>

408 Holuka, C., Merz, M. P., Fernandes, S. B., Charalambous, E. G., Seal, S. V., Grova, N., Turner,
 409 J. D., 2020. The COVID-19 Pandemic: Does Our Early Life Environment, Life Trajectory and
 410 Socioeconomic Status Determine Disease Susceptibility and Severity? International Journal of
 411 Molecular Sciences, 21, 5094. <https://doi.org/10.3390/ijms21145094>

412 Jani, V., Mavalankar, D., 2020. COVID-19 and Socioeconomic Factors: Cross-country
 413 Evidence. medRxiv, <https://doi.org/10.1101/2020.10.22.20217430>

414 Jiwani, S. S., Antiporta, D. A., 2020. Inequalities in access to water and soap matter for the
 415 COVID-19 response in sub-Saharan Africa. International Journal for Equity in Health, 19:82.
 416 <https://doi.org/10.1186/s12939-020-01199-z>

417 Kandel, N., Chungong, S., Omaar, A., Xing, J., 2020. Health security capacities in the context of
 418 COVID-19 outbreak: an analysis of International Health Regulations annual report data from 182
 419 countries. Lancet, 395, 1047-1053. [https://doi.org/10.1016/S0140-6736\(20\)30553-5](https://doi.org/10.1016/S0140-6736(20)30553-5)

420 Kassem, I. I., Jaafar, H., 2020. The potential impact of water quality on the spread and control of
 421 COVID-19 in Syrian refugee camps in Lebanon, Water International,
 422 <https://doi.org/10.1080/02508060.2020.1780042>

423 Kawohl, W., Nordt, C., 2020. COVID-19, unemployment, and suicide. Lancet Psychiatry, 7 (5),
 424 389-390. [https://doi.org/10.1016/S2215-0366\(20\)30141-3](https://doi.org/10.1016/S2215-0366(20)30141-3)

425 Khemraj, T., Yu, S., 2020. Human capital and the COVID-19 pandemic. MPRA Paper 101262,
426 University Library of Munich, Germany.

427 Lapointe, D., 2020. Reconnecting tourism after COVID-19: the paradox of alterity in tourism
428 areas. *Tourism Geographies*, <https://doi.org/10.1080/14616688.2020.1762115>

429 Lapolla, P., Lee, R., Mingoli, A., 2020. Wastewater as a red flag in COVID-19 spread. *Public*
430 *Health*, 185, 26. <https://doi.org/10.1016/j.puhe.2020.05.045>

431 Lau, L. S., Samari, G., Moresky, R. T., Casey, S. E., Kachur, S. P., Roberts, L. F., Zard, M.,
432 2020. COVID-19 in humanitarian settings and lessons learned from past epidemics. *Nature*
433 *Medicine*, <https://doi.org/10.1038/s41591-020-0851-2>

434 Makridis, C., Hartley, J., 2020. The Cost of COVID-19: A Rough Estimate of the 2020 U.S.
435 GDP (March 22, 2020). <http://dx.doi.org/10.2139/ssrn.3559139>

436 McKibbin, W. J., Fernando, R., 2020. The Global Macroeconomic Impacts of COVID-19: Seven
437 Scenarios (March 2, 2020). CAMA Working Paper No. 19/2020.
438 <http://dx.doi.org/10.2139/ssrn.3547729>

439 Mishra, S.V., Gayen, A., Haque, S.M., 2020. COVID-19 and urban vulnerability in India.
440 *Habitat International*, 103, 102230. <https://doi.org/10.1016/j.habitatint.2020.102230>

441 Mushi, V., Shao, M., 2020. Tailoring of the ongoing water, sanitation and hygiene interventions
442 for prevention and control of COVID-19. *Tropical Medicine and Health*, 48:47.
443 <https://doi.org/10.1186/s41182-020-00236-5>

444 Odith, E. E., Afolayan, A. O., Akintayo, I., Okele, I. N., 2020. Could Water and Sanitation
445 Shortfalls Exacerbate SARS-CoV-2 Transmission Risks? American Journal of Tropical
446 Medicine and Hygiene, 00(0), (1–4), <https://doi.org/10.4269/ajtmh.20-0462>

447 Quispe-Coica, A., Pérez-Foguet, A., 2020. Preprocessing alternatives for compositional data
448 related to water, sanitation and hygiene. Science of the Total Environment, 743, 140519.
449 <https://doi.org/10.1016/j.scitotenv.2020.140519>

450 R Core Team, 2019. R: A language and environment for statistical computing. R Foundation for
451 Statistical Computing, Vienna, Austria. <https://www.R-project.org/>

452 Ross, A. G. P., Crowe, S. M., Tyndall, M. W., 2020. Planning for the Next Global Pandemic.
453 International Journal of Infectious Diseases, 38, 89-94. <https://doi.org/10.1016/j.ijid.2015.07.016>

454 Roy, I., 2020. Viewpoint | Handwashing and COVID-19: Simple, right there...? World
455 Development, 135: 105086. <https://doi.org/10.1016/j.worlddev.2020.105086>

456 Sa, F., 2020. Socioeconomic Determinants of Covid-19 Infections and Mortality: Evidence from
457 England and Wales (May 2020). IZA Policy Paper No. 159, Available at SSRN:
458 <https://ssrn.com/abstract=3612850>

459 Sahin, O., Salim, H., Suprun, E., Richards., R., MacAskill, S., Heilgeist, S., Rutherford, S.,
460 Stewart, R. A., Beal, C. D., 2020. Developing a Preliminary Causal Loop Diagram for
461 Understanding the Wicked Complexity of the COVID-19 Pandemic. Systems, 8 (2), 20.
462 <https://doi.org/10.3390/systems8020020>

463 Sannigrahi, S., Pilla, F., Basu, B., Basu, A.S., Molter, A., 2020. Examining the Association
464 Between Socio-demographic Composition and COVID-19 Fatalities in the European Region

465 Using Spatial Regression Approach. Sustainable Cities and Society, 62, 102418.
 466 <https://doi.org/10.1016/j.scs.2020.102418>

467 Schmidt, C. W., 2020. Lack of Handwashing Access: A Widespread Deficiency in the Age of
 468 COVID-19. Environmental Health Perspectives, <https://doi.org/10.1289/EHP7493>

469 Singh, L., Singh, N. S., Maldonado, B. N, Tweed, S., Blanchet, K., Graham, W. J., 2020. What
 470 does ‘leave no one behind’ mean for humanitarian crises-affected populations in the COVID-19
 471 pandemic? BMJ Global Health, 5: e002540. <https://doi.org/10.1136/bmjgh-2020-002540>

472 Staddon, C., Everard, M., Mytton, J., Octavianti, T., Powell, W., Quinn, N., Uddin, S. M. N.,
 473 Young, S. L., Miller, Budds, J. D., Geere, J., Meehan, K., Charles, K., Stevenson, E. G. J., Vonk,
 474 J., Mizniak, J., 2020. Water insecurity compounds the global coronavirus crisis, Water
 475 International, <https://doi.org/10.1080/02508060.2020.1769345>

476 Stoler, J., Jepson, W. E., Wutich, A., 2020. Beyond handwashing: Water insecurity undermines
 477 COVID-19 response in developing areas. Journal of Global Health, 10 (1), 010355.
 478 <https://doi.org/10.7189/jogh.10.010355>

479 UNDP, 2020. COVID-19 and Human Development: Assessing the Crisis, Envisioning the
 480 Recovery. Available from [http://hdr.undp.org/sites/default/files/covid-](http://hdr.undp.org/sites/default/files/covid-19_and_human_development_0.pdf)
 481 [19 and human development 0.pdf](http://hdr.undp.org/sites/default/files/covid-19_and_human_development_0.pdf)

482 UN-Habitat, 2020. UN-Habitat COVID-19 Response Plan 1–16.

483 UNICEF 2019. Progress on Household Drinking Water, Sanitation and Hygiene, 2000–2017:
 484 special Focus on Inequalities. [https://data.unicef.org/resources/progress-drinking-](https://data.unicef.org/resources/progress-drinking-watersanitation-hygiene-2019/)
 485 [watersanitation-hygiene- 2019/](https://data.unicef.org/resources/progress-drinking-watersanitation-hygiene-2019/)

486 Varkey, R. S., Joy, J., Sarmah, G., Panda, P. K. 2020. Socioeconomic determinants of
487 COVID-19 in Asian countries: An empirical analysis. Journal of Public Affairs, e2532.
488 <https://doi.org/10.1002/pa.2532>

489 Weinstein, B., da Silva, A. R., Kouzoukas, D. E., Bose, T., Kim, G. J., Correa, P. A., Pondugula,
490 S., Kim, J., Carpenter, D. O., 2020. A methodological blueprint to identify COVID-19
491 vulnerable locales by socioeconomic factors, developed using South Korean data. medRxiv,
492 <https://doi.org/10.1101/2020.10.26.20218842>

493 WHO, 2020a. Water, sanitation, hygiene and waste management for COVID-19. Technical brief.
494 [https://www.who.int/publications/i/item/water-sanitation-hygiene-and-wastemanagement-for-](https://www.who.int/publications/i/item/water-sanitation-hygiene-and-wastemanagement-for-covid-19)
495 [covid-19](https://www.who.int/publications/i/item/water-sanitation-hygiene-and-wastemanagement-for-covid-19)

496 WHO, 2020b. State of the World's Sanitation: An urgent call to transform sanitation for better
497 health, environments, economies and societies. New York.

498 WHO/UNICEF JMP (WHO/UNICEF Joint Monitoring Programme for Water Supply, Sanitation
499 and Hygiene). 2020. <https://washdata.org/>

500 Xiong, Y., Wang, Y., Chen, F., Zhu, M., 2020. Spatial statistics and influencing factors of the
501 COVID-19 epidemic at both prefecture and county levels in Hubei Province. China. Int. J.
502 Environ. Res. Public Health 17. <https://doi.org/10.3390/ijerph17113903>

503 Yang, C., Sha, D., Liu, Q., Li, Y., Lan, H., Guan, W. W., Hu, T., Li, Z., Zhang, Z., Thompson, J.
504 H., Wang, Z., Wong, D., Ruan, S., Yu, M., Richardson, D., Zhang, L., Hou, R., Zhou, Y., Zhong,
505 C., Tian, Y., Beaini, F., Carte, K., Flynn, C., Liu, W., Pfoser, D., Bao, S., Li, M., Zhang, H., Liu,
506 C., Jiang, J., Du, S., Zhao, L., Lu, M., Li, L., Zhou, H., Ding, A., 2020. Taking the pulse of

507 COVID-19: a spatiotemporal perspective. International Journal of Digital Earth, 13: 10, 1186-
508 1211. <https://doi.org/10.1080/17538947.2020.1809723>

509 Yu, W., Bain, R. E. S., Yu, J., Alegana, V., Dotse-Gborgbortsi, W., Lin, Y., Wright, J. A., 2020.
510 Mapping access to basic hygiene services in low- and middle-income countries: A cross-
511 sectional case study of geospatial disparities. medRxiv,
512 <https://doi.org/10.1101/2020.08.07.20169995>