


Online Supplementary Figures



eFigure 1. Selection of predictors using the least absolute shrinkage and selection operator (LASSO) method. (a) Tuning parameter (λ) selection from the LASSO model using 10-fold cross-validation via minimum criteria. The mean square error curve was plotted vs. $\log(\lambda)$. Dotted vertical lines at the optimal value by the minimum criteria, and the 1 standard error of the minimum criteria. Solid vertical line at the consensus criteria on the maximum number of predictors in the model. (b) LASSO coefficient profiles of the 21 potential predictors, plotted against the $\log(\lambda)$ sequence.

PREDICTING CRITICAL ILLNESS ON INITIAL DIAGNOSIS OF COVID-19: DEVELOPMENT AND VALIDATION OF THE PRIORITY MODEL FOR OUTPATIENT APPLICABILITY. ❤️

OBJECTIVE

To develop and validate a prediction model, based on clinical history and examination findings on initial diagnosis of COVID-19, to identify patients at risk of critical outcomes.

DESIGN

National multicenter cohort study.

MAIN OUTCOME MEASURE

Composite of in-hospital death, mechanical ventilation or admission to intensive care unit.

Research authors: Miguel Martínez-Lacalzada, Adrián Viteri-Noël, Luis Manzano, Marlin Fabregate-Fuente, Manuel Rubio-Rivas, Sara Luis García, Francisco Arnalich Fernández, José Luis Beato Pérez, Juan Antonio Vargas Núñez, Elpidio Calvo Manuel, Alesia-Constanza Espiño, Santiago J. Freire Castro, Jose Loureiro-Arriaga, Paula María Pesqueira Fontana, Adela Pina, Ana María Álvarez Suárez, Andrea Silva Asaín, Beatriz García López, Jairo Luque del Pino, Jaime Sanz Cánovas, Paloma Chazarra Pérez, Gemma María García García, Jesús Millán Núñez-Cortés, José Manuel Casas Rojas, Ricardo Gómez Huelgas

Details | Study characteristics | Files & References

4.98% Risk for COVID-19 Critical Illness

See details below.

Age

$(\text{Age}/100)^2$



Cardiovascular disease

no Yes

Chronic kidney disease

No Yes

Dyspnea

No Yes

Confusion

No Yes

Tachypnea

No Yes

Systolic blood pressure

$1/(\text{SBP}/100)^2$



SpO2 \leq 93% or oxygen requirement

No Yes

eFigure 2. Web-based calculator for predicting critical illness among patients with COVID-19. Accessible at <https://www.evidencio.com/models/show/2344>.