Neighborhood-level Racial/Ethnic and Economic Inequities in COVID-19 Burden Within Urban Areas in the US and Canada

Sudipta Saha^{1*}, Justin M. Feldman²

*Corresponding Author:

Sudipta Saha, SM

Li Ka Shing Knowledge Institute

St. Michael's Hospital

Toronto, ON, Canada

sudipta.saha@unityhealth.to

Affiliations:

¹ Li Ka Shing Knowledge Institute, St. Michael's Hospital, Toronto, ON, Canada

² FXB Center for Health and Human Rights at Harvard University, Harvard T.H. Chan School of Public Health, Boston, MA, USA

ABSTRACT

The COVID-19 pandemic exhibits stark social inequities in infection and mortality outcomes. We investigated neighborhood-level inequities across cities in the US and Canada for COVID-19 cumulative case rates (46 cities), death rates (12 cities), testing rates and test positivity (12 cities), using measures that characterize social gradients by race/ethnicity, socioeconomic composition, or both jointly. We found consistent evidence of social gradients for case, death and positivity rates, with the most privileged neighborhoods having the lowest rates, but no meaningful variation in the magnitude of inequities between cities. Gradients were not apparent in testing rates, suggesting inadequate testing in the most deprived neighborhoods. Health agencies should monitor and compare inequities as part of their COVID-19 reporting practices and to guide pandemic response efforts.

KEYWORDS

COVID-19, infectious diseases, racial inequality, income inequality, social inequality, racial capitalism

HIGHLIGHTS

- Within urban regions with available data in the US and Canada, there were strong social gradients for case, death and positivity rates
- The most racially and/or economically privileged neighborhoods had the lowest rates
- Social gradients were similar for neighborhood-level measures of racial/ethnic composition, income, racialized economic segregation, and racialized occupational segregation
- Testing rates did not show consistent social gradients, which suggests that the most deprived neighborhoods have inadequate access to testing relative to their higher disease burden

FUNDING

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors

INTRODUCTION

Similar to numerous other health outcomes, the impact of Coronavirus Disease 2019 (COVID-19) has been marked by racial/ethnic and class inequities. In the US, the CDC currently reports racial inequities in COVID-19 cases, hospitalizations and deaths. According to this data, Non-Hispanic Black / African American, Hispanic or Latino, and American Indian / Alaska Native people are around three times as likely to have been diagnosed with COVID-19, around five times more likely to be hospitalized, and up to two times more likely to die compared to white people (CDC, 2020). However, the quality and completeness of disaggregated data has varied from state to state, and approximately 20% of confirmed COVID-19 cases are missing race/ethnicity data in the US (The COVID Tracking Project, 2020). Individual-level socioeconomic data have been largely absent in reporting. In neighboring Canada, which also has had long-standing racial and class inequities in health outcomes, data stratified by race and socioeconomic position has been largely absent (Shahidi et al., 2020; Tjepkema et al., 2013). Notable exceptions include some local public health units, like Toronto, which has reported that rates of confirmed cases among visible minorities (especially Black people) are higher relative to those of white people, and has also reported a strong gradient by household income (City of Toronto, 2020).

In the absence of individual-level socioeconomic data, area-based measures can highlight gradients in socioeconomic inequities for COVID-19 outcomes (Gordon, 2003; Krieger et al., 2003, 2002). Moreover, neighborhood-level analyses can capture contextual factors that are emergent at higher levels than the individual (e.g. concentrated economic segregation within

urban areas). While urban areas have been heavily impacted by COVID-19, to our knowledge there has not been a comprehensive assessment of COVID-19 inequities within cities in Northern America. Studies to date have focused on particular cities individually, especially those that emerged as the first hotspots in the US (Benitez et al., 2020; Chen and Krieger, 2020; Cordes and Castro, 2020; Lieberman-Cribbin et al., 2020, pp. 1-; Maroko et al., 2020; van Holm et al., 2020). In the past few months, many local jurisdictions have started disseminating case, death and testing data at postal-code level or for other small geographic areas. We collected reported data from major urban areas in the United States and Canada and investigated neighborhood-level inequities.

Our analysis is guided by an understanding of racial capitalism as a fundamental cause of COVID-19 - a framing discussed in recent papers by William Pirtle, and McClure et al (McClure et al., 2020; Pirtle, 2020). Theoretically developed by Cedric Robinson, “racial capitalism” refers to a system where “as a material force, ... racialism ... inevitably permeate[s] the social structures emergent from capitalism” (Robinson, 1983). In the context of COVID-19, racial capitalism manifests as increased risks for Black and Hispanic people due to segregation and inequities in occupation, housing conditions, access to healthcare, and also victimization by mass incarceration.

Under this theoretical framework, we investigate neighborhood-level inequities along gradients of income, racism, racialized economic segregation, and racialized occupational segregation. We measure racialized economic segregation using Index of Concentration at the Extremes

(ICE) for race and income, which has been used previously for a number of different health outcomes, as well as for COVID-19 in some settings (Chen and Krieger, 2020; Feldman et al., 2015; Krieger et al., 2015). We also introduce a new measure - ICE for race and occupational class – to capture racialized segregation of high and low risk occupations.

METHODS

Data source

We visited health department websites for the 69 urban counties (as defined by the National Center for Health Statistics) in the United States to identify counties for which data were available at sub-county and sub-city geographic levels (National Center for Health Statistics, 2019). When county-level data were not available, we determined whether it was available from the health department of the largest city in that county. We additionally queried the health department websites for the four largest cities in Canada. In most cases, data was reported by Zip Code Tabulation Area (ZCTA), while for Washington DC, Toronto ON and Montréal QC, data was reported by municipally defined neighborhood boundaries. Jurisdictions that shared a border were merged to create combined urban regions, since patterns of urban spatial segregation likely traverse across boundaries of neighboring urban counties (e.g. New York City counties/boroughs). These merged regions are hereafter referred to as “cities”, and nested smaller areas as “neighborhoods”, for simplicity. Details of data availability by location is outlined in **Supplementary Table 1**.

Measures

Our primary outcome of interest was the rate of cumulative COVID-19 cases in each neighborhood, while our secondary outcomes of interest were rates of cumulative deaths, tests and test positivity, where data was available.

We created quintiles *within* each city for each variable of interest, with the most privileged quintile being set as the reference category. Variables reported here are: median household income, percentage of non-white residents, ICE for race and income, and ICE for race and class. ICE is calculated as:

$$\frac{(A_i - B_i)}{N_i}$$

Where A_i represents the number of people in the most privileged group, B_i the number of people in the most deprived group and N_i the total population in neighborhood i . The index ranges from -1 to 1, corresponding to two extremes of spatially concentrated deprivation and privilege respectively (Krieger et al., 2015; Massey, 2001). For race + income, the most privileged group was defined as non-Hispanic white people who have an income greater than \$100,000, and the most deprived group was defined as non-Hispanic Black people who have an income less than \$25,000. For race + class, the most privileged group was defined as white workers in “management, professional and related occupations”, which are largely amenable to work-from-home arrangements. The most deprived group included Black workers in “service”, “natural resources, construction, and maintenance operations”, and “production,

transportation, and material moving” occupations. These were generally considered essential, yet underpaid and high-risk for SARS-CoV-2 exposure. The groups in neither extreme would include workers of other racial groups, and workers in “sales and office” occupations. These include a mix of jobs that could be performed from home, as well as some frontline retail work. However, since data is only available for coarse categories of occupation by race by ZCTA, we considered this group to be at neither extreme. ICE measures were only available for US cities due to lack of readily available data by race and income or occupation in the Canadian Census. Canadian cities were dropped when ICE measures were used.

For the United States, data for all variables was obtained from American Community Survey (2014-18) at the ZCTA level, or CT level to be aggregated into municipally defined neighborhoods. For Canada, data was obtained from long-form Census variables at the Census dissemination area (CDA)-level and aggregated up to municipally defined neighborhoods. Where CDA’s crossed boundaries, numbers were reallocated weighted by spatial overlap.

Statistical Analysis

We present rate ratios of cumulative cases, deaths, and tests, and test positivity by quintile. Inequities across cities were modelled using separate multi-level Poisson regression for each outcome, and each social measure. We included random intercepts for each city, and observation (neighborhood)-level random intercepts to account for overdispersion. For each model, we included all available cities with the available outcome data. To ensure that our general conclusions were robust, we repeated the analysis on only the subset of cities that had

data for multiple outcomes present. Finally, to determine if inequities varied between cities, we separately fit models with random intercepts and slopes for quintiles as a continuous variable, and assessed estimates of the random slopes variance.

We present detailed city-specific plots and outcomes, for the reader to explore at:

https://ssaha.shinyapps.io/COVID_cities_inequities/. The dataset can also be accessed at:

https://github.com/saha-sudipta/COVID_Cities_Disparities

Results

Fifty-eight of 69 US urban counties (or the largest city in an urban county) had case data available at smaller geographic units. Two of the four largest cities in Canada had data available. In total, these represented a population of 85 million, with 1.8 million cumulative cases. At the time of data collection, this represented more than a quarter of all reported cases in the US and Canada. After merging adjacent jurisdictions, there were 46 “cities” in total. Of the 46, 12 reported COVID-19 deaths by neighborhood, and 12 reported tests by neighborhood (**Table 1**).

Table 1: Summary statistics of populations and outcomes

	Cases	Deaths	Tests
Population included	84961152	27748074	24608418
Number of urban regions included	46	12	12
Total cumulative outcomes	1806258	30420	6406629 Positive: 525657
Total cumulative outcome rate per 100,000	2125.98	109.62	26034 Positivity: 8.20%
Median cumulative outcome rate at city-level [IQR]	1978.03 [1389.00, 2501.73]	32.77 [21.04, 127.86]	24151 [18838, 29809] Positivity: 6.70% [5.97%, 9.95%]
Median cumulative outcome rate at neighborhood-level [IQR]	1736.75 [970.55, 2648.73]	37.82 [11.41, 130.25]	18147 [25111, 32150] Positivity: 6.90% [4.61%, 10.01%]

At the city-level, the cumulative case rates ranged from 265.9 per 100,000 in Multnomah County, Oregon to 5977 per 100,000 in Miami-Dade County, Florida (median 1978 per 100,000). Among the 12 cities with test data available, the cumulative testing rate ranged from 12.65 per 100 people in Alleghany County, Pennsylvania, to 43.17 per 100 people in New Orleans Parish, Louisiana (median 24.15 per 100 people). The positivity rate ranged from 4.45% in Alameda County, California to 10.6 % in Milwaukee, Wisconsin (median 7%). Among the 12 regions with death data, the cumulative death rate ranged from 3.21 per 100,000 people in San Francisco - Santa Clara, California, to 226 per 100,000 people in New York City (median 32.77 per 100,000) (**Supplementary Table 2**).

Neighborhood-level sociodemographic measures were correlated with one another to varying degrees. Quintiles of median household income had correlations of -0.53, 0.72, and 0.86 with percentage non-white population, ICE race + class, and ICE race + income respectively. Percentage non-white had correlations of -0.67 with both ICE race + income and ICE race + class. The two ICE measures had a correlation of 0.86.

With some exceptions, the most privileged quintile had lower cumulative case, death and positivity rates, compared to the most deprived quintile in each city. Testing rates did not show consistent patterns.

In our modeled estimates of inequities across urban regions, there were strong and monotonic social gradients in cumulative case incidence, deaths and positivity across quintiles of all

sociodemographic measures. The choice of neighborhood measure did not substantially affect the magnitude of inequities on the rate ratio scales. The rate ratio for cumulative case incidence, comparing the most deprived quintile to the most privileged quintile, was significant using all measures, with ICE race + income having the highest effect size (RR: 2.08; 95% CI: 1.95, 2.21), and ICE race + class having the lowest (RR: 1.88; 95% CI: 1.77, 2.01). For test positivity, the highest effect size was for ICE race + class measure (RR: 2.41; 95% CI: 2.23, 2.61), and the lowest for median household income (RR: 2.03; 95% CI: 1.86, 2.22). The magnitude of inequities in mortality were higher than for other outcomes, with the highest rate ratio present from the ICE race + income measure (RR: 3.59; 95% CI: 3.05, 4.24), and the lowest for percentage non-white (RR: 2.77; 95% CI: 2.29, 3.36). Greater inequities for mortality persisted when the analysis was limited to cities that had both case and death data (**Supplementary Table 3**).

There were no clear and persistent socio-economic gradients for rates of testing, although for ICE race + class there was a trend for fewer tests in deprived neighborhoods, with the most deprived quintile having the lowest rate compared to the most privileged (RR: 0.77; 95% CI: 0.70, 0.85) (**Figure 1, Table 2**). The discordance between case and testing rates persisted when the analysis was limited to cities with both case and testing data (**Supplementary Table 4**).

Models with random slopes for quintiles as continuous variables suggested relatively little variance in the socioeconomic inequities between cities. For all measures and outcomes, the random slopes variance was 0.01 or less (**Table 2**).

Figure 1: Rate ratios for COVID-19 a) cases, b) positivity, c) deaths, and d) tests from multilevel Poisson models for quintiles of Median Household Income, Percentage of non-white population, Index of Concentration at the Extremes for Race and Income, and Race and Working Class. The most privileged quintile is the referent category for each measure

Table 2: Cumulative Incidence Rate Ratios for Cases, Deaths and Tests, and Test Positivity Rate Ratios for quintiles of area-based socioeconomic measures, from multilevel Poisson models.

Variable	Quintile	Cases RR (95% CI)	Deaths RR (95% CI)	Tests RR (95% CI)	Positivity RR (95% CI)
Median Household Income	Q5 (Most privileged)	Ref	Ref	Ref	Ref
	Q4	1.22 (1.14, 1.3)	1.86 (1.54, 2.26)	0.92 (0.84, 1.02)	1.34 (1.22, 1.46)
	Q3	1.39 (1.30, 1.48)	2.12 (1.75, 2.56)	0.87 (0.79, 0.96)	1.71 (1.56, 1.87)
	Q2	1.63 (1.53, 1.74)	2.68 (2.22, 3.23)	0.86 (0.78, 0.95)	1.86 (1.7, 2.04)
	Q1 (Most deprived)	2.00 (1.88, 2.13)	3.18 (2.65, 3.84)	0.93 (0.84, 1.02)	2.03 (1.86, 2.22)
	Random intercepts variance	0.29	1.09	0.15	0.11
	Random slopes variance *	<0.01	0.01	<0.01	<0.01
Percentage non-white population	Q1 (Most privileged)	Ref	Ref	Ref	Ref
	Q2	1.14 (1.08, 1.22)	1.84 (1.51, 2.24)	1.07 (0.97, 1.18)	1.18 (1.08, 1.29)
	Q3	1.37 (1.29, 1.46)	1.94 (1.6, 2.36)	1.05 (0.95, 1.16)	1.41 (1.29, 1.54)
	Q4	1.62 (1.52, 1.72)	2.36 (1.95, 2.87)	0.97 (0.88, 1.07)	1.81 (1.65, 1.98)
	Q5 (Most deprived)	2.08 (1.96, 2.21)	2.77 (2.29, 3.36)	1 (0.91, 1.1)	2.12 (1.94, 2.31)
	Random intercept variance	0.30	1.08	0.16	0.11
	Random slopes variance *	<0.01	<0.01	<0.01	<0.01
ICE Income + Race	Q5 (Most privileged)	Ref	Ref	Ref	Ref
	Q4	1.17 (1.1, 1.25)	2.46 (2.08, 2.92)	0.91 (0.82, 1)	1.33 (1.22, 1.45)
	Q3	1.40 (1.31, 1.49)	2.37 (2, 2.81)	0.9 (0.82, 0.99)	1.74 (1.6, 1.9)
	Q2	1.52 (1.42, 1.62)	2.89 (2.44, 3.42)	0.85 (0.77, 0.94)	1.95 (1.78, 2.12)
	Q1 (Most deprived)	2.08 (1.95, 2.21)	3.59 (3.05, 4.24)	0.92 (0.83, 1.01)	2.18 (2, 2.38)
	Random intercept variance	0.27	1.05	0.15	0.11

	Random slopes variance *	<0.01	<0.01	<0.01	<0.01
ICE Race + Class	Q5 (Most privileged)	Ref	Ref	Ref	Ref
	Q4	1.08 (1.01, 1.15)	1.70 (1.42, 2.04)	0.81 (0.73, 0.89)	1.53 (1.41, 1.65)
	Q3	1.25 (1.17, 1.33)	2.08 (1.74, 2.49)	0.79 (0.72, 0.87)	1.75 (1.62, 1.90)
	Q2	1.50 (1.41, 1.60)	2.45 (2.05, 2.93)	0.78 (0.71, 0.86)	2.33 (2.16, 2.53)
	Q1 (Most deprived)	1.88 (1.77, 2.01)	2.98 (2.51, 3.56)	0.77 (0.70, 0.85)	2.41 (2.23, 2.61)
	Random intercept variance	0.27	1.05	0.15	0.11
	Random slopes variance *	<0.01	<0.01	<0.01	<0.01

* Random slope variances obtained from separate models with quintiles as continuous variables.

CI = Confidence Interval. Ref = Reference category. ICE = Index of Concentration at the Extremes

DISCUSSION

In this study, we investigated neighborhood-level inequities in COVID-19 across cities in the US and Canada. While previous research has separately looked at how some counties have been disproportionately affected (Adhikari et al., 2020; Millett et al., 2020), and how areas within *specific* counties/cities have been disproportionately affected (Benitez et al., 2020; Chen and Krieger, 2020; Cordes and Castro, 2020; Lieberman-Cribbin et al., 2020), we are able to comprehensively report inequities across a large number of cities. We have compiled a dataset of neighborhood-level outcomes in a large number of urban regions, and have made this publicly available for researchers. We also present city-specific rates and trends in an accompanying website. In this dataset, we found considerable variation within cities. For example, the difference between the urban regions with the highest (Miami-Dade County: 5972 per 100,000) and second highest number of infections (Maricopa County: 3166 per 100,000) was 2800 per 100,000, but the difference between the most privileged quintile in Miami-Dade and the most deprived quintile in Maricopa burden (in terms of ICE race + class) was just 730 per 100,000.

Across cities, we found highly consistent and strong social gradients in rates of COVID-19 diagnosed cases, deaths and test positivity. However, testing rates did not follow the same social gradients, suggesting that testing efforts may not have been appropriately prioritized to address the most impacted populations and neighborhoods. Consequently, cases were likely underestimated in the most deprived neighborhoods. We found greater inequities in mortality compared to cases, which may reflect the fact that COVID-19 deaths are more likely to be

ascertained than cases, and/or the underlying population characteristics that increase risk of death after infection (e.g. comorbidities, lack of health insurance).

Our findings are also broadly consistent with racial capitalism as a fundamental cause of COVID-19, with joint measures of racial and income or occupational segregation highlighting strong gradients of inequities. It is important to note that these are not proposed as measures of racial capitalism, per se. As proposed by Link and Phelan (Link and Phelan, 1995), and applied by Pirtle and McClure to racial capitalism (McClure et al., 2020; Pirtle, 2020), fundamental causes “...embody access to important resources, affect multiple disease outcomes through multiple mechanisms, and consequently maintain an association with disease even when intervening mechanisms change.” As a fundamental cause, racial capitalism is a structure that can be interrogated and investigated by different research questions and methods in different domains. Thus our study fits into this theoretical framework in conjunction with other evidence such as: racial occupational segregation such that Black and Hispanic / Latino workers are over-represented in frontline, high-risk and essential jobs; narratives of nativity in driving such occupational segregation (Hawkins, 2020; Queneau, 2009; Selden and Berdahl, 2020); racial and ethnic disparities in workplace outbreaks of COVID-19 (Bui, 2020; Waltenburg et al., 2020); both occupational and racial disparities in COVID-19 cases and deaths (Office for National Statistics, 2020; Peel Health Surveillance, 2020); and inequities in ability to work from home and socially distance after implementation of non-pharmaceutical interventions (Weill et al., 2020). Furthermore, racial capitalism in housing (e.g. redlining, predatory lending, evictions) can lead to spatial COVID-19 inequities directly due to spatial residential segregation and

isolation (Dorries et al., 2019; Pulido, 2016), and indirectly through higher risk of household transmission stemming from poor and overcrowded housing conditions (Acevedo-Garcia, 2000). Our findings of consistent COVID-19 inequities across a range of cities, and two countries, also demonstrate how social processes embedded in fundamental causes can distribute risks of exposure in similar ways across populations.

Our study has a number of limitations, largely due to data quality issues affecting COVID-19 data generally. For case data, only a subset of all infections in the population are detected, subject to variations in testing criteria and access over time and between jurisdictions. This may affect comparison of case burden across cities, but it is unlikely to lead to overestimation of inequities within cities (Pitzer et al., 2020). In fact, within the subset of regions where we had test data, because test positivity was higher in deprived neighborhoods, and because a higher fraction of tests being positive suggests under-ascertainment of infections, our study likely underestimates inequities in infection risk. Deaths attributed to COVID-19 are also generally less than the surge in excess deaths that are observed, which may partly be due to under-ascertainment of COVID-19 as a cause of death (Chen et al., 2020). In presenting cumulative incidence proportions, we bias results such that regions with earlier onset of community transmission (e.g. New York City) have higher burdens compared to those with later onset. Ideally, the denominator would be person-time exposed from the time that some threshold of community transmission was passed. However, given the complex transmission dynamics, multiple introductions of COVID-19 into communities, and changing non-pharmaceutical interventions, it is difficult to do so consistently. Thus, while between-city differences should be

interpreted with this caveat, we expect our within-city social gradients to still be indicative of persistent inequities. Next, different jurisdictions may report testing data differently as number of people tested, or number total tests administered. Finally, cases from community transmission versus in institutional settings (e.g. prisons, long-term care centers) are not consistently reported in an disaggregated manner. This introduces the potential for numbers being highly inflated in neighborhoods that host an affected institution. This is especially true for death rates since the infection fatality rate is high among the aged population in settings like long-term care centers.

Despite these limitations, our findings are consistent with reported racial/ethnic and socioeconomic inequities in COVID-19. When considered within the theoretical framework of racial capitalism, we believe that interventions that take into account the mutual forces of racism and capitalism will be effective in reducing both overall COVID-19 cases and inequities. For example, workplace-based interventions can be successful in reducing racial/ethnic and socioeconomic inequities (Almendrala, 2020). Our results also point to the importance of monitoring socio-economic inequities in addition to aggregate numbers, for both outcomes and testing efforts. This should be done through explicit measures of inequality and segregation, rather than just presenting spatial heterogeneity in geocoded cases through maps.

REFERENCES

- Acevedo-Garcia, D., 2000. Residential segregation and the epidemiology of infectious diseases. *Soc. Sci. Med.* 51, 1143–1161. [https://doi.org/10.1016/S0277-9536\(00\)00016-2](https://doi.org/10.1016/S0277-9536(00)00016-2)
- Adhikari, S., Pantaleo, N.P., Feldman, J.M., Ogedegbe, O., Thorpe, L., Troxel, A.B., 2020. Assessment of Community-Level Disparities in Coronavirus Disease 2019 (COVID-19) Infections and Deaths in Large US Metropolitan Areas. *JAMA Netw. Open* 3, e2016938. <https://doi.org/10.1001/jamanetworkopen.2020.16938>
- Almendra, A., 2020. COVID Crackdowns at Work Have Saved Black and Latino Lives, LA Officials Say. *Kais. Health News*. URL <https://khn.org/news/la-county-workplace-enforcement-covid-rules-save-black-latino-lives/> (accessed 10.21.20).
- Benitez, J.A., Courtemanche, C.J., Yelowitz, A., 2020. Racial and Ethnic Disparities in COVID-19: Evidence from Six Large Cities (Working Paper No. 27592), Working Paper Series. National Bureau of Economic Research. <https://doi.org/10.3386/w27592>
- Bui, D.P., 2020. Racial and Ethnic Disparities Among COVID-19 Cases in Workplace Outbreaks by Industry Sector — Utah, March 6–June 5, 2020. *MMWR Morb. Mortal. Wkly. Rep.* 69. <https://doi.org/10.15585/mmwr.mm6933e3>
- CDC, 2020. Coronavirus Disease 2019 (COVID-19) [WWW Document]. *Cent. Dis. Control Prev.* URL <https://www.cdc.gov/coronavirus/2019-ncov/covid-data/investigations-discovery/hospitalization-death-by-race-ethnicity.html> (accessed 10.18.20).
- Chen, J.T., Krieger, N., 2020. Revealing the Unequal Burden of COVID-19 by Income, Race/Ethnicity, and Household Crowding: US County Versus Zip Code Analyses. *J. Public Health Manag. Pract.* Publish Ahead of Print. <https://doi.org/10.1097/PHH.0000000000001263>
- Chen, J.T., Waterman, P.D., Krieger, N., 2020. COVID-19 and the unequal surge in mortality rates in Massachusetts, by city/town and ZIP Code measures of poverty, household crowding, race/ethnicity, and racialized economic segregation. *Harv. Cent. Popul. Dev. Stud. Work. Pap. Ser.* 19.
- City of Toronto, 2020. COVID-19: Status of Cases in Toronto [WWW Document]. *City Tor.* URL <https://www.toronto.ca/home/covid-19/covid-19-latest-city-of-toronto-news/covid-19-status-of-cases-in-toronto/> (accessed 10.18.20).
- Cordes, J., Castro, M.C., 2020. Spatial analysis of COVID-19 clusters and contextual factors in New York City. *Spat. Spatio-Temporal Epidemiol.* 34, 100355. <https://doi.org/10.1016/j.sste.2020.100355>
- Dorries, H., Hugill, D., Tomiak, J., 2019. Racial capitalism and the production of settler colonial cities. *Geoforum*. <https://doi.org/10.1016/j.geoforum.2019.07.016>
- Feldman, J.M., Waterman, P.D., Coull, B.A., Krieger, N., 2015. Spatial social polarisation: using the Index of Concentration at the Extremes jointly for income and race/ethnicity to analyse risk of hypertension. *J Epidemiol Community Health* 69, 1199–1207. <https://doi.org/10.1136/jech-2015-205728>
- Gordon, D., 2003. Area-Based Deprivation Measures: a U.K. Perspective, in: *Neighborhoods and Health*. Oxford University Press.

- Hawkins, D., 2020. Differential occupational risk for COVID-19 and other infection exposure according to race and ethnicity. *Am. J. Ind. Med.* 63, 817–820.
<https://doi.org/10.1002/ajim.23145>
- Krieger, N., Chen, J.T., Waterman, P.D., Rehkopf, D.H., Subramanian, S.V., 2003. Race/Ethnicity, Gender, and Monitoring Socioeconomic Gradients in Health: A Comparison of Area-Based Socioeconomic Measures—The Public Health Disparities Geocoding Project. *Am. J. Public Health* 93, 1655–1671. <https://doi.org/10.2105/AJPH.93.10.1655>
- Krieger, N., Chen, J.T., Waterman, P.D., Soobader, M.-J., Subramanian, S.V., Carson, R., 2002. Geocoding and Monitoring of US Socioeconomic Inequalities in Mortality and Cancer Incidence: Does the Choice of Area-based Measure and Geographic Level Matter? The Public Health Disparities Geocoding Project. *Am. J. Epidemiol.* 156, 471–482.
<https://doi.org/10.1093/aje/kwf068>
- Krieger, N., Waterman, P.D., Spasojevic, J., Li, W., Maduro, G., Van Wye, G., 2015. Public Health Monitoring of Privilege and Deprivation With the Index of Concentration at the Extremes. *Am. J. Public Health* 106, 256–263.
<https://doi.org/10.2105/AJPH.2015.302955>
- Lieberman-Cribbin, W., Tuminello, S., Flores, R.M., Taioli, E., 2020. Disparities in COVID-19 Testing and Positivity in New York City. *Am. J. Prev. Med.* 59, 326–332.
<https://doi.org/10.1016/j.amepre.2020.06.005>
- Link, B.G., Phelan, J., 1995. Social conditions as fundamental causes of disease. *J. Health Soc. Behav.* 80–94.
- Maroko, A., Nash, D., Pavlonis, B., 2020. Covid-19 and Inequity: A comparative spatial analysis of New York City and Chicago hot spots. *Publ. Res.*
- Massey, D.S., 2001. The prodigal paradigm returns: Ecology comes back to sociology, in: *Does It Take a Village?* pp. 41–48.
- McClure, E.S., Vasudevan, P., Bailey, Z., Patel, S., Robinson, W.R., 2020. Racial Capitalism within Public Health: How Occupational Settings Drive COVID-19 Disparities. *Am. J. Epidemiol.* 189. <https://doi.org/10.1093/aje/kwaa126>
- Millett, G.A., Jones, A.T., Benkeser, D., Baral, S., Mercer, L., Beyrer, C., Honermann, B., Lankiewicz, E., Mena, L., Crowley, J.S., Sherwood, J., Sullivan, P.S., 2020. Assessing differential impacts of COVID-19 on black communities. *Ann. Epidemiol.* 47, 37–44.
<https://doi.org/10.1016/j.annepidem.2020.05.003>
- National Center for Health Statistics, 2019. Data Access - Urban Rural Classification Scheme for Counties [WWW Document]. URL
https://www.cdc.gov/nchs/data_access/urban_rural.htm (accessed 10.20.20).
- Office for National Statistics, 2020. Coronavirus (COVID-19) related deaths by occupation, England and Wales [WWW Document]. URL
<https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/causesofdeath/bulletins/coronaviruscovid19relateddeathsbyoccupationenglandandwales/deathregisteredbetween9marchand25may2020> (accessed 10.19.20).
- Peel Health Surveillance, 2020. COVID-19 and the Social Determinants of Health: Race and Occupation.

- Pirtle, W.N.L., 2020. Racial Capitalism: A Fundamental Cause of Novel Coronavirus (COVID-19) Pandemic Inequities in the United States: Health Educ. Behav. <https://doi.org/10.1177/1090198120922942>
- Pitzer, V.E., Chitwood, M., Havumaki, J., Menzies, N.A., Perniciaro, S., Warren, J.L., Weinberger, D.M., Cohen, T., 2020. The impact of changes in diagnostic testing practices on estimates of COVID-19 transmission in the United States. medRxiv 2020.04.20.20073338. <https://doi.org/10.1101/2020.04.20.20073338>
- Pulido, L., 2016. Flint, Environmental Racism, and Racial Capitalism. Capital. Nat. Social. 27, 1–16. <https://doi.org/10.1080/10455752.2016.1213013>
- Queneau, H., 2009. Trends in occupational segregation by race and ethnicity in the USA: evidence from detailed data. Appl. Econ. Lett. 16, 1347–1350. <https://doi.org/10.1080/13504850701367346>
- Robinson, C.J., 1983. Black Marxism: The making of the Black radical tradition. Univ of North Carolina Press.
- Selden, T.M., Berdahl, T.A., 2020. COVID-19 And Racial/Ethnic Disparities In Health Risk, Employment, And Household Composition. Health Aff. (Millwood) 39, 1624–1632. <https://doi.org/10.1377/hlthaff.2020.00897>
- Shahidi, F.V., Parnia, A., Siddiqi, A., 2020. Trends in socioeconomic inequalities in premature and avoidable mortality in Canada, 1991–2016. CMAJ 192, E1114–E1128.
- The COVID Tracking Project, 2020. Racial Data Dashboard [WWW Document]. COVID Track. Proj. URL <https://covidtracking.com/race/dashboard> (accessed 10.18.20).
- Tjepkema, M., Wilkins, R., Long, A., 2013. Socio-economic Inequalities in Cause-specific Mortality: A 16-year Follow-up Study. Can. J. Public Health Rev. Can. Santé Publique 104, e472–e478. <https://doi.org/10.17269/cjph.104.4075>
- van Holm, E.J., Wyczalkowski, C.K., Dantzer, P.A., 2020. Neighborhood conditions and the initial outbreak of COVID-19: the case of Louisiana. J. Public Health Oxf. Engl. <https://doi.org/10.1093/pubmed/fdaa147>
- Waltenburg, M.A., Rose, C.E., Victoroff, T., Butterfield, M., Dillaha, J.A., Heinzerling, A., Chuey, M., Fierro, M., Jervis, R.H., Fedak, K.M., Leapley, A., Gabel, J.A., Feldpausch, A., Dunne, E.M., Austin, C., Pedati, C.S., Ahmed, F.S., Tubach, S., Rhea, C., Tonzel, J., Krueger, A., Crum, D.A., Vostok, J., Moore, M.J., Kempher, H., Scheftel, J., Turabelidze, G., Stover, D., Donahue, M., Thomas, D., Edge, K., Gutierrez, B., Berl, E., McLafferty, M., Kline, K.E., Martz, N., Rajotte, J.C., Julian, E., Diedhiou, A., Radcliffe, R., Clayton, J.L., Ortbahn, D., Cummins, J., Barbeau, B., Carpenter, S., Pringle, J.C., Murphy, J., Darby, B., Graff, N.R., Dostal, T.K.H., Pray, I.W., Tillman, C., Rose, D.A., Honein, M.A., 2020. Coronavirus Disease among Workers in Food Processing, Food Manufacturing, and Agriculture Workplaces. Emerg. Infect. Dis. 27. <https://doi.org/10.3201/eid2701.203821>
- Weill, J.A., Stigler, M., Deschenes, O., Springborn, M.R., 2020. Social distancing responses to COVID-19 emergency declarations strongly differentiated by income. Proc. Natl. Acad. Sci. <https://doi.org/10.1073/pnas.2009412117>

SUPPLEMENTARY TABLES

Supplementary Table 1 – Data Availability and Sources

United States					
State	County	Availability	Link	Neighborhood Definition	Note
AL	Jefferson County	Yes	https://www.arcgis.com/home/item.html?id=85b82ddb549410dab07ee2d3bfae041	Merged ZCTA	
AZ	Maricopa County	Yes	https://adhsgis.maps.arcgis.com/apps/opsdashboard/index.html#/84b7f701060641ca8bd9ea0717790906	ZCTA	
CA	Alameda County	Yes	https://data.acgov.org/datasets/3d33bbc4f6c9466099ccb514a62c592f_0/data	ZCTA	
CA	Los Angeles County	No	http://dashboard.publichealth.lacounty.gov/covid19_surveillance_dashboard/		Only available at “community” level which are large areas with substantial populations
CA	Orange County	Yes	https://ochca.maps.arcgis.com/apps/opsdashboard/index.html#/2a169f85c2254dd7b43f95b095208356	ZCTA	
CA	Riverside County	No			
CA	Sacramento County	Yes	https://sac-epidemiology.maps.arcgis.com/apps/webappviewer/index.html?id=ad477bb955dc49e78d0a19b78bbd09dd	ZCTA	
CA	San Diego County	Yes	https://www.arcgis.com/apps/opsdashboard/index.html#/96feda77f12f46638b984fcb1d17bd24	ZCTA	
CA	San Francisco County	Yes	https://data.sfgov.org/COVID-19/COVID-19-Cases-and-Deaths-Summarized-by-ZIP-Code-T/tef6-3vsw/data	ZCTA	
CA	Santa Clara County	Yes	https://www.sccgov.org/sites/covid19/Pages/dashboard-cases-by-zip-code-and-city.aspx	ZCTA	

CO	Denver County	No	https://storymaps.arcgis.com/stories/50dbb5e7dfb6495292b71b7d8df56d0a	Municipal	No cumulative data was available
CT	Hartford County	No			
DC	District of Columbia	Yes	https://coronavirus.dc.gov/page/coronavirus-data	Municipal	
FL	Duval County	Yes	https://experience.arcgis.com/experience/96dd742462124fa0b38ddedb9b25e429	ZCTA	
FL	Hillsborough County	Yes	https://experience.arcgis.com/experience/96dd742462124fa0b38ddedb9b25e429	ZCTA	
FL	Miami-Dade County	Yes	https://experience.arcgis.com/experience/96dd742462124fa0b38ddedb9b25e429	ZCTA	
FL	Orange County	Yes	https://experience.arcgis.com/experience/96dd742462124fa0b38ddedb9b25e429	ZCTA	
FL	Pinellas County	Yes	https://experience.arcgis.com/experience/96dd742462124fa0b38ddedb9b25e429	ZCTA	
GA	Fulton County	Yes	https://www.fultoncountyga.gov/covid-19/epidemiology-reports	ZCTA	
IL	Cook County	Yes	https://www.dph.illinois.gov/covid19/covid19-statistics	ZCTA	
IN	Marion County	Yes	https://datavizpublic.in.gov/views/COVID-19CaseCountsbyZip/COVID-19CaseCountsbyZipCode?:showAppBanner=false&:displaycount=n&:showVizHome=n&:origin=viz_share_link&:isGuestRedirectFromVizportal=y&:embed=y	ZCTA	
KY	Jefferson County	Yes	https://covid-19-in-jefferson-county-ky-lojic.hub.arcgis.com/	ZCTA	
LA	Orleans Parish	Yes	https://ldh.la.gov/coronavirus/	CT	
MD	Baltimore city	Yes	https://services.arcgis.com/njFNhDsUCentVYJW/ArcGIS/rest/services/MDH_COVID_19_Dashboard_Feature_Layer_ZIP_Codes_MEMA/FeatureServer	ZCTA	
MA	Suffolk County	Yes	https://bphc.org/whatwedo/infectious-diseases/Infectious-Diseases-A-to-Z/covid-19/Pages/default.aspx	Merged ZCTA	Boston only

MI	Kent County	Yes	https://www.accesskent.com/Health/covid-19-data.htm	ZCTA	
MI	Wayne County	Yes	https://codtableau.detroitmi.gov/t/DHD/views/CityofDetroit-PublicCOVIDDashboard/ZIPCodeCaseDashboard?%3AisGuestRedirectFromVizportal=y&%3Aembed=y	ZCTA	Detroit only
MN	Hennepin County	Yes	https://www.health.state.mn.us/diseases/coronavirus/stats/index.html#wmapcz1	ZCTA	
MN	Ramsey County	Yes	https://www.health.state.mn.us/diseases/coronavirus/stats/index.html#wmapcz1	ZCTA	
MO	Jackson County	Yes	https://data.kcmo.org/Health/COVID-19-Data-by-ZIP-Code/98fz-2jyt	ZCTA	
MO	St. Louis city	Yes	https://www.stlouis-mo.gov/government/departments/health/communicable-disease/covid-19/data/zip.cfm	ZCTA	
NV	Clark County	Yes	https://www.southernnevadahealthdistrict.org/covid-19-case-count-archive/	ZCTA	
NJ	Essex County	No	https://newarkcovid19.com/data	ZCTA	Only 5 ZCTAs available
NJ	Hudson County	No			
NJ	Union County	No			
NY	Bronx County	Yes	https://github.com/nychealth/coronavirus-data	ZCTA	
NY	Erie County	Yes	https://erieny.maps.arcgis.com/apps/opsdashboard/index.html#/dd7f1c0c352e4192ab162a1dfadc58e1		
NY	Kings County	Yes	https://github.com/nychealth/coronavirus-data		
NY	Monroe County	Yes	https://mappingmonroe.maps.arcgis.com/apps/opsdashboard/index.html#/217749730f174776a3896b3e8950e03b		
NY	New York County	Yes	https://github.com/nychealth/coronavirus-data		

NY	Queens County	Yes	https://github.com/nychealth/coronavirus-data		
NY	Richmond County	Yes	https://github.com/nychealth/coronavirus-data		
NC	Mecklenburg County	Yes	https://covid19.ncdhhs.gov/dashboard/about-data		
NC	Wake County	Yes	https://covid19.ncdhhs.gov/dashboard/about-data		
OH	Cuyahoga County	No			
OH	Franklin County	No	https://public.tableau.com/views/COVID-19OutbreakSummary_15918845768300/COVID19Summary_p3?%3Adisplay_count=y&%3Aorigin=viz_share_link&%3AshowVizHome=no		Only ranges available
OH	Hamilton County	Yes	https://www.cincinnati-oh.gov/covid19/interactive-map/		Cincinnati only
OK	Oklahoma County	Yes	https://looker-dashboards.ok.gov/embed/dashboards/63		
OR	Multnomah County	Yes	https://govstatus.egov.com/OR-OHA-COVID-19		
PA	Allegheny County	Yes	https://www.health.pa.gov/topics/disease/coronavirus/Pages/Cases.aspx		
PA	Philadelphia County	Yes	https://www.phila.gov/programs/coronavirus-disease-2019-covid-19/testing-and-data/		
RI	Providence County	Yes	https://docs.google.com/spreadsheets/d/1c2QrNMz8pIbYEKzMJL7Uh2dtThOJa2j1sSMwiDo5Gz4/edit#gid=365656702		
TN	Davidson County	No			
TN	Shelby County	No			
TX	Bexar County	Yes	https://cosacovid-cosagis.hub.arcgis.com/		
TX	Collin County	Yes	https://www.arcgis.com/home/item.html?id=7613cfca189845c3aef6a0ed254908b8#overview		

TX	Dallas County	Yes	https://covid-analytics-pccinnovation.hub.arcgis.com/		
TX	Harris County	Yes	https://harriscounty.maps.arcgis.com/apps/opsdashboard/index.html#/31370c72d3844e6b962fcf8490718821		
TX	Tarrant County	Yes	https://www.arcgis.com/home/item.html?id=6cc464b336164989860bb3687cd3a071#overview		
TX	Travis County	Yes	https://austin.maps.arcgis.com/apps/opsdashboard/index.html#/39e4f8d4acb0433baae6d15a931fa984		
UT	Salt Lake County	Yes	https://slco.org/health/COVID-19/data/		
VA	Arlington County	Yes	https://data.virginia.gov/Government/VDH-COVID-19-PublicUseDataset-ZIPCode/8bkr-zfqv		
VA	Alexandria city	Yes	https://data.virginia.gov/Government/VDH-COVID-19-PublicUseDataset-ZIPCode/8bkr-zfqv		
VA	Norfolk city	Yes	https://data.virginia.gov/Government/VDH-COVID-19-PublicUseDataset-ZIPCode/8bkr-zfqv		
VA	Richmond city	Yes	https://data.virginia.gov/Government/VDH-COVID-19-PublicUseDataset-ZIPCode/8bkr-zfqv		
VA	Virginia Beach city	Yes	https://data.virginia.gov/Government/VDH-COVID-19-PublicUseDataset-ZIPCode/8bkr-zfqv		
WA	King County	Yes	https://www.kingcounty.gov/depts/health/covid-19/data/daily-summary.aspx		
WI	Milwaukee County	Yes	https://hub.arcgis.com/datasets/wi-dhs::covid-19-data-by-census-tract/data		
Canada					
Province	City	Availability	Link	Neighborhood Definition	Note
BC	Vancouver	No			
ON	Toronto	Yes	https://open.toronto.ca/dataset/covid-19-cases-in-toronto/	Municipal	
QC	Montreal	Yes	https://santemontreal.qc.ca/en/public/coronavirus-covid-19/situation-of-the-coronavirus-covid-19-in-montreal/	Municipal	
AB	Calgary	No			

Supplementary Table 2 – Cumulative Test, Incidence and Death Proportions by Urban County / City

Urban Area	Cases	Tests	Deaths	Population	Cumulative Test Rate per 100 (95% CI)	Cumulative Incidence Rate per 100,000 (95% CI)	Death Rate per 100,000 (95% CI)	Positivity Rate
Maricopa County, AZ	136994	-	-	4325769	-	3166.93 (3150.18, 3183.74)	-	-
Alameda County, CA	19295	433921	-	1643825	26.40 (26.32, 26.45)	1173.79 (1157.28, 1190.47)	-	4.45 (4.38, 4.51)
Orange and San Diego Counties, CA	88237	-	1035	6553139	-	1346.48 (1337.61, 1355.40)	15.79 (14.85, 16.79)	-
Sacramento County, CA	18780	-	-	1508357	-	1245.06 (1227.32, 1263.00)	-	-
San Francisco and Santa Clara Counties, CA	28509	-	89	2768625	-	1029.72 (1017.80, 1041.74)	3.21 (2.58, 3.96)	-
Duval County, FL	28999	-	-	967181	-	2998.3 (2963.89, 3033.01)	-	-
Orange County, FL	38329	-	-	1415274	-	2708.24 (2681.19, 2735.49)	-	-
Miami-Dade County, FL	162300	-	-	2715526	-	5976.74 (5947.70, 6005.89)	-	-
Hillsborough and Pinellas Counties, FL	60753	-	-	2420687	-	2509.74 (2489.82, 2529.78)	-	-
Fulton County, GA	24049	-	-	1017566	-	2363.38 (2333.61, 2393.45)	-	-
Cook County, IL	138852	1845575	-	5532272	33.36 (33.31, 33.41)	2509.85 (2496.67, 2523.09)	-	7.52 (7.48, 7.56)

Marion County, IN	17860	-	-	1001224	-	1783.82 (1757.75, 1810.17)	-	-
Jefferson County, KY	12838	-	-	765575	-	1676.91 (1648.03, 1706.17)	-	-
Baltimore County, MD	23336	-	-	1027396	-	2271.37 (2242.32, 2300.71)	-	-
Ramsey and Hennepin Counties, MN	37322	-	-	1955088	-	1908.97 (1889.65, 1928.43)	-	-
Kansas City, MO	6650	65713	-	340595	19.29 (19.15, 19.44)	1952.46 (1905.82, 1999.97)	-	10.12 (9.88, 10.37)
St Louis County, MO	6442	-	-	312358	-	2062.38 (2012.32, 2113.37)	-	-
Clark County, NV	60940	-	-	2141583	-	2845.56 (2823.01, 2868.24)	-	-
Erie County, NY	10135	-	-	913920	-	1108.96 (1087.47, 1130.76)	-	-
Monroe County, NY	5436	-	-	743595	-	731.04 (711.74, 750.74)	-	-
Wake County, NC	20524	-	264	1249624	-	1642.41 (1620.02, 1665.04)	21.13 (18.65, 23.83)	-
Mecklenburg County, NC	27431	-	346	1107116	-	2477.7 (2448.46, 2507.2)	31.25 (28.05, 34.73)	-
Oklahoma County, OK	15656	-	175	841965	-	1859.46 (1830.45, 1888.82)	20.78 (17.82, 24.1)	-
Multnomah County, OR	2639	-	-	992484	-	265.9 (255.85, 276.24)	-	-
Philadelphia County, PA	35205	355948	1761	1575729	22.59 (22.52, 22.66)	2234.2 (2210.93, 2257.67)	111.76 (106.6, 117.1)	9.89 (9.79, 9.99)
Alleghany County, PA	11846	178215	-	1408425	12.65 (12.60, 12.71)	841.08 (826.00, 856.37)	-	6.65 (6.53, 6.77)

Providence County, RI	17574	-	-	667425	-	2633.11 (2594.32, 2672.33)	-	-
Bexar County, TX	40861	-	-	1926908	-	2120.55 (2100.04, 2141.21)	-	-
Collin, Dallas, and Tarrant Counties, TX	121746	-	-	6316898	-	1927.31 (1916.5, 1938.16)	-	-
Harris County, TX	116927	-	1575	4593398	-	2545.54 (2530.98, 2560.18)	34.29 (32.62, 36.02)	-
Travis County, TX	27010	-	-	1202776	-	2245.64 (2218.94, 2272.58)	-	-
Washington, D.C. and Arlington and Alexandria Counties, VA	22640	410034	-	1129965	36.29 (36.18, 36.40)	2003.60 (1977.59, 2029.87)	-	5.52 (5.45, 5.59)
Richmond County, VA	7712	108500	-	379033	28.63 (28.46, 28.80)	2034.65 (1989.49, 2080.58)	-	7.11 (6.95, 7.27)
Virginia and Norfolk Counties, VA	10550	153256	-	695654	22.03 (21.92, 22.14)	1516.56 (1487.76, 1545.78)	-	6.88 (6.75, 7.02)
King County, WA	20132	378045	-	2163584	17.47 (17.42, 17.53)	930.49 (917.68, 943.44)	-	5.33 (5.25, 5.4)
Kent County, MI	8108	-	-	642064	-	1262.80 (1235.46, 1290.59)	-	-
City of Detroit, MI	13037	-	1439	701564	-	1858.28 (1826.51, 1890.45)	205.11 (194.65, 215.99)	-
City of Cincinnati, OH	5101	-	101	473213	-	1077.95 (1048.57, 1107.95)	21.34 (17.38, 25.93)	-
Salt Lake County, UT	24347	-	-	1120013	-	2173.81 (2146.59, 2201.29)	-	-
Milwaukee County, WI	15245	143797	-	914044	15.73 (15.65, 15.81)	1667.86 (1641.49, 1694.55)	-	10.6 (10.43, 10.77)

New Orleans Parish, LA	10305	168238	-	389648	43.18 (42.97, 43.38)	2644.69 (2593.88, 2696.26)	-	6.13 (6.01, 6.24)
Jefferson County, AL	18037	-	-	661217	-	2727.85 (2688.18, 2767.95)	-	
New York City, NY	227344	2171108	19081	8443637	25.71 (25.68, 25.75)	2692.49 (2681.43, 2703.58)	225.98 (222.79, 229.21)	10.47 (10.43, 10.51)
City of Boston, MA	15846	-	-	673934	-	2351.27 (2314.8, 2388.17)	-	-
City of Toronto, ON, Canada	15783	-	1133	2731571	-	577.80 (568.82, 586.89)	41.48 (39.1, 43.97)	-
City of Montréal, QC, Canada	29811	-	3421	1941700	-	1535.30 (1517.92, 1552.83)	176.19 (170.33, 182.19)	-

Supplementary Table 3: Cumulative Incidence Rate Ratios for cases and deaths for quintiles of area-based socioeconomic measures, from multilevel Poisson models, among urban regions that have data for both outcomes

Variable	Quintile	Cases RR (95% CI)	Deaths RR (95% CI)
Median Household Income	Q5 (Most privileged)	Ref	Ref
	Q4	1.39 (1.26, 1.54)	1.86 (1.54, 2.26)
	Q3	1.52 (1.38, 1.69)	2.12 (1.75, 2.56)
	Q2	1.88 (1.7, 2.08)	2.68 (2.22, 3.23)
	Q1 (Most deprived)	2.09 (1.89, 2.31)	3.18 (2.65, 3.84)
Percentage non-white population	Q1 (Most privileged)	Ref	Ref
	Q2	1.25 (1.13, 1.39)	1.84 (1.51, 2.24)
	Q3	1.5 (1.35, 1.66)	1.94 (1.6, 2.36)
	Q4	1.75 (1.58, 1.94)	2.36 (1.95, 2.87)
	Q5 (Most deprived)	2 (1.81, 2.22)	2.77 (2.29, 3.36)
ICE Income + Race	Q5 (Most privileged)	Ref	Ref
	Q4	1.36 (1.23, 1.51)	2.46 (2.08, 2.92)
	Q3	1.54 (1.39, 1.7)	2.37 (2, 2.81)
	Q2	1.71 (1.55, 1.9)	2.89 (2.44, 3.42)
	Q1 (Most deprived)	2.07 (1.87, 2.28)	3.59 (3.05, 4.24)
ICE Race + Working Class	Q5 (Most privileged)	Ref	Ref
	Q4	1.19 (1.08, 1.32)	1.70 (1.42, 2.04)
	Q3	1.47 (1.32, 1.62)	2.08 (1.74, 2.49)
	Q2	1.62 (1.46, 1.80)	2.45 (2.05, 2.93)
	Q1 (Most deprived)	1.97 (1.78, 2.18)	2.98 (2.51, 3.56)

Supplementary Table 4: Cumulative Incidence Rate Ratios for cases and tests for quintiles of area-based socioeconomic measures, from multilevel Poisson models, among urban regions that have data for both outcomes

Variable	Quintile	Cases RR (95% CI)	Tests RR (95% CI)
Median Household Income	Q5 (Most privileged)	Ref	Ref
	Q4	1.25 (1.13, 1.38)	0.92 (0.84, 1.02)
	Q3	1.49 (1.36, 1.65)	0.87 (0.79, 0.96)
	Q2	1.66 (1.51, 1.84)	0.86 (0.78, 0.95)
	Q1 (Most deprived)	1.93 (1.75, 2.12)	0.93 (0.84, 1.02)
Percentage non-white population	Q1 (Most privileged)	Ref	Ref
	Q2	1.24 (1.12, 1.36)	1.07 (0.97, 1.18)
	Q3	1.44 (1.31, 1.58)	1.05 (0.95, 1.16)
	Q4	1.74 (1.58, 1.92)	0.97 (0.88, 1.07)
	Q5 (Most deprived)	2.09 (1.91, 2.3)	1.00 (0.91, 1.1)
ICE Income + Race	Q5 (Most privileged)	Ref	Ref
	Q4	1.21 (1.1, 1.34)	0.91 (0.82, 1)
	Q3	1.56 (1.41, 1.71)	0.9 (0.82, 0.99)
	Q2	1.69 (1.53, 1.86)	0.85 (0.77, 0.94)
	Q1 (Most deprived)	2.03 (1.85, 2.23)	0.92 (0.83, 1.01)
ICE Race + Working Class	Q5 (Most privileged)	Ref	Ref
	Q4	1.26 (1.15, 1.39)	0.81 (0.73, 0.89)
	Q3	1.40 (1.27, 1.54)	0.79 (0.72, 0.87)
	Q2	1.83 (1.66, 2.02)	0.78 (0.71, 0.87)
	Q1 (Most deprived)	1.93 (1.76, 2.12)	0.77 (0.70, 0.85)