Internal medicine clerkship amidst COVID-19 pandemic: clinical learning experience of undergraduate medical students at Makerere University, Uganda: a cross-sectional study

Short title: Impact of COVID-19 on internal medicine clerkship

Felix Bongomin^{1,2}, Ronald Olum², Lydia Nakiyingi¹, Lalitha Rejani¹, Isaac Ssinabulya^{1,3}, Christine Sekaggya-Wiltshire^{1,4}, Ponsiano Ocama¹, Pauline Byakika-Kibwika^{1*}

¹Department of Medicine, College of Health Sciences, Makerere University, Kampala, Uganda, ²Department of Medical Microbiology and Immunology, Faculty of Medicine, Gulu University, Gulu, Uganda, ³Uganda Heart Institute, Mulago National Referral Hospital, Kampala, Uganda. ⁴Directorate of Medicine, Mulago National Referral Hospital, Kampala, Uganda

*Correspondence:

Pauline Byakika-Kibwika

Department of Medicine, Makerere University

E-mail: pbyakika@gmail.com

26 **Highlights**

- 27 1. Nearly half of the medical students reported a negative clinical
28 learning experience during their internal medicine clerkship in the
29 COVID-19 pandemic.
- 30 2. Over two-thirds of the participants expressed that it was difficult to
31 observe COVID-19 prevention standard operating procedures during
32 their clinical rotations.
- 33 3. Over 80% of the medical students felt at risk of contracting COVID-19
34 during their clinical rotation.
- 35 4. About one-third of the medical students reported inadequacy in
36 personal protective equipment like masks during their rotation.

37

38 ABSTRACT

39 **Background:** The coronavirus-2019 (COVID-19) pandemic continues to
40 impose a significant impact on medical education. We aimed to describe the
41 clinical learning experience of undergraduate medical students undertaking
42 internal medicine clerkship during the COVID-19 pandemic at Makerere
43 University, Uganda.

44 **Methods:** A descriptive, cross-sectional study among medical students in
45 clinical years of study pursuing the Bachelor of Medicine and Bachelor of
46 Surgery undergraduate degree program was conducted in November 2020.
47 Only 3rd (junior clerks) and 5th (senior clerks) year medical students whose
48 internal medicine clerkships were interrupted by the COVID-19 pandemic
49 were studied.

50 **Results:** Data of 188 (95%) eligible clinical year students; junior (101,
51 54.0%) and senior (86, 46.0%) were analysed. Median age was 24 (range: 22-
52 42) years. Majority (70.1%) were male and Ugandan nationals (94.1%).
53 Sixty-four (30.3%) students reported inadequate personal protective
54 equipment, 152 (81.7%) felt at risk of contracting COVID-19, and 127
55 (67.9%) said it was difficult to observe COVID-19 standard operating
56 procedures. Twenty-two students (11.9%) were discouraged from pursuing a
57 career in internal medicine. Overall, most students reported good or
58 excellent clinical experience pre-COVID-19 era compared to during the
59 COVID-19 era (4.0 vs. 3.5, $p<0.0001$). Senior clerks significantly believed
60 that the time allocated for the rotation was adequate ($p<0.0001$) and they

61 were able to complete their study objectives ($p < 0.001$), compared to the
62 junior clerks. Senior clerks believed that learning was difficult when
63 combined with junior clerks ($p = 0.013$). About half of the students (51.4%,
64 $n = 95$) reported clinical teaching should remain as it was in the pre-COVID-
65 19 era.

66 **Conclusions:** The COVID-19 pandemic has had a significantly negative
67 effect on the clinical learning experience of the students. There is need to
68 review the current teaching and learning methods to suit teaching and
69 learning during pandemics of highly infectious diseases to ensure safe and
70 effective learning experience.

71 **Keywords:** Clinical Learning Experience, COVID-19, Internal Medicine,
72 Makerere University

73 INTRODUCTION

74 The on-going coronavirus disease -2019 (COVID-19) pandemic, caused by
75 the novel severe acute respiratory syndrome-coronavirus-2 (SARS-CoV-2)
76 continues to be a global crisis with devastating effects across all sectors,
77 including healthcare and medical education [1,2]. Within a year, the highly
78 infectious SARS-CoV-2 virus has rapidly spread in all continents of the
79 world infecting over 74 million persons resulting in approximately 1.6
80 million deaths worldwide [3]. Preventive approaches such as physical
81 distancing, wearing of face masks, and observing respiratory and hand
82 hygiene remains the mainstay of averting the spread of the virus [4–6].

83 Healthcare systems across the world have been over-stretched by the
84 increasing number of patients with COVID-19 [7]. In fact, in some countries
85 hit-hard by the pandemic, medical students in their final clinical year of
86 medical training were fast-tracked to graduate to boost the existing
87 healthcare workforce [8]. Medical students are experiencing this unique
88 training environment for the first time during their clinical training. The
89 impact of this situation on their acquisition of clinical knowledge and skills
90 and how this may affect their future career choices remains elusive.

91 In Uganda, as lockdown was being eased, following standard operating
92 procedures (SOPs) outlined by the Ministry of Health, medical students in
93 their clinical years of training at Makerere University were allowed back on
94 the hospital wards to continue with their clinical learning in early October
95 2020 [9].

As the number of COVID-19 cases in Uganda continues to exponentially increase in excess of 28,168 cases with over 225 deaths including frontline healthcare workers [3], the fear of contracting the disease from patients may have a significant effect on the learning experience of medical students. The teachers were concerned that students' acquisition of clinical skills competence may be compromised as patient access is limited and some of the routine clinical examination procedures could be affected by the standard operating procedures for preventing COVID-19 transmission.

The clinical learning experience of the medical students during the pandemic in Uganda is poorly understood and not documented. We therefore aimed to describe the clinical learning experience of medical students who undertook internal medicine clerkship during the pandemic at Makerere University, Uganda.

MATERIALS AND METHODS

Study design and period

This was a descriptive, cross-sectional study conducted in the last week of November 2020.

Study settings

The study was conducted at the Department of Medicine, School of Medicine, Makerere University College of Health Sciences (MakCHS). MakCHS is located at Mulago Hospital Complex, Mulago Hill, 5 kilometres North-East of Kampala, Uganda's Capital. MakCHS has four schools offering

12 undergraduate degree programs with a population of approximately 2,000 students as of Academic Year 2019/2020. The duration of study ranges from 3 years to 5 years depending on the courses offered. Students on the Bachelor of Medicine and Bachelor of Surgery (MBChB) degree program take a minimum of 5 years to complete their training. There are about 200 5th year (senior clerks) and 180 3rd year (junior clerks) students in the academic year 2019/2020 undertaking the MBChB program. The students for junior and senior clerkship rotations are divided into 4 groups, with each semester having 2 groups rotating in internal medicine each for a period of 7.5 weeks.

128 **Study population**

129 All 3rd and 5th Year MBChB students who undertook the internal medicine rotation during the October –November 2020 clinical clerkship period were included in the study after informed consent was obtained.

132 **Data collection**

133 We employed purposive sampling. For the quantitative study, paper-printed semi-structured questionnaires were self-administered. Data was collected immediately after candidates wrote their final internal medicine theory exams. In all settings during data collection, COVID-19 standard operating procedures (SOPs) as outlined by Ministry of Health, Uganda [9] were observed.

140

141 **Study variables**

142 Independent variables were demographic characteristics including sex, age,
143 year of study, and nationality. Dependent variables were teaching and
144 learning experience and challenges to clinical clerkship during COVID-19
145 pandemic. A 5-point Likert scale (very poor [1], poor, fair, good and excellent
146 [5] OR strongly agree [5], agree, neutral, disagree and strongly disagree [1])
147 was used to evaluate overall learning experience of the learners during the
148 study period. The study questionnaire was adapted from a previously
149 validated and published tool [10].

150 **Statistical analyses**

151 Data from completed questionnaires were entered into Microsoft Excel 2016
152 for cleaning and coding and later exported to STATA version 16.0 for
153 analyses. Numerical data were summarized as means and standard
154 deviations if normally distributed and medians and ranges if non-normally
155 distributed. Categorical data were summarized as frequencies and
156 percentages. Associations between independent variables and dependent
157 variables were assessed using parametric or non-parametric tests and
158 multivariable analysis as appropriate. Internal reliability of each of the
159 questions was assessed using Cronbach alpha reliability test. A $P < .05$ was
160 considered statistically significant.

161

162

163 **RESULTS**

164 **Characteristics of participants**

165 All 201 eligible medical students completed the survey (response rate=
166 100%). However, 13 participants had incomplete questionnaires and were
167 therefore excluded from the final analysis.

168 Overall, data of 188 medical students with a median age of 24 (interquartile
169 range: 21 to 40) years were analysed (**Table 1**). Majority of the participants
170 were Ugandans (94.2%, n=177), male (70.7%, n=133) and residing in
171 university halls (50%, n=94). About 72% (n=161) of the participants got food
172 from nearby restaurants and the median daily expenditure on food was
173 5,000 Uganda Shillings (~1.4 US dollars (USD)). Only 110 (58.5%) medical
174 students used the bus provided by the university whereas the others spent a
175 median amount of 10,000 UGX (~2.3 USD) daily on transport to the
176 hospital.

177

178

179

180

181

Table 1. Social and demographic characteristics of the participants

Demographic (N=188)	Frequency	%
Sex		
Male	133	70.7
Female	55	29.3
Age (median, range)		
20 to 24	113	60.1
25 to 42	75	39.9
Year of study		
III	101	53.7
V	87	46.3
Current residence		
University Hall	94	50.0
Home	46	24.5
Hostel	28	14.9
Rentals	20	10.6
Nationality		
Ugandan	177	94.2
International	11	5.9
Ward attached to		
Infectious Disease	36	19.1
Haematology	26	13.8
Pulmonology	20	10.6
Gastroenterology	22	11.7
Endocrinology	20	10.6
Neurology	21	11.2
Cardiology	18	9.6
Nephrology	17	9.0
General internal medicine	8	4.3
Source of food while at the hospital (n=186)		
Restaurant around the hospital	134	72.0
None (did not have meals)	37	19.9
Packed food from home	15	8.1
Median mount spent daily on food (UGX, n=161), range	5,000	1,000 to 50,000
Transport to the hospital (multiple options)		

University bus	110	58.5
Public transport	88	46.8
Private transport	48	25.5
Median mount spent daily on transport (UGX, n=132), Range	10,000	2000 to 80,000

185

186 **Learning experience during the COVID-19 pandemic.**

187 **Table 2** summarizes the experiences of medical students during internal
 188 medicine rotation amidst the pandemic. The mean experience scores for
 189 most items assessed were ≥ 4 indicating good experiences for the respective
 190 items assessed (**Table 3**).

191 Of concern, experiences on opportunities for outpatient contacts (mean:
 192 2.8 ± 1.2), emergency care contacts (mean: 3.0 ± 1.0) and teaching from nurses
 193 (mean: 2.9 ± 1.1) were generally poor. On bivariate analysis (**Table 3**), senior
 194 clerks had better experiences in most of the items assessed. Experiences
 195 were significantly better among senior clerks than junior clerks for
 196 performing physical examinations ($P = 0.019$), ward procedures ($P = 0.006$),
 197 opportunities for self-study ($P = 0.001$), opportunities for peer discussions
 198 ($P = 0.008$), emergency care contacts ($P = 0.013$), and teaching from nurses
 199 ($P = 0.026$).

200

Table 2. Learning experiences of medical student during internal medicine clerkship amidst COVID-19 pandemic.

Experiences (Cronbach = 0.78)	n	Excellent, n (%)	Good, n (%)	Fair, n (%)	Poor, n (%)	Very Poor, n (%)
Clinical supervision by university lecturers	184	43 (23.4)	112 (60.9)	23 (12.5)	5 (2.7)	1 (0.5)
Patient-centred learning	186	76 (40.9)	80 (43)	27 (14.5)	2 (1.1)	1 (0.5)
Team work	187	69 (36.9)	99 (52.9)	18 (9.6)	0 (0)	1 (0.5)
Learning efforts	183	44 (24)	112 (61.2)	26 (14.2)	1 (0.5)	0 (0)
Quality of teaching	184	41 (22.3)	94 (51.1)	43 (23.4)	6 (3.3)	0 (0)
Taking history from patients.	186	57 (30.6)	108 (58.1)	18 (9.7)	3 (1.6)	0 (0)
Experience while performing physical examinations	182	25 (13.7)	110 (60.4)	41 (22.5)	6 (3.3)	0 (0)
Ward procedures such as cannulation	185	62 (33.5)	86 (46.5)	27 (14.6)	7 (3.8)	3 (1.6)
Opportunities for outpatient training	185	9 (4.9)	48 (25.9)	52 (28.1)	44 (23.8)	32 (17.3)
Opportunities for inpatient training	180	75 (41.7)	71 (39.4)	26 (14.4)	5 (2.8)	3 (1.7)
Opportunities for self-learning and self-study time.	187	34 (18.2)	83 (44.4)	46 (24.6)	16 (8.6)	8 (4.3)
Opportunities for learning in the emergency department	183	7 (3.8)	53 (29)	63 (34.4)	47 (25.7)	13 (7.1)
Opportunities for training in the laboratory	183	33 (18)	74 (40.4)	53 (29)	15 (8.2)	8 (4.4)
Opportunities for discussing with fellow students.	185	54 (29.2)	79 (42.7)	35 (18.9)	11 (5.9)	6 (3.2)
Teaching from nurses	180	8 (4.4)	56 (31.1)	52 (28.9)	26 (14.4)	38 (21.1)
Teaching from Senior House officers (SHOs)	186	74 (39.8)	70 (37.6)	19 (10.2)	13 (7)	10 (5.4)
Teaching during mini rounds.	186	42 (22.6)	88 (47.3)	37 (19.9)	9 (4.8)	10 (5.4)
Teaching during grand rounds.	184	34 (18.5)	90 (48.9)	40 (21.7)	11 (6)	9 (4.9)
Overall learning experience during the rotation	187	20 (10.7)	128 (68.4)	34 (18.2)	5 (2.7)	0 (0)

Table 3. Mean experience scores of medical students during internal medicine rotation amidst COVID-19 pandemic.

Experiences (Cronbach = 0.78)	Overall Mean (SD)	Year III Mean (SD)	Year IV Mean (SD)	p-value
Clinical supervision by university lecturers	4.0 (0.7)	4.1 (0.7)	4.0 (0.7)	0.698
Patient-centred learning	4.2 (0.8)	4.2 (0.8)	4.3 (0.7)	0.389
Team work	4.3 (0.7)	4.3 (0.6)	4.2 (0.7)	0.548
Learning efforts	4.1 (0.6)	4.0 (0.6)	4.2 (0.7)	0.097
Quality of teaching	3.9 (0.8)	3.8 (0.8)	4.0 (0.7)	0.146
Taking history from patients.	4.2 (0.7)	4.2 (0.6)	4.2 (0.7)	0.662
Experience while performing physical examinations	3.8 (0.7)	3.7 (0.7)	4.0 (0.6)	0.019
Ward procedures such as cannulation	4.1 (0.9)	3.9 (0.9)	4.2 (0.8)	0.006
Opportunities for outpatient training	2.8 (1.2)	2.7 (1.3)	2.9 (1.0)	0.243
Opportunities for inpatient training	4.2 (0.9)	4.1 (0.9)	4.3 (0.8)	0.145
Opportunities for self-learning and self-study time.	3.6 (1.0)	3.4 (1.1)	3.9 (0.9)	0.001
Opportunities for learning in the emergency department	3.0 (1.0)	2.8 (1.0)	3.2 (1.0)	0.013
Opportunities for training in the laboratory	3.6 (1.0)	3.5 (1.0)	3.7 (1.0)	0.171
Opportunities for discussing with fellow students.	3.9 (1.0)	3.7 (1.1)	4.1 (0.8)	0.008
Teaching from nurses	2.9 (1.1)	2.7 (1.1)	3.1 (1.2)	0.026
Teaching from SHOs/MOs	4.0 (1.1)	3.9 (1.2)	4.1 (1.0)	0.633
Teaching during mini rounds.	3.8 (1.0)	3.9 (1.0)	3.7 (1.0)	0.132
Teaching during grand rounds.	3.7 (1.0)	3.7 (1.1)	3.7 (0.9)	0.839

Attitudes towards internal medicine rotation during COVID-19 pandemic.

The majority of participants reported feeling safe with and having opportunity to learn from their senior or junior counterparts (Table 4). Overall, 81.7% (n=152) of the medical students felt at risk of contracting COVID-19 during the rotation and more than two-thirds (67.9%, n=127) agreed that it was difficult to follow the standard operating procedures for control of COVID-19 while clerking patients. In addition, about one-third (34.2%) felt that they did not have adequate personal protective equipment during the rotation. However, 124 participants (67.8%) agreed that they had a sufficient number of patients for them to learn from during the rotation. Notably, 86 participants (46%) agreed that assessments by tutors were difficult when senior and junior clerks were combined together. About one fifth of the medical students (11.9%, n=22) felt discouraged from pursuing a career in Internal Medicine during the rotation.

Table 5 summarizes the mean attitude scores for each of the items assessed. Overall, attitudes were moderately positive for most of the items. On bivariate analysis (Table 5), senior clerks significantly believed that the time allocated for the rotation was adequate ($P<.0001$) and they were able to complete their study objectives ($P<.001$), compared to their junior counterparts. Senior clerks also significantly believed that learning is difficult when combined with junior clerks (mean attitude score: 3.0 vs 2.5, $P=0.013$).

Table 4. Attitudes of medical students towards internal medicine rotation amidst the COVID-19 pandemic.

Attitudes during COVID-19 (Cronbach = 0.71)	n	Strongly agree, n (%)	Agree n (%)	Neutral n (%)	Disagree n (%)	Strongly disagree, n (%)
I have the opportunity to learn from my senior or junior counterparts.	187	83 (44.4)	86 (46)	10 (5.3)	6 (3.2)	2 (1.1)
I feel safe around my senior or junior counterparts.	187	81 (43.3)	84 (44.9)	15 (8)	6 (3.2)	1 (0.5)
I can comfortably share patients with my senior or junior counterparts.	185	90 (48.6)	70 (37.8)	15 (8.1)	8 (4.3)	2 (1.1)
I felt at risk of contracting COVID-19 during the rotation.	186	75 (40.3)	77 (41.4)	16 (8.6)	13 (7)	5 (2.7)
The patients were cooperative during my clerkship.	186	56 (30.1)	94 (50.5)	30 (16.1)	4 (2.2)	2 (1.1)
I was able to attend all bedside teachings organized in my ward.	185	76 (41.1)	67 (36.2)	15 (8.1)	22 (11.9)	5 (2.7)
I was able to interact with the seniors effectively during my rotation.	186	42 (22.6)	87 (46.8)	32 (17.2)	17 (9.1)	8 (4.3)
I was able to attend online sessions organized by the lecturers.	182	52 (28.6)	73 (40.1)	21 (11.5)	26 (14.3)	10 (5.5)
It was difficult to observe COVID-19 SOPs while clerking patients appropriately.	187	46 (24.6)	81 (43.3)	28 (15)	25 (13.4)	7 (3.7)
Patients are always enough for all the students to clerk.	183	60 (32.8)	64 (35)	25 (13.7)	28 (15.3)	6 (3.3)
I was able to complete all my study objectives during the rotation.	184	16 (8.7)	79 (42.9)	41 (22.3)	44 (23.9)	4 (2.2)
The time allocated for the rotation was adequate.	186	33 (17.7)	61 (32.8)	34 (18.3)	46 (24.7)	12 (6.5)

Assessment is difficult when senior and junior clerks are combined together.	187	40 (21.4)	46 (24.6)	40 (21.4)	42 (22.5)	19 (10.2)
I had adequate personal protective equipment during the rotation	187	19 (10.2)	60 (32.1)	44 (23.5)	51 (27.3)	13 (7)
I found it easy to observe COVID-19 SOPs during clinical sessions.	180	15 (8.3)	50 (27.8)	49 (27.2)	51 (28.3)	15 (8.3)
Learning is difficult when senior and junior clerks are combined together.	187	29 (15.5)	31 (16.6)	29 (15.5)	64 (34.2)	34 (18.2)
Teachers attend more to the junior clerks than the senior clerks.	184	9 (4.9)	34 (18.5)	45 (24.5)	66 (35.9)	30 (16.3)
I was discouraged from pursuing a career in Internal Medicine during my rotation.	185	9 (4.9)	13 (7)	27 (14.6)	59 (31.9)	77 (41.6)

Table 5. Mean attitude scores for attitudes of medical students towards internal medicine rotation amidst COVID-19 pandemic.

Experiences	N	Overall Mean (SD)	Third Year Mean (SD)	Fifth Year Mean (SD)	Man-Whitney p-value
The time allocated for the rotation was adequate.	186	3.3 (1.2)	2.7 (1.1)	4.0 (1.0)	<0.0001
I had adequate personal protective equipment during the rotation	187	3.1 (1.1)	3.0 (1.1)	3.3 (1.1)	0.102
I was able to complete all my study objectives during the rotation.	184	3.3 (1.0)	3.1 (1.0)	3.6 (1.0)	<0.001
I found it easy to observe COVID-19 SOPs during clinical sessions.	180	3.0 (1.1)	2.9 (1.1)	3.1 (1.2)	0.344
I was able to attend all bedside teachings organized in my ward.	185	4.0 (1.1)	3.9 (1.2)	4.2 (1.0)	0.185
I was able to attend online sessions organized by the lecturers.	182	3.7 (1.2)	3.6 (1.2)	3.9 (1.1)	0.072
I was able to interact with the seniors effectively during my rotation.	186	3.7 (1.0)	3.7 (1.1)	3.8 (1.0)	0.570
The patients were cooperative during my clerkship.	186	4.1 (0.8)	4.1 (0.7)	4.0 (0.9)	0.812
It was difficult to observe COVID-19 SOPs while clerking patients appropriately (R).	187	3.7 (1.1)	3.6 (1.2)	3.8 (1.0)	0.192
I felt at risk of contracting COVID-19 during the rotation (R).	186	4.1 (1.0)	4.0 (1.0)	4.2 (0.9)	0.302
I was discouraged from pursuing a career in Internal Medicine during my rotation (R).	185	2.0 (1.1)	1.9 (0.9)	2.2 (1.3)	0.445
I have the opportunity to learn from my senior or junior counterparts.	187	4.3 (0.8)	4.4 (0.8)	4.2 (0.8)	0.140
I feel safe around my senior or junior counterparts.	187	4.3 (0.8)	4.3 (0.8)	4.3 (0.8)	0.882

I can comfortably share patients with my senior or junior counterparts.	185	4.3 (0.9)	4.3 (0.9)	4.3 (0.8)	0.800
Teachers attend more to the junior clerks than the senior clerks (R).	184	2.6 (1.1)	2.6 (1.1)	2.6 (1.1)	0.638
Patients are always enough for all the students to clerk.	183	3.8 (1.2)	3.8 (1.2)	3.7 (1.1)	0.533
Learning is difficult when senior and junior clerks are combined together (R).	187	2.8 (1.3)	2.5 (1.3)	3.0 (1.4)	0.013
Assessment is difficult when senior and junior clerks are combined together (R).	187	3.2 (1.3)	3.2 (1.3)	3.3 (1.3)	0.716

Note: Mean attitude scores range from 1 to 5 with 1 indicating strongly disagree, hence negative attitudes and 5 indicating strongly agree, hence positive attitudes. For reversed statements (R), the higher mean attitude scores, the more negative the attitudes and vice versa.

1 Learning preferences.

2 More than half (51%) of the medical students preferred the status quo, as it
 3 was pre-COVID-19, that is, ward based teaching and traditional face to face
 4 lectures (**Figure 1**). Whereas up to 45% preferred blended online and
 5 conventional classroom teaching, only 2% selected simulations and
 6 mannequins. Preferences did not differ significantly among junior and senior
 7 clerks ($P=0.653$).

8 **Figure 1. Preferences of teaching modes during the COVID-19**
 9 **pandemic.**

14

15 **Overall learning experience during internal medicine rotation.**

16 For the senior clerks who rotated in internal medicine in the pre- COVID
 17 era, the overall experience scores were higher before the COVID-19
 18 pandemic compared to the rotation during the pandemic (4 vs. 3.5,
 19 $P<0.0001$), **Figure 2**.

20

21 **Figure 2. Overall experiences of medical students rotating in the**
 22 **Department of Medicine, Makerere University.**

23

24

25 **DISCUSSION**

26 Besides interrupting with clinical clerkships, the COVID-19 pandemic has
27 brought a myriad of challenges in clinical bedside teaching since medical
28 students now have limited direct patient care activities, such as physical
29 examinations and procedures [11,12]. In this study, we found that nearly
30 half of the medical students felt at risk of contracting SARS-COV-2, had
31 difficulties in observing COVID-19 preventive SOPs, and had inadequate
32 exposures to outpatient and emergency departments. This was consistent
33 with anecdotal observations by the clinical supervisors during the course of
34 the clinical rotation.

35 Previous studies have evaluated the impact of the COVID-19 pandemic on
36 surgical training [13] and fellowships [14], radiology residency [15],
37 gastroenterology residency [16] and assessment of medical students [17].
38 Between 40 and 100% of surgical residents reported severe impact of the
39 COVID-19 pandemic on their training [13]. However, there is no published
40 study examining experience of medical students or residence in general
41 internal medicine. For the senior clerks, majority reported a good or
42 excellent clinical experience pre-COVID-19 pandemic compared to clerkship
43 during the pandemic.

44 To minimise risks of contracting SARS-CoV-2 by the learners and their
45 teachers, many schools and universities have opted for blended online and
46 ward teachings. Due to the negative impact of COVID-19 pandemic on
47 medical education, there has been a shift towards e-learning at all levels of

education, which may represent an optimal solution to maintain learning during this unprecedented time [18]. However, e-learning may not facilitate acquisition of clinical skills and competencies. In resource limited settings where online learning platforms are not well established it is essential that the experience of medical students is described to guide future trainings in the same setting. Despite the challenges, over half of the participants reported clinical teaching should remain as it was in the pre COVID-19 era, that is, uninterrupted clinical rotations along with class lectures. It was also interesting to note that less than 4% of the medical students opted for online only or use of simulations and mannequins as alternatives to traditional clinical teaching. This is consistent with a previous study that showed that e-learning in the clinical years is associated with low students' satisfaction and technical challenges [18]. In Uganda, we have recently reported that medical student think e-learning is inefficient and associated with poor acquisition of knowledge [19]. Moreover, cost of data and internet stability remains a big barrier to e-learning among medical students in Uganda [19]. The use of simulations and mannequins have not been frequently implemented at Makerere University hence the low number of students who opted for it.

Notably, the costs incurred by the students during the rotation in the COVID-19 pandemic era could have had an impact on the learning experience. The government reduced the number of travellers that each public transport means was supposed to carry to enforce social distancing as a guideline for prevention of COVID-19 transmission. Costs of using

public transport therefore increased to more than twice the previous costs.

The means of transport provided by the university was also inadequate to

cater for all the students.

The impact of interruption of clinical clerkship in internal medicine due to

the COVID-19 pandemic and whether the experience of clinical clerkship

during the pandemic has affected performance in theory and clinical exams

of our students is not known. However, in Columbia [17], students who sat

their exams during the pandemic had higher scores compared with historic

cohort. However, these high scores were attributed to the open book nature

of the exams and that students had more time to prepare for them.

Study limitations

Our study had some limitations. Firstly, there was no previously

standardized and validated tool to assess clinical learning experience during

this COVID-19. However, we adapted an existing validated and published

tool used in a similar setting but in a non-pandemic situation. Secondly,

there's paucity of published literature in this area and therefore not

sufficient published studies to compare and contrast our findings with.

However, to the best of our knowledge this is the first study to explore

clinical learning experience of medical students in their clinical years during

this pandemic in Uganda and Africa at large. Despite the above limitations,

our findings provide valuable information about teaching and learning

clinical medicine during the pandemic in resource-limited settings.

Conclusions

95 In this study, we have reported a considerable negative effect of the COVID-
96 19 pandemic among undergraduate medical students clerking internal
97 medicine in Uganda. Direct patient care activities were adversely affected.
98 Clinical teaching of junior clerks should be separate from senior clerks to
99 maximise their clinical learning experience.

100 **Acknowledgment**

101 We acknowledge Gladys Kyolaba for administrative support.

102 **Authors' contribution**

103 **Conceptualization:** Pauline Byakika-Kibwika, Felix Bongomin, Lydia
104 Nakiyingi, Ponsiano Ocama,

105 **Data curation:** Ronald Olum and Felix Bongomin

106 **Formal analysis:** Ronald Olum and Felix Bongomin

107 **Funding acquisition:** Not applicable

108 **Investigation:** Felix Bongomin, Ronald Olum, Lydia Nakiyingi, Lalitha
109 Rejani, Isaac Ssinabulya, Christine Sekaggya-Wiltshire, Ponsiano
110 Ocama, Pauline Byakika-Kibwika

111 **Methodology:** Felix Bongomin, Ronald Olum, Lydia Nakiyingi, Ponsiano
112 Ocama, Pauline Byakika-Kibwika

113 **Project administration:** Ponsiano Ocama, Pauline Byakika-Kibwika

114 **Resources:** Ponsiano Ocama, Pauline Byakika-Kibwika

115 **Software:** Felix Bongomin, Ronald Olum

116 **Supervision:** Lydia Nakiyingi, Ponsiano Ocama, Pauline Byakika-Kibwika

117 **Validation:** Felix Bongomin, Ronald Olum, Lydia Nakiyingi, Lalitha
118 Rejani, Isaac Ssinabulya, Christine Sekaggya-Wiltshire, Ponsiano
119 Ocama, Pauline Byakika-Kibwika

120 **Visualization:** Felix Bongomin, Ronald Olum, Lydia Nakiyingi, Lalitha
121 Rejani, Isaac Ssinabulya, Christine Sekaggya-Wiltshire, Ponsiano
122 Ocama, Pauline Byakika-Kibwika

123 **Writing – original draft:** Felix Bongomin, Ronald Olum, Lydia Nakiyingi,
124 Ponsiano Ocama, Pauline Byakika-Kibwika

125 **Writing – review & editing:** Felix Bongomin, Ronald Olum, Lydia Nakiyingi,
126 Lalitha Rejani, Isaac Ssinabulya, Christine Sekaggya-Wiltshire,
127 Ponsiano Ocama, Pauline Byakika-Kibwika

128 **Guarantor**

129 Pauline Byakika-Kibwika

130 **Competing interests:** The authors have declared no competing interests.

131 **Data Availability Statement:** All relevant data are within the manuscript
132 and its Supporting Information files.

133 **Funding:** None

134 **Ethical considerations**

135 The study protocol was approved by the MakCHS School of Medicine
136 Research and Ethics Committee (reference number #REC REF 2020-221).
137 All participants provided written informed consent.

138

REFERENCES

- [1] P. Zhou, X.-L. Yang, X.-G. Wang, B. Hu, L. Zhang, W. Zhang, H.-R. Si, Y. Zhu, B. Li, C.-L. Huang, H.-D. Chen, J. Chen, Y. Luo, H. Guo, R.-D. Jiang, M.-Q. Liu, Y. Chen, X.-R. Shen, X. Wang, X.-S. Zheng, K. Zhao, Q.-J. Chen, F. Deng, L.-L. Liu, B. Yan, F.-X. Zhan, Y.-Y. Wang, G.-F. Xiao, Z.-L. Shi, A pneumonia outbreak associated with a new coronavirus of probable bat origin, *Nature*. 579 (2020) 270–273. <https://doi.org/10.1038/s41586-020-2012-7>.
- [2] World Health Organization, Coronavirus disease (COVID-19) outbreak, World Heal. Organ. Geneva, Switz. (2020). <https://www.who.int/emergencies/diseases/novel-coronavirus-2019> (accessed November 11, 2020).
- [3] Woldometer, COVID-19 Coronavirus Pandemic, (2020). <https://www.worldometers.info/coronavirus/> (accessed October 24, 2020).
- [4] C. Ortolani, E.A. Pastorello, Hydroxychloroquine and dexamethasone in COVID-19: who won and who lost?, *Clin. Mol. Allergy*. 18 (2020) 17. <https://doi.org/10.1186/s12948-020-00132-7>.
- [5] H. Pan, R. Peto, Q.A. Karim, M. Alejandria, A.M. Henao-Restrepo, C.H. García, M.-P. Kieny, R. Malekzadeh, S. Murthy, M.-P. Preziosi, S. Reddy, M.R. Periago, V. Sathiyamoorthy, J.-A. Røttingen, S. Swaminathan, Repurposed antiviral drugs for COVID-19 –interim WHO SOLIDARITY trial results, *MedRxiv*. (2020).
- [6] T.P. Velavan, C.G. Meyer, The COVID-19 epidemic, *Trop. Med. Int. Heal.* (2020). <https://doi.org/10.1111/tmi.13383>.
- [7] D. Bell, K.S. Hansen, A.N. Kiragga, A. Kambugu, J. Kissa, A.K. Mbonye, Predicting the impact of COVID-19 and the potential impact of the public health response on disease burden in Uganda, *Am. J. Trop. Med. Hyg.* (2020). <https://doi.org/10.4269/ajtmh.20-0546>.
- [8] G. Iacobucci, Covid-19: medical schools are urged to fast-track final

- year students, *BMJ*. (2020) m1064.
<https://doi.org/10.1136/bmj.m1064>.
- [9] Ministry of Health The Republic of Uganda, National Guidelines for Management of COVID-19, (2020).
<https://www.health.go.ug/cause/national-guidelines-for-management-of-covid-19/> (accessed November 16, 2020).
- [10] T.C. Wendy Yu, B.R. Wheeler, A.G. Hill, Effectiveness of standardized clerkship teaching across multiple sites, *J. Surg. Res.* 168 (2011) e17–e23. <https://doi.org/10.1016/j.jss.2009.09.035>.
- [11] S. Rose, Medical Student Education in the Time of COVID-19, *JAMA - J. Am. Med. Assoc.* 323 (2020) 2131–2132.
<https://doi.org/10.1001/jama.2020.5227>.
- [12] H. Bauchner, J. Sharfstein, A Bold Response to the COVID-19 Pandemic Medical Students , National Service , and Public Health, (2020) 19–20. <https://doi.org/10.1001/jama.2020.6166>.
- [13] M.E. Huamanchumo-Suyon, D. Urrunaga-Pastor, P.J. Ruiz-Perez, P.K. Rodrigo-Gallardo, C.J. Toro-Huamanchumo, Impact of the COVID-19 pandemic on general surgery residency program in Peru: A cross-sectional study, *Ann. Med. Surg.* 60 (2020) 130–134.
<https://doi.org/10.1016/j.amsu.2020.10.031>.
- [14] T. Gupta, T.M. Nazif, T.P. Vahl, H. Ahmad, A.E. Bortnick, F. Feit, R. Jauhar, R. Kandov, M. Kim, A. Kini, W. Lawson, R. Leber, A. Lee, A.E. Moreyra, R.M. Minutello, T. Sacchi, P.J. Vaidya, M.B. Leon, S.A. Parikh, A.J. Kirtane, S. Kodali, Impact of the COVID-19 pandemic on interventional cardiology fellowship training in the New York metropolitan area: A perspective from the United States epicenter, *Catheter. Cardiovasc. Interv.* (2020) ccd.28977.
<https://doi.org/10.1002/ccd.28977>.
- [15] D. Odedra, B.S. Chahal, M.N. Patlas, Impact of COVID-19 on Canadian Radiology Residency Training Programs, *Can. Assoc. Radiol. J.* 71

(2020) 482–489. <https://doi.org/10.1177/0846537120933215>.

- [16] G. Marasco, O.M. Nardone, M. Maida, I. Boskoski, L. Pastorelli, F. Scaldaferri, Impact of COVID-19 outbreak on clinical practice and training of young gastroenterologists: A European survey, *Dig. Liver Dis.* 52 (2020) 1396–1402.
<https://doi.org/10.1016/j.dld.2020.05.023>.
- [17] J. Prigoff, M. Hunter, R. Nowygrod, Medical Student Assessment in the Time of COVID-19, *J. Surg. Educ.* (2020).
<https://doi.org/10.1016/j.jsurg.2020.07.040>.
- [18] M. Al-balas, H.I. Al-balas, H.M. Jaber, K. Obeidat, H. Al-balas, E.A. Aborajoo, R. Al-taher, B. Al-balas, Distance learning in clinical medical education amid COVID-19 pandemic in Jordan: current situation , challenges , and perspectives, (2020) 1–7.
- [19] R. Olum, L. Atulinda, E. Kigozi, D.R. Nassozi, A. Mulekwa, F. Bongomin, S. Kiguli, Medical Education and E-Learning During COVID-19 Pandemic: Awareness, Attitudes, Preferences, and Barriers Among Undergraduate Medicine and Nursing Students at Makerere University, Uganda, *J. Med. Educ. Curric. Dev.* 7 (2020) 238212052097321. <https://doi.org/10.1177/2382120520973212>.