A topic landscape study for adolescent depression

Tianran Li^a, Liang Guo^a, Xiaoqiang Wang^a and Stijn Decoster^b

^aSchool of Mathematics and Statistics, Shandong University, Weihai, China; ^bCollege of Business, Zayed

University, UAE

Background: Literature on adolescent depression is not only rich in content and diverse in form, but also scattered and complex in structure. However, there is no dynamic development analysis and evolution analysis related to the topic. Therefore, this study drew a topic landscape map and predicted the prevalence of topics in the future. **Methods:** A systematic review was made to collect research publications on adolescent depression and describe the development of this field in the last five decades. We adopted visualization strategy and Herfindahl-Hirschman Index to uncover the latent structure of different topics from literature. The ARIMA model was utilized to predict the prevalence of each topic in the time dimension. **Results:** By using content analysis technique, 21 topics are extracted from 1,595 articles of adolescent depression. These 21 topics were further divided into four hot topics, seven stable topics and ten cold topics based on the results of the ARIMA model. In particular, we predict that "family environment and parenting styles", "diagnosis, treatment and interventions" and "mental disorder and behavior problems" will receive much attention in the next five years. **Conclusion:** This paper provides temporal characteristics of each topic. This has an important implication to choose promising research topics for researchers and journal editors.

Keywords: adolescent depression; topic landscape; content analysis; ARIMA; prevalence of topics

CONTACT Xiaoqiang Wang, Email: xiaoqiang.wang@sdu.edu.cn, Adresse: 180 Wenhua Xilu, Shandong University, Weihai, Shandong, 264209, China.

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

Background

Over the years, the World Health Organization (WHO) has warned that depression is a major cause of disease and disability, affecting more than 264 million people worldwide. For example, depression is linked with a higher risk of suicide [1]. Studies have shown that depression increases significantly during adolescence and its course is frequently recurrent[1]. Depressive symptoms appearing in adolescence are related to more costly and frequent physical health problems[2], and increase the risk of suicide attempts[3].

Prior studies have investigated the explanatory theories of depression. Bernaras et al. (2019)[4] summarize a variety of causal factors, such as (1) biological factors including noradrenalin deficits, endocrine disorders, sleep-related disorders, alterations in brain structure, and genetics; (2) psychological factors including attachment theories, behavioral models, cognitive models, the self-control model, interpersonal theory, stressful life events, and sociocultural models. Extensive evidence illustrates that parenting styles or family situations are highly associated with adolescent depression[5, 6]. Parents with high conflicts, families with less warmth as well as aversiveness were found to augment the adolescent's risk of depression. Parents also play an important role in prevention[7]. In addition, social networking sites can damage personal relationships and cause interpersonal-relationship conflicts. For instance, a mediation model was established to construct the relationship between social networking sites and adolescent depression [8].

Based on the classical theory of depression, a great number of studies have empirically explored the consequences as well as the determinants of adolescent depression. Multidisciplinary knowledge for adolescent depression is not only profound in content and diverse in form, but also scattered and complex in structure. To the best of our knowledge, there is no the topics of adolescent depression have been systematically reviewed across multiple disciplines in the past 50 years. There is also no a prediction of future prevalence of the topics in this literature is conducted. Hence, a clear mapping of this increasingly complex landscape is urgently established to help researchers make effective literature review. This extensive description of the field of adolescent depression will be valuable

because it provides an understanding of how this field has evolved over time. Moreover, it reveals the consensus and differences among scholars, and reveals the blank of research on knowledge structure in this area.

In this study, we aim to predict the prevalence of topics that might generate groundbreaking research for adolescent depression in the future. A computerized overview of the literature in the past five decades is firstly carried out. We further uncover a latent structure which consisting of 21 topics and their development tracks. Finally, we predict the popularity of these 21 topics based on the temporal characteristics of each topic, which will help researchers and journal editors to choose promising research topics.

Materials and Methods

Data processing

Web of Science (WoS) core collection is the most authoritative citation index for scientific and scholarly research. We first collected the abstracts of all the articles that appeared in WoS. Notice that the first paper on adolescent depression appeared in 1967. Next, After removing duplicates, in total 2,072 articles were selected according to the following three criteria: 1) redaction in English; 2) including "adolescent depression" in title, abstract or keywords; 3) SCIE or SSCI indexed journals. After eliminating the articles which did not include an abstract and which were obviously unrelated to adolescent depression, we obtained a valid sample of 1,595 articles. The PRISMA_flowchart in Appendix I illustrate the process of selecting or excluding the articles.

Topic extraction methodology

We followed the conceptual analysis approach outlined by Hsieh & Shannon[9]. Firstly, we randomly split the sample articles into three sets: 600 articles in the first set as the "training sample", 500 articles in the second set as the "validation sample" and the remaining 495 articles in the third set as the "test sample". We invited 30 student volunteers who majored in social sciences to read the full text of the first set of articles. The students and the author team worked together to develop sets of

terms and of coding rules. Next, the students and the author team developed a set of n topics based on these terms. Finally, each student and author read the abstracts of the 1,595 articles and assigned a topic loading (i.e. a score between zero to one that refers to how likely does a particular article belong to a particular topic) to every topic. If an article does not belong to a particular topic, then its topic loading to this topic is zero. We generated an article-topic matrix with a size of $1,595 \times n$, in which each row represented an article and each column represented a topic. We assigned each article to the dominant topic with the highest topic loading.

In order to verify the effect of conceptual analysis and considering that there is no high linear correlation among the feature vectors, we employed the t-SNE approach to carry out nonlinear dimension reduction on the data[10]. A t-SNE algorithm can ensure that the distribution of data in low dimension has high similarity with the distribution of original feature space. Most importantly, it can visualize the distance between topics in two-dimensional space, so that we can have an intuitive idea about whether the classification of n topics makes sense or not.

Then, we followed the approach of Guo et al.[11], adopted Herfindahl-Hirschman Index (HHI) to evaluate the level of topic diversity. HHI [12] is frequently used by economists and government regulators to measure the changes in market share, namely the dispersion degree of firm size in the market. Assuming that there are N enterprises in the industry, the value of HHI varies $1/N$ to 1. The higher the value, the higher the degree of market concentration and monopoly. HHI refers to the sum of squares of the percentage of total assets of each market competitor in an industry. Analogically, HHI in our case could be defined as the sum of squares of the ratio of the score of each article to the total score. The value of HHI for each topic further varies between $1/N_i$ and 1, where N_i is the number of articles with a score of not zero in topic i . However, the sample size of N_i is different for each topic. In order to make a fair horizontal comparison of concentration distribution between different topics, we normalized HHI for each topic as follows

$$H_i = \frac{N_i \sum_{j=1}^{N_i} \left(\frac{Y_{ij}}{Y_i} \right)^2 - 1}{N_i - 1} \times 100\%, \quad i = 1, 2, \dots, 21,$$

where Y_{ij} represents the score of article j in the topic i and Y_i the total score for the topic i . This normalized HHI takes value from zero to one. The larger the value of H_i , the higher the degree of concentration of topic i .

Topic dynamics methodology

We firstly classified each article according to the topic with the highest score, and counted the number of articles for each assigned topic. We further conducted time series analysis to predict the development trend of each topic in the next five years, and compared them with each other. The exponential smoothing model and the Autoregressive Integrated Moving Average (ARIMA) model are the two most widely used time series forecasting methods. Based on these two prediction methods, many other prediction methods have been born. In our case, most of the article count series of 21 topics are observed to involve autocorrelation. This fact will lead to the correlated residuals when fitting data by the regression model. Obviously, the phenomenon of autocorrelation hinder the performance of regression model to fit our data. Such defect of autocorrelation can be solved by the I (“integrated”) part in ARIMA. The article count sequence values will be differentiated between the current data and the previous one or several data, so that non-stationary series can be modeled. In the ARIMA model, the AR part is responsible for the linear regression of the previous time series value; the MA part is responsible for the linear regression of the previous random error series. ARIMA clearly meets a set of standard structures in time series data (i.e. article count series data) and provides a simple and powerful method for proficient time series forecasting [13].

According to *Time Series Analysis Forecasting and control* [14], the timing data predicted by the ARIMA model must be stable, which, by definition, has no trend and no periodicity (that is, its mean value has a constant amplitude on the time axis, and its variance tends to the same stable value on the time axis). We used Dickey-Fuller Test to judge the stability of time series data, which is a common unit root Test method. For the time series data that do not meet the requirements of stationarity, we made a difference to eliminate the periodic factors. The degree of differences to make the data stable was taken as parameter d . If the preprocessed time series was determined to be a stable non-white

noise sequence, we determined the autocorrelation function (ACF) and partial autocorrelation function (PACF) as parameters p and q . We conducted a grid-search to calculate the scores of RMSE, AIC and BIC under different combinations of orders, and chose the order specifications with the lowest scores. To ensure the validity of the model, we drew the residual to check if it is completely random white noise, and performed the Ljung-Box test to formally check whether the error is uncorrelated among many lags [15]. Otherwise, we will improve the model by removing all the remaining trends.

Results

Data description

The top line in Figure 1 depicts the annual growth rate of article count from 1967 to 2020.

Figure 1. The percentage of publications (‰, top) and the percentage of the growth rate (% , bottom) in the field of "adolescent depression"

It can be seen that after a period of volatility from 1980 to 1995, the growth rate of papers has tended to be flat in the past two decades. In 1987, the growth rate jumped from -50.00% of the previous year to 200.00%, and reached the highest level of 250.00% in 1990. However, as shown by the bottom line in Figure 1, the proportion of the articles in the field of adolescent depression to the total SCIE or SSCI indexed articles has become larger and larger since 1990. It means that over the past five decades, the field has been greatly developed. Especially, only one article (0.003‰) related to adolescent depression is retrieved in 1967 in WoS, but this number has grown to 140 (0.061‰) in 2019. The average annual growth rate in this field reached 18.7%.

Table 1. Top 10 organizations, research fields and research outlets

Organization	Proportion	Field	Proportion	Outlets	Proportion
University of Pittsburgh	5.31%	Psychology	49.08%	Journal of the American Academy of Child and Adolescent Psychiatry	5.69%
University of California- Los Angeles	3.81%	Psychiatry	41.12%	Journal of Affective Disorders	3.90%
Columbia University	3.19%	Pediatrics	15.64%	Journal of Abnormal Child Psychology	3.18%
University of Washington	2.65%	Neurosciences & Neurology	10.57%	Journal of Clinical Child and Adolescent Psychology	1.93%
Oregon Research Institute	2.61%	Public, Environmental & Occupational Health	5.84%	Journal of Youth and Adolescence	1.88%
Harvard University	2.56%	Family Studies	4.83%	Journal of Abnormal Psychology	1.59%

General & Internal					
University of Illinois	2.41%		3.04%	Pediatrics	1.40%
Medicine					
Health Care Sciences &					
Duke University	2.36%		2.65%	Journal of Child Psychology and	1.35%
Services					
Psychiatry					
Pharmacology &					
University of Melbourne	2.03%		2.51%	Journal of Adolescent Health	1.35%
Pharmacy					
UCL	1.98%	Social Work	2.22%	Development and Psychopathology	1.30%

The papers related to the adolescent depression were found to be published in 586 journals. The authors of these papers are distributed in 71 countries, of which the United States accounts for 61.15%, Britain 9.56%, Canada 7.42%, Australia 6.95%, and China 4.54%. One twentieth of them come from the University of Pittsburgh. Table 1 summarizes the ten most frequent organizations, ten most frequent fields and ten most frequent outlets. We notice that the top ten fields listed in Table 1 account for about 92.13% of all articles. Additionally, the articles are spread across 79 WoS research fields.

Topic extraction

Following the method described in Subsection *Topic extraction methodology*, the students and the author team initially classified the second set of 500 articles into 20 topics. However, we found that the optimal number of topics should be 21. Finally, the students and the author team classified the third set of articles into 21 topics (see Table 2). We believe that these 21 topics allowed to correctly categorize all the sample articles. In Figure 2, we find that the topics are evenly distributed, which validate our conceptual analysis and topic distribution.

Figure 2. t-SNE clustering of the 1,595 articles in two-dimensional maps. The analysis was statistically constrained to 21 clusters for distinct topics as colored nodes.

Table 2 lists the score of normalized HHI for all the 21 topics. Some topics exhibit a high degree of concentration. For example, "psychosocial functioning and religiosity" (Topic 4), "internet and digital technology" (Topic 20) and "self-report and self-efficacy" (Topic 7) exhibit the three highest HHI, and they are all topics with strong topicality, resulting in a relatively concentrated distribution of scores.

Topics exhibiting the lowest HHI include "diagnosis, treatment and interventions" (Topic 5), "family environment and parenting styles" (Topic 16) and "brain function, hormone changes and body parameters" (Topic 11) discussed "treatment" and "interventions", "family environment" and "physiological factors", etc., which are easy to be mentioned incidentally, so the score distribution is relatively uniform.

Notice that we obtained consistent results between t-SNE clustering and degree of concentration (HHI in Table 2). For instance, the lower HHI scores are more scattered in the topic area shown in

Figure 2 (e.g. Topic 5, 6, 11, 16). Conversely, the higher HHI score shows a larger cluster in the topic area shown in Figure 2 (e.g. Topic 4, 7, 20). These results confirm the rationality of our selected topics.

Topic dynamics

Table 2 displays the article count data in each topic. The article count for each topic ranges from 24 to 206 with mean 75.95 and standard deviation 47.77. "diagnosis, treatment and interventions" (Topic 5), "family environment and parenting styles" (Topic 16) and "screening, assessment and forecast" (Topic 6) are the three most prevalent topics. In contrast, "self-report and self-efficacy" (Topic 7), "psychosocial functioning and religiosity" (Topic 4), and "Internet and digital technology" (Topic 20) are the three least prevalent topics.

Table 2. The 21 topics and their Herfindahl-Hirschman Index (HHI)

ID	Topic Labels	Articles	HHI(σ)
1	Social discrimination and gender differences	47(2.95%)	0.16%(0.0011)
2	Social support, primary care and mental health services	47(2.95%)	0.21%(0.0011)
3	Social stratification, socioeconomic statues and racial inequality	51(3.2%)	0.25%(0.0011)
4	Psychosocial functioning and religiosity	24(1.5%)	0.48%(0.0012)
5	Diagnosis, treatment and interventions	206(12.92%)	0.07%(0.0011)
6	Screening, assessment and forecast	142(8.9%)	0.1%(0.0011)
7	Self-report and self-efficacy	28(1.76%)	0.28%(0.0011)
8	Mental disorder and behavior problems	116(7.27%)	0.09%(0.0011)
9	Suicidal ideation, sleep disorder and other externalized symptoms	77(4.83%)	0.14%(0.0011)
10	Obesity, BMI and body shame	28(1.76%)	0.26%(0.0011)
11	Brain function, hormone changes and body parameters	127(7.96%)	0.09%(0.0011)

12	School education and school-based preventions	82(5.14%)	0.17%(0.0011)
13	Interpersonal stress and peer relationships	58(3.64%)	0.21%(0.0011)
14	Antisocial behavior and substance abuse	66(4.14%)	0.19%(0.0011)
15	Victimization, abuse and terrorism	45(2.82%)	0.24%(0.0011)
16	Family environment and parenting styles	151(9.47%)	0.08%(0.0011)
17	Genetics and intergenerational transmission	87(5.45%)	0.12%(0.0011)
18	Antidepressants and placebo research	68(4.26%)	0.14%(0.0011)
19	Prevalence, comorbidity and probability of onset	52(3.26%)	0.17%(0.0011)
20	Internet and digital technology	24(1.5%)	0.46%(0.0012)
21	Stressful life events, life styles and skills	69(4.33%)	0.16%(0.0011)

In order to study the figures and publications that have contributed the most to each topic in the field of "adolescent depression", we listed the top authors and publications that appear the most frequently on each topic in Appendix II, which can provide reference for research direction and popular trends in this field. Note that we listed multiple authors or publications if their frequencies of appearance were the same. We found that Peter M. Lewinsohn from Oregon Research Institute was one of the most productive and influential authors in Topic 1, 4, and 19. We also found that the Journal of The American Academy of Child and Adolescent Psychiatry was the most popular outlet for nine topics. Finally, we selected three most representative articles (i.e. with the highest topic loadings) of each topic and summarize the information in Appendix II.

Notice that the number of articles published in the field of adolescent depression increased from one in 1967 to 140 in 2019, which indicate that more and more scholars have participated and made contributions in this field. Further, we expected to explore the rapid development period and the dynamic development law for each topic in the time dimension. In order to show the process more intuitively, we drew the ThemeRiver (see Appendix III), which indicated that Topic 2 (social support,

primary care and mental health services), Topic 5 (diagnosis, treatment and interventions), Topic 6 (screening, assessment and forecast), Topic 11 (brain function, hormone changes and body parameters), and Topic 16 (family environment and parenting styles) experienced rapid growths during the last decade.

Then, we built 22 time series comprising of the field integrally and 21 topics. An optimized ARIMA model is finally adopted to predict the proportion of publications in this field for each topic in the next five years (i.e. 2021–2025), respectively. The predicted average annual growth rate will be used as the indicator of the prevalence of future topic (see Table 3). In the future, the field is likely to expand steadily because its annual growth rate will reach 49.03%, but this figure is far lower than the peak annual growth rate of 250% in 1990. This fact indicates that adolescent depression will continue to be a hotspot of academic research, but it is unlikely to attract explosive attention in professional research communities.

Table 3. The results of ARIMA and prediction.

Topic	Order	logLik	AIC	BIC	HQIC	RMSE	LBstat	Category
The Field	(0,2,1)	-124.85	257.7	264.92	260.39	18.61	0.54	Benchmark(49.03%)
Topic 1	(0,1,1)	-40.82	87.64	91.17	88.58	1.3	0.21	Cold(-35.58%)
Topic 2	(0,1,0)	-15.23	36.46	39.73	37.23	1.05	0.87	Stable(22.34%)
Topic 3	(4,1,2)	-29.58	73.16	79.77	74.28	1.11	0.83	Cold(-131.1%)
Topic 4	(0,1,0)	-4.72	15.44	17.76	15.56	0.8	0.57	Cold(-12.35%)
Topic 5	(0,1,1)	-82.33	166.81	171.3	168.32	2.69	0.27	Hot(98.75%)
Topic 6	(2,1,0)	-77.86	159.62	167.54	162.38	1.89	0.85	Stable(1.26%)
Topic 7	(0,2,1)	-18.02	44.03	46.86	44	0.91	0.72	Stable(33.54%)
Topic 8	(0,1,1)	-67.07	136.91	140.91	138.14	2.43	0.13	Hot(82.47%)

Topic 9	(0,1,1)	-51.68	108.94	112.93	110.16	1.52	0.33	Cold(-46.41%)
Topic 10	(0,2,2)	-26.71	61.43	63.99	61.2	1.46	0.71	Cold(-35.79%)
Topic 11	(1,0,0)	-64.76	135.52	139.29	136.61	2.91	0.74	Hot(68.24%)
Topic 12	(0,2,1)	-53.36	103.64	108.01	104.67	1.87	0.71	Cold(-131.74%)
Topic 13	(0,1,1)	-35.98	77.97	81.1	78.65	1.33	0.73	Cold(-7.34%)
Topic 14	(0,1,1)	-38.28	82.57	85.7	83.25	1.47	0.45	Cold(-1.77%)
Topic 15	(0,1,1)	-31.26	68.53	70.85	68.65	1.57	0.39	Stable(30.25%)
Topic 16	(1,1,1)	-73.99	155.97	161.71	157.84	2.56	0.94	Hot(106.2%)
Topic 17	(0,1,3)	-50.6	107.21	110.86	108.22	1.8	0.62	Stable(5.65%)
Topic 18	(0,1,1)	-49.21	104.42	108.2	105.51	1.59	0.46	Cold(-6.74%)
Topic 19	(0,0,0)	-38.54	81.08	83.35	81.65	1.29	0.38	Stable(45.22%)
Topic 20	(0,0,2)	-23.43	50.86	51.66	50.36	2.04	0.23	Stable(43.64%)
Topic 21	(0,1,0)	-13.41	32.83	36.24	33.69	1.35	0.45	Cold(-45.93%)

We utilize the following criteria to divide 21 topics into three categories: hot topics with predicted annual growth rate greater than or equal to the field growth rate (i.e. 49.03%); stable topics with growth rate greater than zero or equal to zero but less than the field growth rate; cold topics with negative topic rate. As a result, we find four hot topics, seven stable topics and ten cold topics (see Table 3 and Table 2).

Discussion

Our ARIMA model predicted that "School education and school-based preventions" (Topic 12, -131.74%), "Social stratification, socioeconomic statues and racial inequality" (Topic 3, -131.1%) and

"Suicidal ideation, sleep disorders and other externalized symptoms" (Topic 9, -46.41%) might dramatically shrink. Likewise, "Obesity, BMI and body shame" (Topic 10, -35.79%) and "Psychosocial functioning and religiosity" (Topic 4, -12.35%) also showed a significant downward trend. That is probably because these topics have been addressed extensively over decades, which makes these fields of investigation saturated.

On the contrary, the "Family environment and parenting styles" (Topic 16, 106.2%) and "Diagnosis, treatment and interventions" (Topic 5, 98.75%) showed a significantly positive trend of increase. In the past studies in this field, these two topics also showed a high degree of popularity (22.38% of the articles). Our ARIMA findings suggested that given the omnipresence of work-life imbalance in today's industrial relations, it is reasonable that the research focus of the field might turn to family environment and treatment diagnosis. In addition, "Brain function, hormone changes and body parameters" (Topic 11, 68.24%) and "Prevalence, co-morbidity and probability of onset" (Topic 19, 45.22%) also presented a sign of popularity. This might suggest that more and more researchers will develop and employ new scientific methods.

It is worth mentioning that although "Internet and digital technology" (Topic 20, 43.64%) was a small topic in the past, our ARIMA analysis predicted that this topic might attract attention in the future, probably because on the one hand, more and more adolescents are addicted to the Internet, which may lead to depression; on the other hand, future research may investigate how to use the Web and digital technology to prevent adolescent depression.

This study constructed all of the WoS literature in the field of adolescent depression over the last five decades. By describing the entire knowledge system at a relatively detailed level, we contribute to a rich understanding of the topic landscape of the field so that researchers and journal editors can appreciate the entire range of topics and choose the topics they wish to study in depth. In addition, because we help instructors identify important topics and assign groundbreaking articles related to each topic, the topic landscape provides information for related teaching and curriculum design. However, it must be pointed out that we only collected sample articles from WoS. Although WoS is

the most comprehensive and authoritative source for high-impact publications, we may run the risk of missing articles published in emerging journals or books. Consequently, our findings may be biased. Future studies may also collect publication records from other freely-accessible online publications.

Conclusions

We firstly established a systematic overview of the research on adolescent depression in the last five decades: its evolution, topic landscape, and dynamics. We uncovered the latent structure of 21 different topics from 1,595 articles related to adolescent depression. Secondly, we utilized the ARIMA model to predict the prevalence of 21 topics in the next five years. Our forecasting results suggested that although this field might continue to be a hot research direction and attract more attention, ten topics might lose their popularity.

Disclosure statement - Conflict of interest and funding

The authors report no conflicts of interest.

Ethics and consent

N/A

Funding information

This work was supported by the National Natural Science Foundation of China under Grant 11601286; Key Research & Development Project of Shandong Province under Grant 2018GGX101007.

References

1. Thapar A, Collishaw S, Pine DS, Thapar AK. Depression in adolescence. *Lancet*. 2012; 379(9820): 1056-1067. [https://doi.org/10.1016/s0140-6736\(11\)60871-4](https://doi.org/10.1016/s0140-6736(11)60871-4) PMID:12685676
2. Wright DR, Katon WJ, Ludman E, McCauley E, Oliver M, Lindenbaum J, et al. Association of Adolescent Depressive Symptoms With Health Care Utilization and Payer-Incurred Expenditures. *Academic Pediatrics*. 2016; 16(1): 82-89. <https://doi.org/10.1016/j.acap.2015.08.013> PMID:26456002
3. Lewinsohn PM, Rohde P, Seeley JR. PSYCHOSOCIAL RISK-FACTORS FOR FUTURE ADOLESCENT SUICIDE ATTEMPTS. *Journal of Consulting and Clinical Psychology*. 1994; 62(2): 297-305. <https://doi.org/10.1037/0022-006x.62.2.297> PMID:8201067
4. Bernaras E, Jaureguizar J, Garaigordobil M. Child and Adolescent Depression: A Review of Theories, Evaluation Instruments, Prevention Programs, and Treatments. *Frontiers in Psychology*. 2019; 10: 24. <https://doi.org/10.3389/fpsyg.2019.00543> PMID:30949092
5. Yap MBH, Pilkington PD, Ryan SM, Jorm AF. Parental factors associated with depression and anxiety in young people: A systematic review and meta-analysis. *Journal of Affective Disorders*. 2014; 156: 8-23. <https://doi.org/10.1016/j.jad.2013.11.007> PMID:24308895
6. Samek DR, Wilson S, McGue M, Iacono WG. Genetic and Environmental Influences on Parent-Child Conflict and Child Depression Through Late Adolescence. *Journal of Clinical Child and Adolescent Psychology*. 2018; 47: S5-S20. <https://doi.org/10.1080/15374416.2016.1141357> PMID:27043719
7. Yap MBH, Mahtani S, Rapee RM, Nicolas C, Lawrence KA, Mackinnon A, et al. A Tailored Web-Based Intervention to Improve Parenting Risk and Protective Factors for Adolescent Depression and Anxiety Problems: Postintervention Findings From a Randomized Controlled Trial. *Journal of Medical Internet Research*. 2018; 20(1): 19. <https://doi.org/10.2196/jmir.9139> PMID:29351895
8. Wang PC, Wang XY, Wu YQ, Xie XC, Wang XC, Zhao FQ, et al. Social networking sites addiction and adolescent depression: A moderated mediation model of rumination and self-esteem. *Personality and Individual Differences*. 2018; 127: 162-167. <https://doi.org/10.1016/j.paid.2018.02.008>
9. Hsieh HF, & Shannon, S. E. Three approaches to qualitative content analysis. *Qualitative health research*. 2005; 15(9): 1277-1288. PMID:16204405
10. van der Maaten L, Hinton G. Visualizing Data using t-SNE. *Journal of Machine Learning Research*. 2008; 9: 2579-2605.
11. Guo L, Li, S., Lu, R., Yin, L., Gorson-Deruel, A., & King, L. . The research topic landscape in the literature of social class and inequality. *PloS one*. 2018; 13(7). PMID:29965983
12. Hannan TH. Market share inequality, the number of competitors, and the HHI: An examination of bank pricing. *Review of Industrial Organization*. 1997; 12(1): 23-35. <https://doi.org/10.1023/a:1007744119377> PMID:32790471
13. Hyndman RJ, Athanasopoulos GJLB-SP. *Forecasting: Principles and Practice*. 2014.
14. Box G JG, Reinsel G, Ljung G. *Time series analysis: Forecasting and control*. New York (USA): John Wiley & Sons; 2015.
15. Ljung GM, Box GEP. MEASURE OF LACK OF FIT IN TIME-SERIES MODELS. *Biometrika*. 1978; 65(2): 297-303. <https://doi.org/10.2307/2335207>

Appendix I

Figure . PRISMA flowchart of literature search and identification.

AppendixII

Table 1. The most popular authors,outlets and the three most representative articles per topic.

Topic	Authors	Outlets	Representative articles
Topic 1	Lewinsohn, PM ; Hops, H	Journal of Abnormal Psychology	Avison & McAlpine, 1992 [1]; Cyranowski, Frank, Young, & Shear, 2000[2]; Han, 2014[3].
Topic 2	Garralda, E	Journal of Adolescent Health ; Journal of Affective Disorders	Draucker, 2005[4]; Jacobson, 1991[5]; Stein, Zitner, & Jensen, 2006[6].
Topic 3	Wickrama, K. A. S.	Journal of Adolescent Health	Aslund, Leppert, Starrin, & Nilsson, 2009[7]; Respress, Morris, Gary, Lewin, & Francis, 2013[8]; Su, 2010[9].
Topic 4	Lewinsohn, PM ; Seeley, JR	Psychological Medicine ; Journal of Abnormal Child Psychology ; Journal of The American Academy of Child and Adolescent Psychiatry	Derdikman-Eiron et al., 2011[10]; Purwono & French, 2016[11]; Rose, Rose, Miller, & Dyer, 2018[12].
Topic 5	Birmaher, B	Journal of The American Academy of Child and Adolescent Psychiatry	Fletcher, 2008[13]; Garland, 1994[14]; Kaslow & Thompson, 1998[15].
Topic 6	McCauley, Elizabeth ; Birmaher, B	Journal of The American Academy of Child and Adolescent Psychiatry	Benavidez & Matson, 1993[16]; Gray, Dubin-Rhodin, Weller, & Weller, 2009[17]; LeBlanc, Almudevar, Brooks, & Kutcher, 2002[18].
Topic 7	Orchard, Faith ; Reynolds, Shirley	Journal of Child And Family Studies ; Journal of Affective Disorders	Joshi & Mehta, 2017[19]; Manikam, Matson, Coe, & Hillman, 1995[20]; Minnix, Blalock, Marani, Prokhorov, & Cinciripini, 2011[21].
Topic 8	Collishaw, Stephan	Journal of The American Academy of Child and Adolescent Psychiatry	Bardone et al., 1998[22]; Benamos, 1992[23]; JacksonWalker & Nitz, 1996[24].
Topic 9	Rao, U ; DAHL, RE	Journal of The American Academy of Child and Adolescent Psychiatry	Becker, Langberg, & Evans, 2015[25]; Sanchis & Simon, 2012[26]; Spirito, Francis, Overholser, & Frank, 1996[27].
Topic 10	Richardson, Laura P.	General Hospital Psychiatry	Roberts & Duong, 2015[28]; Wardle, Williamson, Johnson, & Edwards, 2006[29]; You, Shin, & Kim, 2017[30].
Topic 11	Yang, Tony T.	Journal of Affective Disorders	Karabel et al., 2016[31]; Merz, He, Noble, & Pediatric Imaging Neurocognition, 2018[32]; Sokolov, Kutcher, & Joffe, 1996[33].

Topic 12	Beaudry, Mary Beth ; Swartz, Karen ; Wilcox, Holly	School Mental Health	Possel, Horn, & Hautzinger, 2006[34]; Ruble, Leon, Gilley-Hensley, Hess, & Swartz, 2013[35]; Shirk, Kaplinski, & Gudmundsen, 2009[36].
Topic 13	Mufson, Laura	Journal of Abnormal Child Psychology	Auerbach, Ho, & Kim, 2014[37]; Hammen, 2009[38]; La Greca & Harrison, 2005[39].
Topic 14	Cullen, W.	Journal of Youth And Adolescence ; Journal of The American Academy of Child and Adolescent Psychiatry	Deykin, Levy, & Wells, 1987[40]; Harrington, Fudge, Rutter, Pickles, & Hill, 1991[41]; Subramaniam, Harrell, Huntley, & Tracy, 2009[42].
Topic 15	Shahar, Golan	Child Abuse & Neglect	Davis et al., 2019[43]; Henrich & Shahar, 2008[44]; Resett & Caino, 2019[45].
Topic 16	Jorm, Anthony F. ; Allen, Nicholas B.	Journal of The American Academy of Child and Adolescent Psychiatry	Cardamone-Breen, Jorm, Lawrence, Mackinnon, & Yap, 2017[46]; Fard, Gharraee, Farid, & Aghebati, 2017[47]; Shiner & Marmorstein, 1998[48].
Topic 17	Hammen, Constance ; Thapar, Anita	Journal of The American Academy of Child and Adolescent Psychiatry	Eley et al., 2004[49]; Lee & Koeske, 2010[50]; Rice, 2010[51].
Topic 18	Bylund, David B.	Journal of The American Academy of Child and Adolescent Psychiatry	Emslie et al., 2008[52]; Evans, Ha, Saisch, Ellison, & Fombonne, 1998[53]; Kutcher et al., 1994[54].
Topic 19	Lewinsohn, Peter M. ; Seeley, John R.	Journal of Affective Disorders	Hammen, Brennan, Keenan-Miller, & Herr, 2008[55]; Quijada et al., 2005[56]; Rey, 1994[57].
Topic 20	Abeles, Paul ; Griffiths, Kathleen M. ; Lei, Li	Behavioural and Cognitive Psychotherapy ; Computers In Human Behavior ; Jmir Research Protocols	Ha et al., 2007[58]; Lindqvist et al., 2020[59]; Ophir, Asterhan, & Schwarz, 2019[60].
Topic 21	Harkness, Kate L.	Journal of Abnormal Psychology	Boardman, Alexander, & Stallings, 2011[61]; Lessem et al., 1996[62]; Lopez, Fuentes, Palos, & Oudhof, 2012[63].

References

1. Avison WR, McAlpine DD. GENDER DIFFERENCES IN SYMPTOMS OF DEPRESSION AMONG ADOLESCENTS. *Journal of Health and Social Behavior*. 1992; 33(2): 77-96. <https://doi.org/10.2307/2137248> PMID:1619265
2. Cyranowski JM, Frank E, Young E, Shear MK. Adolescent onset of the gender difference in lifetime rates of major depression - A theoretical model. *Archives of General Psychiatry*. 2000; 57(1): 21-27. <https://doi.org/10.1001/archpsyc.57.1.21> PMID:10632229
3. Han Y. Differential Size of the Discrimination-Depression Relationship Among Adolescents of Foreign-Born Parents in the US. *Child & Youth Care Forum*. 2014; 43(6): 763-781. <https://doi.org/10.1007/s10566-014-9265-y>
4. Draucker CB. Processes of mental health service use by adolescents with depression. *Journal of Nursing Scholarship*. 2005; 37(2): 155-162. <https://doi.org/10.1111/j.1547-5069.2005.00028.x> PMID:15960060
5. Jacobson JM. The relationship between social support and depression in adolescents. *Journal of child and adolescent psychiatric and mental health nursing*. 1991; 4(1): 20-24. <https://doi.org/10.1111/j.1744-6171.1991.tb00481.x> PMID:1988645
6. Stein REK, Zitner LE, Jensen PS. Interventions for adolescent depression in primary care. *Pediatrics*. 2006; 118(2): 669-682. <https://doi.org/10.1542/peds.2005-2086> PMID:16882822
7. Aslund C, Leppert J, Starrin B, Nilsson KW. Subjective Social Status and Shaming Experiences in Relation to Adolescent Depression. *Archives of Pediatrics & Adolescent Medicine*. 2009; 163(1): 55-60. <https://doi.org/10.1001/archpedi.163.1.55> PMID:19124704
8. Respress BN, Morris DL, Gary FA, Lewin LC, Francis SA. Social Determinants of Adolescent Depression: An Examination of Racial Differences. *Issues in Mental Health Nursing*. 2013; 34(7): 539-549. <https://doi.org/10.3109/01612840.2012.758206> PMID:23875556
9. Su Z. Depression and Socioeconomic Outcomes of Adolescents. Rawani AM, Kettani H, Ting Z, editors. Liverpool: World Acad Union-World Acad Press; 2010. 18-21 p.
10. Derdikman-Eiron R, Indredavik MS, Bratberg GH, Taraldsen G, Bakken IJ, Colton M. Gender differences in subjective well-being, self-esteem and psychosocial functioning in adolescents with symptoms of anxiety and depression: Findings from the Nord-Trøndelag health study. *Scandinavian Journal of Psychology*. 2011; 52(3): 261-267. <https://doi.org/10.1111/j.1467-9450.2010.00859.x> PMID:21265857
11. Purwono U, French DC. Depression and its relation to loneliness and religiosity in Indonesian Muslim adolescents. *Mental Health Religion & Culture*. 2016; 19(3): 218-228. <https://doi.org/10.1080/13674676.2016.1165190>
12. Rose AH, Rose JR, Miller RB, Dyer WJ. Exploring hope as a mediator between religiosity and depression in adolescents. *Journal of Religion and Spirituality in Social Work*. 2018; 37(3): 239-253. <https://doi.org/10.1080/15426432.2018.1488646>
13. Fletcher JM. ADOLESCENT DEPRESSION: DIAGNOSIS, TREATMENT, AND EDUCATIONAL ATTAINMENT. *Health Economics*. 2008; 17(11): 1215-1235. <https://doi.org/10.1002/hec.1319> PMID:18157910

14. Garland EJ. ADOLESCENT DEPRESSION .1. DIAGNOSIS. Canadian Family Physician. 1994; 40: 1583-1587.
15. Kaslow NJ, Thompson MP. Applying the criteria for empirically supported treatments to studies of psychosocial interventions for child and adolescent depression. Journal of Clinical Child Psychology. 1998; 27(2): 146-155. https://doi.org/10.1207/s15374424jccp2702_2 PMID:9648032
16. Benavidez DA, Matson JL. ASSESSMENT OF DEPRESSION IN MENTALLY-RETARDED ADOLESCENTS. Research in Developmental Disabilities. 1993; 14(3): 179-188. [https://doi.org/10.1016/0891-4222\(93\)90029-j](https://doi.org/10.1016/0891-4222(93)90029-j) PMID:8316681
17. Gray LB, Dubin-Rhodin A, Weller RA, Weller EB. Assessment of Depression in Children and Adolescents. Current Psychiatry Reports. 2009; 11(2): 106-113. <https://doi.org/10.1007/s11920-009-0017-x> PMID:19302763
18. LeBlanc JC, Almudevar A, Brooks SJ, Kutcher S. Screening for adolescent depression: Comparison of the Kutcher Adolescent Depression Scale with the Beck Depression Inventory. Journal of Child and Adolescent Psychopharmacology. 2002; 12(2): 113-126. <https://doi.org/10.1089/104454602760219153> PMID:12188980
19. Joshi HL, Mehta S. Depression in Relation to Attachment Style and Self Efficacy among Adolescents. Indian Journal of Psychological Science. 2017; 8(1): 125-135.
20. Manikam R, Matson JL, Coe DA, Hillman N. ADOLESCENT DEPRESSION - RELATIONSHIPS OF SELF-REPORT TO INTELLECTUAL AND ADAPTIVE FUNCTIONING. Research in Developmental Disabilities. 1995; 16(5): 349-364. [https://doi.org/10.1016/0891-4222\(95\)00018-i](https://doi.org/10.1016/0891-4222(95)00018-i) PMID:8532915
21. Minnix JA, Blalock JA, Marani S, Prokhorov AV, Cinciripini PM. Self-Efficacy Mediates the Effect of Depression on Smoking Susceptibility in Adolescents. Nicotine & Tobacco Research. 2011; 13(8): 699-705. <https://doi.org/10.1093/ntr/ntr061> PMID:21482619
22. Bardone AM, Moffitt TE, Caspi A, Dickson N, Stanton WR, Silva PA. Adult physical health outcomes of adolescent girls with conduct disorder, depression, and anxiety. Journal of the American Academy of Child and Adolescent Psychiatry. 1998; 37(6): 594-601. <https://doi.org/10.1097/00004583-199806000-00009> PMID:9628079
23. Benamos B. DEPRESSION AND CONDUCT DISORDERS IN CHILDREN AND ADOLESCENTS - A REVIEW OF THE LITERATURE. Bulletin of the Menninger Clinic. 1992; 56(2): 188-208. PMID:1617328
24. JacksonWalker S, Nitz K. Depression and behavior problems in urban adolescents: Risk factors for recurrent sexually transmitted diseases? Journal of Adolescent Health. 1996; 18(2): 117-117. [https://doi.org/10.1016/1054-139x\(96\)81150-5](https://doi.org/10.1016/1054-139x(96)81150-5)
25. Becker SP, Langberg JM, Evans SW. Sleep problems predict comorbid externalizing behaviors and depression in young adolescents with attention-deficit/hyperactivity disorder. European Child & Adolescent Psychiatry. 2015; 24(8): 897-907. <https://doi.org/10.1007/s00787-014-0636-6> PMID:25359419
26. Sanchis F, Simon A. Suicidal behaviour and depression in adolescents. Estudios De Psicologia. 2012; 33(1): 39-50. <https://doi.org/10.1174/021093912799803854> PMID:30308740
27. Spirito A, Francis G, Overholser J, Frank N. Coping, depression, and adolescent suicide attempts. Journal of Clinical Child Psychology. 1996; 25(2): 147-155. https://doi.org/10.1207/s15374424jccp2502_3
28. Roberts RE, Duong HT. Does major depression affect risk for adolescent obesity? Journal of Affective Disorders. 2015; 186: 162-167. <https://doi.org/10.1016/j.jad.2015.06.030> PMID:26247909

29. Wardle J, Williamson S, Johnson F, Edwards C. Depression in adolescent obesity: cultural moderators of the association between obesity and depressive symptoms. *International Journal of Obesity*. 2006; 30(4): 634-643. <https://doi.org/10.1038/sj.ijo.0803142> PMID:16570093
30. You S, Shin K, Kim AY. Body Image, Self-Esteem, and Depression in Korean Adolescents. *Child Indicators Research*. 2017; 10(1): 231-245. <https://doi.org/10.1007/s12187-016-9385-z>
31. Karabel M, Simsek S, Haspolat YK, Kelekci S, Karabel D, Tuncel T, et al. The Association between Depression and Vitamin D and Parathyroid Hormone Levels in Adolescents. *International Journal of Pediatrics-Mashhad*. 2016; 4(2): 1365-1372.
32. Merz EC, He XF, Noble KG, Pediatric Imaging Neurocognition G. Anxiety, depression, impulsivity, and brain structure in children and adolescents. *Neuroimage-Clinical*. 2018; 20: 243-251. <https://doi.org/10.1016/j.nicl.2018.07.020> PMID:30094172
33. Sokolov STH, Kutcher SP, Joffe RT. Changes in thyroid hormone levels associated with desipramine response in adolescent depression. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*. 1996; 20(6): 1053-1063. [https://doi.org/10.1016/0278-5846\(96\)00083-8](https://doi.org/10.1016/0278-5846(96)00083-8) PMID:8888110
34. Possel P, Horn AB, Hautzinger M. Comparison of two school based depression prevention programs for adolescents. *Zeitschrift Fur Klinische Psychologie Und Psychotherapie*. 2006; 35(2): 109-116. <https://doi.org/10.1026/1616-3443.35.2.109>
35. Ruble AE, Leon PJ, Gilley-Hensley L, Hess SG, Swartz KL. Depression knowledge in high school students: Effectiveness of the adolescent depression awareness program. *Journal of Affective Disorders*. 2013; 150(3): 1025-1030. <https://doi.org/10.1016/j.jad.2013.05.033> PMID:23790814
36. Shirk SR, Kaplinski H, Gudmundsen G. School-Based Cognitive-Behavioral Therapy for Adolescent Depression. *Journal of Emotional and Behavioral Disorders*. 2009; 17(2): 106-117. <https://doi.org/10.1177/1063426608326202>
37. Auerbach RP, Ho MHR, Kim JC. Identifying Cognitive and Interpersonal Predictors of Adolescent Depression. *Journal of Abnormal Child Psychology*. 2014; 42(6): 913-924. <https://doi.org/10.1007/s10802-013-9845-6> PMID:24398789
38. Hammen C. Adolescent Depression: Stressful Interpersonal Contexts and Risk for Recurrence. *Current Directions in Psychological Science*. 2009; 18(4): 200-204. <https://doi.org/10.1111/j.1467-8721.2009.01636.x> PMID:20161119
39. La Greca AM, Harrison HM. Adolescent peer relations, friendships, and romantic relationships: Do they predict social anxiety and depression? *Journal of Clinical Child and Adolescent Psychology*. 2005; 34(1): 49-61. https://doi.org/10.1207/s15374424jccp3401_5 PMID:15677280
40. Deykin EY, Levy JC, Wells V. ADOLESCENT DEPRESSION, ALCOHOL AND DRUG-ABUSE. *American Journal of Public Health*. 1987; 77(2): 178-182. <https://doi.org/10.2105/ajph.77.2.178>
41. Harrington R, Fudge H, Rutter M, Pickles A, Hill J. ADULT OUTCOMES OF CHILDHOOD AND ADOLESCENT DEPRESSION .2. LINKS WITH ANTISOCIAL DISORDERS. *Journal of the American Academy of Child and Adolescent Psychiatry*. 1991; 30(3): 434-439. <https://doi.org/10.1097/00004583-199105000-00013> PMID:11532797
42. Subramaniam G, Harrell P, Huntley E, Tracy M. Beck Depression Inventory for depression screening in substance-abusing adolescents. *Journal of Substance Abuse Treatment*. 2009; 37(1): 25-31. <https://doi.org/10.1016/j.jsat.2008.09.008> PMID:19339144

43. Davis JP, Merrin GJ, Ingram KM, Espelage DL, Valido A, El Sheikh AJ. Examining Pathways between Bully Victimization, Depression, & School Belonging Among Early Adolescents. *Journal of Child and Family Studies*. 2019; 28(9): 2365-2378. <https://doi.org/10.1007/s10826-019-01340-9>
44. Henrich CC, Shahar G. Social support buffers the effects of terrorism on adolescent depression: Findings from Sderot, Israel. *Journal of the American Academy of Child and Adolescent Psychiatry*. 2008; 47(9): 1073-1076. <https://doi.org/10.1097/CHI.0b013e31817eed08> PMID:18664998
45. Resett SA, Caino PG. Victimization as an Antecedent of Depression in Adolescents. *Acta Psiquiatrica Y Psicologica De America Latina*. 2019; 65(1): 17-26.
46. Cardamone-Breen MC, Jorm AF, Lawrence KA, Mackinnon AJ, Yap MBH. The Parenting to Reduce Adolescent Depression and Anxiety Scale: Assessing parental concordance with parenting guidelines for the prevention of adolescent depression and anxiety disorders. *Peerj*. 2017; 5: 30. <https://doi.org/10.7717/peerj.3825> PMID:28951815
47. Fard AS, Gharraee B, Farid AAA, Aghebati A. Relationship Between Perceived Parenting Styles and Identity Styles With Intensity of Depression in Adolescents. *Iranian Journal of Psychiatry and Clinical Psychology*. 2017; 22(4): 292-299. <https://doi.org/10.18869/nirp.ijpcp.22.4.292>
48. Shiner RL, Marmorstein NR. Family environments of adolescents with lifetime depression: Associations with maternal depression history. *Journal of the American Academy of Child and Adolescent Psychiatry*. 1998; 37(11): 1152-1160. <https://doi.org/10.1097/00004583-199811000-00014> PMID:9808926
49. Eley TC, Sugden K, Corsico A, Gregory AM, Sham P, McGuffin P, et al. Gene-environment interaction analysis of serotonin system markers with adolescent depression. *Molecular Psychiatry*. 2004; 9(10): 908-915. <https://doi.org/10.1038/sj.mp.4001546> PMID:15241435
50. Lee JS, Koeske GF. Direct and Moderating Effects of Ethnic Identity A Study of Intergenerational Conflict and Depression among Korean American Adolescents. *Asia Pacific Journal of Social Work and Development*. 2010; 20(2): 76-88. <https://doi.org/10.1080/21650993.2010.9756088>
51. Rice F. Genetics of childhood and adolescent depression: insights into etiological heterogeneity and challenges for future genomic research. *Genome Medicine*. 2010; 2: 6. <https://doi.org/10.1186/gm189> PMID:20860851
52. Emslie GJ, Kennard BD, Mayes TL, Nightingale-Teresi J, Carmody T, Hughes CW, et al. Fluoxetine versus placebo in preventing relapse of major depression in children and adolescents. *American Journal of Psychiatry*. 2008; 165(4): 459-467. <https://doi.org/10.1176/appi.ajp.2007.07091453> PMID:18281410
53. Evans CL, Ha Y, Saisch S, Ellison Z, Fombonne E. Tricyclic antidepressants in adolescent depression. A case report. *European Child & Adolescent Psychiatry*. 1998; 7(3): 166-171. <https://doi.org/10.1007/s007870050063> PMID:9826304
54. Kutcher S, Boulos C, Ward B, Marton P, Simeon J, Ferguson HB, et al. RESPONSE TO DESIPRAMINE TREATMENT IN ADOLESCENT DEPRESSION - A FIXED-DOSE, PLACEBO-CONTROLLED TRIAL. *Journal of the American Academy of Child and Adolescent Psychiatry*. 1994; 33(5): 686-694. <https://doi.org/10.1097/00004583-199406000-00010> PMID:8056732
55. Hammen C, Brennan PA, Keenan-Miller D, Herr NR. Early onset recurrent subtype of adolescent depression: clinical and psychosocial correlates. *Journal of Child Psychology and Psychiatry*. 2008; 49(4): 433-440. <https://doi.org/10.1111/j.1469-7610.2007.01850.x> PMID:18221352

56. Quijada RE, Montoya CM, Laserna PA, Toledo AP, Marco EM, Rabadan FE. Depression prevalence in adolescents. *Actas Espanolas De Psiquiatria*. 2005; 33(5): 298-302.
57. Rey JM. COMORBIDITY BETWEEN DISRUPTIVE DISORDERS AND DEPRESSION IN REFERRED ADOLESCENTS. *Australian and New Zealand Journal of Psychiatry*. 1994; 28(1): 106-113. <https://doi.org/10.3109/00048679409075851> PMID:8067955
58. Ha JH, Kim SY, Bae SC, Bae S, Kim H, Sim M, et al. Depression and Internet addiction in adolescents. *Psychopathology*. 2007; 40(6): 424-430. <https://doi.org/10.1159/000107426>
59. Lindqvist K, Mechler J, Carlbring P, Lillengren P, Falkenstrom F, Andersson G, et al. Affect-Focused Psychodynamic Internet-Based Therapy for Adolescent Depression: Randomized Controlled Trial. *Journal of Medical Internet Research*. 2020; 22(3): 15. <https://doi.org/10.2196/18047> PMID:32224489
60. Ophir Y, Asterhan CSC, Schwarz BB. The digital footprints of adolescent depression, social rejection and victimization of bullying on Facebook. *Computers in Human Behavior*. 2019; 91: 62-71. <https://doi.org/10.1016/j.chb.2018.09.025>
61. Boardman JD, Alexander KB, Stallings MC. Stressful Life Events and Depression among Adolescent Twin Pairs. *Biodemography and Social Biology*. 2011; 57(1): 53-66. <https://doi.org/10.1080/19485565.2011.574565> PMID:21845927
62. Lessem JM, Hewitt JK, Eaves LJ, Silberg JL, Rutter M, Simonoff E, et al. Life events and symptoms of depression in adolescents. *Behavior Genetics*. 1996; 26(6): 590-590.
63. Lopez MV, Fuentes N, Palos PA, Oudhof H. Depression in adolescents: The role of stressful life events. *Salud Mental*. 2012; 35(1): 37-43.

Appendix III

Figure. ThemeRiver drawing for topics developmen