Qualitative Olfactory Disorders: Patient Perspectives

ORIGINAL CONTRIBUTION

An analysis of patients’ perspectives on qualitative olfactory dysfunction using social media

Jane K. Parker¹, Christine E. Kelly², Barry Smith³, Claire Hopkins⁴, Simon B. Gane^{5*}

¹Department of Food and Nutritional Sciences, University of Reading, Reading, United Kingdom

²AbScent, Andover, Hampshire, United Kingdom

³Centre for the Study of the Senses, Institute of Philosophy, School of Advanced Study, University of London, London, United Kingdom

⁴Guy’s and St Thomas’ Hospitals, London, United Kingdom

⁵Royal National Ear, Nose and Throat and Eastman Dental Hospital, University College London Hospital, London, United Kingdom

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

SUMMARY

Background: The impact of qualitative olfactory disorders is underestimated. Parosmia is the triggered perception of distorted odours whereas phantosmia is the perception of odours in the absence of a trigger. Both can arise from post-infectious anosmia and have increased substantially since the outbreak of COVID-19.

Methodology/Principal: Thematic analysis of a social media support group for parosmia and phantosmia was used to articulate the perspectives and concerns of those affected by these debilitating olfactory disorders.

Results: A novel symptom (olfactory perseveration) was identified where a triggered, identifiable, and usually unpleasant olfactory percept persisted in the absence of an ongoing stimulus. Fluctuations in intensity and duration of perseveration, parosmia and phantosmia were observed. Coffee, meat, onion, and toothpaste were identified as common triggers of these disorders, but people struggled to describe the distortions, using words associated with disgust and revulsion. Common strategies to avoid triggers may result in a diet lacking in both nutrition and reward. The emotional aspect of living with qualitative olfactory dysfunction was evident and highlighted the detrimental impact on mental health.

Conclusions: The data acquired can inform rehabilitation strategies and drive our ongoing research into understanding the molecular triggers associated with parosmia, and research into patient benefit.

Key words: parosmia, olfactory dysfunction, trigger foods, mental health, COVID-19

INTRODUCTION

Until recently, olfactory dysfunction was a little-recognised and underestimated disorder, distressing to those affected and with few effective treatments available. Prior to the COVID-19 pandemic, olfactory dysfunction was believed to affect about 5% of the general population¹ rising to 20% of those aged over 60. However a more recent meta-analysis gave an estimated prevalence of 22%² when objective measures were employed³⁻⁴. The aetiologies most commonly reported are sinonasal disease, upper respiratory tract infection and traumatic brain injury⁵.

Since the outbreak of the COVID-19 pandemic, cases of olfactory dysfunction have increased. The most recent estimate for COVID-19-related loss of smell and taste is 65%⁶⁻⁷. Given that there have been 80 million cases of COVID-19 globally (to the end of 2020)⁸, several million people will have been affected by smell loss. Although many will recover within weeks⁹, it is estimated that about 10% will have long term olfactory problems, many of whom will subsequently develop a qualitative olfactory dysfunction¹⁰. The term qualitative olfactory dysfunction covers both parosmia (qualitative distortion in the presence of an odour), and phantosmia (odour experience in the absence of an odour).

Parosmia is the triggered (requiring an external stimulus), subjective perception of a qualitatively altered odour identity with negative hedonic component (almost universally unpleasant) which usually subsides within seconds of the stimulus. It often develops in the early stages of recovery from smell loss, particularly after post-infectious and post-traumatic anosmia, with onset weeks after the initial insult. Those severely affected by parosmia find many familiar food aromas intolerable and start to reject food, leading to weight loss, anxiety and in severe cases to clinical depression¹¹⁻¹². Parosmia is reported in 34% of all patients presenting with olfactory disorders (n=392)¹³ and the most common aetiology is upper respiratory infection, with 56% of those with anosmia progressing to parosmia.

Phantosmia often occurs alongside parosmia¹⁴ and is similarly a perception of an unpleasant subjective odour but is not triggered by obvious external odorants. Patients experience many of the same objectionable odours that are perceived by parosmics⁵ but these sensations can persist for days.

Awareness of anosmia has undoubtedly increased since the start of the COVID-19 pandemic, after it became recognised worldwide as one of the key symptoms of COVID-19¹⁵. However,

73 relatively few publications are dedicated to understanding both the pathophysiology of the
 74 disease and its impact on the patient. The charity AbScent (Registration No. 1183468 in
 75 England and Wales) has provided support for those with such disorders, launching several
 76 support groups on Facebook since 2018: a COVID-19 Smell and Taste Loss group was started
 77 in March 2020 and, once it became apparent that post-COVID-19 anosmics were also
 78 developing parosmia, a group dedicated to those experiencing parosmia and phantosmia, was
 79 started in June 2020. This group accumulated over 4700 followers by December 2020 and is
 80 an important source of information for researchers, providing valuable insight into the nature
 81 and progression of the disease.

82 The fact that people are turning to social media for support is evidence that patients are in need
 83 of more information to help them understand both the disease and the efficacy of various
 84 treatments, as well as find social interaction and moral support in coping with an often
 85 debilitating condition. In this paper we use qualitative data from the AbScent Parosmia and
 86 Phantosmia support group to understand the underlying themes of parosmia and phantosmia,
 87 the concerns of those afflicted and the nature of the foods that trigger the distortions.
 88 Understanding these will support further research into the mechanisms and therapeutic options
 89 for this condition.

90

91 MATERIALS AND METHODS

92 This study has been given University of Reading School of Chemistry, Food and Pharmacy
93 Research Ethics Committee approval (study number 39.2020) and permission has been given
94 for use of all personal quotes.

95 The use of social media is something that appears rarely in the published literature, yet Alanin
96 et al¹⁶ argue strongly that this approach, driven by the patients' own perspectives, provides
97 invaluable, unsolicited and spontaneous data that would not otherwise be retrieved from more
98 structured surveys and questionnaires. It paints a colourful picture of the patient journey,
99 avoiding bias arising from the structure of the survey and the generation of artefacts where
100 patients are overeager to please. Other biases may be introduced with this method, for example,
101 the sample is not randomised and no conclusions about incidence or prevalence can be made
102 due to the self-selection of this group. While much of the research into smell and taste changes
103 during the pandemic has focused on patients who have had confirmed cases of COVID-19,
104 either through positive tests or clinical diagnosis, the information presented here is about recent
105 self-reported changes which cannot be confirmed to be related to COVID-19 infection.

106 The findings reported here are taken from the AbScent Parosmia and Phantosmia Support
107 closed group on Facebook between 12th June and 14th December 2020. Conversation within
108 this group is lively, and responses to polls and questions can generate over 300 comments in
109 24 h.

110 *Thematic Analysis*

111 The Facebook group moderator (CK) monitored the discussion daily, noting down recurring
112 themes, and a second researcher (JP) independently reviewed the posts to identify themes. The
113 lists were combined and after discussion, 7 major themes were identified by consensus and
114 unattributed quotes were selected to support the thematic groups. Subthemes emerged, and 1-
115 2 quotes for each sub-theme were selected for presentation in Table 1.

116 *Content analysis*

117 To identify the foods most often associated with parosmia, the thread of one conversation was
118 analysed manually. The conversation was prompted by the moderator who posed the question:
119 "Can you all add here your worst foods for parosmia?" (137 comments). Data were collected
120 during the first three months of the study using a simple frequency table to record each food as

121 it was mentioned (Table 2). Some items required grouping, for example, the generic term
 122 “meat” was used, forcing us to combine this with chicken, beef, lamb, and pork. Sausages,
 123 being a mixture of meat, onions, garlic and spices were not included and bacon was considered
 124 different based on the curing process and the underlying chemistry. The terms lime, lemon and
 125 orange were grouped with citrus, and all personal care products gathered under one term. In
 126 general, complex food items containing a number of potential triggers (curry, fish fingers,
 127 sausages) were excluded from the count. Mint and toothpaste were combined. In terms of text
 128 analysis, this is a very small data set, and manual coding was deemed appropriate, although the
 129 repeatability and tolerance associated with this method should be borne in mind.

130

RESULTS

Theme 1. "How it makes me feel"

There is an extensive and concerning theme demonstrating the detrimental effect of parosmia and phantosmia on emotional well-being. Members not only report being sad and miserable (1-5), but some are quite scared and terrified by the prospect of having parosmia (6-9) and find reassurance when they find others in a similar position (10-13). Patients feel alone and isolated (14-15) and are relieved to find the support of the online community. Some are frustrated with lack of understanding from others (16) and responses from their doctors who seem uninterested (17-18) and lack treatment options. Many report a decline in their mental health (19-23) and one member was surprised that loss of smell could have such an impact on mental health (24). Lack of the ability to smell body odour is a worry as is the inability, from a safety perspective, to smell smoke or gas. Some adjust to the 'new normal' (25) and many are looking for hope (26-28). Although it is early days, some post about their recovery (29-33) which is usually only partial. Few mention complete recovery, but by this stage they may have left the group without commenting further.

Theme 2. Fluctuations

One emerging theme is the fluctuating nature of olfactory dysfunction. Often there is partial (hyposmia) or complete (normosmia) return of a normal sense of smell before the onset of parosmia (34). Duration varies as some have occasional "whiffs" of normality occurring during long stretches of parosmia (35) but, for others, the changes in intensity and the magnitude of the fluctuations is quite extreme (36-38) and persistent (38) and the severity of parosmia and phantosmia (92-100) can vary daily. Both hormones (38) and tiredness or stress (39) were associated with worse fluctuations.

Theme 3. Items that trigger parosmia

Much of the online discussion concerned key triggers, as patients started to recognise and record their own experiences and explore whether they shared the same triggers with others. Some list up to 15-20 different triggers which includes food, drinks, non-food items (bleach and cigarettes) and personal care items (shower gel, shampoo and hand sanitisers). Many mention coffee to be one of the worst (40-41). Fried, toasted or roasted foods are common triggers (42-44), as is chocolate (45-46) and onions and garlic (47-49) but these are not universal. Long lists of other foods are provided which include carbohydrates, fruit, vegetables,

162 herbs, spices, (50) and even water (51), leaving it almost impossible to create a list of foods
163 that are never triggers.

164 Personal care items are frequently mentioned (42-55), many attributing their parosmia to
165 different brands, ingredients and explore alternative products. Toothpaste/mint are frequent
166 offenders (56-59) and there are recommendations to switch to alternative flavoured toothpastes
167 (60).

168 *Theme 4. Characteristics of the trigger foods.*

169 One defining feature of parosmia is the distortion of (familiar) smells which members struggle
170 to describe as they cannot relate the smell to a previous experience (61-65). Although many
171 descriptions have been used to describe “that parosmia smell”, they are often prefixed with
172 “it’s like” in an attempt to describe the associated disgust, rather than the smell identity. A
173 group of words frequently used seems to be based on a burnt, chemical or dirty connotation
174 (burnt cigarettes, burnt rubber, sewage, earthy, dirty, rancid, death and decay, or unpleasant
175 (66-70)), but there is evidence of at least one other type of parosmia smell with many reporting
176 their triggers as sickly sweet and rotten (71-73). These two different concepts are often
177 attributed to different foods (74-75) but have been used together to describe one parosmia smell
178 (76) or in a progression where the burnt character appeared first but changed into the more
179 sweet smell after several months (77).

180 The feeling of disgust and revulsion associated with the distortions (78-79) is clear and can
181 induce vomiting in a handful of cases (80-82). Disgust is not always mentioned explicitly, but
182 many imply their disgust by their choice of words (Theme 2) which are associated with disgust
183 (garbage, sewage, decay, poo).

184 *Theme 5. The smell of faeces*

185 This is a recurrent theme in this Facebook group. If perceived at all, the smell of faeces is
186 usually more pleasant than expected (83-85) and often takes on the same character as food such
187 as onion and garlic, whether this is distorted (86) or normal (87) onion and garlic. The smell of
188 faeces is often described as distorted coffee (88-89) or as a sweet smell (90-91). The striking
189 corollary of this is that the hedonic value of these odours is reversed: odours that typically elicit
190 disgust are less objectionable than before, but odours which usually have a positive hedonic
191 value are perceived as disgusting.

192 *Theme 6. Phantosmia*

Many confuse parosmia and phantosmia (92), not knowing whether what they perceive is real (93). In general, phantosmia is discussed less frequently, even though it causes as much anxiety, as the perceived odour can last for days (94), weeks (95) or even months. Similar to parosmia, the descriptions of the smell are cigarette, chemical, burnt and rotting (96-97) or sweet and sickly (99), and phantosmia is subject to fluctuations (96, 98). An unusual and novel finding was that in some cases, members described it is a triggered reaction (100-101) and this was echoed strongly in the AbScent COVID-19 Small and Taste loss group where there was a thread dedicated to phantosmia.

Theme 7. Tips and tricks for survival

Evidently the members of the group provide significant support for each other (102-103), creating a positive environment with few negative comments. Some post practical tips to mitigate the impact (104-106), and many are keen to pass on their own experience and provide lists of “safe” foods that cause minimal distortions. In general, it is no wonder that appetite is lost (107) as bland foods are frequently recommended (the plainer the better, 108-109)) and many turn to fresh fruit and vegetables (110), plain carbohydrates (111-112) and dairy products (112-115) as “safe” options. Cooked and roasted foods which tend to be a major source of protein (meat, nuts) are not considered “safe” and it is concerning that some struggle to find a palatable source of protein (116-117). Whereas some have found acceptable alternatives (quorn, turkey mince, and protein shakes) others report diets lacking in anything nutritious (118-119) or abstain from food completely (120), putting themselves at risk of malnutrition.

Content analysis

More than 75 different items were mentioned as triggers in one conversation prompted by the moderator. By using our selection criteria (avoiding multi-ingredient foods, focusing on simple ingredients, and combining where necessary) a list of 50 items which trigger parosmia, and the frequency with which they were cited, is shown in Table 2. The four major food triggers, each cited >40 times, were coffee, meat, onions and toothpaste/mint, followed by garlic and eggs cited >20 times. Personal care products such as shower gel, deodorant, soap, shampoo, and hand sanitiser were often triggers, and these were gathered into just one category and mentioned >30 times. These results are displayed in a word cloud (Figure 1).

223 DISCUSSION

224 *Emotional Manifestations*

225 The emotional and mental health impacts of smell disorders was a major topic of discussion in
 226 the group and is already well-documented in the literature^{11-12, 17,18}. Figure 2 summarises the
 227 psychosocial manifestations, incorporating observations on food issues from Burges-Watson
 228 et al¹⁸ showing the interdependence of food issues and emotional effects. Smell loss or change
 229 is acutely felt by those suddenly confronted with the way their experience of the world is altered
 230 in terms of a lack of pleasure in eating and the absence of reassuring smells of familiar people
 231 and places. Many feel socially isolated and go on to suffer long lasting depression.

232 *Clinical manifestations*

233 Accounts of clinical manifestations are summarised in Figure 2 where there is an undefined yet
 234 complex and fluctuating relationship between different olfactory disorders (Theme 2).
 235 Contrary to what we have learnt anecdotally from non-COVID-19 incidences of parosmia,
 236 posts in this recent group indicate that parosmia can be preceded by the almost complete return
 237 of a normal sense of smell. This is hard to rationalise in terms of current olfactory neurobiology.
 238 During further progression of the disease, experiences of the symptoms of olfactory disorders
 239 vary in intensity and duration, (prolonged periods or short whiffs) giving episodes of different
 240 qualitative olfactory disorders and intermittent returns to anosmia or even what is perceived as
 241 a normal olfactory function. These “fluctuations” have no obvious basis, or sequence, can occur
 242 in series or in parallel, and vary from case to case. Given the close association between
 243 olfactory function and mental well-being¹¹, it is conceivable that fluctuations may be
 244 influenced by emotional status.

245 What was surprising in Theme 6 was the elucidation of what we believe to be a novel symptom:
 246 'smell lock' or olfactory perseveration. A search of the literature finds only one mention of this
 247 phrase before in a paper on olfactory hallucinations in Alzheimer's disease¹⁹, where it was not
 248 further described. We propose a definition of this symptom as a triggered, identifiable, usually
 249 unpleasant olfactory percept that persists in the absence of an ongoing stimulus. We suspect
 250 that it is often confused with phantosmia and is relatively common in post-infectious smell loss
 251 syndrome. It is distinct from phantosmia in that it is triggered by a recognisable stimulus and
 252 remains identifiable as the smell of that trigger while persisting long after the original stimulus
 253 is removed from the surrounding environment. Describing novel symptoms such as this both

254 increases our understanding of patient experience and guides further research efforts.

255 *Common triggers*

256 The wide range of trigger food and personal care products identified in Theme 3 is consistent
 257 with a survey of 725 patients carried out by Keller et. al⁵ in 2013. This study also reported
 258 coffee as an “efficient” trigger and it was often mentioned together with chocolate. Meat,
 259 coffee, and cocoa represent some of the most complex aroma profiles, as the combination of
 260 sugars, amino acids and fats often exposed to high temperatures (coffee roasting, roasting of
 261 cocoa nibs, roast meat) produces a rich mix of both Maillard reaction (flavour forming reaction
 262 between sugars and amino acids) and lipid degradation products. Since these and other cooked
 263 foods listed in Table 2 (fried foods, peanut butter, bacon and toast) are frequent triggers which
 264 are rarely reported as “safe foods”, it is reasonable to suggest that they may have aroma
 265 compounds in common which trigger parosmia. Onion and garlic are mentioned far less
 266 frequently in the Keller et. al. study but are major triggers in this study. Both contain a variety
 267 of potent sulfur-compounds which we propose may be trigger molecules. However, brassica
 268 species (cauliflower, broccoli, kale) which also contain potent sulfur compounds are rarely
 269 mentioned, and indeed these three items appear in a list of “safe” foods (but not without
 270 exception). Many unheated foods are also triggers (bell pepper, citrus, apple, cucumber and
 271 banana) so parosmia is not simply associated with cooked foods. Mint and toothpaste, not
 272 mentioned by Keller et al., also seem to be powerful triggers, although it is not yet clear whether
 273 this might also be due to stimulation of the trigeminal nerve. Personal care products are
 274 objectionable to many, but these are very brand dependent and subject to the ingredients and
 275 particularly the choice of essential oils and flavourings used by different manufacturers.

276 In Theme 5 we find that the smell of faeces takes on the character of other distorted foods,
 277 suggesting that the strongly objectionable odours typically associated with faeces are not being
 278 perceived. There may be trigger compounds present in the faeces which are usually masked by
 279 the typical amino acid degradation products characteristic of faecal odour. There is a curious
 280 switching in hedonic valence between what are usually objectionable odours and those that are
 281 usually highly desirable: fair is foul, and foul is fair in parosmia, it seems.

282 *Coping Strategies*

283 Advice on food is crucial both from a nutritional, hedonic and emotional perspective Theme
 284 7). Avoidance of the top triggers (coffee, meat, eggs, onion, garlic and toothpaste) and most

roasted or baked foods makes sense, but this may lead to nutritional deficiencies, especially in those who rely on meat and eggs as their main source of protein. Furthermore, avoidance of triggers may hinder the adaptation process which happens, albeit very slowly. This is one area where further research would be beneficial. It is far better for those afflicted to develop coping strategies for unpalatable foods. This could involve minimising thermal load, boiling or steaming rather than roasting or frying, and minimising flavour release by consumption at room temperature or chilled. Coping strategies may also include avoidance of grocery stores where the smell can be overwhelming and ordering food online for delivery. What is clear is that every person is different, and people need to experiment to find a varied diet with the right balance of nutrition and reward.

Conclusion

Qualitative methods are sometimes perceived as being 'less rigorous' than quantitative methods however we have shown how valuable such methods can be in both understanding patients' lived experiences and constraining further hypotheses for quantitative investigation. By collation and interpretation of themes derived from social media, we have articulated the concerns and experiences of patients with qualitative olfactory disorders and gained a better understanding of qualitative olfactory dysfunction, learning over time how the disease progresses and how it affects eating behaviour, social interactions, and mental health.

Forums such as Facebook provide much-needed moral support where members joining immediately feel connected, feel listened to and relieved to know that they are not alone. This itself can lift spirits, playing an important first step in coming to terms with what is, for many, a relatively long-term condition.

We identified seven themes arising from the corpus of unmoderated and unprovoked comments which highlighted the emotional impact of these disorders, the fluctuating nature of olfactory dysfunction, and the heretofore undescribed symptom of 'smell lock' or olfactory perseveration. Common trigger foods and their olfactory characteristics were identified, the most common being coffee, meat, onions and mint/toothpaste. We noted particularly alteration of faecal odours as acquiring a more positive hedonic valence. The commonality of trigger foods and their shared characteristics promises a rich field of further investigation as to the underlying mechanisms in these sensory disorders. These themes provide the frameworks for ongoing research and therapeutic intervention in smell disorders, shedding further light on the impact of these problems but also the directions to which further research should be guided.

318 ACKNOWLEDGEMENTS

319 The authors would like to acknowledge the contribution of Aidan Kirkwood for his assistance
320 with the social media.

321

322 AUTHORSHIP CONTRIBUTION

323 Datamining, manuscript first draft and review (JP); conception, Facebook management,
324 datamining, figures and review of manuscript (CK); manuscript writing and review (BS);
325 manuscript writing and review (CH); conception, manuscript writing and review (SG).

326

327 CONFLICT OF INTEREST

328 There is no conflict of interest

329

REFERENCES

1. Smeets MAM, Veldhuizen MG, Galle S, et al. Sense of smell disorder and health-related quality of life. *Rehabil Psychol* 2009; 54 (4): 404-412.
2. Desiato VM, Levy DA, Byun YJ, Nguyen SA, Soler ZM, Schlosser RJ. The prevalence of olfactory dysfunction in the general population: a systematic review and meta-analysis. *Am J Rhinol Allergy* 2020; 11:
3. Nordin S, Bramerson A, Liden E, Bende M. The Scandinavian odor-identification test: development reliability validity and normative data. *Acta Otolaryngol* 1998; 118 (2): 226-234.
4. Hummel T, Sekinger B, Wolf SR, Pauli E, Kobal G. 'Sniffin' sticks': olfactory performance assessed by the combined testing of odor identification odor discrimination and olfactory threshold. *Chem Senses* 1997; 22 (1): 39-52.
5. Keller A, Malaspina D, Hidden consequences of olfactory dysfunction: a patient report series. *BMC ear nose and throat disorders* 2013; 13 (1): 8.
6. Menni C, Valdes AM, Freidin MB, et al. Real-time tracking of self-reported symptoms to predict potential COVID-19. *Nat Med* 2020; 26 (7): 1037-1040.
7. Parma V, Ohla K, Veldhuizen MG, et al. More than smell - COVID-19 is associated with severe impairment of smell taste and chemesthesis. *Chem Senses* 2020.
8. WHO Coronavirus Disease (COVID-19) Dashboard <https://covid19.who.int/> accessed 29th December 2020.
9. Yan CH, Faraji F, Prajapati DP, Boone CE, DeConde AS. Association of chemosensory dysfunction and COVID-19 in patients presenting with influenza-like symptoms. *Int Forum Allergy & Rhinol* 2020; 10 (7): 806-813.
10. Hopkins C, Surda P, Vaira LA. Six month follow-up of self-reported loss of smell during the COVID-19 pandemic. *Rhinology*. 2020 Dec 15.
11. Croy I, Nordin S, Hummel T. Olfactory disorders and quality of life-an updated review. *Chem Senses* 2014; 39 (3): 185-194.
12. Kohli P, Soler ZM, Nguyen SA, Muus JS, Schlosser RJ. The association between olfaction and depression: a systematic review. *Chem Senses* 2016; 41(6): 479-486.
13. Reden J, Maroldt H, Fritz A, Zahnert T, Hummel T. A study on the prognostic significance of qualitative olfactory dysfunction. *Eur Arch of Oto-Rhino-L* 2007; 264 (2): 139-144.
14. Hummel T, Whitcroft KL, Andrews P, et al. Position paper on olfactory dysfunction.

363 Rhinology 2017; 54: 1-30.

364 15. WHO Q&A on corona viruses (COVID-19)

365 [https://www.who.int/emergencies/diseases/novel-coronavirus-2019/question-and-answers-](https://www.who.int/emergencies/diseases/novel-coronavirus-2019/question-and-answers-hub/q-a-detail/q-a-coronaviruses)

366 [hub/q-a-detail/q-a-coronaviruses](https://www.who.int/emergencies/diseases/novel-coronavirus-2019/question-and-answers-hub/q-a-detail/q-a-coronaviruses) accessed 26th Sept 2020.

367 16. Alanin MC, Laidlaw T, Hopkins C, Samters Society. The burden of non-steroidal

368 anti-inflammatory exacerbated respiratory disease from the patient's perspective - a

369 qualitative analysis of posts from the Samter's Society. Rhinology 2020; 58 (4): 333-340.

370 17. Soudry Y, Lemogne C, Malinvaud D, Consoli SM, Bonfils P. Olfactory system and

371 common substrates. Eur Ann Otorhinolaryngol Head Neck Dis 2011; 128 (1): 18-23.

372 18. Burges Watson DL, Campbell M, Hopkins C, Smith B, Kelly C, Deary V. Altered

373 smell and taste: anosmia parosmia and the impact of long COVID-19. medRxiv 2020

374 2020.11.26.20239152.

375 19. El Haj M., Laro F. Olfactory hallucinations in Alzheimer's disease. Acta

376 neuropsychiatr 2020; 1-6.

377

378 CORRESPONDING AUTHOR

379 Mr Simon Gane, Royal National Ear, Nose and Throat and Eastman Dental Hospitals,

380 University College London Hospital, London, United Kingdom. Email: simongane@nhs.net.

381 Tel 02034565197

382

Table 1 Extracts from the AbScent Parosmia and Phantosmia Support Facebook group

Theme and Subtheme	No	Quotes from the AbScent Parosmia and Phantosmia Support Facebook group
Theme 1: Parosmia – how it makes me feel		
sad	1	I feel sad and depressed and distanced to the world as it used to be. Not being able to smell the most mundane things, like the rain or my boyfriends perfume. Not being able to participate socially like i used to.
	2	I just feel sad about all of this and am worried
miserable	3	I am in the peak stage and feel miserable, especially because I fear this is how my life will be forever and I am not sure I can cope.
	4	I feel like I'm losing myself as I was such a foody but now I feel I'm only eating to survive.
	5	It is so miserable and it makes you feel so low experiencing this
scared	6	made me cry I was so scared
	7	I was very glad to find this group because although what we are experiencing is awful, it helped me to feel less scared about what is happening
terrified	8	This is terrifying, how long does this stage last
	9	the loss of my smell and taste has affected almost every part of my life
not alone	10	I have literally only just found out that this isn't just me!!
	11	I have found some comfort in reading these posts as it reminds me I'm not alone.
	12	but I am so relieved this is actually a thing and it hasn't just happened to me
	13	it is such a relief knowing you aren't alone isn't it!
alone	14	I feel lost, alone, defeated depressed!
	15	I coped with anosmia for 3 months but the parosmia had me seeking out this group. It's distressing and isolating.
frustrated	16	People who are not suffering just do not understand the hell we are going through.
	17	so when I phoned the doctors after a few weeks they didn't want to know
	18	My GP doesnt understand my problem.
mental health	19	parosmia started in the beginning of September, and it has taken a toll on my mental health.
	20	Really feel like no one understands the impact it's had on my mental health.
	21	I'm really struggling and it's so hard when no one around you understands , the thought of it going on this bad for months on end is unimaginable
	22	I was crying everyday, and finally called my doctor for some anti-depressants
	23	It is so miserable and it makes you feel so low experiencing this

- adjusting 24 I wouldn't have expected smell to have this big of an impact on mental health.
25 I have noticed some days are worse than others, but I'm not crying as much about it anymore and my anxiety levels aren't quite as high as I am adjusting to this new normal.
- hope 26 I would like hear stories on how to cope and successful recoveries.
27 Interested to hear other peoples coping techniques.
28 Thanks for lifting my spirits and giving me hope!!
- recovery 29 A few weeks ago my parosmia has improved and is not as strong as it was before,
30 I'm not better but can see improvement
31 I'm almost recovered now! I had covid in March and the foul smell/taste started around June and was horrific for about a week, bad but not as bad for another fortnight and then slowly started improving. I still have a few things that trigger it but now it's nowhere near as extreme
32 I hope I can give you some hope, I lost my smell and taste 11th March and parosmia came 2 months later. It was horrendous for a while, I lived off very bland food. Then it gradually became more tolerable and now I can actually taste some things almost normally again
33 I'd still say I'm about 80% recovered

Theme 2: Fluctuations

- 34 Anosmia for about 1 week in March. Smell and taste returned to somewhere near normal. In June 2020, parosmia began.
35 Parosmia is same at 8 months but very occasional, normal whiffs
36 Lost my smell and taste in April, some smell/taste came back...then crazy Parosmia since August. I think it's getting better and then wham it's terrible again! I am trying a more positive attitude and finding it helps...
37 I actually thought the Parosmia was lessening..... but it's back just even with smell of flowers , tea , squash
38 The fluctuations are really annoying, I find some days it's normal parosmia only (stale,sour but sweet smell) but other days there will be some enhanced "bad smells" and phantosmia combined where I can't escape the smell. I wonder if hormones contribute to this and maybe explain fluctuations through the month? I have found my fluctuations are getting much less as time goes on and some foods taste almost normal.
39 There absolutely is fluctuations in parosmia which seems really strange. I'd say either being tired or stressed seems to make the taste worse.

Theme 3: Items that trigger parosmia

- coffee 40 Coffee, without a shadow of a doubt, is the worst.
41 The absolute worse is freshly brewing coffee (the grounds)
- cooked food 42 anything toasted (bread, nuts...)
43 anything deep fried in oil
44 Anything toasted or roasted turns to that awful smell
- chocolate 45 Coffee (obviously), anything chocolate, cola, chicken, sausage, onions, garlic, most chips, toothpaste (& almost any minty things), most "fruity" alcoholic beverages, most cleaning products (except unscented or all natural products).
46 I have chocolate cake to make now and last week it tasted/smelt of poo
- onions 47 Anything containing the slightest bit of onion or garlic are the worst for me and I literally cannot eat it without gagging.
48 For me the worst is onion

the worst	49	Egg, garlic, onion, all meat, chocolate Coffee
fruit and veg	50	Absolutely can't bear Onions, Garlic, Potato in all forms, mint, chocolate, coffee, any berries, Salmon, all meat, most bread, Green Peppers, Cereals, toothpaste, peas, Carrots, tomatoes & Celery so not v much at all.
water	51	I could not identify the trigger. I then realised that it was caused by water! Tap Water smells and tastes unpleasant (bottled water is fine).
personal care	52	Anything chemical like shower gel to washing and cleaning products all have one smell, and even that is horrible
	53	Bathroom stuff - deodorant, shampoo, moisturiser etc.... most smell horrid,
	54	Even brushing my teeth or taking a shower (when using shampoo or shower gel) is horrible. EVERYTHING is permeated by this terrible situation.
	55	gave my baby daughter a bath and the smell of her soap was just awful and made me feel sick
toothpaste	56	My worst tastes are mint toothpaste, mint chewing gum....
	57	Toothpaste tastes vile, makes me gag.
	58	Anything with mint (toothpaste, ice cream, mojitos...)
	59	mint of any sort(toothpaste is like cleaning teeth with petrol!)
	60	I had no luck with cinnamon toothpaste, but I found a vanilla chai toothpaste that does the trick!

Theme 4: Describing the distortions perceived

indescribable	61	I have never smelt/ tasted this specific smell so there's nothing I can describe it as.
	62	Very hard to describe... it is a new smell... I have never smelled that in my normal life... I tried to say what it is like.... but it is like nothing....
	63	I've never smelt this before so I find it hard to describe.
	64	Like everyone has said it's impossible to find the words!
funky	65	My word for it is "funky". It's not like anything else but I describe it as a sweet, sickly, sour odour.
burnt	66	everything smells like Burnt cigarette and cleaning solutions
sewage	67	There was one week in particular in July that was horrific, everything smelled and tasted like raw sewage and trying to eat made me vomit.
dirty	68	A taste/smell I have never had before. Dirty, earthy, burnt
unpleasant	69	It carries a deep woody , burnt unpleasant smell.
decay	70	Rancid, cloying, death
sickly sweet	71	Most taste/smell awful either Vomit with a side of bin juice or acrid smoke with a side of v sickly sweet chemicals!!
	72	Sickly, rotten, sweet, overpowering old rubbish!!!
	73	it's a relief not to smell the sweet chemical sickly smell so much
binary	74	Some smells are like rotten melon (shampoo, deodorant) and some are more smoky (coke, shaving cream, parsley), but I think they are related.
	75	Sometimes like bile and sometimes like rotten garlic
	76	Each thing that smells bad to me all have the same chemical, rotted burnt meat, with a touch of sweet smell to them
	77	At first everything was like dead body/burning. Now everything has a sweet, chemical, nutty smell at 8 months in
disgust	78	it is new and disgusting
	79	It's foul. Makes you screw your face up. It's disgusting.

vomit-inducing	80	I was entering Tesco and whatever it was that triggered the smell I'm not sure but it made me vomit there and then
	81	but the smells are nausea inducing.
making me retch	82	Chicken is making me wretch. Getting more and more anxious about certain foods and especially my family's reaction to me eating or not eating things.

Theme 5: The smell of faeces

No longer bad	83	They don't smell as bad as they probably should
	84	They don't smell too bad!
	85	Poo smells a distinct odour but not like it used to and nowhere near as horrible
parosmia smell	86	Feces, urine, body odor & deodorant all had the same nauseating parosmia smell for me (same as onion & garlic)
onions	87	Wee and poo smell strong and horrendously like onion/garlic.
coffee	88	I relate the poop/fart with new weird smell of the coffee
	89	It's faint though, the smell is wrong and weirdly it smells the same as coffee and cigarette smoke
fruity sweet	90	they don't smell offensive too me when I can smell them, often I can't smell it at all. But the smell they have is the same as coffee, peanut butter and citrus fruits weirdly.
chemical	91	More recently they smell of a sweet chemical smell,

Theme 6: Phantosmia

confusion	92	I'm a bit confused, as I think I have a mix of Parosmia and smell/taste lock
	93	With phantosmia, I don't know what's real.
duration	94	At first I had a relatively constant smell of burning plastic/tyres which lasted for about three days, then subsided.
	95	I have been experiencing phantosmia on and off for the last few weeks, which would be about 11/12 weeks after losing my smell.
descriptions	96	Mine comes and goes, and about 95% of the time it's the smell of cigarette smoke.
	97	Cigarette smoke, noxious chemicals, burning smells, rotting smells .
sweet	98	It definitely comes and goes, sometimes very intense to the point of being slightly nausea-inducing, at other times barely perceptible.
	99	I have had periods of a quite sweet smell
triggered	100	My personal experience is my phantosmia is mostly manageable until an actual smell triggers it. I will then smell rotten veggies for hours and hours
	101	I have this when my husband cooks meat, in particular chicken. The smell stays in my nose for days and it is horrid.

Theme 7: Tips and tricks for survival

support	102	We are all right there with you!!
	103	Knowing I have a safe place to vent, and grieve and a place to find strength when I am weak is the best therapy. Hang in there....
practical tips	104	Just wanted to share a little tip for those feeling really nauseous from parosmia. Chamomile tea helped me so much! Not only it tasted as it should but it really helped soothing my stomach when even water was making me sick. Also - it will improve! Just hang in there.
	105	Please if you're struggling with smells and eating try to use a nose clip, like those used to swim.

	106	Tip of the day for all you coffee lovers!!!! Iced coffee through a straw tastes normal!
appetite	107	It's nauseating, has stripped me of appetite and is really hitting my (already fragile) mood.
Plain foods	108	Seems to me that the plainer the better lightly poached fish like cod, haddock or prawns, nothing strong tasting, and boiled potatoes or rice.
	109	The plainer the better at the minute
fruit and veg	110	Avocado, baby sweetcorn, bamboo shoots, beansprouts, broccoli, brown bread (not toasted), cauliflower, chilli, courgette, coconut/coconut milk, grapes, green beans, kale, lettuce, mange tout, nectarines, nuts, quinoa, radish, raspberries, rice, runner beans, sesame seeds, strawberries, sweet potato, tofu, raw tomatoes, water chestnuts, soya yoghurt
carbohydrates	111	Latest discovery: rice pudding tastes ok!!
	112	Plain potatoes, yoghurt and ice cream were my only safe foods
dairy	113	Cheese has been a hero throughout
	114	I can only eat bread, cheese, natural yogurt, just basic bland non smelling food.
	115	muesli with fruit and greek yoghurt
proteins	116	I can't seem to find any protein that is tolerable.
	117	I am pregnant and struggling to get enough protein and also vegetables in bc of parosmia
poor nutrition	118	After eating little else except bread, cheese, chips and cake since June
	119	I'm surviving on milkybar buttons and jammie dodger biscuits at the moment as they are the only 2 things that truly taste as they should
	120	Today has been a really bad day for me (where I feel everything that passes my nose is unbearable, even my freshly washed bedsheets) I've found myself just not eating at all.

386
387
388

389 **Table 2** Count of Trigger Foods Reported taken from 137 comments retrieved from the AbScent Parosmia and Phantosmia Support Facebook
 390 group between 8th August and 30th September 2020

Cooked foods		Fruits, vegetables,		Alliums/Brassica		Drinks	
Maillard		herbs and spices					
meat (chicken, beef, lamb)	45	banana	14	onion	47	wine red and white	14
coffee	42	citrus	13	garlic	27	cola	11
eggs	28	peppers	6	mustard	3	water	1
chocolate	14	cucumber	6	rocket	2		
fried foods	11	coriander/cilantro	6	broccoli	1	Non-food items	
peanuts/peanut butter	9	berries	5			toothpaste/mint	43
bread	7	strawberries	4	Dairy		personal care products	30
bacon	6	celery	3	butter	3	body odours	5
toast	5	jalapenos	2	cheese	3	cigarette smoke	4
tomato products	4	pineapple	2	yogurt	2	bleach	4
humous	3	pesto	2	milk	1	petfood	3
oats/porridge	3	watermelon	2			petrol	2
soy sauce	2	spices	2	Flavoured products			
marmite	2	parsley	1	sweets	3		
popcorn	1	peaches	1	crisp flavours	3		
		spinach	1	vanilla	3		
		basil	1				
		ginger	1				
		apple	1				

391

392 TABLE HEADINGS

393 **Table 1** Extracts from the AbScent Parosmia and Phantosmia Support Facebook group

395 **Table 2** Count of Trigger Foods Reported taken from 137 comments retrieved from the
 396 AbScent Parosmia and Phantosmia Support Facebook group between 8th August and 30th
 397 September 2020

398

399 **FIGURE HEADINGS**

400 **Figure 1** Wordcloud of common triggers where the size of the word is proportional to the
401 frequency of citation

402

403 **Figure 2** Clinical and Psychosocial Manifestations of Olfactory dysfunction

404

405 FIGURE 1

406

407 FIGURE 2

408

409

410