Associations between governor political affiliation and COVID-19 cases, deaths, and testing in the United States

Brian Neelon, PhD,^{1,2*} Fedelis Mutiso, MS,¹ Noel T Mueller, PhD, MPH,^{3,4}

John L Pearce, PhD,⁵ Sara E Benjamin-Neelon, PhD, JD, MPH^{6,7}

¹ Division of Biostatistics, Department of Public Health Sciences, Medical University of South Carolina, Charleston, South Carolina

² Charleston Health Equity and Rural Outreach Innovation Center (HEROIC), Ralph H. Johnson VA Medical Center, Charleston, South Carolina

³ Department of Epidemiology, Johns Hopkins Bloomberg School of Public Health, Baltimore, Maryland

⁴ Welch Center for Prevention, Epidemiology and Clinical Research, Johns Hopkins University, Baltimore, Maryland

⁵ Division of Environmental Health, Department of Public Health Sciences, Medical University of South Carolina, Charleston, South Carolina

⁶ Department of Health, Behavior and Society, Johns Hopkins Bloomberg School of Public Health, Baltimore, Maryland

24

25 ⁷Lerner Center for Public Health Promotion, Johns Hopkins Bloomberg School of Public Health,
26 Baltimore, Maryland

27

28 * Corresponding author

29 Brian Neelon, PhD

30 Department of Public Health Science

31 Medical University of South Carolina

32 Charleston, SC 29425

33 E-mail: neelon@musc.edu

34 Telephone: (843) 876-1149

35

36 Word Count: 1200

37 Page Count: 13

38 Table/Figure Count: 4

39

40 **Conflicts of Interest:** Dr. Mueller was supported by the National Heart, Lung, And Blood
41 Institute of the National Institutes of Health under Award Number K01HL141589 (PI: Mueller).
42 The funder had no influence on the study's design, implementation, or findings.

43

44 **Financial Disclosure:** No financial disclosures were reported by the authors of this manuscript.

Abstract

Introduction

The response to the COVID-19 pandemic became increasingly politicized in the United States (US) and political affiliation of state leaders may contribute to policies affecting the spread of the disease. This study examined differences in COVID-19 infection, death, and testing by governor party affiliation across 50 US states and the District of Columbia.

Methods

A longitudinal analysis was conducted in December 2020 examining COVID-19 incidence, death, testing, and test positivity rates from March 15 through December 15, 2020. A Bayesian negative binomial model was fit to estimate daily risk ratios (RRs) and posterior intervals (PIs) comparing rates by gubernatorial party affiliation. The analyses adjusted for state population density, rurality, census region, age, race, ethnicity, poverty, number of physicians, obesity, cardiovascular disease, asthma, smoking, and presidential voting in 2020.

Results

From March to early June, Republican-led states had lower COVID-19 incidence rates compared to Democratic-led states. On June 3, the association reversed, and Republican-led states had higher incidence (RR=1.10, 95% PI=1.01, 1.18). This trend persisted through early December. For death rates, Republican-led states had lower rates early in the pandemic, but higher rates from July 4 (RR=1.18, 95% PI=1.02, 1.31) through mid-December. Republican-led states had higher test positivity rates starting on May 30 (RR=1.70, 95% PI=1.66, 1.73) and lower testing rates by September 30 (RR=0.95, 95% PI=0.90, 0.98).

68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90

Conclusion

Gubernatorial party affiliation may drive policy decisions that impact COVID-19 infections and deaths across the US. Future policy decisions should be guided by public health considerations rather than political ideology.

Introduction

Coronavirus disease 2019 (COVID-19) has resulted in a global public health crisis. As of December 15, 2020, there have been over 16 million confirmed COVID-19 cases and 300,000 deaths in the US.¹ In response to the pandemic, the governors of all 50 states declared states of emergency. Shortly thereafter, states began enacting policies to help stop the spread of the virus. However, these policies vary and are guided, in part, by decisions from state governors.

Through state constitutions and laws, governors have the authority to take action in public health emergencies. Earlier this year, nearly all state governors issued stay-at-home executive orders that advised or required residents to shelter in place.² Recent studies found that Republican governors, however, were slower to adopt stay-at-home orders, if they did so at all.^{3,4} Moreover, another study found that Democratic governors had longer durations of stay-at-home orders.⁵ Further, researchers identified governor Democratic political party affiliation as the most important predictor of state mandates to wear face masks.⁶

Although recent studies have examined individual state policies, such as mandates to socially distance, wear masks, and close schools and parks,^{3,4,6-8} multiple policies may act together to impact the spread of COVID-19. Additionally, the pandemic response has become increasingly politicized.^{7,9,10} As such, political affiliation of state leaders, and specifically governors, might best capture the omnibus impact of state policies. Therefore, the purpose of this study was to quantify differences in incidence, death, testing, and test positivity over time, stratified by governors' political affiliation among the 50 states and DC.

Methods

A longitudinal analysis examined COVID-19 incident cases, death rates, polymerase chain reaction (PCR) testing, and test positivity from March 15 (March 24 for testing and test positivity) through December 15, 2020 for 50 states and DC. Based on prior studies,^{3,4,6,7} it was hypothesized that states with Democratic governors would have higher incidence, death, and test positivity rates early in the pandemic due to points of entry for the virus,^{11,12} but that the trends would reverse in later months, reflecting policy differences that break along party lines. The Institutional Review Boards at the Medical University of South Carolina and Johns Hopkins Bloomberg School of Public Health deemed this research exempt.

Governor party affiliation was documented for each US state; for DC, mayoral affiliation was used. Daily incident cases and deaths were obtained from the COVID Tracking Project.¹³ PCR testing and test positivity data came from the US Department of Health and Human Services.¹⁴ Potential confounders included state population density,¹⁵ census region,¹⁵ state percentage of residents aged 65 and older,¹⁵ percentage of Black residents,¹⁵ percentage of Hispanic residents,¹⁵ percentage below the federal poverty line,¹⁵ percentage living in rural areas,¹⁶ percentage with obesity,¹⁷ percentage with cardiovascular disease,¹⁸ percentage with asthma, percentage smoking,⁹ number of physicians per 100,000 residents,¹⁶ and percentage voting Democratic (versus Republican) in the 2020 presidential election.¹⁹

Statistical analysis

Bayesian negative binomial models were used to examine incident case, death, testing, and test positivity rates. The models included penalized cubic Bsplines for the fixed and random

temporal effects. Models adjusted for the above covariates. Ridging priors were assigned to the fixed and random spline coefficients.²⁰ Posterior computation was implemented using Gibbs sampling.^{18,21} Model details, including prior specification, computational diagnostics, and sensitivity analyses appear in the online Appendix.

Models were stratified by governors' affiliation, and posterior mean daily rates were graphed with their 95% posterior intervals (PIs). Adjusted risk ratios (RRs) and 95% PIs were calculated to compare states, with RRs > 1.00 indicating higher rates among Republican-led states. Analyses were conducted using R version 3.6 (R Core Team, 2019).

Results

The sample comprised 26 Republican-led and 25 Democratic-led states. Figures 1(a-b) present incidence trends (cases per 100,000) and adjusted RRs by gubernatorial affiliation. Republican-led states had fewer cases from March to early June 2020. However, on June 3 the association reversed (RR=1.10, 95% PI=1.01, 1.18), indicating that Republican-led states had on average 1.10 times more cases per 100,000 than Democratic-led states. The RRs increased steadily thereafter, achieving a maximum of 1.77 (95% PI=1.62, 1.90) on June 28 and remaining positive for the remainder of the study, although the PIs overlapped 1.00 starting on December 3.

Figure 1. (a) Per capita COVID-19 incidence rates by governor affiliation; (b) adjusted risk ratios (RRs) and 95% posterior intervals (PIs). RRs > 1 indicate higher rates for Republican governors.

A similar pattern emerged for deaths shown in Figures 2(a-b). Republican-led states had lower death rates early in the pandemic, but the trend reversed on July 4 (RR=1.18, 95% PI=1.02,1.31). The RRs increased through August 5 (RR=1.80, 95% PI=1.57, 1.98) and the PIs remained above 1.00 until December 13 (RR=1.20, 95% PI=0.96, 1.39).

165 **Figure 2.** (a) Per capita COVID-19 death rates by governor affiliation; (b) adjusted risk ratios
 166 (RRs) and posterior intervals (PIs). RRs > 1 indicate higher rates for Republican governors.

167
 168 Testing rates (Figures 3a-b) tracked similarly for Republican and Democratic states until
 169 September 30 (RR=0.95, 95% PI=0.90, 0.98). By November 27, the testing rate for Republican-
 170 led states was substantially lower than Democratic states (RR=0.77, 95% PI=0.72, 0.80). The
 171 test positivity rate (Figures 4a-b) was higher for Republican-led states starting on May 30, and
 172 was 1.70 (95% PI=1.65, 1.74) times higher on June 23.

173

174

175 **Figure 3.** (a) Per capita COVID-19 testing rates by governor affiliation; (b) adjusted risk ratios
 176 (RRs) and posterior intervals (PIs). RRs > 1 indicate higher rates for Republican governors.

177
 178 **Figure 4.** (a) COVID-19 test positivity rates per 100 tests by governor affiliation; (b) adjusted
 179 risk ratios (RRs) and posterior intervals (PIs). RRs > 1 indicate higher rates for Republican
 180 governors.

181

Discussion

In this longitudinal analysis, Republican-led states had fewer per capita COVID-19 cases, deaths, and positive tests early in the pandemic, but these trends reversed in early May (positive tests), June (cases), and July (deaths). Testing rates were similar until September, when Republican states fell behind Democratic states. The early trends could be explained by high COVID-19 cases and deaths among Democratic-led states that are home to initial ports of entry for the virus in early 2020.^{11,12} However, the subsequent reversal in trends, particularly with respect to testing, may reflect policy differences that could have facilitated the spread of the virus.^{3,4,6-9}

Adolph et al. found that Republican governors were slower to adopt both stay-at-home orders and mandates to wear face masks.^{3,6} Other studies have shown that Democratic governors were more likely to issue stay-at-home orders with longer durations.^{4,5} Moreover, decisions by Republican governors in spring 2020 to retract policies, such as the lifting of stay-at-home orders on April 28 in Georgia,²² may have contributed to increased cases and deaths. Democratic states also had lower test positivity rates from May 30 through December 15, suggesting more rigorous containment strategies in response to the pandemic. Thus, governors' political affiliation might function as an upstream progenitor of multifaceted policies that, in unison, impact the spread of the virus. Although there were exceptions in states such as Maryland and Massachusetts, Republican governors were generally less likely to enact policies aligned with public health social distancing recommendations.³

This is the first study to quantify differences over time based on governor party affiliation. There are, however, limitations. This was a population-level rather than individual-level

analysis. Although analyses were adjusted for potential confounders (e.g., rurality), the findings could reflect the virus's spread from urban to rural areas.^{11,12} Additionally, as with any observational study, causality cannot be inferred. Finally, governors are not the only authoritative actor in a state; governors in states like Wisconsin may have been limited by Republican-controlled legislatures. Future research could explore associations between party affiliation of state or local legislatures, particularly when these differ from governors.

These findings suggest that governor political party affiliation may differentially impact COVID-19 incidence and death rates. Attitudes toward the pandemic were highly polarized in 2020.^{7,9,10,23-25} Future state policy actions should be guided by public health considerations rather than political expedience²⁶ and should be supported by a coordinated federal response within the new presidential administration.

Acknowledgments

Dr. Neelon is a part-time employee of the Department of Veterans Affairs. The content of this article does not represent the views of the Department of Veterans Affairs or the U.S. government. The article represents the views of the authors and not those of the VA or Health Services Research and Development. Dr. Mueller was supported by the National Heart, Lung, and Blood Institute of the National Institutes of Health under Award Number K01HL141589 (PI: Mueller). The funder had no influence on the study design, implementation, or findings. Dr. Neelon had full access to all data in the study and takes responsibility for the integrity of the data and the accuracy of the data analysis. Dr. Neelon, Dr. Mueller, Dr. Pearce and Dr. Benjamin-Neelon contributed to the concept and design of the study. Dr. Neelon and Mr. Mutiso

contributed to acquisition, analysis, and interpretation of the data. Dr. Neelon and Benjamin-Neelon drafted the manuscript, and all Dr. Mueller, Dr. Pearce, and Mr. Mutiso provided critical revisions. A preprint of this manuscript is posted on *MedRxiv* at <https://www.medrxiv.org/content/10.1101/2020.10.08.20209619v1>. No financial disclosures were reported by the authors of this manuscript.

References

1. CDC COVID Data Tracker: United States Laboratory Testing. <https://www.cdc.gov/covid-data-tracker/index.html#testing>. Published 2020. Accessed December 15, 2020.
2. Gostin LO, Wiley LF. Governmental Public Health Powers During the COVID-19 Pandemic: Stay-at-home Orders, Business Closures, and Travel Restrictions. *Jama*. 2020.
3. Adolph C, Amano K, Bang-Jensen B, Fullman N, Wilkerson J. Pandemic Politics: Timing State-Level Social Distancing Responses to COVID-19. *Journal of Health Politics, Policy and Law*. 2020.
4. Baccini LB, A. Explaining governors' response to the COVID-19 pandemic in the United States. *IZA Discussion Paper No 13137*. 20202.
5. Kosnik LR, Bellas A. Drivers of COVID-19 Stay at Home Orders: Epidemiologic, Economic, or Political Concerns? *Econ Disaster Clim Chang*. 2020:1-12.
6. Adolph C, Amano K, Bang-Jensen B, et al. Governor partisanship explains the adoption of statewide mandates to wear face coverings. *medRxiv*. 2020:2020.2008.2031.20185371.
7. Grossman G, Kim S, Rexer JM, Thirumurthy H. Political partisanship influences behavioral responses to governors' recommendations for COVID-19 prevention in the United States. *Proceedings of the National Academy of Sciences of the United States of America*. 2020;117(39):24144-24153.
8. Matzinger P, Skinner J. Strong impact of closing schools, closing bars and wearing masks during the Covid-19 pandemic: results from a simple and revealing analysis. *medRxiv*. 2020:2020.2009.2026.20202457.
9. Christensen SR, Pilling EB, Eyring JB, Dickerson G, Sloan CD, Magnusson BM. Political and personal reactions to COVID-19 during initial weeks of social distancing in the United States. *PloS one*. 2020;15(9):e0239693.
10. Jiang J, Chen E, Lerman K, Ferrara E. Political Polarization Drives Online Conversations About COVID-19 in the United States. *Hum Behav Emerg Technol*. 2020.
11. Paul R, Arif AA, Adeyemi O, Ghosh S, Han D. Progression of COVID-19 From Urban to Rural Areas in the United States: A Spatiotemporal Analysis of Prevalence Rates. *J Rural Health*. 2020;36(4):591-601.
12. Wang Y, Liu Y, Struthers J, Lian M. Spatiotemporal Characteristics of COVID-19 Epidemic in the United States. *Clin Infect Dis*. 2020.
13. The Atlantic Monthly Group LLC. The COVID Tracking Project. <https://covidtracking.com/data>. Published 2020. Accessed December 16, 2020.

14. US Department of Health and Human Services. COVID-19 Diagnostic Laboratory Testing (PCR Testing) Time Series. <https://healthdata.gov/dataset/covid-19-diagnostic-laboratory-testing-pcr-testing-time-series>. Published 2020. Accessed December 16, 2020.
15. United States Census Bureau. State Population Totals: 2010-2019. <https://www.census.gov/data/tables/time-series/demo/popest/2010s-counties-total.html>. Published 2019. Accessed September 1, 2020.
16. Robert Wood Johnson Foundation. County Health Rankings & Roadmaps: Rankings Data & Documentation. <https://www.countyhealthrankings.org/explore-health-rankings/rankings-data-documentation>. Published 2020. Accessed August 8, 2020.
17. Centers for Disease Control and Prevention. BRFSS Prevalence & Trends Data. <https://www.cdc.gov/brfss/brfssprevalence/index.html>. Published 2020. Accessed.
18. Dadaneh SZ, Zhou M, Qian X. Bayesian negative binomial regression for differential expression with confounding factors. *Bioinformatics*. 2018;34(19):3349-3356.
19. Cook C. The Cook Political Report. <https://cookpolitical.com>. Published 2020. Accessed December 16, 2020.
20. Kneib T, Konrath S, Fahrmeir L. High dimensional structured additive regression models: Bayesian regularization, smoothing and predictive performance. *Journal of the Royal Statistical Society: Series C (Applied Statistics)*. 2011;60(1):51-70.
21. Pillow JWS, J. Fully Bayesian inference for neural models with negative-binomial spiking. 2012:1898--1906.
22. Each State's COVID-19 Reopening and Reclosing Plans and Mask Requirements <https://www.nashp.org/governors-prioritize-health-for-all/>. Published 2020. Accessed September 30, 2020, 2020.
23. Leventhal AM, Dai H, Barrington-Trimis JL, et al. Association of Political Party Affiliation With Physical Distancing Among Young Adults During the COVID-19 Pandemic. *JAMA Intern Med*. 2020.
24. Havey NF. Partisan public health: how does political ideology influence support for COVID-19 related misinformation? *J Comput Soc Sci*. 2020:1-24.
25. Wang VH, Pagán JA. Views on the need to implement restriction policies to be able to address COVID-19 in the United States. *Preventive medicine*. 2020:106388.
26. Guest JL, Del Rio C, Sanchez T. The Three Steps Needed to End the COVID-19 Pandemic: Bold Public Health Leadership, Rapid Innovations, and Courageous Political Will. *JMIR Public Health Surveill*. 2020;6(2):e19043.