



**Supplementary Figure 1:** a) waterfall plot of FIS responses stimulated with  $0.8 \mu\text{M}$  fsk for one hour of all study participants. b) waterfall plot of FIS responses at  $0.8 \mu\text{M}$  fsk per mutation group. Groups were defined by the combination of the mutation type of both mutations. Bars represent mean+SD of replicates, ranging from  $n=2$  to  $n=7$ . The numbers on the x-axes represent the participant number and correspond to the numbers in figure 1. Genotypes are specified in supplementary table 2.

1 **Supplementary information:**

2 **Supplementary table 1. Participant characteristics**

<b>N=173</b>	
<b>Age, median (IQR)</b>	20.2 (9.4-31.8)
<b>Sex, n (%)</b>	
Male	89 (51)
Female	84 (49)
<b>Mutation class, n (%)</b>	
Class I	16 (9.2)
Class II	71 (41.0)
Class III	13 (7.5)
Class IV	14 (8.1)
Class V	16 (9.2)
Unclassified	43 (24.9)
<b>CFTR-modulator use, n (%)</b>	
Ivacaftor	16 (9.2)
Lumacaftor/ivacaftor	8 (4.6)
<b>FIS, median (IQR)</b>	142.5 (30.3-1214.9)
<b>SCC, mean (SD)</b>	92.2 (26.2)
Missing values, n (%)	58 (34)
<b>FEV1pp, mean (SD)</b>	79.1 (24.9)
<b>Pancreatic function, n (%)</b>	
Insufficient (fecal elastase <200 µg/g)	77 (45)
Sufficient (fecal elastase ≥200 µg/g)	35 (20)
Missing values	61 (35)
<b>CF-related liver disease, n (%)</b>	45 (26)
Missing values	2 (1)
<b>CF-related diabetes (insulin-dependent), n (%)</b>	25 (14)

3

4 *Age in years. Genotype: genotype class of the mildest of both mutations. FIS: Forskolin induced swelling, defined*  
 5 *as the relative size increase of intestinal organoids (AUC) after 1h stimulation with 0.8 µmol/L forskolin, AUC*  
 6 *scaled 1:1000. SCC: Sweat chloride concentration in mmol/L. FEV1pp: Forced expiratory volume in 1 second,*  
 7 *percent predicted in 2018.*

8

9 **Supplementary table 2. Individual genotypes of study participants**

10 Overview of the individual genotypes with corresponding *CFTR* mutation classification according to available literature. Study participants were categorized into one  
 11 mutation class based on the mildest of both mutations or to unclassified when one of the mutation classes was unknown. The mutation group was defined by the  
 12 combination of mutation types of both alleles.

13

ID	Genotype	Classification	Mutation group	ID	Genotype	Classification	Mutation group
1	G542X/R1066C	I <sup>24</sup> /I <sup>25</sup>	Nonsense-missense	89	F508del/R75Q	II <sup>24</sup> /III <sup>25</sup>	Ins/del-missense
2	G542X/CFTRdele2.3	I <sup>24</sup> /I <sup>24</sup>	Nonsense-ins/del	90	F508del/S1251N	II <sup>24</sup> /III <sup>24</sup>	Ins/del-missense
3	1811+1G>C/1811+1G>C	I <sup>24</sup> /I <sup>24</sup>	Splice-splice	91	F508del/S1251N	II <sup>24</sup> /III <sup>24</sup>	Ins/del-missense
4	W1282X/W1282X	I <sup>24</sup> /I <sup>24</sup>	Nonsense-nonsense	92	F508del/S1251N	II <sup>24</sup> /III <sup>24</sup>	Ins/del-missense
5	G542X/W679X	I <sup>24</sup> /I <sup>24</sup>	Nonsense-nonsense	93	F508del/S1251N	II <sup>24</sup> /III <sup>24</sup>	Ins/del-missense
6	1811+1G>C/1811+1G>C	I <sup>24</sup> /I <sup>24</sup>	Splice-splice	94	F508del/S1251N	II <sup>24</sup> /III <sup>24</sup>	Ins/del-missense
7	3849+10kb>T/1717-1G>A	I <sup>24</sup> /I <sup>24</sup>	Splice-splice	95	F508del/S1251N	II <sup>24</sup> /III <sup>24</sup>	Ins/del-missense
8	R785X/R785X	I <sup>24</sup> /I <sup>24</sup>	Nonsense-nonsense	96	F508del/S1251N	II <sup>24</sup> /III <sup>24</sup>	Ins/del-missense
9	1717-1G>A/3905insT	I <sup>24</sup> /I <sup>25</sup>	Splice-ins/del	97	F508del/S1251N	II <sup>24</sup> /III <sup>24</sup>	Ins/del-missense
10	R1162X/3659delC	I <sup>24</sup> /I <sup>24</sup>	Nonsense-ins/del	98	S1251N/1717-1G>A	III <sup>24</sup> /I <sup>24</sup>	Ins/del-splice
11	G542X/R1066C	I <sup>24</sup> /I <sup>25</sup>	Nonsense-missense	99	F508del/S1251N	II <sup>24</sup> /III <sup>24</sup>	Ins/del-missense
12	1811+1G>C/1811+1G>C	I <sup>24</sup> /I <sup>24</sup>	Splice-splice	100	F508del/G178R	II <sup>24</sup> /III <sup>26</sup>	Ins/del-missense
13	711+1G>T/CFTRdele11	I <sup>24</sup> /I <sup>24</sup>	Splice-ins/del	101	3905insT/D1152H	I <sup>25</sup> /IV <sup>27</sup>	Ins/del-missense
14	L732X/L732X	I <sup>24</sup> /I <sup>24</sup>	Nonsense-nonsense	102	F508del/D1152H	II <sup>24</sup> /IV <sup>27</sup>	Ins/del-missense
15	1811+1G>C/1811+1G>C	I <sup>24</sup> /I <sup>24</sup>	Splice-splice	103	W1282X/R117H;7T	I <sup>24</sup> /IV <sup>24</sup>	Nonsense/missense
16	711+1G>T/711+1G>T	I <sup>24</sup> /I <sup>24</sup>	Splice-splice	104	F508del/R117H;7T/9T	II <sup>24</sup> /IV <sup>24</sup>	Ins/del-missense
17	L206W/S1235R	II <sup>28</sup> /II <sup>29</sup>	Missense-missense	105	R1162X/D1152H	I <sup>24</sup> /IV <sup>27</sup>	Nonsense/missense
18	F508del/G628R	II <sup>24</sup> /II <sup>30</sup>	Ins/del-missense	106	R117H;7T/R553X	IV <sup>24</sup> /I <sup>24</sup>	Missense/nonsense
19	F508del/I336K	II <sup>24</sup> /II <sup>31</sup>	Ins/del-missense	107	R334W/N1303K	IV <sup>24</sup> /II <sup>24</sup>	Missense-missense
20	F508del/G628R	II <sup>24</sup> /II <sup>24</sup>	Ins/del-missense	108	R334W/R334W	IV <sup>24</sup> /IV <sup>24</sup>	Missense-missense
21	F508del/G628R	II <sup>24</sup> /II <sup>24</sup>	Ins/del-missense	109	D1152H/R1162X	IV <sup>24</sup> /I <sup>27</sup>	Missense-nonsense
22	F508del/F508del	II <sup>24</sup> /II <sup>24</sup>	Ins/del-ins/del	110	R334W/R764X	IV <sup>24</sup> /I <sup>24</sup>	Missense-nonsense

23	F508del/2184delA	II <sup>24</sup> /I <sup>25</sup>	Ins/del-ins/del	111	F508del/R347P	II <sup>24</sup> /IV <sup>24</sup>	Ins/del-missense
24	F508del/Y1092X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	112	L1335P/L1335P	IV <sup>25</sup> /IV <sup>25</sup>	Missense-missense
25	F508del/R1066C	II <sup>24</sup> /I <sup>25</sup>	Ins/del-missense	113	F508del/R347P	II <sup>24</sup> /IV <sup>24</sup>	Ins/del-missense
26	F508del/W846X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	114	F508del/R347P	II <sup>24</sup> /IV <sup>24</sup>	Ins/del-missense
27	F508del/1717-1G>A	II <sup>24</sup> /I <sup>24</sup>	Ins/del-splice	115	G542X/3849+10kbC>T	I <sup>24</sup> /V <sup>24</sup>	Nonsense-splice
28	F508del/CFTRdele17a.17b	II <sup>24</sup> /I <sup>24</sup>	Ins/del-ins/del	116	F508del/3849+10kbC>T	II <sup>24</sup> /V <sup>24</sup>	Ins/del-splice
29	F508del/F508del	II <sup>24</sup> /II <sup>24</sup>	Ins/del-ins/del	117	F508del/3849+10kbC>T	II <sup>24</sup> /V <sup>24</sup>	Ins/del-splice
30	F508del/1078delT	II <sup>24</sup> /I <sup>25</sup>	Ins/del-ins/del	118	F508del/3849+10kbC>T	II <sup>24</sup> /V <sup>24</sup>	Ins/del-splice
31	F508del/W1282X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	119	3272-26A>G/3272-26A>G	V <sup>32</sup> /V <sup>24</sup>	Splice-splice
32	F508del/1078delT	II <sup>24</sup> /I <sup>25</sup>	Ins/del-ins/del	120	F508del/3849+10kbC>T	II <sup>24</sup> /V <sup>24</sup>	Ins/del-splice
33	F508del/F508del	II <sup>24</sup> /II <sup>24</sup>	Ins/del-ins/del	121	3272-26A>G/G970R	V <sup>32</sup> /III <sup>26</sup>	Splice-missense
34	F508del/F508del	II <sup>24</sup> /II <sup>24</sup>	Ins/del-ins/del	122	F508del/3272-26A>G	II <sup>24</sup> /V <sup>32</sup>	Ins/del-splice
35	N1303K/G550X	II <sup>24</sup> /I <sup>24</sup>	Missense-nonsense	123	F508del/3272-26A>G	II <sup>24</sup> /V <sup>32</sup>	Ins/del-splice
36	F508del/CFTRdele19.20	II <sup>24</sup> /I <sup>24</sup>	Ins/del-ins/del	124	F508del/3272-26A>G	II <sup>24</sup> /V <sup>32</sup>	Ins/del-splice
37	F508del/F508del	II <sup>24</sup> /II <sup>24</sup>	Ins/del-ins/del	125	F508del/3272-26A>G	II <sup>24</sup> /V <sup>32</sup>	Ins/del-splice
38	F508del/3659delC	II <sup>24</sup> /I <sup>24</sup>	Ins/del-ins/del	126	A455E/3659delC	V <sup>24</sup> /I <sup>24</sup>	Missense-ins/del
39	F508del/CFTRdele17a.17b	II <sup>24</sup> /I <sup>24</sup>	Ins/del-ins/del	127	F508del/3272-26A>G	II <sup>24</sup> /V <sup>32</sup>	Ins/del-splice
40	F508del/E730X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	128	A455E/E60X	V <sup>24</sup> /I <sup>24</sup>	Missense-nonsense
41	F508del/Y1092X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	129	Y849X/2789+5G>A	I <sup>24</sup> /V <sup>24</sup>	Nonsense-splice
42	F508del/E60X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	130	1078delT/3272-26A>G	I <sup>25</sup> /V <sup>32</sup>	Ins/del-splice
43	F508del/711+1G>T	II <sup>24</sup> /I <sup>24</sup>	Ins/del-splice	131	F508del/(TG)13(T)5	II <sup>24</sup> / <b>unclassified</b>	Ins/del-unknown
44	F508del/Y1092X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	132	F508del/(TG)13(T)5	II <sup>24</sup> / <b>unclassified</b>	Ins/del-unknown
45	F508del/G85E	II <sup>24</sup> /II <sup>24</sup>	Ins/del-missense	133	F508del/(TG)13(T)5	II <sup>24</sup> / <b>unclassified</b>	Ins/del-unknown
46	F508del/I507del	II <sup>24</sup> /II <sup>24</sup>	Ins/del-ins/del	134	F508del/c.4243-3T>A	II <sup>24</sup> / <b>unclassified</b>	Ins/del-splice
47	F508del/1717-1G>T	II <sup>24</sup> /I <sup>24</sup>	Ins/del-splice	135	A455E/(TG)13(T)5	V <sup>24</sup> / <b>unclassified</b>	Missense-unknown
48	F508del/3659delC	II <sup>24</sup> /I <sup>24</sup>	Ins/del-ins/del	136	F508del/R1358S	II <sup>24</sup> / <b>unclassified</b>	Ins/del-missense
49	F508del/W1282X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	137	F508del/G576A	II <sup>24</sup> / <b>unclassified</b>	Ins/del-missense
50	F508del/711+1G>T	II <sup>24</sup> /I <sup>24</sup>	Ins/del-splice	138	Unknown/unknown	<b>unclassified</b> / <b>unclassified</b>	Unknown-unknown
51	F508del/1717-1G>A	II <sup>24</sup> /I <sup>24</sup>	Ins/del-splice	139	R553X/c.4375-3T>A	I <sup>24</sup> / <b>unclassified</b>	Nonsense-splice

52	F508del/CFTRdele17a.17b	II <sup>24</sup> /I <sup>24</sup>	Ins/del-ins/del	140	F508del/L206W	II <sup>24</sup> / <b>unclassified</b>	Ins/del-missense
53	F508del/Y849X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	141	F508del/T1396P	II <sup>24</sup> / <b>unclassified</b>	Ins/del-missense
54	F508del/1717-1G>A	II <sup>24</sup> /I <sup>24</sup>	Ins/del-splice	142	F508del/G461R	II <sup>24</sup> / <b>unclassified</b>	Ins/del-missense
55	N1303K/G85E	II/I <sup>24</sup>	Missense-missense	143	N1303K/c.3035A>C	II <sup>24</sup> / <b>unclassified</b>	Missense-missense
56	F508del/CFTRdele2.3	II <sup>24</sup> /I <sup>24</sup>	Ins/del-ins/del	144	3272-26A>G/1898+5G>T	V <sup>24</sup> / <b>unclassified</b>	Splice-splice
57	F508del/CFTRdele17a.17b	II <sup>24</sup> /I <sup>24</sup>	Ins/del-ins/del	145	F508del/unknown	II <sup>24</sup> / <b>unclassified</b>	Ins/del-unknown
58	F508del/Y849X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	146	R117H;7T/unknown	IV <sup>24</sup> / <b>unclassified</b>	Missense-unknown
59	F508del/G85E	II <sup>24</sup> /II <sup>24</sup>	Ins/del-missense	147	4382delA/2043delG	<b>unclassified</b> / unclassified	Ins/del-ins/del
60	F508del/S489X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	148	F508del/4382delA	II <sup>24</sup> / <b>unclassified</b>	Ins/del-ins/del
61	F508del/2184delA	II <sup>24</sup> /I <sup>25</sup>	Ins/del-ins/del	149	F508del/G1249R	II <sup>24</sup> <b>unclassified</b>	Ins/del-missense
62	F508del/711+1G>T	II <sup>24</sup> /I <sup>24</sup>	Ins/del-splice	150	A455E/1343delG	V <sup>24</sup> / <b>unclassified</b>	Missens-ins/del
63	F508del/F508del	II <sup>24</sup> /II <sup>24</sup>	Ins/del-ins/del	151	Unknown/unknown	<b>unclassified</b> / unclassified	Unknown-unknown
64	F508del/W1282X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	152	R1066H/CFTRdele2.3	<b>unclassified</b> / I <sup>24</sup>	Missense-ins/del
65	F508del/Y1092X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	153	F508del/4382delA	II <sup>24</sup> / <b>unclassified</b>	Ins/del-ins/del
66	F508del/N1303K	II <sup>24</sup> /II <sup>24</sup>	Ins/del-missense	154	F508del/G1249R	II <sup>24</sup> / <b>unclassified</b>	Ins/del-missense
67	F508del/711+1G>T	II <sup>24</sup> /I <sup>24</sup>	Ins/del-splice	155	F508del/unknown	II <sup>24</sup> / <b>unclassified</b>	Ins/del-unknown
68	F508del/711+1G>T	II <sup>24</sup> /I <sup>24</sup>	Ins/del-splice	156	F508del/3849+5G>T	II <sup>24</sup> / <b>unclassified</b>	Ins/del-splice
69	F508del/R1162X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	157	F508del/365-366insT(W79fs)	II <sup>24</sup> / <b>unclassified</b>	Ins/del-ins/del
70	F508del/G550X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	158	F508del/1342-1delG	II <sup>24</sup> / <b>unclassified</b>	Ins/del-ins/del
71	F508del/G550X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	159	R1066C/R1066H	II <sup>25</sup> / <b>unclassified</b>	Missense-missense
72	F508del/F508del	II <sup>24</sup> /II <sup>24</sup>	Ins/del-ins/del	160	V1160T/E92K	<b>unclassified</b> / II <sup>24</sup>	Missense-missense
73	F508del/F508del	II <sup>24</sup> /II <sup>24</sup>	Ins/del-ins/del	161	F508del/R74P	II <sup>24</sup> / <b>unclassified</b>	Ins/del-missense
74	F508del/Q493X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	162	F508del/L1034P	II <sup>24</sup> / <b>unclassified</b>	Ins/del-missense
75	F508del/4016insT	II <sup>24</sup> /I <sup>25</sup>	Ins/del-ins/del	163	F508del/Ile336fs	II <sup>24</sup> / <b>unclassified</b>	Ins/del-missense
76	F508del/394delTT	II <sup>24</sup> /I <sup>25</sup>	Ins/del-ins/del	164	A46D/A46D	<b>unclassified</b> / unclassified	Missense-missense
77	F508del/G550X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	165	1717-1G>A/2183AA>G	I <sup>24</sup> / <b>unclassified</b>	Splice-ins/del
78	F508del/R1162X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	166	F508del/2183AA>G	II <sup>24</sup> / <b>unclassified</b>	Ins/del-ins/del
79	F508del/R1162X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	167	F508del/1813insC	II <sup>24</sup> / <b>unclassified</b>	Ins/del-ins/del
80	F508del/Y1092X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	168	F508del/S18I	II <sup>24</sup> / <b>unclassified</b>	Ins/del-missense

<b>81</b>	F508del/N1303K	II <sup>24</sup> /II <sup>24</sup>	Ins/del-missense	<b>169</b>	F508del/Y109D	II <sup>24</sup> / <b>unclassified</b>	Ins/del-missense
<b>82</b>	F508del/W1282X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	<b>170</b>	W1282X/L927P	I <sup>24</sup> / <b>unclassified</b>	Nonsense-missense
<b>83</b>	F508del/2184insA	II <sup>24</sup> /I <sup>33</sup>	Ins/del-ins/del	<b>171</b>	A46D/A46D	<b>unclassified / unclassified</b>	Missense-missense
<b>84</b>	F508del/F508del	II <sup>24</sup> /II <sup>24</sup>	Ins/del-ins/del	<b>172</b>	F508del/unknown	II <sup>24</sup> / <b>unclassified</b>	Ins/del-unknown
<b>85</b>	F508del/R1162X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	<b>173</b>	I507del/c.4242+2T>C	II <sup>24</sup> / <b>unclassified</b>	Ins/del-splice
<b>86</b>	F508del/E60X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	<b>174</b>	F508del/IVS11-1G>C	II <sup>24</sup> / <b>unclassified</b>	Ins/del-splice
<b>87</b>	F508del/R1162X	II <sup>24</sup> /I <sup>24</sup>	Ins/del-nonsense	<b>175</b>	1677delTA/IVS16+1G>A(3120+1G>A)	<b>unclassified / I<sup>24</sup></b>	Ins/del-splice
<b>88</b>	F508del/I1027T	II <sup>24</sup> /III <sup>25</sup>	Ins/del-missense	<b>176</b>	F508del/Gly1349fs	II <sup>24</sup> / <b>unclassified</b>	Ins/del-ins/del

14

15

16

**Supplementary table 3. Association of FIS with FEV1pp decline in subgroup analysis**

Regression coefficients linear mixed model FEV1pp within a subgroup only including participants with age between 5-25 years.

<b>N=106, obs=637</b>	<b>Coefficient (95% CI)</b>	<b>P-value</b>
Age	-1.61 (-2.06 – -1.15)	<0.001*
FIS	-4.11 (-10.64 – 2.43)	0.218
FIS*age	0.49 (0.02 – 0.96)	0.039*
Treatment		
- none	Reference category	
- ivacaftor	9.51 (4.85 – 14.18)	<0.001*
- lumacaftor/ivacaftor	-4.09 (-10.44 – 2.27)	0.207
Sex		
- male	Reference category	
- female	0.70 (-5.47 – 6.87)	0.824
Genotype class		
- unclassified	Reference category	
- class I	-7.52 (-19.64 – 4.60)	0.223
- class II	-2.48 (-10.81 – 5.84)	0.558
- class III	1.05 (-11.22 – 13.32)	0.867
- class IV	11.85 (-3.47 – 27.16)	0.129
- class V	-21.71 (-41.16 – -2.26)	0.029*
SCC	-0.09 (-0.24 – 0.06)	0.241

*FEV1pp: Forced expiratory volume in 1 second, percent predicted. Age in years. FIS: Forskolin induced swelling, defined as the relative size increase of intestinal organoids (AUC) after 1h stimulation with 0.8 µM/L forskolin, AUC scaled 1:1000. FIS\*age indicates the difference in annual FEV1pp decline per 1000 AUC change in FIS level. Genotype class: CFTR-protein function class of the mildest of both CFTR-mutations. SCC: Sweat chloride concentration in mmol/L.*

*\* significance level  $P < 0.05$ .*

**Supplementary table 4. Association of FIS with FEV1pp decline in sensitivity analysis including genotype group**

Regression coefficients linear mixed effects model FEV1pp with genotype group and subgroup only including participants with age between 5 – 25 years.

	N=144, obs=1015		Subgroup: N=101, obs=605	
	Coefficient (95% CI)	P-value	Coefficient (95% CI)	P-value
Age	-1.24 (-1.50 – -0.98)	<0.001*	-1.73 (-2.18 – -1.28)	<0.001*
FIS	-6.88 (-12.80 – -0.96)	0.023*	-6.24 (-13.67 – 1.19)	0.100
FIS*age	0.43 (0.22 – 0.63)	<0.001*	0.54 (0.04 – 1.05)	0.035*
Treatment				
- none	Reference category		Reference category	
- ivacaftor	8.25 (4.62 – 11.88)	<0.001*	10.21 (5.08 – 15.34)	<0.001*
- lumacaftor/ivacaftor	-3.97 (-8.41 – 0.47)	0.079	-4.31 (-10.65 – 2.02)	0.182
Sex				
- male	Reference category		Reference category	
- female	-0.44 (-6.38 – 5.51)	0.886	0.82 (-5.63 – 7.26)	0.804
Genotype group				
- Ins/del – missense	Reference category		Reference category	
- Ins/del – nonsense	-1.47 (-11.04 – 8.10)	0.763	-0.03 (-9.96 – 9.89)	0.995
- Ins/del – splice	-5.92 (-15.31 – 3.47)	0.216	-5.03 (-15.33 – 5.27)	0.337
- Ins/del – ins/del	-2.50 (-11.75 – 6.76)	0.597	-0.08 (-10.17 – 10.02)	0.988
- Ins/del – unknown	15.95 (-0.66 – 32.56)	0.060	13.01 (-4.70 – 30.71)	0.150
- Missense – nonsense	8.78 (-4.87 – 22.42)	0.207	9.18 (-7.18 – 25.54)	0.271
- Missense – missense	9.31 (-4.30 – 22.92)	0.180	12.98 (-1.65 – 27.60)	0.082
- Splice – splice	-5.44 (-20.52 – 9.64)	0.479	0.45 (-17.69 – 18.59)	0.961
SCC	-0.12 (-0.29 – 0.04)	0.129	-0.12 (-0.29 – 0.04)	0.150

*FEV1pp: Forced expiratory volume in 1 second, percent predicted. Age in years. FIS: Forskolin induced swelling, defined as the relative size increase of intestinal organoids (AUC) after 1h stimulation with 0.8 μM/L forskolin, AUC scaled 1:1000. FIS\*age indicates the difference in annual FEV1pp decline per 1000 AUC change in FIS level. Genotype group: combination of CFTR-mutation types on both alleles. SCC: Sweat chloride concentration in mmol/L.*

\* significance level  $P < 0.05$ .



**Supplementary table 5. Association of SCC with FEV1pp decline**

<b>N=152, obs=1072</b>	<b>Coefficient (95% CI)</b>	<b>P-value</b>
Age	0.25 (-0.86 – 1.37)	0.654
FIS	1.71 (-2.97 – 6.38)	0.473
SCC	0.07 (-0.16 – 0.31)	0.544
SCC*age	-0.01 (-0.02 – 0.00)	0.064
Treatment		
- none	Reference category	
- ivacaftor	9.35 (6.25 – 12.44)	<0.001*
- lumacaftor/ivacaftor	-0.68 (-4.80 – 3.44)	0.747
Sex		
- male	Reference category	
- female	-1.18 (-7.79 – 5.44)	0.727
Genotype class		
- unclassified	Reference category	
- class I	1.43 (-11.77 – 14.63)	0.832
- class II	-1.47 (-10.24 – 7.31)	0.743
- class III	-2.42 (-15.30 – 10.46)	0.712
- class IV	-1.34 (-16.40 – 13.73)	0.862
- class V	-23.93 (-37.44 – -10.43)	<0.001

*FEV1pp: Forced expiratory volume in 1 second, percent predicted. Age in years. FIS: Forskolin induced swelling, defined as the relative size increase of intestinal organoids (AUC) after 1h stimulation with 0.8  $\mu$ M/L forskolin, AUC scaled 1:1000. SCC: Sweat chloride concentration in mmol/L. SCC\*age indicates the difference in annual FEV1pp decline per 1-unit change in SCC level. Genotype group: combination of CFTR-mutation types on both alleles. Genotype class: CFTR-protein function class of the mildest of both CFTR-mutations.*

*\* significance level  $P < 0.05$ .*

**Supplementary table 6. Comparison of the predictive value of FIS with SCC on FEV1pp decline**

<b>N=152, obs=1072</b>	<b>Coefficient (95% CI)</b>	<b>P-value</b>
Age	-1.17	0.131
FIS	-4.83	0.144
FIS*age	0.49	0.005*
SCC	-0.07	0.573
SCC*age	-0.00	0.946
Treatment		
- none	Reference category	
- ivacaftor	9.24	<0.001*
- lumacaftor/ivacaftor	-0.60	0.774
Sex		
- male	Reference category	
- female	-1.39	0.678
Genotype class		
- unclassified	Reference category	
- class I	0.73	0.913
- class II	-2.19	0.623
- class III	-2.93	0.653
- class IV	-1.05	0.891
- class V	-24.93	<0.001*

*FEV1pp: Forced expiratory volume in 1 second, percent predicted. Age in years. FIS: Forskolin induced swelling, defined as the relative size increase of intestinal organoids (AUC) after 1h stimulation with 0.8  $\mu$ M/L forskolin, AUC scaled 1:1000. SCC: Sweat chloride concentration in mmol/L. FIS\*age indicates the difference in annual FEV1pp decline per 1000 AUC change in FIS level. SCC\*age indicates the difference in annual FEV1pp decline per 1-unit change in SCC level. Genotype group: combination of CFTR-mutation types on both alleles. Genotype class: CFTR-protein function class of the mildest of both CFTR-mutations.*

*\* significance level  $P < 0.05$ .*