


Supplementary Material



SI Figure 1. Age distribution for each sample. Cam-CAN cohort N = 622, StrokeTOP cohort N = 790.


SI table 1. Overview of Quality Assurance (QA) metrics for DTI data

QA metric abbreviation	Measure
tsnr	Temporal-signal-to-noise-ratio
gmean	Global mean intensity
drift	Linear drift of signal over time
outmax	Outlier measurement maximum
outmean	Outlier measurement average
meanABSrmsb	Average absolute root-mean square
meanRELRmsb	Average relative root-mean square
maxABSrmsb	Maximum absolute root-mean square
maxRELRmsb	Maximum relative root-mean square


SI table 2. Overview of Cardiometabolic risk factors (CMRs) used.

Abbreviation used	Full description	Summary	Reference region (www.labhandbok.no)
BMI	Body mass index	Measure of body fat based on height and weight.	18.5 – 24.9
Smoking	Smoking	the action or habit of inhaling and exhaling the smoke of tobacco.	N/A
WHR	Waist-to-hip ratio	Dimensionless ratio of the circumference of the waist to that of the hips.	0.81-0.85 (women), 0.96-1.0 (men)
Systolic	Systolic	The blood pressure when the heart is contracting.	90-120
Diastolic	Diastolic	The pressure in the arteries when the heart rests between beats.	60-80
Pulse	Pulse	The heart rate - number of times the heart beats in one minute.	60-100
Haemoglobin	Haemoglobin	The iron-containing oxygen-transport metalloprotein in the red blood cells.	11,7 – 15,3 g/dL (women), 13,4 – 17,0 g/dL (men)
MVC	Mean corpuscular volume	Value that measures the average size and volume of a red blood cell.	82 – 98 fL
MCH	Mean corpuscular haemoglobin	The average quantity of haemoglobin present in a single red blood cell.	27 – 33 pg
MCHC	Mean corpuscular haemoglobin concentration	A measure of the average concentration of haemoglobin inside a single red blood cell.	32 – 35 g/dL
Thrombocytes	Thrombocytes /Platelets	component of blood whose function is to react to bleeding by clumping, thereby initiating a blood clot.	145 – 390 · 10 ⁹ /L
Sodium	Sodium	Sodium is an electrolyte that is key to helping send electrical signals between cells and controlling the amount of fluid in your body.	137 – 145 mmol/L
Potassium	Potassium	High levels are dangerous and could be sign of hypercalcemia. Kidney failure is the most common cause of high potassium.	3,6 -5,0 mmol/L
Chloride	Chloride	Chloride is a type of electrolyte. Electrolytes are electrically charged minerals that help control the amount of fluids and the balance of acids and bases in your body.	97 – 110 mmol/L
Calcium	Calcium	If there is too much or too little calcium in the blood, it may be a sign of bone disease, thyroid disease, kidney disease, or other medical conditions.	2,18 – 2,60 mmol/L
Magnesium	Magnesium	Magnesium deficiencies (hypomagnesemia) may be seen with malnutrition, conditions that cause malabsorption, and with excess loss of magnesium by the kidneys. Magnesium excess (hypermagnesemia) may be seen with the ingestion of antacids.	0,71 – 1,08 mmol/L
Phosphate	Phosphate	Normally, the kidneys filter and remove excess phosphate from the blood. If phosphate levels in your blood are too high or too low, it can be a sign of kidney disease or other serious disorder.	0,85 – 1,50 mmol/L (women), 0,75 – 1,65 mmol/L (men aged 18-49), 0,75 – 1,35 mmol/ (men aged 49+)
Creatinine	Creatinine	Normally, your kidneys filter creatinine from your blood and send it out of the body in your urine. If there is a problem with your	45 – 90 µmol/L (women), 60 – 105 µmol/L (men)


ALAT	Alanine transaminase	kidneys, creatinine can build up in the blood and less will be released in urine. High levels of ALT in the blood can indicate a liver problem, even before you have signs of liver disease	≤ 45 U/L (women), ≤ 70 U/L (men)
CK	Creatine kinase	CK is a type of protein, known as an enzyme. A small amount of CK in the blood is normal. Higher amounts can mean a health problem.	35 – 210 U/L (women), 50 – 400 U/L (men aged 18-49), 40 – 280 U/L (men aged 49+)
LD	Lactate dehydrogenase	Higher than normal LD levels usually means you have some type of tissue damage or disease. Disorders that cause high LD levels include: Anemia, kidney disease, or liver disease.	105– 205 U/L (aged 18-69), 115– 255 U/L (69+)
GT	Gamma-glutamyl transferase	GGT is elevated in the blood in most diseases that cause damage to the liver or bile ducts.	≤ 45 U/L (women aged 18-39), ≤ 75 U/L (women aged 39+), ≤ 80 U/L (men aged 18-39), ≤ 115 U/L (men aged 39+)
CRP	C-reactive protein	CRP is a protein made by your liver. It's sent into your bloodstream in response to inflammation. High CRP is a marker of inflammation.	< 5 mg/L
Total cholesterol	Total cholesterol	a measure of the total amount of cholesterol in your blood. It includes both low-density lipoprotein (LDL) cholesterol and high-density lipoprotein (HDL) cholesterol.	Ages 18-29: 2,9 – 6,1 mmol/L, ages 30-49: 3,3 – 6,9 mmol/L, ages 49+: 3,9 – 7,8 mmol/L
HDL cholesterol	high-density lipoprotein cholesterol	known as the "good" cholesterol because it helps remove other forms of cholesterol from your bloodstream. Higher levels of HDL cholesterol are associated with a lower risk of heart disease.	1,0 – 2,7 mmol/L (women), 0,8 – 2,1 mmol/L (men)
LDL cholesterol	low-density lipoprotein cholesterol	often called the “bad” cholesterol because it collects in the walls of your blood vessels, raising your chances of health problems like a heart attack or stroke.	Ages 18-29: 1,2 – 4,3 mmol/L, ages 30-49: 1,4 – 4,7 mmol/L, ages 49+: 2,0 – 5,3 mmol/L
Triglycerides	Triglycerides	type of fat (lipid) found in your blood. When you eat, your body converts any calories it doesn't need to use right away into triglycerides.	0,45 – 2,60 mmol/L
Glucose	Glucose	Glucose is a type of sugar. A hormone called insulin helps move glucose from your bloodstream into your cells. High glucose may indicate diabetes.	4,0 – 6,0 mmol/L




SI Figure 2. Showing number of missing values for each of the cardiometabolic risk factors used in the study.




SI Figure 3. Showing percentage of missing data (left) and placement of missing data (right) for each cardiometabolic risk factor prior to imputation.




SI Figure 4. Showing density distribution of imputed cardiometabolic risk factors for five separate imputations. Blue lines represent original data, red lines represent imputed data.




SI Figure 5. Showing strip plot of imputed cardiometabolic risk factors for five separate imputations. Blue dots represent original data, red dots represent imputed data.




SI Figure 6. Showing the Mahalanobis distance plot, which measures the distance between a point and a distribution to which that point belongs.




SI Figure 7. Showing the quantile and adjusted quantile plot, which will solve for and order the squared Mahalanobis Distances for the given observations and plot them against the empirical Chi-Squared distribution function of these values. Every observation outside of the Chi-Square quantile is coloured in red.



SI Figure 8. Showing the manual removal of outliers using an interactive plot, whereby the adjusted quantile threshold is set by the user, ideally to when the data resembles normal distribution. Here, eight outliers are removed from the left-hand side plot, resulting in the right-hand side plot.



SI Figure 9. Age predictions before and after age-bias correction, where the plots on the left show the DTI and T1-weighted age predictions in the test sample. The red lines indicate the model fits in the Cam-CAN training sample, with overestimated predictions for younger participants and underestimated predictions for older participants. The plots on the right show the predictions after correcting for age-bias using the derived values of α and β from the fit described in section 2.9 ($Y = \alpha \times \Omega + \beta$) with *Corrected Predicted Age* = *Predicted Age* + [$\Omega - (\alpha \times \Omega + \beta)$].



SI Figure 10. Posterior distributions of time on DTI and T1 BAGs. Shaded area represents 95% credible interval and vertical blue lines represent the mean of the posterior distribution.


SI Table 3. Showing Bayes factor (BF) interpretation.

Bayes factor BF_{12}			Interpretation
	>	100	Extreme evidence for M_1
30	-	100	Very Strong evidence for M_1
10	-	30	Strong evidence for M_1
3	-	10	Moderate evidence for M_1
1	-	3	Anecdotal evidence for M_1
	1		No evidence
1/3	-	1	Anecdotal evidence for M_2
1/10	-	1/3	Moderate evidence for M_2
1/30	-	1/10	Strong evidence for M_2
1/100	-	1/30	Very Strong evidence for M_2
	<	1/100	Extreme evidence for M_2


SI Table 4. Associations between cardiometabolic risk factors and time and age. $CMR \sim Time + Sex + Age$, and $CMR \sim Age + Sex + Time$ (models = main effect).

CMR	predictor	Est.	lower95	upper95	p_higher	p_lower	evidence
Pulse	TP	0.008	-0.041	0.055	0.624	0.376	11.78291
Pulse	Age	0.072	0.005	0.141	0.981	0.019	1.01927
Thrombocytes	TP	-0.029	-0.066	0.007	0.062	0.938	5.12962
Thrombocytes	Age	-0.019	-0.088	0.051	0.295	0.705	7.50634
CRP	TP	0.002	-0.058	0.061	0.52	0.48	9.50071
CRP	Age	0.069	0.004	0.136	0.981	0.019	1.06579
Phosphate	TP	0.019	-0.031	0.07	0.776	0.224	8.72517
Phosphate	Age	-0.254	-0.322	-0.19	0	1	0


Calcium	TP	-0.13	-0.18	-0.079	0	1	0
Calcium	Age	0.026	-0.042	0.092	0.768	0.232	6.67769
HDL_cholesterol	TP	-0.024	-0.066	0.017	0.131	0.869	7.41746
HDL_cholesterol	Age	0.17	0.105	0.238	1	0	0
Glucose	TP	-0.043	-0.095	0.01	0.057	0.943	3.44237
Glucose	Age	0.251	0.186	0.315	1	0	0
BMI	TP	0.047	0.021	0.072	1	0	0.03025
BMI	Age	0.06	-0.013	0.132	0.948	0.052	2.08499
Triglycerides	TP	-0.078	-0.127	-0.032	0.001	0.999	0.08025
Triglycerides	Age	0.069	-0.001	0.139	0.974	0.027	1.40695
ALAT	TP	-0.034	-0.089	0.023	0.119	0.881	5.3626
ALAT	Age	0.074	0.008	0.143	0.983	0.017	0.91255
GT	TP	-0.048	-0.092	-0.002	0.018	0.982	1.46907
GT	Age	0.206	0.14	0.276	1	0	0
WHR	TP	-0.104	-0.145	-0.063	0	1	0
WHR	Age	0.448	0.385	0.513	1	0	0
Haemoglobin	TP	-0.067	-0.107	-0.026	0.001	0.999	0.06782
Haemoglobin	Age	0.091	0.022	0.161	0.993	0.007	0.35027
CK	TP	-0.014	-0.066	0.034	0.296	0.704	9.82579
CK	Age	-0.065	-0.134	0.005	0.032	0.968	1.615
LD	TP	0.058	0.012	0.107	0.993	0.007	0.63163
LD	Age	0.328	0.262	0.39	1	0	0
MCHC	TP	-0.019	-0.074	0.034	0.24	0.76	8.59256
MCHC	Age	-0.106	-0.17	-0.037	0.001	0.999	0.07687
Creatinine	TP	-0.05	-0.093	-0.006	0.011	0.989	1.1259
Creatinine	Age	0.049	-0.021	0.117	0.916	0.084	3.24273
Magnesium	TP	0.003	-0.052	0.056	0.543	0.457	10.75853
Magnesium	Age	0.067	-0.002	0.133	0.974	0.026	1.28759
Sodium	TP	0.135	0.076	0.192	1	0	0.00194
Sodium	Age	0.114	0.051	0.18	1	0	0.03449
Chloride	TP	0.149	0.093	0.207	1	0	0
Chloride	Age	-0.031	-0.096	0.034	0.176	0.824	5.81501
MCV	TP	0.095	0.052	0.138	1	0	0.0007
MCV	Age	0.298	0.236	0.364	1	0	0
MCH	TP	0.074	0.028	0.119	0.999	0.001	0.08411
MCH	Age	0.213	0.148	0.281	1	0	0
Total_cholesterol	TP	-0.072	-0.121	-0.019	0.003	0.997	0.28113
Total_cholesterol	Age	0.358	0.295	0.421	1	0	0
LDL_cholesterol	TP	-0.007	-0.061	0.043	0.394	0.606	10.70187
LDL_cholesterol	Age	0.301	0.236	0.364	1	0	0
Systolic	TP	-0.077	-0.114	-0.044	0	1	0.00002
Systolic	Age	0.589	0.533	0.644	1	0	0
Diastolic	TP	-0.134	-0.174	-0.096	0	1	0
Diastolic	Age	0.329	0.26	0.394	1	0	0
Potassium	TP	-0.06	-0.114	-0.004	0.017	0.983	1.02352
Potassium	Age	0.179	0.112	0.246	1	0	0
Smoking	TP	-0.055	-0.094	-0.016	0.004	0.996	0.37051
Smoking	Age	0.229	0.16	0.296	1	0	0



SI Figure 11. Associations between time and a selection of CMH indicators. Violin plots with box plots demonstrating the increase in CMH indicator measurement at follow up (light blue) compared to baseline. (dark blue).



SI Figure 12. Systolic blood pressure and WHR as functions of age. The figure shows baseline measures in red and follow up measures in green.



SI Figure 13. Associations between age and a selection of CMH indicators. Scatter plots demonstrating the increase in CMH indicator measurement with increasing age.



SI Table 5. DTI BAG ~ CMR + Sex + TP (model = main effect)

CMR	Est.	lower95	upper95	p_higher	p_lower	evidence	prior
Pulse	-0.03	-0.28	0.22	0.41	0.59	2.35	0.3
Thrombocytes	0	-0.27	0.27	0.51	0.49	2.18	0.3
CRP	0.03	-0.2	0.25	0.59	0.41	2.53	0.3
Phosphate	0.29	0.04	0.52	0.99	0.01	0.17	0.3
Calcium	0.14	-0.1	0.39	0.86	0.14	1.39	0.3
HDL_cholesterol	-0.16	-0.42	0.11	0.11	0.89	1.11	0.3
Glucose	-0.14	-0.38	0.1	0.12	0.88	1.25	0.3
BMI	-0.13	-0.4	0.16	0.19	0.81	1.4	0.3
Triglycerides	-0.03	-0.28	0.21	0.41	0.59	2.31	0.3
ALAT	-0.05	-0.29	0.19	0.34	0.66	2.37	0.3
GT	0.1	-0.15	0.36	0.78	0.22	1.78	0.3
WHR	0.17	-0.09	0.43	0.9	0.1	0.89	0.3
Haemoglobin	-0.04	-0.3	0.23	0.38	0.62	2.14	0.3
CK	-0.06	-0.31	0.17	0.3	0.7	2.17	0.3
LD	-0.14	-0.37	0.13	0.15	0.85	1.38	0.3
MCHC	0.05	-0.18	0.29	0.66	0.34	2.3	0.3
Creatinine	0.23	-0.03	0.48	0.96	0.04	0.6	0.3
Magnesium	-0.11	-0.34	0.13	0.19	0.81	1.62	0.3
Sodium	0.09	-0.14	0.32	0.79	0.21	1.79	0.3

Chloride	-0.1	-0.33	0.12	0.2	0.8	1.82	0.3
MCV	-0.32	-0.58	-0.06	0.01	0.99	0.14	0.3
MCH	-0.24	-0.5	0.02	0.03	0.97	0.46	0.3
Total_cholesterol	-0.19	-0.42	0.06	0.07	0.93	0.76	0.3
LDL_cholesterol	-0.1	-0.34	0.13	0.2	0.8	1.72	0.3
Systolic	0.15	-0.14	0.41	0.85	0.15	1.26	0.3
Diastolic	0.02	-0.23	0.3	0.56	0.44	2.21	0.3
Potassium	-0.01	-0.25	0.22	0.45	0.55	2.55	0.3
Smoking	-0.03	-0.3	0.23	0.41	0.59	2.14	0.3

SI Table 6. T1 BAG ~ CMR + Sex + TP (model = main effect)

CMR	Est.	lower95	upper95	p_higher	p_lower	evidence	prior
Pulse	0.29	-0.01	0.58	0.97	0.03	0.3	0.3
Thrombocytes	0.13	-0.18	0.45	0.79	0.21	1.35	0.3
CRP	0.29	0.03	0.54	0.99	0.01	0.21	0.3
Phosphate	-0.04	-0.32	0.24	0.4	0.6	1.95	0.3
Calcium	0.03	-0.26	0.31	0.58	0.42	2.05	0.3
HDL_cholesterol	0.01	-0.29	0.32	0.53	0.47	1.93	0.3
Glucose	0.08	-0.19	0.35	0.72	0.28	1.88	0.3
BMI	-0.2	-0.53	0.12	0.11	0.89	0.86	0.3
Triglycerides	-0.01	-0.31	0.28	0.48	0.52	1.99	0.3
ALAT	-0.05	-0.33	0.23	0.37	0.63	1.93	0.3
GT	0.06	-0.23	0.36	0.65	0.35	1.79	0.3
WHR	-0.12	-0.43	0.18	0.22	0.78	1.4	0.3
Haemoglobin	-0.04	-0.34	0.27	0.39	0.61	1.86	0.3
CK	-0.08	-0.37	0.19	0.3	0.7	1.73	0.3
LD	0.24	-0.07	0.51	0.95	0.05	0.55	0.3
MCHC	-0.11	-0.38	0.16	0.21	0.79	1.63	0.3
Creatinine	-0.26	-0.55	0.05	0.05	0.95	0.52	0.3
Magnesium	0.02	-0.24	0.3	0.57	0.43	2.15	0.3
Sodium	0	-0.27	0.25	0.49	0.51	2.22	0.3
Chloride	-0.17	-0.44	0.09	0.1	0.9	1.03	0.3
MCV	0.02	-0.29	0.31	0.54	0.46	1.92	0.3
MCH	-0.03	-0.32	0.27	0.43	0.57	1.94	0.3
Total_cholesterol	-0.16	-0.43	0.11	0.13	0.87	1.14	0.3
LDL_cholesterol	-0.16	-0.43	0.11	0.13	0.87	1.13	0.3
Systolic	0.37	0.06	0.69	0.99	0.01	0.13	0.3
Diastolic	0.03	-0.27	0.34	0.59	0.41	1.85	0.3
Potassium	0.13	-0.14	0.41	0.82	0.18	1.36	0.3
Smoking	0.35	0.04	0.66	0.99	0.01	0.17	0.3



SI Figure 14. Estimates with 95% credible interval are shown in the upper figure and evidence ratios are shown in the lower figure. Values above 1 indicate evidence in favour of the effect being null and values below 1 indicate evidence in favour of an effect.


SI Table 7. DTI BAG ~ Time*CMR + Sex (model = interaction effect of time)

Time:CMR	Est.	lower95	upper95	p_higher	p_lower	evidence	prior
TP:Pulse	0.1	-0.08	0.26	0.87	0.13	1.76	0.3
TP:Thrombocytes	-0.02	-0.18	0.15	0.4	0.6	3.34	0.3
TP:CRP	-0.01	-0.2	0.17	0.45	0.55	3.18	0.3
TP:Phosphate	-0.03	-0.21	0.15	0.38	0.62	3.11	0.3
TP:Calcium	-0.09	-0.28	0.1	0.17	0.83	1.97	0.3
TP:HDL cholesterol	-0.06	-0.24	0.1	0.23	0.77	2.58	0.3
TP:Glucose	-0.04	-0.22	0.13	0.33	0.67	2.96	0.3
TP:BMI	0.06	-0.11	0.23	0.76	0.24	2.63	0.3
TP:Triglycerides	0.09	-0.14	0.3	0.78	0.22	1.98	0.3
TP:ALAT	-0.02	-0.22	0.18	0.44	0.56	3.06	0.3
TP:GT	0.05	-0.14	0.23	0.69	0.31	2.82	0.3
TP:WHR	0.25	0.06	0.44	1	0	0.09	0.3


TP:Haemoglobin	0.03	-0.15	0.21	0.64	0.36	2.94	0.3
TP:CK	-0.01	-0.19	0.17	0.45	0.55	3.23	0.3
TP:LD	-0.01	-0.18	0.18	0.46	0.54	3.2	0.3
TP:MCHC	-0.05	-0.22	0.14	0.31	0.69	2.86	0.3
TP:Creatinine	0.15	-0.01	0.32	0.96	0.04	0.73	0.3
TP:Magnesium	0.06	-0.11	0.25	0.75	0.25	2.58	0.3
TP:Sodium	0	-0.19	0.19	0.51	0.49	3.1	0.3
TP:Chloride	0.04	-0.15	0.21	0.66	0.34	3.16	0.3
TP:MCV	-0.05	-0.21	0.12	0.3	0.7	2.99	0.3
TP:MCH	-0.07	-0.23	0.11	0.2	0.8	2.46	0.3
TP:Total cholesterol	-0.03	-0.21	0.15	0.36	0.64	3.14	0.3
TP:LDL cholesterol	-0.01	-0.2	0.17	0.45	0.55	3.19	0.3
TP:Systolic	0.25	0.08	0.41	1	0	0.07	0.3
TP:Diastolic	0.1	-0.07	0.28	0.88	0.12	1.71	0.3
TP:Potassium	0.08	-0.1	0.27	0.81	0.19	2.25	0.3
TP:Smoking	0.19	0.02	0.37	0.99	0.01	0.31	0.3

SI Table 8. T1 BAG ~ Time*CMR + Sex (model = interaction effect of time)

Time:CMR	Est.	lower95	upper95	p_higher	p_lower	evidence	prior
TP:Pulse	0.17	-0.01	0.37	0.96	0.04	0.63	0.3
TP:Thrombocytes	-0.04	-0.23	0.15	0.32	0.68	2.84	0.3
TP:CRP	0	-0.2	0.21	0.5	0.5	2.73	0.3
TP:Phosphate	-0.07	-0.28	0.13	0.25	0.75	2.19	0.3
TP:Calcium	-0.09	-0.31	0.11	0.21	0.79	2	0.3
TP:HDL cholesterol	-0.11	-0.31	0.07	0.12	0.88	1.52	0.3
TP:Glucose	0.04	-0.16	0.24	0.66	0.34	2.64	0.3
TP:BMI	0.04	-0.15	0.24	0.67	0.33	2.69	0.3
TP:Triglycerides	0.22	-0.04	0.47	0.95	0.05	0.58	0.3
TP:ALAT	0.23	0.01	0.45	0.98	0.02	0.37	0.3
TP:GT	0.27	0.06	0.47	1	0	0.11	0.3
TP:WHR	0.3	0.09	0.51	1	0	0.06	0.3
TP:Haemoglobin	0.18	-0.02	0.38	0.96	0.04	0.64	0.3
TP:CK	-0.01	-0.22	0.19	0.46	0.54	2.94	0.3
TP:LD	0.11	-0.08	0.31	0.87	0.13	1.61	0.3
TP:MCHC	-0.01	-0.21	0.19	0.47	0.53	2.77	0.3
TP:Creatinine	-0.07	-0.26	0.13	0.24	0.76	2.32	0.3
TP:Magnesium	0.07	-0.13	0.28	0.75	0.25	2.25	0.3
TP:Sodium	-0.03	-0.24	0.19	0.39	0.61	2.58	0.3
TP:Chloride	-0.07	-0.27	0.13	0.24	0.76	2.32	0.3
TP:MCV	0	-0.2	0.19	0.49	0.51	3.01	0.3
TP:MCH	-0.02	-0.22	0.16	0.4	0.6	2.88	0.3
TP:Total cholesterol	0.17	-0.02	0.38	0.95	0.05	0.72	0.3
TP:LDL cholesterol	0.21	0.01	0.42	0.98	0.02	0.38	0.3
TP:Systolic	0.05	-0.14	0.25	0.7	0.3	2.54	0.3
TP:Diastolic	0.07	-0.13	0.27	0.75	0.25	2.29	0.3
TP:Potassium	-0.06	-0.28	0.14	0.28	0.72	2.43	0.3
TP:Smoking	0.04	-0.15	0.23	0.66	0.34	2.89	0.3



SI Figure 15. Estimates with 95% credible interval are shown in the upper figure and evidence ratios are shown in the lower figure. Values above 1 indicate evidence in favour of the effect being null and values below 1 indicate evidence in favour of an effect.




SI Figure 16. Interaction effects of CMH indicator variables and time on DTI BAG, where increases in BAG are seen with increases in WHR and systolic blood pressure over time.

SI Table 9. DTI BAG ~ Age*CMR + Sex (model = interaction effect of age)

Age:CMR	Est.	lower95	upper95	p_higher	p_lower	evidence	prior
Age:Pulse	0.13	-0.12	0.37	0.85	0.15	1.48	0.3
Age:Thrombocytes	-0.23	-0.5	0.04	0.05	0.95	0.56	0.3
Age:CRP	0.05	-0.18	0.25	0.68	0.32	2.51	0.3
Age:Phosphate	-0.13	-0.38	0.13	0.15	0.85	1.48	0.3
Age:Calcium	0.1	-0.14	0.33	0.8	0.2	1.69	0.3
Age:HDL_cholesterol	0.11	-0.19	0.39	0.77	0.23	1.54	0.3
Age:Glucose	0.24	0.01	0.48	0.98	0.02	0.36	0.3
Age:BMI	0.21	-0.08	0.49	0.93	0.07	0.72	0.3
Age:Triglycerides	0.02	-0.27	0.32	0.56	0.44	1.99	0.3
Age:ALAT	0.14	-0.11	0.38	0.86	0.14	1.28	0.3
Age:GT	0.36	0.09	0.63	0.99	0.01	0.09	0.3
Age:WHR	0.31	0.04	0.57	0.99	0.01	0.18	0.3
Age:Haemoglobin	0.07	-0.2	0.33	0.68	0.32	1.98	0.3
Age:CK	-0.25	-0.52	0	0.03	0.97	0.38	0.3
Age:LD	0.04	-0.2	0.28	0.63	0.37	2.29	0.3
Age:MCHC	-0.07	-0.33	0.17	0.29	0.71	2.08	0.3
Age:Creatinine	-0.25	-0.5	0.01	0.03	0.97	0.4	0.3
Age:Magnesium	0	-0.24	0.24	0.49	0.51	2.39	0.3
Age:Sodium	0.02	-0.2	0.27	0.58	0.42	2.46	0.3
Age:Chloride	-0.01	-0.24	0.23	0.46	0.54	2.52	0.3
Age:MCV	0.1	-0.16	0.35	0.78	0.22	1.77	0.3
Age:MCH	0.04	-0.21	0.3	0.63	0.37	2.25	0.3
Age:Total_cholesterol	0.14	-0.09	0.39	0.88	0.12	1.25	0.3
Age:LDL_cholesterol	0.15	-0.1	0.38	0.89	0.11	1.22	0.3
Age:Systolic	0.44	0.15	0.72	1	0	0.02	0.3
Age:Diastolic	0.23	-0.03	0.51	0.95	0.05	0.51	0.3
Age:Potassium	-0.2	-0.43	0.04	0.05	0.95	0.6	0.3
Age:Smoking	0.04	-0.24	0.31	0.6	0.4	2.1	0.3


SI Table 10. T1 BAG ~ Age*CMR + Sex (model = interaction effect of age)

Age:CMR	estimate	lower95	upper95	p_higher	p_lower	evidence	prior
Age:Pulse	0.3	0.02	0.57	0.98	0.02	0.25	0.3
Age:Thrombocytes	-0.06	-0.38	0.25	0.35	0.65	1.74	0.3
Age:CRP	0.42	0.18	0.66	1	0	0.01	0.3
Age:Phosphate	-0.23	-0.51	0.07	0.06	0.94	0.63	0.3
Age:Calcium	0.1	-0.17	0.37	0.76	0.24	1.61	0.3
Age:HDL_cholesterol	-0.15	-0.47	0.19	0.2	0.8	1.2	0.3
Age:Glucose	0.33	0.06	0.61	0.99	0.01	0.15	0.3
Age:BMI	0.24	-0.09	0.58	0.92	0.08	0.67	0.3
Age:Triglycerides	0.36	0.02	0.69	0.98	0.02	0.19	0.3
Age:ALAT	0.25	-0.03	0.53	0.96	0.04	0.44	0.3
Age:GT	0.48	0.17	0.79	1	0	0.01	0.3
Age:WHR	0.31	-0.01	0.6	0.97	0.03	0.3	0.3
Age:Haemoglobin	0.04	-0.28	0.35	0.59	0.41	1.81	0.3
Age:CK	-0.35	-0.64	-0.04	0.01	0.99	0.13	0.3
Age:LD	0.21	-0.07	0.5	0.93	0.07	0.72	0.3
Age:MCHC	-0.26	-0.54	0.02	0.04	0.96	0.41	0.3
Age:Creatinine	-0.09	-0.38	0.21	0.27	0.73	1.67	0.3
Age:Magnesium	-0.14	-0.42	0.13	0.16	0.84	1.33	0.3
Age:Sodium	0.02	-0.26	0.28	0.55	0.45	2.12	0.3
Age:Chloride	-0.07	-0.34	0.2	0.31	0.69	1.95	0.3
Age:MCV	0.24	-0.05	0.55	0.94	0.06	0.62	0.3
Age:MCH	0.11	-0.18	0.4	0.76	0.24	1.46	0.3
Age:Total_cholesterol	0.2	-0.08	0.48	0.91	0.09	0.88	0.3
Age:LDL_cholesterol	0.19	-0.09	0.46	0.91	0.09	0.88	0.3
Age:Systolic	0.55	0.22	0.88	1	0	0.01	0.3
Age:Diastolic	0.22	-0.06	0.55	0.93	0.07	0.68	0.3
Age:Potassium	-0.04	-0.31	0.23	0.4	0.6	1.98	0.3
Age:Smoking	0.35	0.04	0.67	0.98	0.02	0.18	0.3



SI Figure 17. Estimates with 95% credible interval are shown in the upper figure and evidence ratios are shown in the lower figure. Values above 1 indicate evidence in favour of the effect being null and values below 1 indicate evidence in favour of an effect.

Age Group ■ Young ■ Old



SI Figure 18. Interaction effects of CMH indicator variables and age on DTI and T1 BAGs, where increases in BAG are seen with increases in CMH indicator and age.