

## Supplementary Information

### COVID-19 Vaccine's Gender Paradox

Vincenzo Galasso<sup>1,4,5,6,7,8,\*</sup>, Paola Profeta<sup>1,4,5,9,\*</sup>, Martial Foucault<sup>2,10,11</sup>, Vincent Pons<sup>3, 12, 13</sup>

#### Affiliations:

<sup>1</sup> Bocconi University. via Roentgen 1, Milan 20136, Italy.

<sup>2</sup> Sciences Po, 98 rue de l'Université, 75007 Paris, France

<sup>3</sup> Harvard Business School, Soldiers Field, Boston MA 02163, United States

<sup>4</sup> Dondena Center

<sup>5</sup> CESifo.

<sup>6</sup> CEPR.

<sup>7</sup> IGIER.

<sup>8</sup> APE- Baffi Center.

<sup>9</sup> Axa Gender Lab.

<sup>10</sup> CEVIPOF.

<sup>11</sup> CNRS

<sup>12</sup> NBER

<sup>13</sup> Abdul Latif Jameel Poverty Action Lab

\* These authors contributed equally to this work.


Correspondence to: [vincenzo.galasso@unibocconi.it](mailto:vincenzo.galasso@unibocconi.it)

This PDF file includes:


Figures S1 and S3

Tables S1 to S7


**Fig. S1.** COVID19 is a very serious health concern



**Fig. S2.** Vaccination is the only Permanent Solution to COVID-19



**Fig. S3.** Agreement with Compulsory Vaccination



**Table S1.** Survey Dates and COVID-19 Mortality

	<b>Dates of the Survey</b>	<b>Observations</b>	<b>Deaths per 100,000 population</b>
Australia	4-10 December 2020	1,006	3.6
Austria	5-9 December 2020	994	68.5
France	2-5 December 2020	1,058	93.6
Germany	5-9 December 2020	2,091	36.1
Italy	5-7 December 2020	1,025	118.5
New Zealand	5-9 December 2020	1,011	0.5
Poland	5-8 December 2020	1,023	71.3
Sweden	5-9 December 2020	1,016	81.3
UK	5-8 December 2020	1,031	106.5
USA	4-11 December 2020	2,008	101.5

Note: Deaths per 100,000 population on December 28<sup>th</sup> 2020 from  
<https://coronavirus.jhu.edu/data/mortality>

**Table S2.** Gender Differences on COVID-19 Vaccination

VARIABLES	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	Vaccination is the only Solution			Agree to be Vaccinated			Agree to Compulsory Vaccination		
Women	-0.035*** [0.005]	-0.030*** [0.005]	-0.033*** [0.005]	-0.079*** [0.006]	-0.074*** [0.006]	-0.076*** [0.006]	-0.064*** [0.009]	-0.061*** [0.009]	-0.067*** [0.009]
No High School		-0.056*** [0.011]	-0.026** [0.011]		-0.083*** [0.013]	-0.048*** [0.012]		-0.050*** [0.018]	-0.024 [0.018]
High School		-0.026*** [0.006]	-0.006 [0.006]		-0.057*** [0.007]	-0.033*** [0.007]		-0.028*** [0.011]	-0.010 [0.011]
Service Workers		-0.003 [0.008]	-0.002 [0.007]		-0.024** [0.009]	-0.022** [0.009]		-0.027* [0.015]	-0.025* [0.014]
Blue Collars		-0.025*** [0.010]	-0.014 [0.009]		-0.067*** [0.012]	-0.047*** [0.011]		-0.033* [0.017]	-0.021 [0.017]
Inactive		0.001 [0.009]	0.004 [0.008]		-0.019* [0.010]	-0.011 [0.009]		-0.005 [0.016]	-0.002 [0.015]
35-49 yo		0.028*** [0.008]	0.016** [0.007]		0.002 [0.009]	-0.009 [0.008]		-0.028** [0.013]	-0.040*** [0.013]
50-59 yo		0.077*** [0.009]	0.053*** [0.008]		0.062*** [0.010]	0.037*** [0.009]		0.041*** [0.014]	0.019 [0.014]
60+ yo		0.133*** [0.008]	0.088*** [0.008]		0.134*** [0.009]	0.085*** [0.009]		0.069*** [0.013]	0.024* [0.014]
Risk Aversion			0.002** [0.001]			-0.003** [0.001]			-0.004** [0.002]
COVID serious health issue			0.060*** [0.006]			0.038*** [0.007]			0.074*** [0.011]
Probability of getting infected			0.010*** [0.001]			0.014*** [0.001]			0.010*** [0.002]
Probability of serious ill if infected			0.016*** [0.001]			0.021*** [0.001]			0.018*** [0.002]
Trust in Scientists			0.184*** [0.008]			0.208*** [0.009]			0.149*** [0.012]
Liberal ideology			0.010 [0.007]			0.049*** [0.009]			0.066*** [0.014]
Centrist ideology			-0.012* [0.006]			0.011 [0.007]			0.027** [0.012]
Unknown ideology			-0.030*** [0.011]			-0.031** [0.012]			0.001 [0.018]
Constant	0.753*** [0.017]	0.699*** [0.018]	0.368*** [0.117]	0.736*** [0.018]	0.730*** [0.019]	0.238 [0.189]	0.490*** [0.030]	0.499*** [0.033]	0.362 [0.237]
Country-Region FE	yes	yes	yes	yes	yes	yes	yes	yes	yes
Observations	13,019	12,914	12,498	11,918	11,838	11,628	12,126	12,041	11,831
R-squared	0.035	0.072	0.206	0.091	0.132	0.272	0.068	0.077	0.124

Notes: Robust standard errors are in parentheses (\*\*\*, \*\*, \* indicate significance at 1, 5, and 10 percent, respectively). We pool survey data from the ten countries in the sample.

**Table S3.** Vaccination is the only Permanent Solution to COVID-19

VARIABLES	(1) ALL	(2) AUS	(3) AUT	(4) FRA	(5) GER	(6) ITA	(7) NZ	(8) POL	(9) SW	(10) UK	(11) US
Women	-0.030*** [0.005]	-0.038** [0.018]	-0.052** [0.022]	-0.042*** [0.013]	-0.060*** [0.013]	0.021 [0.018]	-0.018 [0.018]	-0.041** [0.020]	-0.018 [0.018]	0.013 [0.018]	-0.031** [0.014]
No High School	-0.056*** [0.010]	0.020 [0.026]	-0.060* [0.032]	-0.050 [0.036]	-0.051 [0.034]	-0.084*** [0.032]	-0.034 [0.028]	-0.101 [0.063]	-0.034 [0.028]	-0.076** [0.039]	-0.082* [0.042]
High School	-0.026*** [0.006]	0.010 [0.022]	-0.008 [0.034]	-0.029** [0.014]	-0.032** [0.015]	-0.029 [0.021]	-0.044** [0.020]	-0.019 [0.023]	-0.044** [0.020]	-0.031 [0.020]	-0.040*** [0.015]
Service Workers	-0.003 [0.008]	-0.017 [0.024]	-0.033 [0.036]	-0.004 [0.021]	0.027 [0.023]	0.035 [0.037]	0.007 [0.026]	-0.036 [0.036]	0.007 [0.026]	-0.010 [0.025]	0.006 [0.018]
Blue Collars	-0.025*** [0.009]	-0.074*** [0.028]	-0.072* [0.040]	-0.022 [0.027]	-0.036 [0.026]	0.021 [0.040]	0.043 [0.033]	-0.035 [0.036]	0.043 [0.033]	-0.028 [0.031]	-0.002 [0.020]
Inactive	0.001 [0.009]	-0.068 [0.046]	-0.013 [0.039]	-0.002 [0.024]	0.015 [0.022]	0.033 [0.035]	0.026 [0.029]	0.016 [0.033]	0.026 [0.029]	0.003 [0.028]	0.020 [0.029]
35-49 yo	0.028*** [0.007]	0.017 [0.024]	0.041 [0.029]	-0.011 [0.018]	0.028 [0.019]	0.035 [0.025]	0.014 [0.023]	0.056** [0.026]	0.014 [0.023]	0.043* [0.024]	0.030* [0.018]
50-59 yo	0.077*** [0.008]	0.007 [0.026]	0.106*** [0.033]	0.051** [0.021]	0.094*** [0.021]	0.064** [0.029]	0.049* [0.027]	0.171*** [0.029]	0.049* [0.027]	0.082*** [0.028]	0.034 [0.022]
60+ yo	0.133*** [0.007]	0.128*** [0.026]	0.109*** [0.033]	0.122*** [0.020]	0.137*** [0.019]	0.103*** [0.025]	0.090*** [0.025]	0.146*** [0.027]	0.090*** [0.025]	0.161*** [0.026]	0.147*** [0.017]
Constant	0.699*** [0.017]	0.738*** [0.028]	0.723*** [0.063]	0.687*** [0.024]	0.652*** [0.027]	0.662*** [0.039]	0.700*** [0.028]	0.581*** [0.037]	0.700*** [0.028]	0.715*** [0.039]	0.696*** [0.023]
Country-Region FE	Yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Observations	12,914	894	994	2,082	2,091	1,025	1,011	1,023	1,011	1,016	1,747
R-squared	0.072	0.061	0.048	0.056	0.071	0.034	0.050	0.072	0.050	0.065	0.058

Notes: Robust standard errors are in parentheses (\*\*\*, \*\*, \* indicate significance at 1, 5, and 10 percent, respectively).

**Table S4:** Agreement to be Vaccinated

VARIABLES	(1) ALL	(2) AUS	(3) AUT	(4) FRA	(5) GER	(6) ITA	(7) NZ	(8) POL	(9) SW	(10) UK	(11) US
Women	-0.074*** [0.006]	-0.062*** [0.020]	-0.094*** [0.024]	-0.123*** [0.021]	-0.076*** [0.015]	-0.058*** [0.020]	-0.055*** [0.021]	-0.088*** [0.021]	-0.055*** [0.021]	-0.070*** [0.021]	-0.059*** [0.016]
No High School	-0.083*** [0.012]	-0.004 [0.029]	-0.061* [0.035]	-0.054 [0.060]	-0.026 [0.040]	-0.150*** [0.035]	-0.092*** [0.033]	-0.022 [0.068]	-0.092*** [0.033]	-0.098** [0.044]	-0.198*** [0.046]
High School	-0.057*** [0.007]	-0.024 [0.025]	-0.026 [0.038]	-0.081*** [0.024]	-0.057*** [0.018]	-0.062*** [0.023]	-0.056** [0.024]	-0.013 [0.024]	-0.056** [0.024]	-0.052** [0.023]	-0.084*** [0.017]
Service Workers	-0.024** [0.009]	-0.032 [0.026]	-0.079* [0.040]	-0.019 [0.034]	-0.015 [0.026]	0.016 [0.041]	-0.003 [0.031]	-0.032 [0.039]	-0.003 [0.031]	-0.087*** [0.029]	-0.000 [0.020]
Blue Collars	-0.067*** [0.011]	-0.129*** [0.031]	-0.126*** [0.044]	-0.128*** [0.045]	-0.090*** [0.030]	0.015 [0.044]	0.030 [0.039]	-0.051 [0.039]	0.030 [0.039]	-0.084** [0.035]	-0.047** [0.023]
Inactive	-0.019* [0.010]	-0.054 [0.051]	-0.055 [0.043]	-0.012 [0.040]	-0.016 [0.026]	0.011 [0.039]	0.018 [0.034]	-0.021 [0.035]	0.018 [0.034]	-0.009 [0.032]	-0.042 [0.034]
35-49 yo	0.002 [0.008]	0.024 [0.026]	-0.023 [0.032]	-0.012 [0.030]	0.019 [0.022]	-0.009 [0.027]	0.004 [0.027]	0.023 [0.028]	0.004 [0.027]	0.021 [0.028]	-0.012 [0.020]
50-59 yo	0.062*** [0.009]	0.023 [0.029]	0.052 [0.036]	0.094*** [0.034]	0.101*** [0.024]	0.027 [0.032]	0.008 [0.031]	0.110*** [0.031]	0.008 [0.031]	0.052 [0.032]	0.048* [0.026]
60+ yo	0.134*** [0.008]	0.146*** [0.029]	0.102*** [0.037]	0.122*** [0.032]	0.164*** [0.022]	0.087*** [0.028]	0.093*** [0.029]	0.170*** [0.029]	0.093*** [0.029]	0.165*** [0.030]	0.108*** [0.020]
Constant	0.730*** [0.020]	0.790*** [0.031]	0.705*** [0.069]	0.557*** [0.039]	0.596*** [0.032]	0.705*** [0.043]	0.702*** [0.033]	0.551*** [0.040]	0.702*** [0.033]	0.768*** [0.044]	0.738*** [0.026]
Country-Region FE	yes	yes	yes		yes	yes	yes	yes	yes	yes	yes
Observations	11,838	864	994	1,042	2,091	1,025	1,011	1,023	1,011	1,016	1,741
R-squared	0.132	0.087	0.054	0.096	0.088	0.046	0.055	0.073	0.055	0.109	0.073

Notes: Robust standard errors are in parentheses (\*\*\*, \*\*, \* indicate significance at 1, 5, and 10 percent, respectively).



**Table S5:** Agreement with Compulsory Vaccination

VARIABLES	(1) ALL	(2) AUS	(3) AUT	(4) FRA	(5) GER	(6) ITA	(7) NZ	(8) POL	(9) SW	(10) UK	(11) US
Women	-0.061*** [0.009]	0.006 [0.033]	-0.114*** [0.028]	-0.127*** [0.028]	-0.054** [0.021]	-0.018 [0.032]	-0.040 [0.032]	-0.137*** [0.028]	-0.040 [0.032]	-0.067** [0.032]	-0.015 [0.024]
No High School	-0.050*** [0.017]	-0.002 [0.047]	-0.073* [0.041]	-0.047 [0.078]	0.040 [0.055]	-0.188*** [0.056]	-0.036 [0.051]	0.121 [0.089]	-0.036 [0.051]	0.019 [0.069]	-0.171** [0.071]
High School	-0.028*** [0.010]	0.001 [0.041]	-0.042 [0.044]	-0.063** [0.031]	0.032 [0.024]	-0.102*** [0.038]	-0.017 [0.037]	0.014 [0.032]	-0.017 [0.037]	-0.000 [0.035]	-0.092*** [0.026]
Service Workers	-0.027* [0.014]	-0.061 [0.044]	-0.052 [0.047]	0.004 [0.044]	-0.065* [0.036]	0.140** [0.066]	-0.124*** [0.048]	-0.035 [0.051]	-0.124*** [0.048]	-0.038 [0.045]	-0.005 [0.031]
Blue Collars	-0.033** [0.016]	-0.057 [0.051]	-0.083 [0.051]	-0.048 [0.058]	-0.068* [0.041]	0.112 [0.071]	-0.057 [0.060]	-0.086* [0.051]	-0.057 [0.060]	-0.069 [0.055]	0.034 [0.034]
Inactive	-0.005 [0.015]	0.098 [0.085]	-0.014 [0.051]	0.001 [0.052]	-0.047 [0.036]	0.088 [0.063]	-0.095* [0.053]	0.011 [0.047]	-0.095* [0.053]	0.030 [0.049]	-0.012 [0.050]
35-49 yo	-0.028** [0.012]	0.057 [0.043]	-0.003 [0.037]	0.027 [0.039]	-0.016 [0.030]	-0.074* [0.044]	-0.067 [0.042]	0.020 [0.037]	-0.067 [0.042]	-0.052 [0.043]	-0.088*** [0.030]
50-59 yo	0.041*** [0.014]	0.083* [0.048]	0.029 [0.042]	0.068 [0.044]	0.079** [0.033]	-0.008 [0.052]	0.067 [0.049]	0.105** [0.041]	0.067 [0.049]	0.044 [0.050]	-0.023 [0.038]
60+ yo	0.069*** [0.012]	0.183*** [0.048]	0.053 [0.043]	0.059 [0.042]	0.139*** [0.030]	-0.042 [0.045]	0.114** [0.045]	0.133*** [0.038]	0.114** [0.045]	0.101** [0.046]	0.013 [0.030]
Constant	0.499*** [0.028]	0.579*** [0.051]	0.266*** [0.081]	0.294*** [0.051]	0.302*** [0.044]	0.527*** [0.070]	0.674*** [0.052]	0.341*** [0.053]	0.674*** [0.052]	0.469*** [0.069]	0.526*** [0.040]
Country-Region FE	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Observations	12,041	932	992	1,042	2,089	1,024	1,010	1,021	1,010	1,016	1,884
R-squared	0.077	0.031	0.037	0.052	0.034	0.024	0.051	0.070	0.051	0.039	0.020

Notes: Robust standard errors are in parentheses (\*\*\*, \*\*, \* indicate significance at 1, 5, and 10 percent, respectively).

**Table S6:** Gender differences in Attitudinal Factors

VARIABLES	(1) Risk Aversion	(2) COVID Serious Health Concern	(3) Probability of be Infected	(4) Probability of serious ill if Infected	(5) Trust in Scientists	(6) Liberal Ideology	(7) Central Ideology	(8) Vaccination is the Solution	(9) Multinationals' Fault	(10) Parents of School Kids
Women	0.566*** [0.045]	0.052*** [0.008]	0.175*** [0.048]	0.089* [0.048]	-0.008 [0.007]	0.026*** [0.007]	-0.005 [0.009]	-0.030*** [0.005]	0.143** [0.057]	0.006 [0.006]
No High School	0.009 [0.091]	0.013 [0.016]	-0.545*** [0.097]	-0.080 [0.096]	- [0.014]	- [0.014]	-0.005 [0.017]	-0.056*** [0.010]	1.145*** [0.116]	0.035*** [0.012]
High School	0.115** [0.052]	-0.000 [0.009]	-0.396*** [0.055]	-0.011 [0.055]	0.076*** [0.008]	0.040*** [0.008]	0.008 [0.010]	-0.026*** [0.006]	0.662*** [0.065]	0.031*** [0.007]
Service Workers	0.217*** [0.070]	-0.002 [0.012]	-0.120 [0.074]	0.003 [0.074]	0.001 [0.010]	0.004 [0.011]	0.002 [0.013]	-0.003 [0.008]	0.150* [0.088]	-0.021** [0.010]
Blue Collars	0.175** [0.081]	0.007 [0.014]	-0.385*** [0.086]	-0.081 [0.085]	0.048*** [0.012]	0.013 [0.013]	-0.009 [0.015]	-0.025*** [0.009]	0.491*** [0.103]	-0.020* [0.011]
Inactive	0.480*** [0.076]	0.024* [0.013]	-0.345*** [0.081]	0.282*** [0.081]	-0.027** [0.011]	0.010 [0.012]	-0.008 [0.015]	0.001 [0.009]	0.042 [0.096]	-0.122*** [0.010]
35-49 yo	0.398*** [0.061]	0.057*** [0.010]	0.059 [0.065]	0.478*** [0.064]	-0.005 [0.009]	0.031*** [0.010]	0.024** [0.012]	0.028*** [0.007]	0.032 [0.077]	0.181*** [0.008]
50-59 yo	0.617*** [0.071]	0.085*** [0.012]	0.003 [0.075]	0.806*** [0.075]	0.017 [0.011]	-0.006 [0.011]	0.035** [0.014]	0.077*** [0.008]	-0.558*** [0.089]	0.006 [0.010]
60+ yo	0.530*** [0.063]	0.113*** [0.011]	-0.009 [0.067]	1.498*** [0.066]	0.059*** [0.009]	-0.002 [0.010]	0.008 [0.012]	0.133*** [0.007]	-1.080*** [0.080]	-0.097*** [0.009]
Constant	4.097*** [0.146]	0.411*** [0.025]	5.908*** [0.157]	5.090*** [0.156]	0.865*** [0.022]	0.193*** [0.023]	0.366*** [0.028]	0.699*** [0.017]	3.141*** [0.198]	-0.004 [0.020]
Country-Region FE	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Observations	12,808	13,210	13,215	13,215	13,210	13,215	13,215	12,914	12,763	13,215
R-squared	0.083	0.091	0.089	0.073	0.049	0.020	0.036	0.072	0.096	0.191

Notes: Robust standard errors are in parentheses (\*\*\*, \*\*, \* indicate significance at 1, 5, and 10 percent, respectively). We pool survey data from the ten countries in the sample.

**Table S7: Gender Differences in Vaccination – Skepticism in COVID-19 Vaccines**

VARIABLES	(1)	(2)
	be Vaccinated	Agree to Compulsory Vaccination
Women	-0.052*** [0.005]	-0.050*** [0.009]
Vaccine Solution	0.534*** [0.011]	0.351*** [0.016]
COVID Multinat's Fault	-0.016*** [0.001]	-0.009*** [0.001]
Schoolkids	0.012* [0.007]	0.008 [0.012]
Parents		
Constant	0.144 [0.152]	0.290 [0.216]
Country-Region FE	yes	yes
Socio-demo controls	yes	yes
Attitudinal controls	yes	yes
Observations	11,272	11,291
R-squared	0.473	0.170

Notes: Robust standard errors are in parentheses (\*\*\*, \*\*, \* indicate significance at 1, 5, and 10 percent, respectively). We pool survey data from the ten countries in the sample. We control for country-region fixed effects and sociodemographic characteristics in all regressions. The sociodemographic controls include age groups (18-34, 35-49, 50-59, 60+), education (no high school, high school, college), occupation status (blue collar, service, white collar, no occupation). Attitudinal controls include risk aversion, probability of being infected, probability of being seriously ill if infected, seriousness of COVID-19 as health risk, trust in scientists and political ideology (left, center, no ideology).