

Cerebral Small Vessel Disease Burden and Longitudinal Cognitive Decline from age 73 to 82: the Lothian Birth Cohort 1936

Hamilton OKL, Cox SR, Okely JA, Conte F, Ballerini L, Bastin ME, Corley J, Taylor AM,
Page D, Gow AJ, Muñoz Maniega S, Redmond P, Valdés-Hernández M del C, Wardlaw JM,
Deary IJ

Supplementary Tables

Table S1: Baseline characteristics of study completers vs. participants lost to follow-up

Table S2: Unstandardised means and variances for the intercept and slope of each cognitive

Table S3: Results of factor-of-curves models of associations between total SVD burden and intercepts of latent cognitive variables

Table S4: Results of bifactor models of associations between total SVD burden and intercepts of latent cognitive variables

Table S5: Results of FoC models of associations between WMH volume/TIV and intercepts and slopes of latent cognitive variables between the ages of 73 and 82

Table S6: Fit indices for models presented in Table S5

Table S1: Baseline characteristics of study completers vs. participants lost to follow-up

	n	Completers	n	Non-completers	p-value
Sociodemographic					
Age, years	300	72.5 (0.7)	240	72.5 (0.7)	0.538
Female, n (%)	300	147 (49.0%)	240	105 (43.8%)	0.224
Education, years	300	11.0 (1.2)	240	10.7 (1.1)	0.014
Vascular risk					
Hypertension history, n (%)	300	135 (45.0%)	240	124 (51.7%)	0.123
Systolic blood pressure	297	145.6 (18.0)	237	147.5 (18.1)	0.229
Diastolic blood pressure	297	79.4 (9.2)	237	80.1 (9.5)	0.373
Diabetes history, n (%)	300	20 (6.7%)	240	34 (14.2%)	0.004
HbA1c mmol/mol	290	38.8 (5.8)	228	39.3 (7.1)	0.403
Cholesterol, mmol/l	291	5.3 (1.1)	230	5.1 (1.2)	0.043
Cardiovascular disease history, n (%)	300	83 (27.7%)	240	71 (29.6%)	0.624
Smoking status, n (%)	300	Ever=141 (47.0%) Never=159 (55.0%)	240	Ever=133 (55.4%) Never=107 (44.6%)	0.052
Cognitive					
Moray House Test age 11 (max 76)	283	51.2 (11.5)	228	49.1 (12.3)	0.046
Neuroimaging					
Total WMH volume cm ³	298	10.47 (11.3)	239	14.40 (14.3)	0.004
Total brain volume cm ³	300	991.9 (87.2)	236	995.9 (90.1)	0.612
Lacunes, n (%)	300	Present=13 (4.3%) Absent=287 (95.7%)	240	Present=15 (6.25%) Absent=225 (93.75%)	0.318
Microbleeds, n (%)	300	Present=33 (11.0%) Absent=267 (89.0%)	240	Present=32 (13.3%) Absent=208 (86.7%)	0.408

Note: Values are mean (standard deviation) unless otherwise specified. WMH: white matter hyperintensities of presumed vascular origin. Statistical comparisons performed using t-test for continuous variables and chi-squared test for binary variables. Total WMH volume was log transformed prior to statistical comparison due to right-sided skew.

Table S2: Unstandardised means and variances for the intercept and slope of each cognitive domain^a

	Intercepts		Slopes			SD change/year	Fit indices				
	Mean (SE)	Variance (SE)	Mean (SE)	Variance (SE)			X ²	RMSEA	CFI	TLI	SRMR
General cognitive ability	28.60 (0.26)***	18.91 (1.99)***	-0.558 (0.03)***	0.140 (0.02)***	-0.128	0.000	0.039	0.950	0.948	0.065	
Processing speed	55.959 (0.25)***	7.990 (1.32)***	-0.452 (0.04)***	0.140 (0.03)***	-0.160	0.000	0.051	0.968	0.966	0.065	
Memory	27.188 (0.41)***	42.821 (6.33)***	-0.035 (0.05)***	0.540 (0.08)***	-0.005	0.001	0.035	0.988	0.987	0.029	
Visuospatial ability	17.365 (0.21)***	13.754 (1.47)***	-0.303 (0.020)***	0.028 (0.013)*	-0.082	0.245	0.015	0.998	0.997	0.036	

Note: Slopes represent change from age 73 to age 82. SD: standard deviation; SE: standard error. SD change per year calculated by dividing the slope mean by the intercept standard deviation. All p-values are uncorrected. * p < 0.05; ** p < 0.01; *** p < 0.001.

^a Note that the cognitive domains will contain any variance due to general cognitive ability.

Table S3: Results of factor-of-curves models of associations between total SVD burden and intercepts of latent cognitive variables^a

	Intercept			
	Standardised β (SE)	95% CI	Uncorrected p value	FDR-corrected p value ^b
General cognitive ability	-0.377 (0.08)	-0.531, -0.224	<0.001	<0.001
+ age + sex	-0.346 (0.08)	-0.511, -0.182	<0.001	<0.001
+ age + sex + vascular risk	-0.334 (0.08)	-0.495, -0.174	<0.001	<0.001
+ age + sex + vascular risk + age-11 IQ	-0.299 (0.08)	-0.447, -0.151	<0.001	<0.001
Processing speed	-0.402 (0.08)	-0.562, -0.243	<0.001	<0.001
+ age + sex	-0.364 (0.09)	-0.534, -0.193	<0.001	<0.001
+ age + sex + vascular risk	-0.351 (0.09)	-0.518, -0.183	<0.001	<0.001
+ age + sex + vascular risk + age-11 IQ	-0.322 (0.08)	-0.481, -0.164	<0.001	<0.001
Verbal memory	-0.280 (0.09)	-0.447, -0.113	0.001	0.003
+ age + sex	-0.280 (0.08)	-0.441, -0.118	0.001	0.003
+ age + sex + vascular risk	-0.278 (0.08)	-0.440, -0.117	0.001	0.003
+ age + sex + vascular risk + age-11 IQ	-0.225 (0.08)	-0.383, -0.068	0.005	0.012
Visuospatial ability	-0.240 (0.08)	-0.393, -0.086	0.002	0.005
+ age + sex	-0.220 (0.08)	-0.379, -0.062	0.007	0.016
+ age + sex + vascular risk	-0.209 (0.08)	-0.364, -0.055	0.008	0.017
+ age + sex + vascular risk + age-11 IQ	-0.173 (0.07)	-0.311, -0.036	0.014	0.022

Note: Four separate models were run for each cognitive factor, including covariates in a stepwise manner. Likelihood ratio test statistic (LR) and degrees of freedom (DF) for each of the unadjusted models were as follows: General cognitive ability (LR=6.79; DF=30), processing speed (LR=0.22; DF=2), verbal memory (LR=2.95; DF=1), visuospatial ability (LR=1.54; DF=2). CI: confidence interval; FDR: false discovery rate; SE: standard error. ^aNote that the cognitive domains will contain any variance due to general cognitive ability. ^bFDR correction was conducted across results presented in this table and in Table 3.

Table S4: Results of bifactor models of associations between total SVD burden and intercepts of latent cognitive variables

		Intercept		
	Standardised β (SE)	95% CI	Uncorrected p value	FDR-corrected p value ^a
General cognitive ability	-0.277 (0.13)	-0.528, -0.026	0.030	0.178
+ age + sex	-0.230 (0.11)	-0.452, -0.009	0.042	0.178
+ age + sex + vascular risk	-0.225 (0.12)	-0.450, 0.000	0.050	0.178
+ age + sex + vascular risk + age-11 IQ	-0.185 (0.11)	-0.408, 0.038	0.103	0.275
Processing speed	-0.304 (0.15)	-0.603, -0.006	0.045	0.178
+ age + sex	-0.250 (0.13)	-0.498, -0.001	0.049	0.178
+ age + sex + vascular risk	-0.239 (0.13)	-0.489, 0.011	0.061	0.195
+ age + sex + vascular risk + age-11 IQ	-0.241 (0.13)	-0.501, 0.020	0.070	0.204
Verbal memory	-0.115 (0.12)	-0.341, 0.111	0.318	0.678
+ age + sex	-0.111 (0.10)	-0.303, 0.081	0.258	0.590
+ age + sex + vascular risk	-0.119 (0.10)	-0.313, 0.075	0.231	0.569
+ age + sex + vascular risk + age-11 IQ	-0.093 (0.10)	-0.294, 0.108	0.366	0.732
Visuospatial ability	0.008 (0.14)	-0.256, 0.272	0.954	0.982
+ age + sex	-0.017 (0.16)	-0.320, 0.286	0.912	0.982
+ age + sex + vascular risk	-0.004 (0.16)	-0.306, 0.299	0.982	0.982
+ age + sex + vascular risk + age-11 IQ	0.015 (0.16)	-0.293, 0.322	0.926	0.982

Note: Each bifactor model estimates associations between SVD burden and the four cognitive variables simultaneously. Four bifactor models, one without covariates and three further models, including covariates in a stepwise manner. Likelihood ratio test statistic (LR) and degrees of freedom (DF) for the unadjusted model was as follows: LR=55.3; DF=9. CI: confidence interval; FDR: false discovery rate; SE: standard error. ^aFDR correction was conducted across results presented in this table and in Table 4.

Table S5: Results of FoC models of associations between WMH volume/TIV and intercepts and slopes of latent cognitive variables between the ages of 73 and 82^a

	Intercept				Slope			
	Standardised β (SE)	95% CI	Uncorrected p value	FDR-corrected p value	Standardised β (SE)	95% CI	Uncorrected p value	FDR-corrected p value
General cognitive ability	-0.226 (0.05)	-0.323, -0.129	<0.001	<0.001	-0.127 (0.06)	-0.244, -0.009	0.035	0.047
+ age + sex	-0.222 (0.05)	-0.312, -0.133	<0.001	<0.001	-0.149 (0.06)	-0.257, -0.040	0.007	0.012
+ age + sex + vascular risk	-0.216 (0.04)	-0.303, -0.130	<0.001	<0.001	-0.148 (0.06)	-0.256, -0.039	0.008	0.012
+ age + sex + vascular risk + age-11 IQ	-0.194 (0.04)	-0.273, -0.115	<0.001	<0.001	-0.149 (0.06)	-0.259, -0.039	0.008	0.012
Processing speed	-0.231 (0.05)	-0.334, -0.128	<0.001	<0.001	-0.148 (0.07)	-0.277, -0.018	0.026	0.036
+ age + sex	-0.230 (0.05)	-0.320, -0.140	<0.001	<0.001	-0.177 (0.07)	-0.303, -0.050	0.006	0.012
+ age + sex + vascular risk	-0.224 (0.05)	-0.312, -0.136	<0.001	<0.001	-0.176 (0.06)	-0.301, -0.050	0.006	0.012
+ age + sex + vascular risk + age-11 IQ	-0.205 (0.04)	-0.287, -0.123	<0.001	<0.001	-0.176 (0.07)	-0.303, -0.049	0.007	0.012
Verbal memory	-0.140 (0.05)	-0.235, -0.045	0.004	0.010	-0.088 (0.08)	-0.236, 0.061	0.247	0.263
+ age + sex	-0.163 (0.05)	-0.251, -0.074	<0.001	<0.001	-0.079 (0.07)	-0.220, 0.063	0.277	0.277
+ age + sex + vascular risk	-0.162 (0.05)	-0.251, -0.073	<0.001	<0.001	-0.080 (0.07)	-0.220, 0.061	0.268	0.277
+ age + sex + vascular risk + age-11 IQ	-0.130 (0.04)	-0.216, -0.045	0.003	0.008	-0.084 (0.07)	-0.226, 0.058	0.245	0.263
Visuospatial ability	-0.161 (0.05)	-0.257, -0.066	0.001	0.003	-0.178 (0.10)	-0.366, 0.011	0.064	0.073
+ age + sex	-0.136 (0.05)	-0.232, -0.039	0.006	0.012	-0.197 (0.10)	-0.384, -0.010	0.039	0.048
+ age + sex + vascular risk	-0.130 (0.05)	-0.227, -0.033	0.008	0.012	-0.198 (0.10)	-0.386, -0.011	0.038	0.048
+ age + sex + vascular risk + age-11 IQ	-0.111 (0.05)	-0.203, -0.020	0.017	0.025	-0.190 (0.10)	-0.376, -0.004	0.046	0.055

Note: CI: confidence interval; FDR: false discovery rate; FoC: factor-of-curves; SE: standard error; TIV: total intracranial volume; WMH: white matter hyperintensities.

^a Note that the cognitive domains will contain any variance due to general cognitive ability.

Table S6: Fit indices for models presented in Table S5

	χ^2	RMSEA	CFI	TLI	SRMR
General cognitive ability	0.000	0.039	0.944	0.942	0.063
+ age + sex	0.000	0.037	0.941	0.937	0.068
+ age + sex + vascular risk	0.000	0.036	0.941	0.937	0.067
+ age + sex + vascular risk + age-11 IQ	0.000	0.037	0.938	0.933	0.066
 Processing speed	 0.000	 0.045	 0.967	 0.964	 0.064
+ age + sex	0.000	0.034	0.972	0.969	0.060
+ age + sex + vascular risk	0.000	0.033	0.972	0.969	0.060
+ age + sex + vascular risk + age-11 IQ	0.000	0.034	0.969	0.966	0.059
 Verbal memory	 0.003	 0.031	 0.988	 0.986	 0.031
+ age + sex	0.008	0.025	0.987	0.985	0.045
+ age + sex + vascular risk	0.004	0.026	0.985	0.983	0.046
+ age + sex + vascular risk + age-11 IQ	0.0017	0.026	0.983	0.981	0.047
 Visuospatial ability	 0.276	 0.013	 0.998	 0.997	 0.040
+ age + sex	0.119	0.017	0.994	0.993	0.081
+ age + sex + vascular risk	0.101	0.017	0.993	0.992	0.083
+ age + sex + vascular risk + age-11 IQ	0.042	0.020	0.989	0.988	0.081

Note: CFI: comparative fit index; RMSEA: root mean square error of approximation; SRMR: standardized root mean square residual; TLI: Tucker Lewis index.