

Supplemental Materials for:

Associations of SARS-CoV-2 serum IgG with occupation and demographics of military personnel

Joseph Zell<sup>1</sup>, Jon Klein<sup>2</sup>, Carolina Lucas<sup>2</sup>, Martin Slade<sup>1</sup>, Jian Liu<sup>1</sup>, Akiko Iwasaki<sup>2,3</sup>, Adam V  
Wisnewski<sup>\*1</sup>, Carrie A Redlich<sup>1</sup>

<sup>1</sup>Department of Internal Medicine, Yale University School of Medicine, New Haven, CT, USA

<sup>2</sup>Department of Immunobiology, Yale University School of Medicine, New Haven, CT, USA

<sup>3</sup>Howard Hughes Medical Institute, Chevy Chase, MD, USA

Item	Page #
Fig. S1. Age distribution of study subjects vs. the local population.	2
Table S1. Parsimonious adjusted logistic regression model of demographic/occupational data and SARS-CoV-2 serum IgG.	3
Table S2. Unadjusted linear regression model of demographic/occupational data and SARS-CoV-2 serum IgG.	4
Table S3. Parsimonious adjusted linear regression model of demographic/occupational data and SARS-CoV-2 serum IgG.	5
Figure S2. Spike antigen-specific IgG in serum from subjects from MOS groups with < 7 subjects/MOS code.	6

### Study Population vs Working CT Population




Figure S1. Age distribution of study subjects vs. the local population. The % of workers (Y-axis) in different age ranges (X-axis) are depicted. Study subjects (blue bars) data from present study and local population (orange bars) estimates are from <https://statisticalatlas.com/state/Connecticut/Employment-Status#figure/employment-status-by-age>.

Table S1. Parsimonious (adjusted) logistic regression model of demographic/occupational data and SARS-CoV-2 serum IgG.

Parameter	Level	n	Spike IgG +/-								
			Parsimonious (Adjusted) Logistic Regression Model								
			Estimate	Standard Error	Odds Ratio			Wald Square	Chi- Pr > $\chi^2$	Wald Square	Chi- Pr > $\chi^2$
Estimate	L95%	U95%									
Race	Asian	25	0.0921	0.5774	1.398	0.403	4.850	0.0255	0.8732	13.8046	0.0169
	Black	77	0.5194	0.3726	2.143	1.117	4.111	1.9426	0.1634		
	Mixed	39	-1.4732	0.8736	0.292	0.039	2.173	2.8437	0.0917		
	Other	7	0.5437	0.9261	2.196	0.259	18.624	0.3446	0.5572		
	Unknown	120	0.5610	0.3411	2.234	1.293	3.862	2.7048	0.1000		
	White	720	0 (Reference)	-	1 (Reference)	-	-	-	-		
Hispanic	Hispanic	171									
	Not Hispanic	817	0 (Reference)	-	1 (Reference)	-	-	-	-		
Exposed COVID	Yes	136	0.3525	0.1323	2.024	1.205	3.399	7.1016	0.0077	7.1016	0.0077
	Maybe/No	852	0 (Reference)	-	1 (Reference)	-	-	-	-		
Number in Household	6 or more	67	0.4118	0.1643	2.279	1.197	4.339	6.2812	0.0122	6.2812	0.0122
	Less than 6	921	0 (Reference)	-	1 (Reference)	-	-	-	-		
Age [years]	per year	988									
	Current	77									
Smoking Category	Previous	279									
	Never	631	0 (Reference)	-	1 (Reference)	-	-	-	-		
	Current	66									
Vaping Category	Previous	88									
	Never	834	0 (Reference)	-	1 (Reference)	-	-	-	-		
	Yes - every day	29									
Alcohol	Yes - weekly	289									
	Yes - monthly	398									
	No	272	0 (Reference)	-	1 (Reference)	-	-	-	-		
	Female	200									
Sex	Male	788	0 (Reference)	-	1 (Reference)	-	-	-	-		
	Air Force	154									
Branch	Unknown	96									
	Army	738	0.0000		1 (Reference)						
MOS	21	7	0.3614	0.6292	4.095	0.759	22.102	0.3299	0.5657	7.3189	0.0257
	92F	7	0.6871	0.6016	5.672	1.185	27.142	1.3043	0.2534		
	All Other	974	0 (Reference)	-	1 (Reference)	-	-	-	-		

Table S2. Unadjusted linear regression model of demographic/occupational data and SARS-CoV-2 serum IgG.

Parameter	Level	n	Spike IgG ELISA OD								
			Unadjusted Linear Regression Models								
			Estimate	Standard Error	e <sup>estimate</sup>	L95%	U95%	t Value	Pr >  t	F Value	Pr > F
Race	Asian	25	0.0995	0.1740	1.1047	-0.2419	0.4410	0.57	0.5674	4.98	0.0002
	Black	77	0.3382	0.1002	1.4025	-0.1416	0.5349	3.37	0.0008		
	Mixed	39	-0.0462	0.1406	0.9549	-0.3221	0.2298	-0.33	0.7427		
	Other	7	0.0838	0.3249	1.0874	-0.5537	0.7213	0.26	0.7964		
	Unknown	120	0.3331	0.0843	1.3953	0.1677	0.4986	3.95	<0.0001		
	White	720	0 (Reference)	-	1 (Reference)	-	-	-	-		
Hispanic	Hispanic	171	0.1949	0.0724	1.2151	0.0528	0.3688	2.69	0.0072	7.25	0.0072
	Not Hispanic	817	0 (Reference)	-	1 (Reference)	-	-	-	-		
Exposed COVID	Yes	136	0.1942	0.0797	1.2143	0.0377	0.3506	2.44	0.0150	5.93	0.0150
	Maybe/No	852	0 (Reference)	-	1 (Reference)	-	-	-	-		
Number in Household	6 or more	67	0.2695	0.1092	1.3093	0.0552	0.4839	2.47	0.0138	6.09	0.0138
	Less than 6	921	0 (Reference)	-	1 (Reference)	-	-	-	-		
Age [years]	per year	988	0.0050	0.0026	1.0050	0.0000	0.0101	1.95	0.0510	3.82	0.0510
Smoking Category	Current	77	0.0409	0.1046	1.0418	-0.1643	0.2461	0.39	0.6956	0.74	0.4774
	Previous	279	-0.0660	0.0622	0.9362	-0.1880	0.0561	-1.06	0.2890		
	Never	631	0 (Reference)	-	1 (Reference)	-	-	-	-		
Vaping Category	Current	66	0.0684	0.1107	1.0708	-0.1489	0.2857	0.62	0.5369	0.58	0.5584
	Previous	88	0.0907	0.0970	1.0949	-0.0998	0.2811	0.93	0.3504		
	Never	834	0 (Reference)	-	1 (Reference)	-	-	-	-		
Alcohol	Yes - every day	29	-0.0667	0.1691	0.9355	-0.3985	0.2651	-0.39	0.6933	0.85	0.4686
	Yes - weekly	289	-0.0946	0.0730	0.9097	-0.2379	0.0486	-1.30	0.1953		
	Yes - monthly	398	0.0022	0.0680	1.0022	-0.1312	0.1356	0.03	0.9741		
	No	272	0 (Reference)	-	1 (Reference)	-	-	-	-		
Sex	Female	200	-0.2648	0.0679	0.7673	-0.3980	-0.1317	-3.90	0.0001	15.23	0.0001
	Male	788	0 (Reference)	-	1 (Reference)	-	-	-	-		
Branch	Air Force	154	-0.1314	0.0765	0.8768	-0.2815	0.0186	-1.72	0.0859	1.49	0.2264
	Unknown	96	-0.0096	0.0928	0.9905	-0.1917	0.1726	-0.10	0.9180		
	Army	738	0 (Reference)	-	1 (Reference)	-	-	-	-		
MOS	2T	7	0.9166	0.3259	2.5009	0.2771	1.5562	2.81	0.0050	6.49	0.0016
	92F	7	0.7405	0.3259	2.0969	0.1009	1.3800	2.27	0.0233		
	All Other	974	0 (Reference)	-	1 (Reference)	-	-	-	-		

Table S3. Parsimonious (adjusted) linear regression model of demographic/occupational data and SARS-CoV-2 serum IgG.

Parameter	Level	n	Spike IgG ELISA OD								
			Parsimonious (Adjusted) Linear Regression Model								
			Estimate	Standard Error	e <sup>estimate</sup>	L95%	U95%	t Value	Pr >  t	F Value	Pr > F
Race	Asian	25	0.1530	0.1710	1.1653	-0.18	0.4887	0.89	0.3713	6.32	<.0001
	Black	77	0.3893	0.1019	1.4760	0.19	0.5892	3.82	0.0001		
	Mixed	39	0.0147	0.1382	1.0148	-0.26	0.2859	0.11	0.9154		
	Other	7	0.1256	0.3186	1.1338	-0.50	0.7508	0.39	0.6936		
	Unknown	120	0.3808	0.0837	1.4635	0.22	0.5452	4.55	<.0001		
Hispanic	White	720	0 (Reference)	-	1 (Reference)	-	-	-	-		
	Hispanic	171									
Exposed COVID	Not Hispanic	817	0 (Reference)	-	1 (Reference)	-	-	-	-		
	Yes	136	0.2284	0.0779	1.2566	0.08	0.3813	2.93	0.0035	8.59	0.0035
Number in Household	Maybe/No	852	0 (Reference)	-	1 (Reference)	-	-	-	-		
	6 or more	67	0.2375	0.1070	1.2681	0.03	0.4474	2.22	0.0266	4.93	0.0266
Age [years]	Less than 6	921	0 (Reference)	-	1 (Reference)	-	-	-	-		
	per year	988	0.0076	0.0026	1.0076	0.00	0.0126	2.94	0.0034	8.64	0.0034
Smoking Category	Current	77									
	Previous	279									
	Never	631	0 (Reference)	-	1 (Reference)	-	-	-	-		
Vaping Category	Current	66									
	Previous	88									
	Never	834	0 (Reference)	-	1 (Reference)	-	-	-	-		
Alcohol	Yes - every day	29									
	Yes - weekly	289									
	Yes - monthly	398									
	No	272	0 (Reference)	-	1 (Reference)	-	-	-	-		
Sex	Female	200	-0.2849	0.0671	0.7521	-0.42	-0.1532	-4.25	<.0001	18.04	<.0001
	Male	788	0 (Reference)	-	1 (Reference)	-	-	-	-		
Branch	Air Force	154									
	Unknown	96									
	Army	738	0.0000		1 (Reference)						
MOS	Z1	7	0.9565	0.3186	2.6025	0.33	1.5817	3.00	0.0027	6.50	0.0016
	92F	7	0.6412	0.3188	1.8988	0.02	1.2668	2.01	0.0445		
	All Other	974	0 (Reference)	-	1 (Reference)	-	-	-	-		




Figure S2. Spike antigen-specific IgG in serum from subjects with different MOS codes. The mean and standard error of spike IgG ELISA OD values are shown for subjects that belong to different MOS groups with  $N \leq 6$  per MOS.