

Supplementary Material

Supplementary Table 1.

Proportion of participants reporting each activity and total number of respondents by deprivation quintile (24 Nov 20 – 01 Dec 20)

| IMD Quintile | Car Sharing or Taxi | | Public Transport | | Work or Education | | Social/ Entertainment | | Essential Shops | | Non-Essential Shops/Services | | Healthcare Setting | | Non-Household Contacts | |
|---------------------------|---------------------|---------|------------------|---------|-------------------|---------|-----------------------|---------|-----------------|---------|------------------------------|---------|--------------------|---------|------------------------|---------|
| | Yes % (n) | total n | Yes % (n) | total n | Yes % (n) | total n | Yes % (n) | total n | Yes % (n) | total n | Yes % (n) | total n | Yes % (n) | total n | Yes % (n) | total n |
| 1 (Most Deprived) | 19.52 (344) | 1762 | 16.52 (291) | 1762 | 38.57 (680) | 1763 | 4.20 (74) | 1762 | 72.04 (1270) | 1763 | 17.58 (310) | 1763 | 24.52 (432) | 1762 | 65.06 (1145) | 1760 |
| 2 | 15.63 (498) | 3188 | 14.20 (450) | 3186 | 36.59 (1166) | 3187 | 4.84 (154) | 3184 | 74.91 (2389) | 3189 | 17.86 (569) | 3185 | 23.05 (734) | 3184 | 62.77 (2003) | 3191 |
| 3 | 14.34 (612) | 4269 | 9.49 (405) | 4267 | 33.52 (1431) | 4269 | 3.89 (166) | 4267 | 72.52 (3096) | 4269 | 17.71 (756) | 4268 | 23.63 (1008) | 4266 | 60.97 (2599) | 4263 |
| 4 | 14.30 (784) | 5482 | 7.89 (432) | 5478 | 32.88 (1801) | 5478 | 4.56 (250) | 5477 | 73.64 (4034) | 5478 | 18.39 (1007) | 5476 | 23.52 (1289) | 5480 | 61.88 (3391) | 5480 |
| 5 (Least Deprived) | 11.54 (723) | 6267 | 6.27 (393) | 6266 | 31.16 (1952) | 6268 | 4.12 (258) | 6268 | 71.68 (4493) | 6268 | 18.69 (1171) | 6266 | 23.92 (1499) | 6268 | 59.85 (3748) | 6262 |
| Total | 14.12 (2961) | 20968 | 9.40 (1971) | 20959 | 33.54 (7031) | 20965 | 4.30 (902) | 20958 | 72.89 (15282) | 20967 | 18.19 (3813) | 20958 | 23.67 (4962) | 20960 | 61.49 (12886) | 20956 |

Note: IMD = Indices of Multiple Deprivation; total respondents for each question reported separately due to varying frequencies across questions

Supplementary Table 2.

Proportion of participants reporting each activity and total number of respondents by deprivation quintile (23 Dec 20 – 27 Dec 20)

| IMD Quintile | total <i>n</i> | Car Sharing or Taxi | Public Transport | Work or Education | Social/Enterta inment | Essential Shops | Non-Essential Shops and Services | Healthcare Setting | Non- Household Contacts |
|---------------------------|----------------|------------------------|---------------------|----------------------|--------------------------|--------------------|--|-----------------------|-------------------------------|
| | | Yes % (<i>n</i>) | Yes % (<i>n</i>) | Yes % (<i>n</i>) | Yes % (<i>n</i>) | Yes % (<i>n</i>) | Yes % (<i>n</i>) | Yes % (<i>n</i>) | Yes % (<i>n</i>) |
| 1 (Most Deprived) | 1630 | 16.20 (264) | 12.33 (201) | 22.39 (365) | 2.33 (38) | 67.85 (1106) | 11.66 (190) | 16.26 (265) | 40.92 (667) |
| 2 | 2958 | 12.07 (357) | 8.92 (264) | 21.20 (627) | 1.52 (45) | 67.04 (1983) | 10.18 (301) | 14.91 (441) | 37.19 (1100) |
| 3 | 4090 | 10.76 (440) | 5.79 (237) | 18.90 (773) | 2.30 (94) | 63.28 (2588) | 10.73 (439) | 14.91 (610) | 34.38 (1406) |
| 4 | 5262 | 10.49 (552) | 5.02 (264) | 18.26 (961) | 1.94 (102) | 64.61 (3400) | 10.70 (563) | 15.18 (799) | 33.69 (1773) |
| 5 (Least Deprived) | 6180 | 8.72 (539) | 2.83 (175) | 16.49 (1019) | 1.68 (104) | 63.40 (3918) | 11.02 (681) | 14.63 (904) | 33.03 (2041) |
| Total | 20120 | 10.70 (2152) | 5.67 (1141) | 18.61 (3745) | 1.90 (383) | 64.59 (12995) | 10.81 (2174) | 15.00 (3019) | 34.73 (6987) |

Note: IMD = Indices of Multiple Deprivation

Supplementary Table 3.

Proportion of participants reporting each activity and total number of respondents by deprivation quintile (09 Feb 21 – 16 Feb 21)

| IMD Quintile | total <i>n</i> | Car Sharing | Taxi | Public Transport | Work or Education | Social/Entertainment | Essential Shops | Non-Essential Shops and Services | Healthcare Setting | Non-Household Contacts |
|---------------------------|----------------|--------------------|--------------------|--------------------|--------------------|----------------------|--------------------|----------------------------------|--------------------|------------------------|
| | | Yes % (<i>n</i>) | Yes % (<i>n</i>) | Yes % (<i>n</i>) | Yes % (<i>n</i>) | Yes % (<i>n</i>) | Yes % (<i>n</i>) | Yes % (<i>n</i>) | Yes % (<i>n</i>) | Yes % (<i>n</i>) |
| 1 (Most Deprived) | 2011 | 9.70 (195) | 5.72 (115) | 11.93 (240) | 25.21 (507) | 0.99 (20) | 66.53 (1338) | 6.46 (130) | 22.18 (446) | 40.13 (807) |
| 2 | 3780 | 9.44 (357) | 3.33 (126) | 10.16 (384) | 23.60 (892) | 0.48 (18) | 63.97 (2418) | 5.95 (225) | 21.61 (817) | 37.83 (1430) |
| 3 | 5174 | 8.95 (463) | 2.03 (105) | 5.68 (294) | 20.00 (1035) | 0.43 (22) | 61.77 (3196) | 5.51 (285) | 24.08 (1246) | 35.52 (1838) |
| 4 | 6629 | 8.33 (552) | 1.48 (98) | 4.22 (280) | 19.79 (1312) | 0.69 (46) | 62.50 (4143) | 6.59 (437) | 23.50 (1558) | 33.50 (2221) |
| 5 (Least Deprived) | 7634 | 8.45 (645) | 0.83 (63) | 2.67 (204) | 18.77 (1433) | 0.45 (34) | 60.61 (4627) | 5.86 (447) | 23.08 (1762) | 34.35 (2622) |
| Total | 25228 | 8.77 (2212) | 2.01 (507) | 5.56 (1402) | 20.53 (5179) | 0.55 (140) | 62.32 (15722) | 6.04 (1524) | 23.11 (5829) | 35.35 (8918) |

Note: IMD = Indices of Multiple Deprivation

Supplementary Table 4.

Risk Ratios for Work and Education by IMD Quintile for Children (<16 years) versus Adults (≥16 years)

| IMD Quintile | 24 Nov 20 – 01 Dec 20 | | 23 Dec 20 – 27 Dec 20 | | 09 Feb 21 – 16 Feb 21 | |
|--------------|-----------------------|------------------------------------|-----------------------|------------------------------------|-----------------------|------------------------------------|
| | Child | Adult | Child | Adult | Child | Adult |
| 1 | 0.96 [0.89,1.04] | 1.30* [1.18,1.43] | 0.53 [0.31,0.91] | 1.41* [1.25,1.59] | 0.90 [0.62,1.30] | 1.39* [1.26,1.55] |
| 2 | 0.94 [0.87,1.01] | 1.28* [1.18,1.39] | 0.90 [0.59,1.36] | 1.31* [1.18,1.45] | 0.71 [0.50,1.00] | 1.33* [1.22,1.45] |
| 3 | 0.98 [0.92,1.04] | 1.13 [1.04,1.22] | 0.67 [0.44,1.01] | 1.21* [1.09,1.34] | 0.66 [0.48,0.92] | 1.13 [1.04,1.23] |
| 4 | 1.03 [0.98,1.08] | 1.09 [1.01,1.17] | 0.87 [0.61,1.25] | 1.12 [1.02,1.23] | 0.86 [0.66,1.14] | 1.08 [1.00,1.17] |
| 5 | REF | REF | REF | REF | REF | REF |

Note: IMD = Indices of Multiple Deprivation (1 = most deprived; 5 = least deprived); 95% confidence intervals in parentheses

* **Bonferroni-Hochberg adjusted $p < 0.05$**

Supplementary Table 5.

Risk Ratios for Non-Household Contacts by IMD Quintile for Children versus Adults

| IMD Quintile | 24 Nov 20 – 01 Dec 20 | | 23 Dec 20 – 27 Dec 20 | | 09 Feb 21 – 16 Feb 21 | |
|--------------|------------------------------------|------------------------------------|-----------------------|------------------------------------|-----------------------|------------------------------------|
| | Child | Adult | Child | Adult | Child | Adult |
| 1 | 0.92 [0.85,1.01] | 1.11* [1.06,1.18] | 0.76 [0.54,1.08] | 1.27* [1.17,1.38] | 0.93 [0.72,1.21] | 1.20* [1.11,1.29] |
| 2 | 0.92 [0.85,1.00] | 1.07* [1.02,1.12] | 0.97 [0.74,1.27] | 1.14* [1.06,1.23] | 0.91 [0.72,1.16] | 1.12* [1.05,1.20] |
| 3 | 0.91* [0.84,0.97] | 1.03 [0.99,1.08] | 0.70 [0.53,0.93] | 1.08 [1.01,1.16] | 0.73 [0.57,0.93] | 1.06 [1.00,1.13] |
| 4 | 0.99 [0.93,1.04] | 1.04 [1.00,1.09] | 0.75 [0.58,1.96] | 1.04 [0.98,1.11] | 0.96 [0.79,1.17] | 0.98 [0.93,1.04] |
| 5 | REF | REF | REF | REF | REF | REF |

Note: IMD = Indices of Multiple Deprivation (1 = most deprived; 5 = least deprived); 95% confidence intervals in parentheses

* **Bonferroni-Hochberg adjusted $p < 0.05$**

Supplementary Table 6.





Risk Ratios for Exposure to Work and Education Settings and Non-Household Contacts by IMD Quintile for Adults - Controlling for Presence of Child(ren) in the Household

| IMD Quintile | 24 Nov 20 – 01 Dec 20 | | 23 Dec 20 – 27 Dec 20 | | 09 Feb 21 – 16 Feb 21 | |
|--------------|-----------------------|------------------------|-----------------------|------------------------|-----------------------|------------------------|
| | Work or Education | Non-Household Contacts | Work or Education | Non-Household Contacts | Work or Education | Non-Household Contacts |
| 1 | 1.28 [1.17, 1.41]* | 1.11 [1.05, 1.17]* | 1.38 [1.23, 1.56]* | 1.26 [1.16, 1.38]* | 1.38 [1.25, 1.53]* | 1.20 [1.11, 1.29]* |
| 2 | 1.29 [1.19, 1.39]* | 1.07 [1.02, 1.12]* | 1.31 [1.18, 1.45]* | 1.14 [1.06, 1.23]* | 1.34 [1.23, 1.46]* | 1.12 [1.05, 1.20]* |
| 3 | 1.14 [1.06, 1.23]* | 1.03 [0.99, 1.08] | 1.22 [1.10, 1.34]* | 1.08 [1.01, 1.16]* | 1.14 [1.05, 1.24]* | 1.06 [1.00, 1.13]* |
| 4 | 1.09 [1.02, 1.17] | 1.05 [1.00, 1.09] | 1.13 [1.03, 1.24] | 1.04 [0.98, 1.11] | 1.09 [1.01, 1.18] | 0.98 [0.93, 1.04] |
| 5 | REF | REF | REF | REF | REF | REF |


Note: IMD = Indices of Multiple Deprivation (1 = most deprived; 5 = least deprived); 95% confidence intervals in parentheses

* *Bonferroni-Hochberg adjusted p<0.05*


Supplementary Figure 1a. Risk Ratios for Public Activities and Non-Household Contacts by IMD Quintile (24 Nov 20 - 01 Dec 20)




Supplementary Figure 1b. Risk Ratios for Public Activities and Non-Household Contacts by IMD Quintile (24 Nov 20 - 01 Dec 20)




Supplementary Figure 2a. Risk Ratios for Public Activities and Non-Household Contacts by IMD Quintile (23 Dec 20 - 27 Dec 20)



Supplementary Figure 2b. Risk Ratios for Public Activities and Non-Household Contacts by IMD Quintile (23 Dec 20 - 27 Dec 20)



Supplementary Figure 3a. Risk Ratios for Public Activities and Non-Household Contacts by IMD Quintile (09 Feb 21 - 16 Feb 21)



Supplementary Figure 3b. Risk Ratios for Public Activities and Non-Household Contacts by IMD Quintile (09 Feb 21 - 16 Feb 21)

