

Supplemental Appendix 1: Questions Included in Readiness Questionnaire

1. Communication and Coordination (7 points maximum)
 - a. Are hospital communications systems available and functional? (0, 0.5, or 1 point)
 - b. Is the hospital able to communicate with District Response Team regarding COVID-19 prevention and response? (0, 0.5, or 1 point)
 - c. Is there a clearly designated person at District Response Team to answer queries? (0, 0.5, or 1 point)
 - d. Is there an official hospital spokesperson for COVID-19 information? (0, 0.5, or 1 point)
 - e. Is there an internal communications plan for COVID-19 that includes staff responsibilities and contact details? (0, 0.5, or 1 point)
 - f. Have hospital staff been briefed on COVID-19 internal communication plans? (0, 0.5, or 1 point)
 - g. Are staff regularly briefed on COVID-19 updates to keep everyone well-informed and manage rumors? (0, 0.5, or 1 point)
2. Human Resources Planning (6 points maximum)
 - a. Has the hospital administration estimated the current human resources capacity to respond to the potential COVID-19 caseload? (0, 0.5, or 1 point)
 - b. Is there a staffing plan to incorporate absenteeism, avoid staff fatigue due to increased workload and ensure continuity of services? (0, 0.5, or 1 point)
 - c. Has the hospital's staff directory been updated for use in managing staffing needs during COVID-19? (0, 0.5, or 1 point)
 - d. Are there strategies to support reassignment (if necessary) of hospital staff with high risk for complications to manage COVID-19 risks? (0, 0.5, or 1 point)
 - e. Is there an occupational health plan to monitor the safety of staff and mitigate COVID-19 risks? (0, 0.5, or 1 point)
 - f. Are mental health and psychosocial support services available for staff? (0, 0.5, or 1 point)
3. Training (6 points maximum)
 - a. Have clinicians (doctors, midwives, nurses) been trained on COVID-19 Clinical Guidelines to ensure competency and safety? (0, 0.5, or 1 point)
 - b. Have other health professionals (pharmacists, social workers, lab technicians) been trained on COVID-19 Clinical Guidelines to ensure competency and safety? (0, 0.5, or 1 point)
 - c. Have non-clinical staff (cleaners, kitchen staff, security guards) been trained on COVID-19 Clinical Guidelines to ensure competency and safety? (0, 0.5, or 1 point)
 - d. Have administrative staff been trained on COVID-19 Clinical Guidelines to ensure adherence to recommendations? (0, 0.5, or 1 point)
 - e. Has District Response Team provided requested support for training? (0, 0.5, or 1 point)

- f. Are COVID-19 Clinical Guidelines available for use by hospital staff? (0, 0.5, or 1 point)
4. Information Management (6 points maximum)
- a. Is there a designated person to ensure the collection and validation of relevant COVID-19 data? (0, 0.5, or 1 point)
 - b. Is district COVID-19 Response Team notified for all suspected or confirmed cases, contacts, and travelers? (0, 0.5, or 1 point)
 - c. Is DHIS2 (tablet) being used to enter weekly reporting? (0, 0.5, or 1 point)
 - d. Are standardized screening tools available? (0, 0.5, or 1 point)
 - e. Are standardized laboratory request forms available? (0, 0.5, or 1 point)
 - f. Are standardized case identification forms available? (0, 0.5, or 1 point)
5. Infection Prevention and Control (7 points maximum)
- a. Does the hospital have IPC guidelines and standard operating procedures? (0, 0.5, or 1 point)
 - b. Does the hospital have a functioning IPC team? (0, 0.5, or 1 point)
 - c. Is there signage regarding hand hygiene, respiratory hygiene, and physical distancing posted within the hospital? (0, 0.5, or 1 point)
 - d. Are there dedicated areas for staff to safely don (put on) PPE? (0, 0.5, or 1 point)
 - e. Are there dedicated areas for staff to safely doff (take off) PPE? (0, 0.5, or 1 point)
 - f. Are beds in isolation wards placed at least 1 meter apart? (0, 0.5, or 1 point)
 - g. Are beds in general wards placed at least 1 meter apart? (0, 0.5, or 1 point)
6. IPC Supply Chain Management (9 points maximum)
- a. Are cleaning and disinfecting supplies available? (0, 0.5, or 1 point)
 - b. Are dedicated cleaning and disinfecting supplies available for isolation areas? (0, 0.5, or 1 point)
 - c. Are hand hygiene products (water, soap, hand sanitizer) available for staff? (0, 0.5, or 1 point)
 - d. Are hand hygiene products (water, soap, hand sanitizer) available for patients and visitors? (0, 0.5, or 1 point)
 - e. Are scrubs available for staff working with COVID-19 cases? (0, 0.5, or 1 point)
 - f. Are gowns, gloves, face shields/goggles available for staff requiring contact/droplet precautions? (0, 0.5, or 1 point)
 - g. Are surgical masks available for all staff providing clinical care? (0, 0.5, or 1 point)
 - h. Are surgical masks available for patients and visitors with respiratory symptoms and/or high-risk COVID-19 exposure? (0, 0.5, or 1 point)
 - i. Are N95 masks available for staff performing aerosolizing procedures? (0, 0.5, or 1 point)
7. Screening (5 points maximum)
- a. Are all persons entering hospital grounds (including staff) being screened for COVID-19? (0, 0.5, or 1 point)

- b. Is a standardized screening tool being used at all points of entry to the hospital? (0, 0.5, or 1 point)
 - c. Are all persons performing hand hygiene after screening? (0, 0.5, or 1 point)
 - d. Are surgical masks being provided for all person with a positive screen? (symptomatic persons, contacts, travelers) (0, 0.5, or 1 point)
 - e. Have screeners (lay workers and professionals) been trained on screening protocols and case definitions for COVID-19? (suspect case, probable case, confirmed case, contact) (0, 0.5, or 1 point)
8. Triage (7 points maximum)
- a. Is there an area designated for additional screening and triage of those with exposure to COVID-19 or symptoms of COVID-19? (0, 0.5, or 1 point)
 - b. Are there separate areas within the triage and isolation area for symptomatic and asymptomatic persons? (0, 0.5, or 1 point)
 - c. Is pulse oximetry available in triage to check the oxygen saturation of those with exposure to or symptoms of COVID-19? (0, 0.5, or 1 point)
 - d. Are infrared (non-touch) thermometers available for temperature assessment? (0, 0.5, or 1 point)
 - e. Are complete vital signs (heart rate, respiratory rate, blood pressure, temperature, oxygen saturation) taken for all persons with exposure to or symptoms of COVID-19? (0, 0.5, or 1 point)
 - f. Are those with mild or moderate disease presentation being screened for risk factors for severe disease? (0, 0.5, or 1 point)
 - g. Is mental health screening (psychological first aid) provided to all COVID-19 suspect and confirmed cases? (0, 0.5, or 1 point)
9. Diagnostic Testing (7 points maximum)
- a. Are samples for testing being collected on-site? (0, 0.5, or 1 point)
 - b. Have all staff collecting samples been trained on specimen collection procedures? (0, 0.5, or 1 point)
 - c. Are testing supplies (such as swabs) available? (0, 0.5, or 1 point)
 - d. Are you receiving results directly? (0, 0.5, or 1 point)
 - e. Are you receiving results within 72 hours? (0, 0.5, or 1 point)
 - f. Are specimens transported to National Reference Laboratory within 72 hours? (0, 0.5, or 1 point)
 - g. Are diagnostic tests performed for other diagnoses (such as GXP for TB)? (0, 0.5, or 1 point)
10. Isolation Wards (5 points maximum)
- a. Is a log kept of all individuals entering the room of a patient with suspected or confirmed COVID-19? (0, 0.5, or 1 point)
 - b. Are designated isolation areas available for asymptomatic contacts or travelers who cannot safely quarantine at home? (0, 0.5, or 1 point)
 - c. Are designated isolation areas available for suspect cases with mild/moderate disease who cannot safely isolate at home? (0, 0.5, or 1 point)
 - d. Are isolated patients being monitored twice daily for signs of deterioration? (0, 0.5, or 1 point)

- e. Is pulse oximetry available in isolation areas to monitor for deterioration? (0, 0.5, or 1 point)

11. Severe Disease Management (7 points maximum)

- a. Are designated isolation areas available for suspected or confirmed cases with severe disease awaiting transport to Treatment Centre? (0, 0.5, or 1 point)
- b. Is supplemental oxygen available for patients with severe disease awaiting transport to Treatment Centre? (0, 0.5, or 1 point)
- c. Are nasal cannulas and face masks available for patients need supplemental oxygen? (0, 0.5, or 1 point)
- d. Is dexamethasone available for patients with severe disease? (0, 0.5, or 1 point)
- e. Are broad-spectrum antibiotics available for patients with severe disease? (ceftriaxone, azithromycin, clarithromycin, amoxicillin-clavulanate, doxycycline) (0, 0.5, or 1 point)
- f. Is radiology (CXR) available for patients with severe disease? (0, 0.5, or 1 point)
- g. Is rapid glucometer available to monitor blood sugar? (0, 0.5, or 1 point)

12. Transport (3 points maximum)

- a. Is the ambulance available on time? (0, 0.5, or 1 point)
- b. Is District Health Management Team able to follow-up alerts? (0, 0.5, or 1 point)
- c. Is transportation available for contact tracing and other community outreaches? (travelers, suspect cases, etc.) (0, 0.5, or 1 point)

Supplemental Appendix 2: Lesotho Oxygen Ecosystem at Baseline in July 2020

		Pulse oximetry: Triage (yes/no)	Pulse oximetry: Inpatient (yes/no)	Oxygen (yes/no)	Oxygen cylinders with regulators, N	Oxygen concentrators, N	Oxygen delivery capacity, N	Heated high flow nasal cannula (yes/no)	Non-invasive partial pressure ventilation (yes/no)	Invasive mechanical ventilation (yes/no)
District Hospitals	Scott	Yes	No	Yes	0	1	1	No	No	No
	St Joseph	No	Yes	Yes	0	4	4	No	No	No
	Ntsekhe	No	No	No	0	0	0	No	No	No
	Quthing	Yes	Yes	No	0	0	0	No	No	No
	Machabeng	No	No	No	0	0	0	No	No	No
	Tebellong	Yes	No	Yes	1	1	2	No	No	No
	Paray	No	No	Yes	3	2	5	No	No	No
	St James	No	No	Yes	3	0	3	No	No	No
	Maluti	Yes	Yes	Yes	0	3	3	No	No	No
	Motebang	Yes	Yes	Yes	1	0	1	No	No	No
	Mamohau	Yes	Yes	Yes	1	0	1	No	No	No
	Botha Bothe	Yes	Yes	Yes	0	2	2	No	No	No
	Seboche	Yes	Yes	Yes	0	3	3	No	No	No
	Mokhotlong	No	No	Yes	0	2	2	No	No	No
	Sub-Total, % (n/N)	57.1% (8/14)	50.0% (7/14)	78.5% (11/14)	10	18	28	0% (0/14)	0% (0/14)	0% (0/14)
COVID-19 Treatment Centre Hospitals	Berea	Yes	Yes	Yes	6	8	14	No	Yes (1)	No
	Mafeteng	Yes	Yes	Yes	6	2	8	No	No	No
		Sub-Total, % (n/N)	100% (2/2)	100% (2/2)	100% (2/2)	12	10	22	0% (0/2)	50.0% (1/2)
Total		62.5% (10/16)	56.3% (9/16)	81.3% (13/16)	22	28	50	0% (0/16)	6.2% (1/16)	0% (0/16)

Supplemental Appendix 3: Lesotho Oxygen Ecosystem at Follow-up in December 2020

		Pulse oximetry: Triage (yes/no)	Pulse oximetry: Inpatient (yes/no)	Oxygen (yes/no)	Oxygen cylinders with regulators, N	Oxygen concentrators, N	Oxygen delivery capacity, N	Heated high flow nasal cannula (yes/no)	Non-invasive partial pressure ventilation (yes/no)	Invasive mechanical ventilation (yes/no)
District-based Hospitals	Scott	Yes	Yes	Yes	1	3	4	Yes	Yes	No
	St Joseph	Yes	Yes	Yes	2	4	6	No	No	No
	Ntsekhe	Yes	Yes	Yes	2	6	8	Yes	No	No
	Quthing	Yes	Yes	Yes	0	4	4	Yes	No	No
	Machabeng	Yes	Yes	Yes	1	6	7	Yes	No	No
	Tebellong	Yes	No	Yes	1	2	3	No	No	No
	Paray	Yes	Yes	Yes	3	10	13	No	Yes	No
	St James	Yes	Yes	Yes	3	3	6	No	No	No
	Maluti	Yes	Yes	Yes	5	3	8	Yes	Yes	No
	Motebang	Yes	Yes	Yes	1	7	8	Yes	No	No
	Mamohau	Yes	Yes	Yes	1	2	3	No	No	No
	Botha Bothe	Yes	Yes	Yes	0	6	6	Yes	No	No
	Seboche	Yes	Yes	Yes	0	6	6	Yes	No	No
	Mokhotlong	Yes	Yes	Yes	0	6	6	Yes	No	No
	Sub-Total, % (n/N)	100% (14/14)	92.9% (13/14)	100% (14/14)	20	68	88	64.3% (9/14)	21.4% (3/14)	0% (0/14)
COVID-19 Treatment Centers	Berea	Yes	Yes	Yes	9	21	30	Yes	Yes	No
	Mafeteng	Yes	Yes	Yes	10	21	31	Yes	Yes	No
		Sub-Total, % (n/N)	100% (2/2)	100% (2/2)	100% (2/2)	19	42	61	100% (2/2)	100% (2/2)
Total		100% (16/16)	93.8% (15/16)	100% (16/16)	39	110	149	68.8% (11/16)	31.2% (5/16)	0% (0/16)