

SUPPLEMENTAL MATERIAL

Fast Evaluation of Viral Emerging Risks (FEVER): A computational tool for biosurveillance, diagnostics, and mutation typing of emerging viral pathogens

Zachary R. Stromberg,^a James Theiler,^b Brian T. Foley,^c Adán Myers y Gutiérrez,^d Attelia Hollander,^d Samantha J. Courtney,^a Jason Gans,^d Alina Deshpande,^d Ebany J. Martinez-Finley,^e Jason Mitchell,^e Harshini Mukundan,^a Karina Yusim,^c Jessica Z. Kubicek-Sutherland^{a,#}

^a Physical Chemistry and Applied Spectroscopy, Los Alamos National Laboratory, Los Alamos, New Mexico, USA

^b Space Data Science and Systems, Los Alamos National Laboratory, Los Alamos, New Mexico, USA

^c Theoretical Biology and Biophysics, Los Alamos National Laboratory, Los Alamos, New Mexico, USA

^d Biosecurity and Public Health, Los Alamos National Laboratory, Los Alamos, New Mexico, USA

^e Presbyterian Healthcare Services, Albuquerque, New Mexico, USA




Figure S1. Visualization of SARS-CoV-2 variants in the amplified regions of FEVER and U. S. CDC RT-PCR assays. Near-complete SARS-CoV-2 sequences (n = 299,404) were assessed from GISAID.org. The amplified regions of the FEVER assays (a) FEVER_5'UTR, (b) FEVER_Env, (c) FEVER_ORF1ab, and (d) FEVER_Spike and the U.S. CDC assays (e) N1 and (f) N2 were analyzed for SARS-CoV-2 variants. In each plot, no variants (N/A) were indicated by white and genomic positions containing variants were indicated by colored dots (green, blue, yellow or red). Plots were made using the Variant Visualizer that is under development and will be available at: <https://cov.lanl.gov>.

Table S1. Raw CT values of FEVER and U.S. CDC assays run on 100 human patient nasopharyngeal swab samples.

Sample ID	C _T Value						Human Control RNase P	Result U.S. CDC
	pan-Sarbecovirus		SARS-CoV-2 specific					
	FEVER 5'UTR	FEVER Env	FEVER_ORF1ab	FEVER Spike	U.S. CDC N1	U.S. CDC N2		
1	31.32	32.98	32.87	29.96	26.07	26.48	26.97	Positive
2	25.29	26.76	27.27	24.44	19.46	20.11	25.91	Positive
3	15.07	15.79	15.50	13.35	10.54	11.47	28.48	Positive
4	Not detected	Not detected	Not detected	Not detected	Not detected	39.85	25.62	Inconclusive
5	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	31.11	Negative
6	26.99	28.32	27.89	26.64	21.59	22.26	29.80	Positive
7	31.14	32.57	32.93	30.95	25.59	27.46	30.73	Positive
8	30.90	32.49	32.11	30.87	26.30	28.02	30.97	Positive
9	19.43	20.65	19.93	18.45	14.77	16.07	26.05	Positive
10	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	31.40	Negative
11	40.97	Not detected	Not detected	Not detected	34.81	42.52	28.76	Inconclusive
12	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	32.72	Negative
13	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	34.49	Negative
14	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	31.25	Negative
15	21.09	20.60	23.57	22.28	16.35	16.96	24.60	Positive
16	24.08	24.66	28.38	25.69	19.88	21.10	31.82	Positive
17	26.05	26.68	31.97	28.69	20.49	21.08	31.28	Positive
18	37.16	38.99	Not detected	32.98	32.75	33.27	31.26	Positive
19	25.05	25.46	28.56	27.35	20.17	20.50	28.61	Positive
20	26.13	27.35	30.98	30.93	20.70	21.38	25.95	Positive
21	32.28	31.66	33.93	27.74	27.10	27.74	27.40	Positive
22	24.01	Not detected	Not detected	21.47	17.29	19.17	23.06	Positive
23	25.54	25.12	26.60	Not detected	20.21	21.05	26.87	Positive
24	34.16	33.56	33.58	31.74	29.77	30.65	27.90	Positive
25	27.91	28.64	26.39	Not detected	22.27	23.03	25.18	Positive
26	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	29.48	Negative
27	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	25.26	Negative
28	21.14	35.98	18.90	Not detected	16.75	17.30	27.09	Positive
29	28.64	31.18	28.65	Not detected	23.54	24.06	23.98	Positive
30	28.26	34.59	26.72	24.67	22.59	23.49	23.46	Positive
31	28.71	28.75	27.56	24.93	24.39	24.66	25.23	Positive
32	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	28.24	Negative
33	13.43	11.96	12.84	11.02	13.66	13.82	18.64	Positive
34	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	30.72	Negative
35	33.53	33.35	36.64	30.95	28.46	29.61	23.98	Positive
36	18.01	16.77	16.37	15.70	15.37	15.79	26.92	Positive
37	26.02	25.16	24.98	24.36	22.24	23.06	24.59	Positive
38	15.00	13.71	13.42	12.56	14.19	14.22	28.85	Positive
39	16.99	16.29	16.03	14.97	14.78	15.05	25.54	Positive
40	28.95	28.23	27.78	30.90	25.27	25.66	28.84	Positive
41	Not detected	Not detected	Not detected	Not detected	Not detected	37.31	30.43	Inconclusive
42	28.84	41.00	29.00	29.72	24.79	25.33	26.33	Positive
43	32.77	32.74	33.90	31.89	29.00	29.38	28.32	Positive
44	29.28	30.10	30.75	28.89	25.82	26.24	29.31	Positive
45	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	27.78	Negative
46	32.45	35.69	32.72	Not detected	29.20	29.37	31.97	Positive
47	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	28.15	Negative
48	Not detected	Not detected	Not detected	Not detected	35.81	Not detected	25.32	Inconclusive
49	37.00	Not detected	34.34	Not detected	30.88	31.64	26.97	Positive
50	30.24	Not detected	33.72	30.93	28.24	29.43	24.57	Positive
51	Not detected	42.03	Not detected	Not detected	32.45	34.11	28.98	Positive
52	30.65	37.20	33.75	31.28	29.25	30.14	25.82	Positive
53	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	23.32	Negative
54	29.52	40.98	31.72	29.99	28.58	29.57	26.81	Positive
55	Not detected	35.96	34.87	Not detected	34.16	35.09	30.42	Positive
56	40.54	37.75	Not detected	Not detected	33.26	35.64	34.48	Positive
57	35.57	38.20	32.89	Not detected	32.25	32.87	32.41	Positive
58	25.61	26.92	29.69	27.59	19.89	21.22	24.34	Positive
59	29.37	30.15	31.96	29.90	24.95	26.53	26.02	Positive
60	20.01	20.19	22.14	20.64	15.43	16.54	29.19	Positive
61	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	30.48	Negative
62	29.47	32.99	Not detected	Not detected	24.67	25.96	26.16	Positive
63	34.96	33.67	30.85	Not detected	29.80	30.64	29.15	Positive
64	Not detected	Not detected	34.86	Not detected	33.93	34.70	30.38	Positive
65	Not detected	Not detected	Not detected	Not detected	Not detected	37.69	32.29	Inconclusive
66	32.80	Not detected	Not detected	30.38	26.07	28.08	31.42	Positive
67	20.13	24.57	25.46	21.63	15.22	16.38	30.91	Positive
68	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	28.84	Negative

Sample ID	FEVER 5'UTR	FEVER Env	FEVER ORF1ab	FEVER Spike	U.S. CDC N1	U.S. CDC N2	RNase P	U.S. CDC
69	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	26.98	Negative
70	40.97	Not detected	Not detected	Not detected	Not detected	36.30	32.80	Inconclusive
71	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	29.72	Negative
72	Not detected	Not detected	Not detected	Not detected	35.28	Not detected	26.26	Inconclusive
73	30.98	30.26	32.99	31.87	26.54	28.06	30.91	Positive
74	Not detected	Not detected	Not detected	Not detected	Not detected	36.42	29.59	Inconclusive
75	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	27.10	Negative
76	19.77	18.40	22.39	22.51	15.26	16.16	24.85	Positive
77	27.03	26.03	28.92	28.19	22.45	24.11	29.37	Positive
78	24.80	24.19	28.73	26.06	20.62	21.72	25.73	Positive
79	38.80	38.98	Not detected	Not detected	32.47	35.74	23.71	Positive
80	26.30	27.02	29.09	27.67	21.10	22.39	29.75	Positive
81	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	30.68	Negative
82	Not detected	Not detected	Not detected	Not detected	Not detected	35.44	30.98	Inconclusive
83	35.90	34.08	33.88	32.98	27.01	28.83	24.94	Positive
84	39.10	38.92	Not detected	Not detected	35.58	37.83	25.81	Positive
85	Not detected	Not detected	Not detected	Not detected	34.44	35.69	30.30	Positive
86	Not detected	Not detected	Not detected	Not detected	Not detected	36.49	30.49	Inconclusive
87	Not detected	Not detected	Not detected	Not detected	33.90	41.12	31.98	Inconclusive
88	31.64	Not detected	31.70	29.36	26.53	28.26	28.98	Positive
89	24.80	22.34	25.85	22.21	21.18	22.85	33.10	Positive
90	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	29.31	Negative
91	27.62	24.73	26.14	24.78	22.15	23.84	30.30	Positive
92	15.32	13.00	14.23	12.91	14.21	14.70	31.69	Positive
93	38.97	Not detected	Not detected	Not detected	30.07	32.36	25.91	Positive
94	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	28.43	Negative
95	32.15	31.45	33.88	30.95	28.11	29.93	23.93	Positive
96	Not detected	37.01	Not detected	Not detected	37.62	Not detected	19.39	Inconclusive
97	24.19	22.58	25.02	23.42	20.54	22.51	28.40	Positive
98	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	29.97	Negative
99	26.08	23.60	26.39	31.93	22.31	24.52	31.22	Positive
100	Not detected	Not detected	Not detected	Not detected	Not detected	Not detected	32.46	Negative

Table S2. Characterization of the D614G mutation among 59 SARS-CoV-2 positive nasopharyngeal swab samples.

Sample #	SARS-CoV-2 FEVER result	G614 Ct	D614 Ct	SNP call
1	Positive	33.54	36.09	G614
2	Positive	24.55	26.92	G614
3	Positive	12.95	15.27	G614
6	Positive	25.93	28.67	G614
7	Positive	31.81	34.16	G614
8	Positive	31.99	34.62	G614
9	Positive	18.69	21.64	G614
15	Positive	23.77	26.64	G614
16	Positive	22.41	24.93	G614
17	Positive	24.74	27.51	G614
18	Positive	38.68	41.46	G614
19	Positive	23.21	25.71	G614
20	Positive	25.97	28.83	G614
21	Positive	30.69	33.27	G614
22	Positive	27.56	30.31	G614
23	Positive	25.20	27.71	G614
24	Positive	34.50	36.95	G614
25	Positive	25.91	28.58	G614
28	Positive	21.64	24.38	G614
29	Positive	29.69	32.41	G614
30	Positive	37.62	40.72	G614
31	Positive	30.84	33.54	G614
33	Positive	14.38	17.16	G614
35	Positive	34.30	36.78	G614
36	Positive	19.00	21.86	G614
37	Positive	27.32	29.89	G614
38	Positive	15.96	18.64	G614
39	Positive	17.52	20.23	G614
40	Positive	32.84	35.60	G614
42	Positive	29.46	32.00	G614
43	Positive	34.50	37.24	G614
44	Positive	29.90	32.76	G614
46	Positive	31.98	34.90	G614
49	Positive	35.34	38.11	G614
50	Positive	33.47	36.36	G614
52	Positive	35.60	38.36	G614
54	Positive	33.62	36.43	G614
55	Positive	39.91	44.01	G614
57	Positive	37.39	41.02	G614
58	Positive	27.05	30.97	G614
59	Positive	32.81	36.61	G614
60	Positive	21.72	25.52	G614
62	Positive	37.77	41.58	G614
63	Positive	34.80	38.69	G614
66	Positive	29.46	33.33	G614
67	Positive	19.23	23.00	G614
73	Positive	33.84	36.52	G614
76	Positive	19.34	21.92	G614
77	Positive	37.29	40.39	G614
78	Positive	24.74	27.25	G614

80	Positive	25.70	28.39	G614
83	Positive	35.48	38.16	G614
88	Positive	32.01	34.85	G614
89	Positive	25.03	27.70	G614
91	Positive	28.52	31.25	G614
92	Positive	15.59	18.35	G614
95	Positive	33.65	36.51	G614
97	Positive	Not detected	Not detected	Not detected
99	Positive	Not detected	Not detected	Not detected

Abbreviations: C_T, cycle threshold; SNP, single-nucleotide polymorphism.

Table S3. Sequence confirmation of the D614G mutation among 17 nasopharyngeal swab samples.

Sample	Sequence (23,353-23,452)
MN985325 (reference)	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGATGTTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
1	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
2	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
3	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
6	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
8	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
9	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
16	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
17	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
18	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
21	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
22	TATAACACCAGGAACAAATACTTCTAATCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
30	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
52	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
59	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
73	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
78	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT
92	TATAACACCAGGAACAAATACTTCTAACCAGGTTGCTGTTCTTTATCAGGGTGTAACTGCACAGAAGTCCCTGTTGCTATTCATGCAGATCAACTTACT

The spike gene from nucleotide position 23,353 to 23,452 (relative to reference sequence USA-WA1/2020 accession number MN985325) is displayed with A23403G (D614G amino acid change) mutation in red.