

3 Supplementary Data File S3

Contents

3	Supplementary Data File S3.....	1
3.1	Baseline characteristics and control variables.....	2
3.2	Cognitive outcomes	3
3.3	Physiological outcomes.....	22
3.4	Exploratory cognitive outcomes.....	27

3.1 Baseline characteristics and control variables

Table 1: Inferential statistics for baseline characteristics and control variables

F-tests for continuous control variables				
Control variable	Numerator DF	Denominator DF	F-value	p-value
PDS	1	35	0.304	0.585
SSKJ 3-8 R psychological stress symptoms	1	35	0.058	0.811
subscale anger	1	35	1.014	0.321
subscale sadness	1	35	1.057	0.311
subscale anxiety	1	35	0.560	0.459
subscale wellbeing	1	35	1.146	0.292
CAR increase	1	35	3.111	0.087
Sleep quality	1	35	0.390	0.536
Sleep duration	1	35	0.300	0.587
Fruit and vegetable intake	1	35	0.468	0.498
Sweets intake	1	35	0.100	0.754
Level of activity	1	35	0.020	0.890
Weight	1	35	2.328	0.136
BMI	1	35	1.720	0.198
WHR	1	35	0.191	0.664
BFP	1	35	0.421	0.521
MP	1	35	0.088	0.768
Fisher's exact test for categorical control variables				p-value
Gender				0.915

3.2 Cognitive outcomes

Table 2: Inferential statistics for picture recognition accuracy in the ITT population, outcome was square transformed

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	6022.543	8.09	67	<.001
1hr post dose	-1037.1	-2.65	67	0.010
2.5hr post dose	-735.713	-1.88	67	0.065
150 mg group	-782.388	-1.57	33	0.125
Gender	650.633	1.55	33	0.131
Sweets intake	207.634	2.08	33	0.046
1hr post dose:150 mg	334.774	0.61	67	0.543
2.5hr post dose:150 mg	310.582	0.57	67	0.572
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	67	1252.24	<.001
Time	2	67	5.13	0.008
Group	1	33	2.99	0.093
Gender	1	33	3.18	0.084
Sweets intake	1	33	4.30	0.046
Time:group	2	67	0.232	0.794
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	-863.3	-3.195	0.004	
2.5hr post dose - baseline	-574.0	-2.125	0.085	
2.5hr post dose - 1hr post dose	289.3	1.076	0.529	

Table 3: Inferential statistics for picture recognition accuracy in the PP population, outcome was square transformed

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	7066.03	8.08	58	<.001
1hr post dose	-884.583	-2.01	58	0.049
2.5hr post dose	-264.167	-0.6	58	0.550
150 mg group	-603.544	-1.11	27	0.275
Gender	867.752	1.93	27	0.065
SSKJ 3-8 R	-105.085	-1.84	27	0.076
Palliative emotion regulation				
1hr post dose:150 mg	147.083	0.24	58	0.811
2.5hr post dose:150 mg	-150.286	-0.25	58	0.807
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	58	1015.80	<.001
Time	2	58	3.53	0.036
Group	1	27	3.47	0.074
Gender	1	27	3.49	0.073
SSKJ 3-8 R	1	27	3.39	0.076
Palliative emotion regulation				
Time:group	2	58	0.12	0.889
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	-808.7	-2.685	0.020	
2.5hr post dose - baseline	-341.7	-1.135	0.493	
2.5hr post dose - 1hr post dose	466.9	1.550	0.268	

Table 4: Inferential statistics for picture recognition reaction time in the ITT population, outcome was log transformed

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	7.042	173.45	67	<.001
1hr post dose	-0.024	-0.8	67	0.425
2.5hr post dose	-0.038	-1.28	67	0.206
150 mg group	0.012	0.2	35	0.840
1hr post dose:150 mg	0.055	1.33	67	0.188
2.5hr post dose:150 mg	0.005	0.11	67	0.914
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	67	74404.60	<.001
Time	2	67	2.08	0.133
Group	1	35	0.36	0.550
Time:group	2	67	1.08	0.345

Table 5: Inferential statistics for word recognition accuracy in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	32.61	2.18	67	0.033
1hr post dose	-0.555	-0.25	67	0.803
2.5hr post dose	-3.147	-1.42	67	0.161
150 mg group	-1.743	-0.51	33	0.611
PDS	4.936	2.93	33	0.006
SSKJ 3-8 R				
Psychological stress symptoms				
wellbeing	4.344	2.44	33	0.02
1hr post dose:150 mg	-1.604	-0.51	67	0.613
2.5hr post dose:150 mg	-1.063	-0.34	67	0.735
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	67	2976.85	<.001
Time	2	67	2.85	0.065
Group	1	33	0.56	0.458
PDS	1	33	7.2	0.011
SSKJ 3-8 R	1	33	5.95	0.020
Psychological stress symptoms				
wellbeing				
Time:group	2	67	0.13	0.875

Table 6: Inferential statistics for word recognition reaction time in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	828.229	9.01	57	<.001
1hr post dose	-38.359	-1.71	57	0.092
2.5hr post dose	-49.461	-2.26	57	0.028
150 mg group	4.966	0.14	29	0.892
BFP	-5.959	-2.88	29	0.007
Fruit and vegetable intake	-24.925	-3	29	0.006
Sweets intake	15.315	1.84	29	0.075
Sleep duration	25.538	3.28	29	0.003
1hr post dose:150 mg	32.644	1.04	57	0.304
2.5hr post dose:150 mg	75.777	2.44	57	0.018
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	57	3007.75	<.001
Time	2	57	1.05	0.358
Group	1	29	<.01	0.979
BFP	1	29	6.65	0.015
Fruit and vegetable intake	1	29	7.14	0.012
Sweets intake	1	29	4.60	0.041
Sleep duration	1	29	10.87	0.003
Time:group	2	57	2.98	0.059

Table 7: Inferential statistics for immediate word recall accuracy in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	32.983	6.81	68	<.001
1hr post dose	-4.074	-1.29	68	0.202
2.5hr post dose	-3.333	-1.05	68	0.295
150 mg group	-1.536	-0.41	34	0.685
Gender	7.762	2.57	34	0.015
1hr post dose:150 mg	3.347	0.75	68	0.455
2.5hr post dose:150 mg	-1.836	-0.41	68	0.681

F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	68	840.63	<.001
Time	2	68	1.78	0.176
Group	1	34	0.31	0.583
Gender	1	34	6.60	0.015
Time:group	2	68	0.69	0.504

Table 8: Inferential statistics for immediate word recall errors in the ITT population

glm model summary			
	Estimate	z-value	p-value
Intercept (placebo, baseline)	-0.23033	-0.274	0.784
1hr post dose	-0.77678	-0.863	0.388
2.5hr post dose	0.00007	0.000	1.000
150 mg group	0.48650	0.565	0.572
CAR increase	-0.09924	-1.505	0.132
1hr post dose:150 mg	-0.75833	-0.610	0.542
2.5hr post dose:150 mg	-0.14956	-0.134	0.893

LR-tests			
	DF	LR Chisquare-value	p-value
Time	2	3.8546	0.146
Group	1	0.1609	0.688
CAR increase	1	2.2655	0.132
Time:group	2	0.3945	0.821

Table 9: Inferential statistics for delayed word recall accuracy in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	4.764	0.55	68	0.585
1hr post dose	-8.89	-2.81	68	0.006
2.5hr post dose	-4.075	-1.29	68	0.202
150 mg group	2.273	0.56	33	0.577
Sleep quality	1.563	1.52	33	0.139
PDS	4.897	2.6	33	0.014
1hr post dose:150 mg	-0.103	-0.02	68	0.982
2.5hr post dose:150 mg	-6.029	-1.35	68	0.18
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	68	278.05	<.001
Time	2	68	9.05	0.003
Group	1	33	0.11	0.740
Sleep quality	1	33	4.87	0.034
PDS	1	33	6.75	0.014
Time:group	2	68	1.19	0.309
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	-9.010	-4.034	< 0.001	
2.5hr post dose - baseline	-7.157	-3.205	0.004	
2.5hr post dose - 1hr post dose	1.852	0.826	0.687	

Table 10: Inferential statistics for delayed word recall errors in the ITT population, outcome was log transformed after adding 1 to each value

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	0.642	4.71	60	<.001
1hr post dose	-0.093	-0.84	60	0.406
2.5hr post dose	-0.231	-2.00	60	0.050
150 mg group	-0.176	-1.22	34	0.231
CAR increase	-0.02	-2.06	34	0.047
1hr post dose:150 mg	0.378	2.34	60	0.023
2.5hr post dose:150 mg	0.319	1.90	60	0.062
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	60	57.91	<.001
Time	2	60	2.24	0.115
Group	1	34	1.25	0.271
CAR increase	1	34	4.59	0.040
Time:group	2	60	3.11	0.052

Table 11: Inferential statistics for numeric working memory accuracy in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	87.811	34.64	65	<.001
1hr post dose	4.277	2.49	65	0.016
2.5hr post dose	2.93	1.73	65	0.088
150 mg group	4.117	2.43	32	0.021
BFP	-0.199	-2.89	32	0.007
Fruit and vegetable intake	0.56	2.05	32	0.048
Sweets intake	0.694	2.54	32	0.016
1hr post dose:150 mg	-3.463	-1.45	65	0.150
2.5hr post dose:150 mg	-1.56	-0.66	65	0.511
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	65	31889.29	<.001
Time	2	65	2.49	0.091
Group	1	32	4.61	0.039
BFP	1	32	9.84	0.004
Fruit and vegetable intake	1	32	3.44	0.073
Sweets intake	1	32	6.33	0.017
Time:group	2	65	1.06	0.353

Table 12: Inferential statistics for numeric working memory reaction time in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	748.454	6.20	68	<.001
1hr post dose	-78.599	-2.40	68	0.019
2.5hr post dose	-96.103	-2.93	68	0.005
150 mg group	-63.332	-1.17	32	0.251
Fruit and vegetable intake	-19.796	-1.63	32	0.113
Sweets intake	20.397	1.70	32	0.099
SSKJ 3-8 R				
Stress vulnerability	15.713	2.04	32	0.050
1hr post dose:150 mg	89.498	1.94	68	0.057
2.5hr post dose:150 mg	88.612	1.92	68	0.059
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	68	1326.58	<.001
Time	2	68	2.58	0.083
Group	1	32	0.87	0.357
Fruit and vegetable intake	1	32	3.66	0.065
Sweets intake	1	32	3.61	0.067
SSKJ 3-8 R	1	32	4.11	0.051
Stress vulnerability				
Time:group	2	68	2.48	0.091

Table 13: Inferential statistics for spatial working memory accuracy in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	107.517	12.32	64	0
1hr post dose	1.36	1.21	64	0.231
2.5hr post dose	1.006	0.88	64	0.383
150 mg group	2.531	1.86	31	0.072
WHR	-21.517	-2.04	31	0.05
CAR increase	0.187	2.07	31	0.047
SSKJ 3-8 R				
stress coping strategies:				
seeking social support	0.211	1.64	31	0.111
1hr post dose:150 mg	-2.386	-1.53	64	0.132
2.5hr post dose:150 mg	-1.961	-1.23	64	0.222
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	64	37846.11	<.0001
Time	2	64	0.02	0.9763
Group	1	31	0.44	0.5112
WHR	1	31	3.73	0.0625
CAR increase	1	31	5.62	0.0241
SSKJ 3-8 R	1	31	2.63	0.1148
stress coping strategies:				
seeking social support				
Time:group	2	64	1.32	0.2736

Table 14: Inferential statistics for spatial working memory reaction time in the ITT population, outcome was log transformed

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	6.622	68.02	63	0
1hr post dose	-0.006	-0.17	63	0.868
2.5hr post dose	-0.019	-0.51	63	0.609
150 mg group	0.021	0.41	31	0.683
Fruit and vegetable intake	-0.017	-1.48	31	0.148
Sweets intake	0.027	2.41	31	0.022
SSKJ 3-8 R	0.009	1.56	31	0.128
stress coping strategies: anger related emotion regulation				
SSKJ 3-8 R	-0.012	-2.12	31	0.042
stress coping strategies: seeking social support				
1hr post dose:150 mg	-0.042	-0.8	63	0.428
2.5hr post dose:150 mg	-0.037	-0.71	63	0.479
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	63	98651.49	<.001
Time	2	63	1.41	0.252
Group	1	31	0.17	0.686
Fruit and vegetable intake	1	31	6.84	0.014
Sweets intake		31	5.82	0.022
SSKJ 3-8 R		31	2.36	0.135
stress coping strategies: anger related emotion regulation				
SSKJ 3-8 R		31	4.56	0.041
stress coping strategies: seeking social support				
Time:group	2	63	0.38	0.683

Table 15: Inferential statistics for simple reaction time in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	327.91	26.19	66	0
1hr post dose	0.623	0.09	66	0.927
2.5hr post dose	8.882	1.32	66	0.192
150 mg group	-4.106	-0.38	32	0.704
Sweets intake	4.224	1.66	32	0.106
SSKJ 3-8 R				
Psychological stress symptoms				
sadness	6.113	2.2	32	0.035
SSKJ 3-8 R				
Psychological stress symptoms				
anxiety	0.439	0.2	32	0.843
1hr post dose:150 mg	8.605	0.91	66	0.369
2.5hr post dose:150 mg	0.17	0.02	66	0.986
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	66	6237.228	<.001
Time	2	66	1.966	0.148
Group	1	32	0.443	0.511
Sweets intake	1	32	5.855	0.021
SSKJ 3-8 R	1	32	5.826	0.022
Psychological stress symptoms				
sadness				
SSKJ 3-8 R	1	32	0.041	0.841
Psychological stress symptoms				
anxiety				
Time:group	2	66	0.548	0.581

Table 16: Inferential statistics for digit vigilance accuracy in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	94.321	92.72	63	<.001
1hr post dose	-0.092	-0.08	63	0.936
2.5hr post dose	0.778	0.66	63	0.511
150 mg group	1.657	1.16	35	0.256
1hr post dose:150 mg	-1.496	-0.92	63	0.361
2.5hr post dose:150 mg	-2.793	-1.69	63	0.097

F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	63	29405.99	<.001
Time	2	63	0.57	0.571
Group	1	35	0.07	0.799
Time:group	2	63	1.43	0.247

Table 17: Inferential statistics for digit vigilance reaction time in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	582.543	23.15	68	0
1hr post dose	-2.954	-0.34	68	0.733
2.5hr post dose	7.602	0.88	68	0.381
150 mg group	-11.047	-0.94	33	0.352
Sleep quality	-7.305	-2.38	33	0.023
Gender	-15.885	-1.52	33	0.139
1hr post dose:150 mg	6.58	0.54	68	0.59
2.5hr post dose:150 mg	-11.348	-0.93	68	0.353
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	68	11614.02	<.001
Time	2	68	0.06	0.944
Group	1	33	0.96	0.336
Sleep quality	1	33	7.48	0.010
Gender	1	33	2.31	0.138
Time:group	2	68	1.11	0.336

Table 18: Inferential statistics for digit vigilance false alarms in the ITT population, outcome was log transformed after adding 1 to each value

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	0.676	4.62	64	<.001
1hr post dose	0.128	0.79	64	0.434
2.5hr post dose	0.0003	0.001	64	0.999
150 mg group	0.069	0.34	35	0.736
1hr post dose:150 mg	0.064	0.28	64	0.777
2.5hr post dose:150 mg	0.053	0.23	64	0.818
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	64	98.33	<.001
Time	2	64	1.17	0.318
Group	1	35	0.47	0.497
Time:group	2	64	0.05	0.955

Table 19: Inferential statistics for choice reaction time accuracy in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	102.976	13.65	62	<.001
1hr post dose	1.667	2.22	62	0.03
2.5hr post dose	1.889	2.51	62	0.015
150 mg group	-0.168	-0.16	33	0.87
WHR	-14.59	-1.64	33	0.111
PDS	0.735	1.49	33	0.147
1hr post dose:150 mg	0.408	0.37	62	0.711
2.5hr post dose:150 mg	-0.695	-0.63	62	0.529
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	62	51623.73	<.001
Time	2	62	6.85	0.002
Group	1	33	0.10	0.755
WHR	1	33	3.38	0.075
PDS	1	33	2.25	0.143
Time:group	2	62	0.50	0.612
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	1.8098	3.333	0.003	
2.5hr post dose - baseline	1.5441	2.845	0.012	
2.5hr post dose - 1hr post dose	-0.2658	-0.480	0.881	

Table 20: Inferential statistics for choice reaction time in the ITT population, outcome was log transformed

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	6.233	91.25	66	0
1hr post dose	0.025	1.47	66	0.145
2.5hr post dose	0.039	2.27	66	0.026
150 mg group	0.037	1.13	32	0.268
Fruit and vegetable intake	-0.016	-1.93	32	0.062
Sweets intake	0.02	2.6	32	0.014
PDS	-0.033	-1.82	32	0.078
1hr post dose:150 mg	-0.028	-1.15	66	0.253
2.5hr post dose:150 mg	-0.04	-1.65	66	0.105
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	66	175419.5	<.001
Time	2	66	1.37	0.261
Group	1	32	0.07	0.790
Fruit and vegetable intake	1	32	6.77	0.014
Sweets intake	1	32	5.48	0.026
PDS	1	32	3.21	0.083
Time:group	2	66	1.41	0.250

3.3 Physiological outcomes

Table 21: Inferential statistics for HR in the ITT population, outcome was log transformed

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	4.323	29.31	177	<.001
time	0.0001	1.45	177	0.150
150 mg group	0.036	0.77	33	0.446
Level of activity	-0.041	-2.87	33	0.007
SSKJ 3-8 R				
stress vulnerability	0.01	1.25	33	0.221
time:150 mg	-0.0002	-1.69	177	0.092
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	177	37387.98	<.001
Time	1	177	0.16	0.694
Group	1	33	0.00	0.974
Level of activity	1	33	14.32	<.001
SSKJ 3-8 R	1	33	1.61	0.213
stress vulnerability				
Time:group	1	177	2.87	0.092

Table 22: Inferential statistics for diastolic BP in the ITT population, outcome was log transformed

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	4.02	28.25	177	<.001
time	<.001	0.46	177	0.645
150 mg group	-0.017	-0.51	29	0.617
Sleep disruption	0.1	2.88	29	0.007
PDS	0.015	0.7	29	0.489
Weight	0.004	2.48	29	0.019
Level of activity	-0.021	-1.94	29	0.062
SSKJ 3-8 R	<.001	0.01	29	0.995
stress vulnerability				
SSKJ 3-8 R	-0.006	-1.54	29	0.135
stress coping strategy:				
avoidant coping				
time:150 mg	<.001	0.23	177	0.821
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	177	81518.24	<.001
Time	1	177	0.95	0.331
Group	1	29	0.00	0.971
Sleep disruption	1	29	10.27	0.003
PDS	1	29	9.73	0.004
Weight	1	29	4.66	0.039
Level of activity	1	29	4.28	0.048
SSKJ 3-8 R	1	29	0.01	0.938
stress vulnerability				
SSKJ 3-8 R	1	29	2.39	0.133
stress coping strategy:				
avoidant coping				
Time:Group	1	177	0.05	0.821

Table 23: Inferential statistics for systolic BP in the ITT population, outcome was log transformed

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	4.661	33.67	178	<.001
Time	<.001	2.8	178	0.006
150 mg group	-0.016	-0.71	30	0.481
Sleep disruption	0.06	2.48	30	0.019
PDS	0.02	1.49	30	0.147
Weight	0.003	2.34	30	0.026
Sweets intake	-0.011	-2.01	30	0.054
SSKJ 3-8 R				
Psychological stress symptoms				
wellbeing	-0.023	-1.7	30	0.1
time:150 mg	<.001	-1.05	178	0.296
lme model summary without interaction				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	4.664	33.64	179	<.001
Time	<.001	2.92	179	0.004
150 mg group	-0.023	-1.06	30	0.299
Sleep disruption	0.06	2.47	30	0.019
PDS	0.02	1.49	30	0.148
Weight	0.003	2.34	30	0.026
Sweets intake	-0.011	-2	30	0.055
SSKJ 3-8 R	-0.023	-1.69	30	0.101
Psychological stress symptoms				
wellbeing				
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	178	209345.19	<.001
Time	1	178	8.67	0.004
Group	1	30	0.98	0.331
Sleep disruption	1	30	8.04	0.008
PDS	1	30	6.01	0.020
Weight	1	30	11.13	0.002
Sweets intake	1	30	3.16	0.086
SSKJ 3-8 R	1	30	2.87	0.100
Psychological stress symptoms				
wellbeing				
Time:Group	1	178	1.10	0.296

Table 24: Inferential statistics for salivary cortisol in the ITT population, outcome was square root transformed

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	1.819	4.38	173	<.001
Time	0.001	2.09	173	0.038
150 mg group	0.039	0.49	28	0.631
Gender	0.157	2.02	28	0.053
Sleep duration	-0.045	-2.72	28	0.011
Sweets intake	0.019	1.06	28	0.300
Level of activity	-0.06	-2.08	28	0.047
SSKJ 3-8 R	0.024	0.97	28	0.338
Physical stress symptoms				
SSKJ 3-8 R	0.013	0.93	28	0.361
stress vulnerability				
Time:150 mg	-0.001	-1.51	173	0.133
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	173	2355.43	<.001
Time	1	173	1.49	0.224
Group	1	28	0.20	0.655
Gender	1	28	10.87	0.003
Sleep duration	1	28	10.63	0.003
Sweets intake	1	28	4.18	0.051
Level of activity	1	28	8.59	0.007
SSKJ 3-8 R	1	28	1.00	0.326
Physical stress symptoms				
SSKJ 3-8 R	1	28	0.50	0.485
stress vulnerability				
Time:Group	1	173	2.27	0.134

Table 25: Inferential statistics for salivary oxytocin in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, before treatment)	1.190	7.19	34	<.001
time (after treatment)	-0.176	-2.12	34	0.042
150 mg group	0.048	0.37	32	0.712
SSKJ 3-8 R				
stress coping strategy:				
avoidant coping	0.031	1.83	32	0.077
SSKJ 3-8 R				
stress coping strategy:				
palliative emotion regulation	0.024	1.42	32	0.166
time:150 mg	0.030	0.26	34	0.800
lme model summary without interaction				
	Estimate	t-value	DF	p-value
Intercept (placebo, before treatment)	1.182	7.26	35	<.001
time (after treatment)	-0.161	-2.78	35	0.009
150 mg group	0.063	0.55	32	0.588
SSKJ 3-8 R				
stress coping strategy:				
avoidant coping	0.031	1.83	32	0.077
SSKJ 3-8 R				
stress coping strategy:				
palliative emotion regulation	0.024	1.42	32	0.166
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, before treatment)	1	34	778.2795	<.001
Time	1	34	7.5052	0.010
Group	1	32	0.4414	0.511
SSKJ 3-8 R	1	32	7.8666	0.009
stress coping strategy:				
avoidant coping				
SSKJ 3-8 R	1	32	2.0133	0.166
stress coping strategy:				
palliative emotion regulation				
Time:Group	1	34	0.0655	0.800

3.4 Exploratory cognitive outcomes

Table 26: Inferential statistics for secondary memory in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	173.267	8.06	68	<.001
1hr post dose	-18.102	-3.19	68	0.002
2.5hr post dose	-13.472	-2.38	68	0.020
150 mg group	-2.674	-0.29	33	0.776
Sleep quality	4.321	1.63	33	0.112
Gender	26.472	2.94	33	0.006
1hr post dose:150 mg	0.077	0.01	68	0.992
2.5hr post dose:150 mg	-9.072	-1.13	68	0.261
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	68	3109.13	<.001
Time	2	68	13.44	<.001
Group	1	33	1.19	0.284
Sleep quality	1	33	5.12	0.030
Gender	1	33	8.59	0.006
Time:group	2	68	0.86	0.427
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	-18.078	-4.528	< 0.001	
2.5hr post dose - baseline	-18.023	-4.514	< 0.001	
2.5hr post dose - 1hr post dose	0.055	0.014	1	

Table 27: Inferential statistics for working memory in the ITT population, outcome was square transformed

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	34416.9	28.34	64	<.001
1hr post dose	2409.693	2.89	64	0.005
2.5hr post dose	1078.681	1.34	64	0.184
150 mg group	2338.597	2.70	32	0.011
BFP	-146.788	-3.44	32	0.002
SSKJ 3-8 R				
stress coping strategies:				
seeking social support	210.920	2.49	32	0.018
SSKJ 3-8 R				
Psychological stress symptoms				
sadness	54.783	0.28	32	0.778
1hr post dose:150 mg	-2527.030	-2.21	64	0.03
2.5hr post dose:150 mg	-1255.140	-1.12	64	0.266
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	64	15141.08	<.001
Time	2	64	1.97	0.148
Group	1	32	2.24	0.144
BFP	1	32	10.41	0.003
SSKJ 3-8 R	1	32	7.09	0.012
stress coping strategies:				
seeking social support				
SSKJ 3-8 R	1	32	0.06	0.807
Psychological stress symptoms				
sadness				
Time:group	2	64	2.46	0.094

Table 28: Inferential statistics for speed of memory in the ITT population, outcome was log transformed

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	8.441	57.98	66	<.001
1hr post dose	-0.02	-0.89	66	0.376
2.5hr post dose	-0.068	-3.00	66	0.004
150 mg group	-0.007	-0.15	32	0.879
Weight	-0.004	-1.83	32	0.077
Fruit and vegetable intake	-0.022	-2.03	32	0.051
Sweets intake	0.021	1.92	32	0.064
1hr post dose:150 mg	0.03	0.96	66	0.343
2.5hr post dose:150 mg	0.052	1.63	66	0.108
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	66	160852.5	<.001
Time	2	66	4.19	0.019
Group	1	32	0.14	0.716
Weight	1	32	4.08	0.052
Fruit and vegetable intake	1	32	4.94	0.033
Sweets intake	1	32	3.62	0.066
Time:group	2	66	1.34	0.269
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	-0.005	-0.301	0.951	
2.5hr post dose - baseline	-0.042	-2.599	0.025	
2.5hr post dose - 1hr post dose	-0.037	-2.301	0.056	

Table 29: Inferential statistics for accuracy of attention in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	93.883	111.26	68	<.001
1hr post dose	0.402	0.44	68	0.662
2.5hr post dose	0.512	0.56	68	0.577
150 mg group	0.41	0.35	35	0.73
1hr post dose:150 mg	-0.588	-0.46	68	0.65
2.5hr post dose:150 mg	-1.983	-1.54	68	0.129

F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	68	41493.89	<.001
Time	2	68	0.47	0.628
Group	1	35	0.22	0.642
Time:group	2	68	1.24	0.294

Table 30: Inferential statistics for speed of attention in the ITT population

lme model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	1472.81	14.47	67	<.001
1hr post dose	8.34	0.54	67	0.593
2.5hr post dose	34.496	2.22	67	0.030
150 mg group	13.856	0.41	30	0.682
PDS	-26.347	-1.40	30	0.173
Weight	-1.800	-1.10	30	0.280
Fruit and vegetable intake	-9.446	-1.17	30	0.252
Sweets intake	15.475	1.93	30	0.063
SSKJ 3-8 R				
Psychological stress symptoms				
sadness	10.322	1.20	30	0.238
1hr post dose:150 mg	6.587	0.30	67	0.767
2.5hr post dose:150 mg	-24.911	-1.13	67	0.265
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	67	8912.48	<.001
Time	2	67	2.08	0.133
Group	1	30	0.15	0.703
PDS	1	30	4.22	0.049
Weight	1	30	1.56	0.222
Fruit and vegetable intake	1	30	3.37	0.076
Sweets intake	1	30	5.32	0.028
SSKJ 3-8 R	1	30	1.43	0.241
Psychological stress symptoms				
sadness				
Time:group	2	67	1.14	0.325

Table 31: Inferential statistics for Picture Recognition Original Stimuli Accuracy in the ITT population, outcome was square transformed

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	6455.795	9.02	66	<.001
1hr post dose	-613.889	-1.39	66	0.170
2.5hr post dose	52.963	0.12	66	0.907
150 mg	-364.779	-0.67	34	0.507
Gender	802.946	1.78	34	0.084
1hr post dose:150 mg	39.998	0.06	66	0.949
2.5hr post dose:150 mg	-73.752	-0.12	66	0.908
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	66	1189.1941	<.001
Time	2	66	2.4478	0.094
Group	1	34	1.064	0.310
Gender	1	34	3.1773	0.084
Time:group	2	66	0.0163	0.984

Table 32: Inferential statistics for Picture Recognition New Stimuli Accuracy in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	85.44456	18.01	68	<.001
1hr post dose	-5.83333	-1.95	68	0.056
2.5hr post dose	-5.27778	-1.76	68	0.082
150 mg	-3.95199	-1.09	33	0.282
Sweets intake	1.64586	2.36	33	0.024
SSKJ 3-8 R				
Palliative emotion regulation	-0.71427	-1.97	33	0.057
1hr post dose:150 mg	0.63935	0.15	68	0.880
2.5hr post dose:150 mg	1.68935	0.40	68	0.690
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	68	3564.589	<.001
Time	2	68	3.977	0.023
Group	1	33	2.756	0.106
Sweets intake	1	33	4.774	0.036
SSKJ 3-8 R	1	33	3.862	0.058
Palliative emotion regulation				
Time:group	2	68	0.082	0.922
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	-5.508	-2.647	0.0219	
2.5hr post dose - baseline	-4.427	-2.128	0.0843	
2.5hr post dose - 1hr post dose	1.081	0.517	0.8629	