

4 Supplementary Data File S4

Contents

4	Supplementary Data File S4.....	1
4.1	Baseline characteristics and control variables.....	2
4.2	Cognitive outcomes	3
4.3	Physiological outcomes.....	22
4.4	Exploratory cognitive outcomes.....	27

4.1 Baseline characteristics and control variables

Table 1: Inferential statistics for baseline characteristics and control variables

F-tests for continuous control variables				
Control variable	Numerator DF	Denominator DF	F-value	p-value
TICS chronic stress screening scale	2	33	2.895	0.069
CAR increase	2	33	1.418	0.257
Sleep quality	2	33	0.472	0.628
Sleep duration	2	33	0.570	0.571
Fruit and vegetable intake	2	33	0.147	0.864
Sweets intake	2	33	0.179	0.837
Level of activity	2	33	0.282	0.756
Weight	2	33	0.055	0.947
BMI	2	33	0.236	0.791
WHR	2	33	0.365	0.697
BFP	2	33	0.722	0.493
MP	2	33	0.658	0.525
Fisher's exact test for categorical control variables				
				p-value
Gender				0.903
Post-hoc Welch t-tests for TICS SCCS				
		DF	t-value	p-value
Placebo vs 150 mg group		18.51	0.12	0.904
Placebo vs 300 mg group		17.65	-2.12	0.049

4.2 Cognitive outcomes

Table 2: Inferential statistics for Picture Recognition Accuracy in the ITT population, outcome was square transformed

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	4714.485	4.86	64	<.001
1hr post dose	-99.279	-0.22	64	0.823
2.5hr post dose	319.992	0.72	64	0.472
150 mg group	383.811	0.61	29	0.545
300 mg group	358.749	0.55	29	0.589
CAR increase	58.502	1.96	29	0.060
BFP	16.279	0.59	29	0.557
TICS social overload	101.760	1.93	29	0.063
Gender	360.789	0.70	29	0.492
1hr post dose:150 mg	-237.179	-0.38	64	0.702
2.5hr post dose:150 mg	-868.950	-1.41	64	0.163
1hr post dose:300 mg	174.458	0.28	64	0.781
2.5hr post dose:300 mg	-115.646	-0.19	64	0.854
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	64	1314.48	<.001
Time	2	64	0.20	0.817
Group	2	29	0.48	0.624
CAR increase	1	29	4.41	0.044
BFP	1	29	2.63	0.116
TICS social overload	1	29	3.96	0.056
Gender	1	29	0.48	0.493
Time:group	4	64	0.65	0.628

Table 3: Inferential statistics for Picture Recognition Accuracy in the PP population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	68.499	11.61	60	<.001
1hr post dose	-1.111	-0.39	60	0.696
2.5hr post dose	0.833	0.29	60	0.770
150 mg group	2.827	0.67	27	0.506
300 mg group	1.377	0.32	27	0.749
CAR increase	0.188	1.05	27	0.301
BFP	0.499	2.57	27	0.016
TICS social overload	0.650	1.88	27	0.071
1hr post dose:150 mg	-0.972	-0.26	60	0.796
2.5hr post dose:150 mg	-4.167	-1.11	60	0.271
1hr post dose:300 mg	2.778	0.74	60	0.462
2.5hr post dose:300 mg	1.667	0.44	60	0.658
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	60	4084.814	<.001
Time	2	60	0.054	0.947
Group	2	27	0.375	0.691
CAR increase	1	27	4.630	0.041
BFP	1	27	6.217	0.019
TICS social overload	1	27	3.531	0.071
Time:group	4	60	0.832	0.510

Table 4: Inferential statistics for Picture Recognition Reaction Time in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	1166.708	17.01	63	<.001
1hr post dose	-29.812	-0.96	63	0.341
2.5hr post dose	-68.748	-2.15	63	0.036
150 mg group	80.334	1.50	29	0.144
300 mg group	18.374	0.32	29	0.750
TICS chronic stress	5.318	2.47	29	0.020
Level of activity	-33.875	-3.27	29	0.003
Sleep disruptions	-117.785	-2.75	29	0.010
1hr post dose:150 mg	-51.673	-1.18	63	0.244
2.5hr post dose:150 mg	-36.035	-0.81	63	0.422
1hr post dose:300 mg	-5.716	-0.13	63	0.899
2.5hr post dose:300 mg	17.903	0.39	63	0.696
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	63	2861.283	<.001
Time	2	63	8.889	0.004
Group	2	29	0.204	0.817
TICS chronic stress	1	29	7.211	0.012
Level of activity	1	29	7.882	0.009
Sleep disruptions	1	29	7.564	0.010
Time:group	4	63	0.575	0.682
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	-49.32	-2.746	0.017	
2.5hr post dose - baseline	-75.68	-4.169	<0.001	
2.5hr post dose - 1hr post dose	-26.35	-1.452	0.314	

Table 5: Inferential statistics for Word Recognition Accuracy in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	97.101	15.60	65	<.001
1hr post dose	-2.768	-0.91	65	0.365
2.5hr post dose	-5.219	-1.77	65	0.081
150 mg group	-3.66	-0.93	32	0.360
300 mg group	0.514	0.13	32	0.897
Weight	-0.163	-2.11	32	0.043
1hr post dose:150 mg	1.082	0.26	65	0.799
2.5hr post dose:150 mg	-1.329	-0.32	65	0.750
1hr post dose:300 mg	1.1400	0.27	65	0.788
2.5hr post dose:300 mg	3.314	0.80	65	0.429
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	65	4155.099	<.001
Time	2	65	3.627	0.032
Group	2	32	1.603	0.217
Weight	1	32	4.410	0.044
Time:group	4	65	0.438	0.781
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	-2.019	-1.196	0.455	
2.5hr post dose - baseline	-4.557	-2.727	0.018	
2.5hr post dose - 1hr post dose	-2.538	-1.504	0.289	

Table 6: Inferential statistics for Word Recognition Reaction Time in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	632.365	7	65	<.0001
1hr post dose	-1.263	-0.04	65	0.965
2.5hr post dose	14.047	0.48	65	0.631
150 mg group	25.945	0.73	29	0.473
300 mg group	-1.325	-0.04	29	0.971
Sleep disruptions	-85.135	-3.69	29	0.001
Sleep quality	18.649	2.33	29	0.027
Sweets intake	0.604	0.09	29	0.925
TICS pressure to succeed	5.733	2.8	29	0.009
1hr post dose:150 mg	13.402	0.32	65	0.749
2.5hr post dose:150 mg	-26.49	-0.64	65	0.528
1hr post dose:300 mg	38.814	0.94	65	0.349
2.5hr post dose:300 mg	38.023	0.92	65	0.359
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	65	6089.959	<.001
Time	2	65	0.691	0.505
Group	2	29	0.355	0.704
Sleep disruptions	1	29	17.373	<.001
Sleep quality	1	29	5.782	0.023
Sweets intake	1	29	3.633	0.067
TICS pressure to succeed	1	29	7.824	0.009
Time:group	4	65	0.764	0.552

Table 7: Inferential statistics for Immediate Word Recall Accuracy in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	70.025	5.42	66	<.001
1hr post dose	-15.357	-4.17	66	<.001
2.5hr post dose	-6.189	-1.68	66	0.098
150 mg group	-8.557	-1.64	30	0.112
300 mg group	-1.313	-0.24	30	0.811
Weight	-0.163	-1.46	30	0.155
Gender	6.73	1.63	30	0.114
TICS social overload	-1.082	-2.38	30	0.024
1hr post dose:150 mg	14.88	2.85	66	0.006
2.5hr post dose:150 mg	2.617	0.50	66	0.617
1hr post dose:300 mg	10.437	2.00	66	0.049
2.5hr post dose:300 mg	5.157	0.99	66	0.326
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	66	996.778	<.001
Time	2	66	5.285	0.007
Group	2	30	0.311	0.735
Weight	1	30	5.122	0.031
Gender	1	30	1.353	0.254
TICS social overload	1	30	5.676	0.024
Time:group	4	66	2.522	0.049
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	-6.918	-3.117	0.005	
2.5hr post dose - baseline	-3.598	-1.621	0.237	
2.5hr post dose - 1hr post dose	3.320	1.496	0.293	

Table 8: Inferential statistics for Immediate Word Recall Errors in the ITT population

glm model summary				
	Estimate	z-value	DF	p-value
Intercept (placebo, baseline)	-4.810	-3.660	60	<.001
1hr post dose	2.212	1.796	60	0.073
2.5hr post dose	1.370	1.080	60	0.290
150 mg group	1.551	1.205	27	0.228
300 mg group	0.647	0.495	27	0.621
TICS pressure to succeed	0.137	2.129	27	0.033
TICS social overload	0.037	0.460	27	0.646
TICS work overload	0.016	0.327	27	0.744
1hr post dose:150 mg	-4.411	-2.366	60	0.018
2.5hr post dose:150 mg	-2.558	-1.503	60	0.133
1hr post dose:300 mg	-1.726	-1.093	60	0.275
2.5hr post dose:300 mg	-1.370	-0.838	60	0.402

LR-tests			
	DF	LR Chisquare-value	p-value
Time	2	0.4661	0.792
Group	2	1.2919	0.524
TICS pressure to succeed	1	5.0910	0.024
TICS social overload	1	0.2107	0.646
TICS work overload	1	0.1067	0.744
Time:group	4	7.1263	0.129

Table 9: Inferential statistics for Delayed Word Recall Accuracy in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	60.722	8.72	66	<.001
1hr post dose	-14.244	-3.03	66	0.004
2.5hr post dose	-18.098	-3.85	66	<.001
150 mg group	-8.789	-1.25	32	0.221
300 mg group	-3.317	-0.46	32	0.647
TICS pressure to succeed	-0.754	-1.97	32	0.058
1hr post dose:150 mg	7.22	1.08	66	0.282
2.5hr post dose:150 mg	5.797	0.87	66	0.387
1hr post dose:300 mg	2.737	0.41	66	0.682
2.5hr post dose:300 mg	12.144	1.82	66	0.073
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	66	252.050	<.001
Time	2	66	12.080	<.001
Group	2	32	0.495	0.614
TICS pressure to succeed	1	32	3.865	0.058
Time:group	4	66	1.276	0.288
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	-10.925	-3.989	<.001	
2.5hr post dose - baseline	-12.117	-4.424	<.001	
2.5hr post dose - 1hr post dose	-1.192	-0.435	0.901	

Table 10: Inferential statistics for Delayed Word Recall Errors in the ITT population, outcome was log transformed after adding 1 to each value

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	0.011	0.04	56	0.971
1hr post dose	-0.044	-0.21	56	0.833
2.5hr post dose	0.441	2.31	56	0.024
150 mg group	-0.096	-0.43	28	0.669
300 mg group	-0.177	-0.82	28	0.418
Sweets intake	-0.002	-0.07	28	0.948
TICS work overload	0.011	1.02	28	0.318
TICS social overload	0.015	0.73	28	0.473
TICS pressure to succeed	0.018	1.16	28	0.257
TICS social isolation	-0.003	-0.17	28	0.867
1hr post dose:150 mg	0.101	0.35	56	0.728
2.5hr post dose:150 mg	-0.436	-1.59	56	0.118
1hr post dose:300 mg	0.172	0.6	56	0.549
2.5hr post dose:300 mg	-0.341	-1.28	56	0.206
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	56	71.467	<.001
Time	2	56	1.963	0.150
Group	2	28	1.503	0.240
Sweets intake	1	28	3.635	0.067
TICS work overload	1	28	2.834	0.103
TICS social overload	1	28	1.726	0.200
TICS pressure to succeed	1	28	1.422	0.243
TICS social isolation	1	28	0.007	0.935
Time:group	4	56	1.308	0.278

Table 11: Inferential statistics for Numeric Working Memory Accuracy in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	95.399	50.51	62	<.001
1hr post dose	-0.84	-0.58	62	0.567
2.5hr post dose	-0.606	-0.41	62	0.685
150 mg group	-2.585	-1.59	31	0.122
300 mg group	0.034	0.02	31	0.983
Sleep disruptions	-2.122	-2.18	31	0.037
Fruit and vegetable intake	0.422	1.64	31	0.111
1hr post dose:150 mg	2.786	1.35	62	0.182
2.5hr post dose:150 mg	2.086	1.00	62	0.321
1hr post dose:300 mg	2.506	1.23	62	0.224
2.5hr post dose:300 mg	1.161	0.56	62	0.574
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	62	47155.21	<.001
Time	2	62	0.65	0.525
Group	2	31	2.55	0.094
Sleep disruptions	1	31	4.68	0.038
Fruit and vegetable intake	1	31	2.80	0.104
Time:group	4	62	0.61	0.654

Table 12: Inferential statistics for Numeric Working Memory Reaction Time in the ITT population, outcome was log transformed

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	6.359	72.89	62	<.001
1hr post dose	-0.023	-0.74	62	0.462
2.5hr post dose	-0.045	-1.47	62	0.146
150 mg group	0.035	0.64	28	0.526
300 mg group	-0.019	-0.34	28	0.735
TICS chronic stress	0.000	-0.05	28	0.961
Sweets intake	-0.003	-0.26	28	0.794
TICS social overload	-0.004	-0.64	28	0.530
TICS pressure to succeed	0.010	2.14	28	0.041
TICS social isolation	0.005	0.74	28	0.467
1hr post dose:150 mg	0.010	0.22	62	0.825
2.5hr post dose:150 mg	-0.009	-0.21	62	0.836
1hr post dose:300 mg	-0.032	-0.74	62	0.465
2.5hr post dose:300 mg	0.001	0.01	62	0.989
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	62	15889.41	<.001
Time	2	62	3.42	0.039
Group	2	28	0.50	0.610
TICS chronic stress	1	28	4.26	0.048
Sweets intake	1	28	2.32	0.139
TICS social overload	1	28	0.29	0.594
TICS pressure to succeed	1	28	5.95	0.021
TICS social isolation	1	28	0.54	0.470
Time:group	4	62	0.45	0.776
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	-0.030	-1.684	0.211	
2.5hr post dose - baseline	-0.048	-2.690	0.020	
2.5hr post dose - 1hr post dose	-0.018	-1.049	0.546	

Table 13: Inferential statistics for Spatial Working Memory Accuracy in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	97.035	92.81	58	<.001
1hr post dose	-0.521	-0.48	58	0.634
2.5hr post dose	-1.062	-0.95	58	0.346
150 mg group	-0.001	0.00	29	0.999
300 mg group	-0.044	-0.03	29	0.973
Sleep disruption	-1.756	-2.27	29	0.031
TICS lack of acceptance	0.094	0.58	29	0.564
TICS social tension	0.16	1.10	29	0.280
1hr post dose:150 mg	-2.204	-1.33	58	0.187
2.5hr post dose:150 mg	0.356	0.21	58	0.835
1hr post dose:300 mg	-1.198	-0.78	58	0.439
2.5hr post dose:300 mg	0.333	0.21	58	0.832
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	58	74529.15	<.001
Time	2	58	2.85	0.066
Group	2	29	0.29	0.749
Sleep disruption	1	29	5.53	0.026
TICS lack of acceptance	1	29	3.46	0.073
TICS social tension	1	29	1.28	0.267
Time:group	4	58	0.73	0.578

Table 14: Inferential statistics for Spatial Working Memory Reaction Time in the ITT population, outcome was log transformed, one outlier was manually removed

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	6.502	122.34	56	<.001
1hr post dose	-0.069	-1.90	56	0.063
2.5hr post dose	-0.004	-0.12	56	0.903
150 mg group	-0.030	-0.50	31	0.618
300 mg group	-0.023	-0.39	31	0.697
Sweets intake	-0.022	-2.32	31	0.027
1hr post dose:150 mg	0.037	0.63	56	0.529
2.5hr post dose:150 mg	-0.002	-0.04	56	0.970
1hr post dose:300 mg	0.065	1.22	56	0.228
2.5hr post dose:300 mg	-0.050	-0.95	56	0.345
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	56	98081.33	<.001
Time	2	56	1.30	0.281
Group	2	31	0.07	0.935
Sweets intake	1	31	5.39	0.027
Time:group	4	56	1.26	0.297

Table 15: Inferential statistics for Simple Reaction Time in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	423.899	11.54	63	<.001
1hr post dose	2.037	0.33	63	0.743
2.5hr post dose	-3.927	-0.62	63	0.540
150 mg group	-10.031	-0.87	29	0.394
300 mg group	-17.293	-1.51	29	0.143
Sweets intake	-4.581	-2.32	29	0.027
Sleep disruptions	-12.448	-1.31	29	0.201
Sleep duration	-6.865	-1.46	29	0.155
1hr post dose:150 mg	6.765	0.76	63	0.452
2.5hr post dose:150 mg	13.212	1.46	63	0.150
1hr post dose:300 mg	5.783	0.66	63	0.510
2.5hr post dose:300 mg	6.246	0.70	63	0.484

F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	63	6646.291	<.001
Time	2	63	1.468	0.238
Group	2	29	1.266	0.297
Sweets intake	1	29	5.363	0.028
Sleep disruptions	1	29	3.342	0.078
Sleep duration	1	29	2.130	0.155
Time:group	4	63	0.573	0.683

Table 16: Inferential statistics for Digit Vigilance Accuracy in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	92.996	49.36	60	<.001
1hr post dose	-0.606	-1.05	60	0.299
2.5hr post dose	-0.986	-1.73	60	0.089
150 mg group	0.069	0.1	30	0.921
300 mg group	0.759	1.11	30	0.276
Sweets intake	0.283	2.91	30	0.007
Sleep duration	0.596	2.63	30	0.013
1hr post dose:150 mg	-0.605	-0.74	60	0.463
2.5hr post dose:150 mg	-0.203	-0.25	60	0.807
1hr post dose:300 mg	0.606	0.76	60	0.452
2.5hr post dose:300 mg	0.185	0.23	60	0.819
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	60	231103.2	<.001
Time	2	60	4.47	0.016
Group	2	30	3.57	0.041
Sweets intake	1	30	7.50	0.010
Sleep duration	1	30	6.93	0.013
Time:group	4	60	0.60	0.667
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	-0.5879	-1.794	0.172	
2.5hr post dose - baseline	-0.9773	-2.935	0.009	
2.5hr post dose - 1hr post dose	-0.3893	-1.169	0.472	
Post-hoc Tukey tests for group				
	Estimate	z-value	p-value	
150 mg group - placebo	-0.08511	-0.144	0.989	
300 mg group - placebo	1.12057	1.938	0.128	
300 mg group - 150 mg group	1.20569	2.051	0.100	

Table 17: Inferential statistics for Digit Vigilance Reaction Time in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	623.566	10.83	66	0
1hr post dose	-2.22	-0.28	66	0.778
2.5hr post dose	1.374	0.18	66	0.861
150 mg group	8.87	0.51	31	0.613
300 mg group	0.995	0.06	31	0.955
Sleep duration	-20.279	-2.83	31	0.008
Sweets intake	-6.415	-2.05	31	0.049
1hr post dose:150 mg	10.893	0.98	66	0.329
2.5hr post dose:150 mg	12.497	1.13	66	0.264
1hr post dose:300 mg	9.838	0.89	66	0.378
2.5hr post dose:300 mg	-9.786	-0.88	66	0.38
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	66	4634.454	<.001
Time	2	66	0.537	0.587
Group	2	31	0.711	0.499
Sleep duration	1	31	7.783	0.009
Sweets intake	1	31	4.189	0.049
Time:group	4	66	1.631	0.177

Table 18: Inferential statistics for Digit Vigilance False Alarms in the ITT population, outcome was log transformed after adding 1 to each value

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	0.407	1.30	62	0.200
1hr post dose	-0.116	-0.62	62	0.536
2.5hr post dose	-0.058	-0.31	62	0.760
150 mg group	-0.243	-1.12	31	0.269
300 mg group	0.147	0.69	31	0.495
BFP	0.017	2.35	31	0.025
Sweets intake	-0.072	-2.41	31	0.022
1hr post dose:150 mg	0.278	1.04	62	0.303
2.5hr post dose:150 mg	0.421	1.54	62	0.129
1hr post dose:300 mg	-0.293	-1.12	62	0.268
2.5hr post dose:300 mg	-0.274	-1.03	62	0.307
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	62	106.254	<.001
Time	2	62	0.833	0.440
Group	2	31	0.084	0.920
BFP	1	31	9.364	0.005
Sweets intake	1	31	5.978	0.020
Time:group	4	62	1.927	0.117

Table 19: Inferential statistics for Choice Reaction Time Accuracy in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	97.333	105.11	66	<.001
1hr post dose	-1.500	-2.03	66	0.046
2.5hr post dose	-1.167	-1.58	66	0.119
150 mg group	-2.000	-1.53	33	0.136
300 mg group	-1.333	-1.02	33	0.316
1hr post dose:150 mg	1.167	1.12	66	0.268
2.5hr post dose:150 mg	0.667	0.64	66	0.526
1hr post dose:300 mg	0.833	0.80	66	0.428
2.5hr post dose:300 mg	0.333	0.32	66	0.751
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	66	40648.45	<.001
Time	2	66	2.54	0.086
Group	2	33	0.74	0.483
Time:group	4	66	0.34	0.851

Table 20: Inferential statistics for Choice Reaction Time in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	371.24	14.85	63	<.001
1hr post dose	-4.593	-0.77	63	0.444
2.5hr post dose	-11.768	-1.97	63	0.053
150 mg group	3.958	0.27	28	0.792
300 mg group	2.906	0.18	28	0.859
BFP	1.003	1.31	28	0.202
Gender	12.094	0.84	28	0.407
TICS social overload	1.848	1.05	28	0.302
TICS chronic worrying	1.044	0.53	28	0.601
1hr post dose:150 mg	11.864	1.41	63	0.162
2.5hr post dose:150 mg	14.188	1.72	63	0.091
1hr post dose:300 mg	-0.156	-0.02	63	0.985
2.5hr post dose:300 mg	-0.133	-0.02	63	0.987
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	63	6179.861	<.001
Time	2	63	2.575	0.084
Group	2	28	0.970	0.391
BFP	1	28	6.748	0.015
Gender	1	28	0.947	0.339
TICS social overload	1	28	2.543	0.122
TICS chronic worrying	1	28	0.270	0.607
Time:group	4	63	1.171	0.332

4.3 Physiological outcomes

Table 21: Inferential statistics for HR in the ITT population, outcome was log transformed

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	4.007	43.17	177	<.001
Time	0.000	-0.62	177	0.535
150 mg group	-0.080	-1.37	32	0.181
300 mg group	0.007	0.13	32	0.900
Gender	0.129	2.59	32	0.014
Time:150 mg	0.001	2.65	177	0.009
Time:300 mg	0.000	0.87	177	0.386
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	177	32709.81	<.001
Time	1	177	3.23	0.074
Group	2	32	0.32	0.727
Gender	1	32	6.72	0.014
Time:group	2	177	3.65	0.028

Table 22: Inferential statistics for diastolic BP in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	58.222	10.71	177	<.001
Time	-0.006	-0.86	177	0.392
150 mg group	1.173	0.42	31	0.678
300 mg group	0.587	0.21	31	0.834
BFP	0.22	1.59	31	0.122
Weight	0.114	1.56	31	0.13
Time:150 mg	0.009	0.86	177	0.393
Time:300 mg	0.008	0.77	177	0.442
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	177	4552.855	<.001
Time	1	177	0.025	0.876
Group	2	31	0.311	0.735
BFP	1	31	6.736	0.014
Weight	1	31	2.424	0.130
Time:group	2	177	0.445	0.642

Table 23: Inferential statistics for systolic BP in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	101.74	3.21	176	0.002
Time	0.013	1.38	176	0.17
150 mg group	-2.411	-0.62	30	0.539
300 mg group	0.044	0.01	30	0.991
Gender	-6.938	-1.24	30	0.224
WHR	37.601	1.19	30	0.243
Fruit and vegetable intake	-1.04	-1.03	30	0.313
Time:150 mg	0.02	1.53	176	0.128
Time:300 mg	0.01	0.60	176	0.551

F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	176	5743.48	<.001
Time	1	176	16.83	<.001
Group	2	30	0.09	0.913
Gender	1	30	18.14	<.001
WHR	1	30	1.22	0.278
Fruit and vegetable intake	1	30	0.93	0.344
Time:group	2	176	1.19	0.308

Linear mixed effects model summary without interaction				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	101.165	3.19	178	0.002
Time	0.022	4.10	178	<.001
150 mg group	-1.040	-0.28	30	0.785
300 mg group	0.571	0.15	30	0.880
Gender	-6.959	-1.24	30	0.223
WHR	37.575	1.19	30	0.244
Fruit and vegetable intake	-1.038	-1.02	30	0.314

Table 24: Inferential statistics for salivary cortisol in the ITT population, outcome was log transformed

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	1.509	3.54	171	<.001
Time	-0.001	-2.54	171	0.012
150 mg group	-0.268	-1.97	29	0.059
300 mg group	-0.249	-1.79	29	0.085
Weight	-0.003	-0.79	29	0.433
Sleep quality	-0.049	-1.27	29	0.215
Sweets intake	0.026	0.95	29	0.348
Level of activity	0.073	2.62	29	0.014
Time:150 mg	0.001	0.66	171	0.512
Time:300 mg	0.001	1.51	171	0.133
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	171	478.73	<.001
Time	1	171	6.81	0.010
Group	2	29	1.82	0.180
weight	1	29	3.71	0.064
Sleep quality	1	29	2.06	0.162
Sweets intake	1	29	2.00	0.168
Level of activity	1	29	6.38	0.017
Time:group	2	171	1.14	0.321

Table 25: Inferential statistics for salivary oxytocin in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, before treatment)	1.429	9.99	31	<.001
Time (after treatment)	-0.105	-1.11	31	0.278
150 mg group	0.496	2.96	31	0.006
300 mg group	0.189	1.11	31	0.275
CAR increase	-0.010	-1.11	31	0.274
Time:150 mg	-0.097	-0.71	31	0.483
Time:300 mg	0.200	1.45	31	0.156
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	31	643.08	<.001
Time	1	31	1.52	0.226
Group	2	31	5.59	0.009
CAR increase	1	31	1.17	0.287
Time:group	2	31	2.34	0.113
Post-hoc Tukey tests for group				
	Estimate	z-value	p-value	
150 mg group - placebo group	0.444	2.920	0.010	
300 mg group - placebo group	0.290	1.858	0.151	
300 mg group - 150 mg group	-0.154	-1.016	0.567	

4.4 Exploratory cognitive outcomes

Table 26: Inferential statistics for cognitive factor: secondary memory in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	324.695	12.51	66	<.001
1hr post dose	-33.808	-3.58	66	0.001
2.5hr post dose	-26.38	-2.79	66	0.007
150 mg group	-20.387	-1.31	32	0.199
300 mg group	-9.481	-0.61	32	0.546
Weight	-0.598	-1.83	32	0.076
1hr post dose:150 mg	22.538	1.69	66	0.096
2.5hr post dose:150 mg	0.627	0.05	66	0.963
1hr post dose:300 mg	17.419	1.3	66	0.197
2.5hr post dose:300 mg	19.99	1.5	66	0.139
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	66	2211.45	<.001
Time	2	66	8.97	<.001
Group	2	32	0.66	0.523
Weight	1	32	3.36	0.076
Time:group	4	66	1.68	0.165
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	20.49	-3.685	<.001	
2.5hr post dose - baseline	19.51	-3.508	0.001	
2.5hr post dose - 1hr post dose	0.98	0.176	0.983	

Table 27: Inferential statistics for cognitive factor: Working Memory in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	197.619	78.36	59	<.001
1hr post dose	-0.243	-0.14	59	0.889
2.5hr post dose	-1.554	-0.87	59	0.390
150 mg group	-2.910	-1.14	31	0.263
300 mg group	2.215	0.90	31	0.376
Sleep disruption	-3.579	-1.90	31	0.067
TICS work dissatisfaction	-0.346	-1.89	31	0.069
1hr post dose:150 mg	-0.530	-0.20	59	0.841
2.5hr post dose:150 mg	2.271	0.85	59	0.398
1hr post dose:300 mg	0.191	0.08	59	0.939
2.5hr post dose:300 mg	1.381	0.55	59	0.583
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	59	54527.41	<.001
Time	2	59	0.06	0.939
Group	2	31	2.34	0.113
Sleep disruption	1	31	6.29	0.018
TICS work dissatisfaction	1	31	3.47	0.072
Time:group	4	59	0.32	0.864

Table 28: Inferential statistics for cognitive factor: Speed of Memory in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	3115.71	23.5	66	<.000
1hr post dose	-111.264	-1.54	66	0.129
2.5hr post dose	-100.341	-1.39	66	0.17
150 mg group	295.174	2.03	31	0.051
300 mg group	8.126	0.05	31	0.957
Sleep disruption	-324.892	-2.72	31	0.011
TICS: social isolation	42.317	3.48	31	0.002
1hr post dose:150 mg	-57.637	-0.56	66	0.575
2.5hr post dose:150 mg	-159.307	-1.56	66	0.124
1hr post dose:300 mg	58.047	0.57	66	0.572
2.5hr post dose:300 mg	14.038	0.14	66	0.891
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	66	3446.38	<.000
Time	2	66	6.86	0.002
Group	2	31	0.69	0.510
Sleep disruption	1	31	5.01	0.033
TICS: social isolation	1	31	12.12	0.002
Time:group	4	66	0.97	0.431
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	-111.13	-2.663	0.021	
2.5hr post dose - baseline	-148.76	-3.564	0.001	
2.5hr post dose - 1hr post dose	-37.64	-0.902	0.639	

Table 29: Inferential statistics for cognitive factor: Accuracy of Attention in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	96.556	130.12	59	<.001
1hr post dose	-0.845	-1.65	59	0.105
2.5hr post dose	-0.768	-1.54	59	0.128
150 mg group	0.122	0.15	31	0.886
300 mg group	0.266	0.33	31	0.745
Sweets intake	0.305	2.26	31	0.031
1hr post dose:150 mg	-0.516	-0.68	59	0.499
2.5hr post dose:150 mg	-1.080	-1.44	59	0.154
1hr post dose:300 mg	0.473	0.65	59	0.518
2.5hr post dose:300 mg	0.055	0.08	59	0.940
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	59	115790.5	<.001
Time	2	59	6.75	0.002
Group	2	31	0.54	0.588
Sweets intake	1	31	5.15	0.030
Time:group	4	59	0.83	0.509
Post-hoc Tukey tests for time				
	Estimate	z-value	p-value	
1hr post dose - baseline	-0.816	-2.695	0.019	
2.5hr post dose - baseline	-1.067	-3.528	0.001	
2.5hr post dose - 1hr post dose	-0.252	-0.850	0.672	

Table 30: Inferential statistics for cognitive factor: Speed of Attention in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	1543.576	12.51	64	<.001
1hr post dose	-6.297	-0.51	64	0.613
2.5hr post dose	-3.099	-0.25	64	0.803
150 mg group	-8.215	-0.23	29	0.823
300 mg group	-7.004	-0.19	29	0.848
Sweets intake	-13.589	-2.05	29	0.050
Sleep disruption	-58.679	-1.83	29	0.077
Sleep duration	-28.798	-1.82	29	0.079
1hr post dose:150 mg	29.674	1.66	64	0.103
2.5hr post dose:150 mg	31.48	1.76	64	0.084
1hr post dose:300 mg	16.986	0.97	64	0.336
2.5hr post dose:300 mg	-14.895	-0.85	64	0.399
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	64	7688.12	<.001
Time	2	64	0.84	0.437
Group	2	29	0.23	0.798
Sweets intake	1	29	4.16	0.051
Sleep disruption	1	29	6.13	0.019
Sleep duration	1	29	3.30	0.080
Time:group	4	64	2.38	0.061

Table 31: Inferential statistics for Immediate Word Recall Accuracy for combined treatment group in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	71.446	5.44	68	<.001
1hr post dose	-15.357	-4.17	68	<.001
2.5hr post dose	-6.189	-1.68	68	0.097
sage group(collapsed)	-5.303	-1.14	31	0.264
Weight	-0.171	-1.5	31	0.145
Gender	5.571	1.35	31	0.188
TICS social overload	-0.911	-2.03	31	0.051
1hr post dose:sage group(collapsed)	12.658	2.81	68	0.007
2.5hr post dose:sage group(collapsed)	3.887	0.86	68	0.392
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	68	958.98	<.001
Time	2	68	5.30	0.007
group	1	31	0.14	0.714
Weight	1	31	4.83	0.036
Gender	1	31	1.04	0.315
TICS social overload	1	31	4.14	0.051
Time:group	2	68	4.14	0.020

Table 32: Inferential statistics for HR for combined treatment group in the ITT population, outcome was log transformed

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	4.021	43.51	178	<.001
Time	0.000	-0.62	178	0.538
sage group(collapsed)	-0.036	-0.71	33	0.480
Gender	0.121	2.45	33	0.020
Time:sage group(collapsed)	0.000	2.02	178	0.045
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	178	32460.32	<.001
Time	1	178	3.19	0.076
Group	1	33	0.08	0.785
Gender	1	33	5.99	0.020
Time:group	1	178	4.08	0.045

Table 33: Inferential statistics for VAS stress for combined treatment group in the ITT population, outcome was square root transformed

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	5.26	2.99	171	0.003
Time	-0.009	-5.34	171	<.001
sage group(collapsed)	-0.863	-1.42	32	0.165
recovery	-0.315	-1.56	32	0.129
Sweets intake	0.164	1.21	32	0.236
Time:sage group(collapsed)	0.006	2.68	171	0.008
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	171	93.12	<.001
Time	1	171	28.90	<.001
Group	1	32	0.45	0.507
Gender	1	32	4.10	0.051
Fruit and vegetable intake	1	32	1.46	0.235
Time:group	1	171	7.18	0.008

Table 34: Inferential statistics for SAM dominance for combined treatment group in the ITT population, outcome was square transformed

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	75.097	10.47	170	<.001
Time	0.041	3.47	170	0.001
sage group(collapsed)	-3.957	-0.72	31	0.479
Sleep disruptions	-5.033	-0.87	31	0.390
TICS work dissatisfaction	-1.507	-2.68	31	0.012
Time:sage group(collapsed)	-0.020	-1.34	170	0.181
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	170	478.54	<.001
Time	1	170	16.61	<.001
Group	1	31	1.46	0.236
Sleep disruptions	1	31	2.81	0.104
TICS work dissatisfaction	1	31	7.20	0.012
Time:group	1	170	1.81	0.181

Table 35: Inferential statistics for SAM mood for combined treatment group in the ITT population, outcome was log transformed

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	0.837	1.96	176	0.052
Time	-0.006	-2.3	29	0.029
sage group(collapsed)	0.098	1.91	29	0.066
Weight	0.205	1.98	29	0.057
Sleep duration	-0.047	-1.43	29	0.162
Sleep disruption	0.023	1.91	29	0.066
recovery	-0.001	-2.41	176	0.017
TICS chronic worrying	-0.088	-0.88	29	0.386
Time: sage group(collapsed)	0.001	1.44	176	0.151
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	176	587.91	<.001
Time	1	29	4.91	0.035
Group	1	29	9.24	0.005
Weight	1	29	5.08	0.032
Sleep duration	1	29	2.95	0.097
Sleep disruption	1	29	3.43	0.074
recovery	1	176	4.59	0.034
TICS chronic worrying	1	29	0.24	0.628
Time:group	1	176	2.08	0.151

Table 36: Inferential statistics for Picture Recognition Original Stimuli Accuracy in the ITT population, outcome was square transformed

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	6277.332	7.47	65	<.001
1hr post dose	-29.167	-0.06	65	0.952
2.5hr post dose	664.583	1.39	65	0.170
150 mg	62.757	0.10	30	0.918
300 mg	-96.489	-0.15	30	0.879
Gender	820.047	2.02	30	0.052
TICS social overload	204.861	3.80	30	0.001
TICS work dissatisfaction	-182.257	-4.08	30	<.001
1hr post dose:150 mg	-322.917	-0.48	65	0.635
2.5hr post dose:150 mg	-437.500	-0.65	65	0.521
1hr post dose:300 mg	511.529	0.74	65	0.460
2.5hr post dose:300 mg	-105.137	-0.15	65	0.879
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	65	1639.5596	<.001
Time	2	65	1.7595	0.180
Group	2	30	0.2984	0.744
Gender	1	30	4.9012	0.035
TICS social overload	1	30	4.9184	0.034
TICS work dissatisfaction	1	30	16.4233	<.001
Time:group	4	65	0.4817	0.749

Table 37: Inferential statistics for Picture Recognition New Stimuli Accuracy in the ITT population

Linear mixed effects model summary				
	Estimate	t-value	DF	p-value
Intercept (placebo, baseline)	72.90881	17.49	66	<.001
1hr post dose	0.83333	0.27	66	0.787
2.5hr post dose	1.66667	0.54	66	0.589
150 mg	3.67950	0.85	31	0.400
300 mg	3.38297	0.76	31	0.453
CAR increase	0.37517	1.85	31	0.075
TICS social overload	0.76488	2.16	31	0.039
1hr post dose:150 mg	-2.91667	-0.67	66	0.504
2.5hr post dose:150 mg	-9.58333	-2.21	66	0.031
1hr post dose:300 mg	-2.08333	-0.48	66	0.633
2.5hr post dose:300 mg	-1.66667	-0.38	66	0.702
F-tests				
	Numerator DF	Denominator DF	F-value	p-value
Intercept (placebo, baseline)	1	66	3578.161	<.001
Time	2	66	0.700	0.500
Group	2	31	0.798	0.459
Car increase	1	31	3.520	0.070
TICS social overload	1	31	4.665	0.039
Time:group	4	66	1.565	0.194