

Second wave of COVID-19 in India could be predicted with genomic surveillance of SARS-CoV-2 variants coupled with epidemiological data: A tool for future

Kumar et al., 2021

Supplementary files:






Figure S1 Daily new COVID-19 cases and deaths in Indian population for the period of 15th February, 2020 to 2nd June, 2021. (Data source: Worldometer: <https://www.worldometers.info/coronavirus/coronavirus/country/india>).


ANDAMAN AND NICOBAR ISLANDS




ANDHRA PRADESH




ASSAM




BIHAR




CHANDIGARH




CHHATTISGARH




DELHI




GUJARAT




GOA




HIMACHAL PRADESH




HARYANA




JAMMU AND KASHMIR




JHARKHAND



KARNATAKA




MADHYA PRADESH




- VOC 202012/01 GRY (B.1.1.7) first detected in the UK
- VOC GH/501YV2 (B.1.351) first detected in South Africa
- VOC GR/501YV3 (P.1) first detected in Brazil/Japan
- VOC G/452R.V3 (B.1.617+) first detected in India
- VUI GH/452R.V1 (B.1.429+B.1.427) first detected in USA/California
- VUI G/484K.V3 (B.1.525) first detected in UK/Nigeria
- Others (A,AE,B,C,L,N,P,R)

MANIPUR




- VOC 202012/01 GRY (B.1.1.7) first detected in the UK
- VOC GH/501YV2 (B.1.351) first detected in South Africa
- VOC GR/501YV3 (P.1) first detected in Brazil/Japan
- VOC G/452R.V3 (B.1.617+) first detected in India
- VUI GH/452R.V1 (B.1.429+B.1.427) first detected in USA/California
- VUI G/484K.V3 (B.1.525) first detected in UK/Nigeria
- Others (A,AE,B,C,L,N,P,R)

MAHARASHTRA




- VOC 202012/01 GRY (B.1.1.7) first detected in the UK
- VOC GH/501Y.V2 (B.1.351) first detected in South Africa
- VOC GR/501Y.V3 (P.1) first detected in Brazil/Japan
- VOC G/452R.V3 (B.1.617+) first detected in India
- VUI GH/452R.V1 (B.1.429+B.1.427) first detected in USA/California
- VUI G/484K.V3 (B.1.525) first detected in UK/Nigeria
- Others (A,AE,B,C,L,N,P,R)

ODISHA




- VOC 202012/01 GRY (B.1.1.7) first detected in the UK
- VOC GH/501Y.V2 (B.1.351) first detected in South Africa
- VOC GR/501Y.V3 (P.1) first detected in Brazil/Japan
- VOC G/452R.V3 (B.1.617+) first detected in India
- VUI GH/452R.V1 (B.1.429+B.1.427) first detected in USA/California
- VUI G/484K.V3 (B.1.525) first detected in UK/Nigeria
- Others (A,AE,B,C,L,N,P,R)


PUDUCHERRY




PUNJAB




RAJASTHAN




SIKKIM




TAMIL NADU



TELANGANA




TRIPURA



- VOC 202012/01 GRY (B.1.1.7) first detected in the UK
- VOC GH/501Y.V2 (B.1.351) first detected in South Africa
- VOC GR/501Y.V3 (P.1) first detected in Brazil/Japan
- VOC G/452R.V3 (B.1.617+) first detected in India
- VUI GH/452R.V1 (B.1.429+B.1.427) first detected in USA/California
- VUI G/484K.V3 (B.1.525) first detected in UK/Nigeria
- Others (A,AE,B,C,L,N,P,R)

UTTAR PRADESH



- VOC 202012/01 GRY (B.1.1.7) first detected in the UK
- VOC GH/501Y.V2 (B.1.351) first detected in South Africa
- VOC GR/501Y.V3 (P.1) first detected in Brazil/Japan
- VOC G/452R.V3 (B.1.617+) first detected in India
- VUI GH/452R.V1 (B.1.429+B.1.427) first detected in USA/California
- VUI G/484K.V3 (B.1.525) first detected in UK/Nigeria
- Others (A,AE,B,C,L,N,P,R)





Figure S2 Monthly distribution of SARS-CoV-2 variants in genomic sequence data from states and union territories of India uploaded on GISAID database for the period of 1st December, 2020 to 30th April, 2021. Data source: SARS-CoV-2 genomic sequence—GISAID database: <https://www.gisaid.org>.