Clinical Pharmacy Services Provided in Public Sector Hospitals in Nigeria: A National Survey

Authors: Arit Udoh^{1*}, Mary Akpan², Umar Idris Ibrahim^{3,4}, Basira Kankia Lawal⁵, Kamilu Sarki Labaran⁴, Ekpedeme Ndem², Kosisochi Amorha⁶, Ayodeji Matuluko⁷, Olubukola Tikare⁸, Unoma Ohabunwa⁸, Eneyi Kpokiri⁹

¹College of Medical and Dental Sciences, University of Birmingham, Birmingham, United Kingdom

²Faculty of Pharmacy, University of Uyo, Akwa Ibom State, Nigeria

³Department of Clinical Pharmacy and Pharmacy Practice, Bayero University, Kano, Nigeria

⁴Department of Clinical Pharmacy and Pharmacy Practice, Ahmadu Bello University, Zaria, Nigeria

⁵Department of Clinical Pharmacy and Pharmacy Management, Kaduna State University, Kaduna, Nigeria

⁶Department of Clinical Pharmacy & Pharmacy Management, University of Nigeria Nsukka, Enugu, Nigeria

⁷School of Health and Life Sciences, Glasgow Caledonian University, Glasgow, United Kingdom

⁸Department of Pharmacy, Federal Medical Centre, Abuja, Federal Capital Territory, Nigeria

⁹Faculty of Infectious and Tropical Diseases, London School of Hygiene and Tropical Medicine, London, United Kingdom

ABSTRACT

Background: Studies show that clinical pharmacy services are effective in optimizing medicines use and patients' outcomes. This study aimed to determine the clinical pharmacy services provided in public sector hospitals in Nigeria.

Methods: This was an online survey of 296 primary, secondary and tertiary care hospitals sampled purposively across the 36 States and Federal Capital Territory in Nigeria. Data analysis was conducted descriptively, and via Chi-square test and multivariate analysis of variance (MANOVA).

Key findings: Responses were obtained from 272 hospitals in the country with a survey completion rate of 88%. This included 55 tertiary, 72 secondary, and 145 primary healthcare centres (PHCs). Pharmacists provided pharmaceutical care services in all the tertiary care hospitals, 94% of the secondary, and in only 6% of the PHCs surveyed. The composition of the pharmacy department per level of care was similar across the six geopolitical regions ($V = 0.383$, $F = 1.453$, $P = 0.06$) with more pharmacy staff employed in the tertiary care hospitals compared to the secondary care facilities. The majority ($\geq 75\%$) of the tertiary and secondary care hospitals provided medicines information, patient education and counselling, alongside in- and outpatient dispensing services. However, fewer than 30% reported routine pharmacists' involvement in multidisciplinary ward rounds, medication chart review, therapeutic guidelines development, antibiotic stewardship programmes, and drug therapy monitoring. Pharmacists routinely provided medication error reporting services in only about half of the hospitals in the sample, and this was not associated with the level of care ($p > 0.05$).

Conclusions: The findings of this study demonstrate disparity in clinical pharmacy service availability across the various levels of care in Nigeria. It also highlights the need to scale up and prioritize their integration within the primary care sector.

Keywords: Clinical pharmacy, pharmaceutical care, primary care, Nigeria

INTRODUCTION

In November 2019, the National Council on Establishments (NCE) approved the consultant pharmacist cadre for inclusion in the public sector schemes of service in Nigeria [1]. This approval was assented to by the Head of the Federal Civil Service in September 2020 [1], and represents government acknowledgement of the essential role of pharmacists as medicines experts within the multidisciplinary clinical team. This acknowledgement underscores pharmacists' evolving roles from the focus on medicines and medicinal products, to the provision of patient-oriented services. Globally, this patient-oriented practice model, which is the concept of clinical pharmacy; has been shown to optimize medicines use, assure medication safety, and improve patients' outcomes and quality of life [2].

Although clinical pharmacy is well established in several high income countries [3–7]; its uptake has varied across the world regions and within nations [8–11]. Until recently, the delivery of these services in countries in Africa has been limited and/or non-existent [12–14]. The revised Basel Statements on the Future of Hospital Pharmacy, published in 2014, emphasized the pharmacists' role in the clinical team, including their influence on prescribing and monitoring of medicines use [15,16]. The increasing involvement in patient-oriented service provision underscores the imperative for the availability of appropriately trained pharmacists equipped with the requisite skills needed to provide enhanced pharmaceutical care.

In Nigeria, estimates show that hospital pharmacists make up about 20% of the licensed pharmacy workforce [17]. Although data on the distribution of pharmacists across the private and public sector hospitals in the country is lacking in the literature; anecdotally, majority of the hospital pharmacists are employed in the public sector facilities. Also, most of the internship and post-graduate clinical training of pharmacists are carried out at these hospitals. However, information on the pharmaceutical care services provided, and the involvement of hospital pharmacists in patient-oriented care is unclear. A previous study of hospital pharmacy practice in four States in the North Western region of Nigeria estimates that pharmaceutical care services are provided in about 47 - 85% of the facilities surveyed per state [18]. This information is missing in the literature for the other parts of the country. Given the paucity of data, this study aimed to determine the clinical pharmacy services provided in public sector hospitals in Nigeria. The findings of this study will inform national policy planning in relation to these services.

METHOD

Study setting

Nigeria is the most populous country in Africa with a population of approximately 200 million [19]. The country is divided into six geopolitical zones and comprises the Federal Capital Territory (FCT), 36 States, and 774 Local Governments Areas (LGAs). About two-thirds of the hospitals in the country are government owned with the public sector primary, secondary and tertiary care facilities funded by the local, state and federal governments, respectively [20,21]. Government owned primary care facilities are mainly situated in rural areas and comprise the health centres and health posts [22]. In contrast, public sector secondary and tertiary care facilities are predominantly located in urban/peri-urban areas. The district and general hospitals make up the secondary care facilities in the country while tertiary care providers include the teaching hospitals, federal medical centres (FMCs), and other federal funded facilities. The public sector tertiary care facilities are designed to serve as referral hospitals for complex and specialised care provision while the primary care facilities provide basic and preventative health care services [23,24]. However, poor funding, limited health infrastructure, as well as staffing and medicines shortages at the primary and in most secondary care hospitals, has led to a preference for tertiary care service providers in population health seeking in Nigeria [24].

Study design

This study was an online survey of public sector hospitals in Nigeria. The survey included public sector primary, secondary and tertiary care hospitals sampled across the 36 States and the FCT. To ensure that all the states and FCT in the country were duly represented in the survey; the hospitals per state were sampled purposively. Specifically, the Nigeria Health Facility Registry of the Federal Ministry of Health [25] was consulted to identify the public sector hospitals in the country. Thereafter, all the teaching hospitals and FMCs listed were targeted for data collection. Where feasible, data from an additional federal government funded facility in each State were also collected to make up two tertiary care hospitals. In addition, two general hospitals and four primary healthcare centres (PHCs)/health posts in each of the states were targeted. In total, 74 tertiary and secondary care facilities each, and 148 PHCs/health posts were targeted.

Data collection

Data collection was via the online Qualtrics® software (Qualtrics, Utah, USA). The hospital administrator, head of the pharmacy department or a designated senior pharmacist with managerial responsibility at each target facility provided data for the survey. Respondents for this survey were identified via the Association of Hospital and Administrative Pharmacists of Nigeria (AHAPN), the state chapters of the Pharmaceutical Society of Nigeria (PSN), and through the authors' professional network. The online survey link was shared with each respondent with consent to participate required prior to data completion. This survey was conducted over 12 months and data collection concluded on 30 July 2020. Ethical review and approval for this study was obtained from the National Health Research Ethics Committee (NHREC) of the Federal Ministry of Health in Nigeria (REF NO: NHREC/01/01/2007).

Survey Instrument

The data collection tool (provided in Appendix 1) was adapted from a previously validated instrument used in a survey of hospital pharmacy practice in Ireland [7]. The adapted questionnaire was pre-tested for face and content validity in a sample of five pharmacists who were not directly involved in this study. Feedback obtained from the pre-test was incorporated with further iteration resulting in a questionnaire comprising 23 items that required a combination of multiple choice, "Yes", "No", "Not applicable", or free text responses. The survey questions were presented over five pages. The first page of the questionnaire included a consent question that required an affirmative answer to be eligible to participate.

To ensure completeness, all the survey questions were mandatory. Respondents had to provide an answer to the questions on a given page in order to proceed to the next. Given the objective of this study and to ensure a meaningful interpretation of the survey findings; a filtering question was employed. The provision of pharmaceutical care services by pharmacist at each facility was the filtering question used. This question was presented in the demographic section on page 2, and respondents who answered "No" were automatically taken to the end of the survey.

Data Analysis

Quantitative data obtained in this study were analysed using SPSS v26 (IBM, USA). Descriptive statistics including frequency (counts, percentages), mean (standard deviation (SD)), median (interquartile range (IQR)) were used to summarize the data while the Pearson's Chi-square (χ^2) was used to assess association

between categorical variables. Disparity in the composition of the pharmacy department and the availability of clinical pharmacy services per level of care across the six geopolitical zones in the country, was assessed using the Pillai's Trace statistic (V) of the multivariate analysis of variance (MANOVA). The Pillai's Trace multivariate statistic was chosen because it is more robust to outliers and violation of normality [26]. Confirmatory post-hoc analysis was also conducted using the Bonferroni correction. The findings of this survey are reported in line with the Checklist for Reporting Results of Internet E-Surveys (CHERRIES) guidelines [27].

RESULTS

In total, 308 respondents accessed the online survey link on Qualtrics and consented to participate in the study. Of this number, 272 provided complete responses to the survey questions, indicating a completion rate of 88%. The 36 incomplete responses included those who consented to participate on the first page of the questionnaire but did not attempt the survey questions ($n=11$), and others who attempted only some of the demographic questions ($n=25$). The incomplete responses were not useable and were therefore excluded from further analysis.

Demography

Of the 272 complete responses obtained, 55 were from tertiary care facilities and comprised all the teaching hospitals, FMCs and 11 other government-funded hospitals in the country; 72 were secondary care providers and these were all general hospitals, while the remaining 145 were PHCs. Geographically, responses were obtained from hospitals across the 36 States in the country including the FCT. Regionally, the highest number of responses were from hospitals in the North West ($n = 51$, 19%) while the least were from the South East ($n = 36$, 13%) regions (Table 1).

Hospital profile

Median hospital size with respect to number of beds varied across the three levels of care. The tertiary care facilities in the sample were generally larger compared to the secondary and primary care hospitals (Table 1). The size of the hospital was also reflected by the number of dispensing locations available. The PHCs and about 72% of the secondary care facilities had between one to three dispensing locations for pharmaceuticals while the majority (89%) of the tertiary care facilities had about four or more (Table 1). Pharmaceutical care services were provided by pharmacists in all (100%) of the tertiary facilities, and in

most of the secondary care hospitals (N = 68, 94%). However, pharmacists were only available in fewer than 10% of the PHCs in this survey (Table 1). Given the objective of this study, which was to determine the clinical pharmacy services provided; only the data obtained in the tertiary and secondary care facilities were further analysed hereafter.

Table 1: Hospital Profile and demography

Hospital Profile		Hospital Level of Care		
		Primary (N=145)	Secondary (N=72)	Tertiary (N=55)
Geographical distribution, n (%)	North Central	28 (19)	11 (15)	9 (16)
	North East	23 (16)	12 (17)	8 (15)
	North West	27 (19)	14 (19)	10 (18)
	South East	20 (14)	9 (13)	7 (13)
	South South	23 (16)	12 (17)	11 (20)
	South West	24 (16)	14 (19)	10 (18)
Size of facility (Number of beds, n (%))	<100 beds	145 (100)	54 (75)	6 (11)
	101 – 250	0 (0)	18 (25)	16 (29)
	251 – 500	0 (0)	0 (0)	24 (44)
	≥ 501	0 (0)	0 (0)	9 (16)
	Median N (IQR)	15 (20)	100 (77)	368 (187)
Pharmacy opening times, n (%)	Min – Max	6 – 30	12 – 250	60 – 850
Number of dispensing locations at facility, n (%)	< 24 hours	145 (100)	41 (57)	10 (18)
	24 hours	0 (0)	31 (43)	45 (82)
Pharmacist provide pharmaceutical care services at facility, n (%)	1 – 3	145 (100)	52 (72)	6 (11)
	4 – 6	0 (0)	20 (28)	15 (27)
	> 6	0 (0)	0 (0)	34 (62)
Pharmacist provide pharmaceutical care services at facility, n (%)	Yes	9 (6)	68 (94)	55 (100)
	No	136 (94)	4 (6)	0 (0)

Pharmacy department profile

This section of the analysis included all the tertiary and the 68 secondary care hospitals that reported that pharmaceutical care services were provided by pharmacists (N = 123). Generally, the composition of the pharmacy department was comparative across the six geopolitical regions in the country (V = 0.383, F = 1.453, P = 0.06) with no statistical significant difference observed beyond the level of care provided in the respective hospitals (V = 0.522, F = 18.378, P = 0.001). The total number of pharmacy staff in the respective cohorts varied with more pharmacists, pharmacy technicians and support staff employed in the tertiary

care hospitals compared to the secondary care facilities (Table 2). This was reflective of the size of the hospitals in the respective cohorts. More than 70% of the pharmacists employed in the tertiary care hospitals were those with five or more years of practice experience, compared to the secondary care cohort with about 57% (Table 2). A higher proportion of the pharmacists in the tertiary care cohort had a post-graduate degree or professional recognition compared to the secondary care with about a third (Table 2).

About half of the secondary care cohort reported a centralized drug distribution system compared to the approximately 60% in the tertiary care respondents that reported a decentralized or a patient-oriented drug distribution system (Table 2). Pharmacist-led outpatient clinics were available in only four (3%) hospitals in the sample. Relative to the secondary care hospitals, other outpatient clinics with significant pharmacists' input beyond dispensing were reported in more of the tertiary care hospitals (Table 2), however, this was not statistically significant ($\chi^2 = 2.45$, $P = 0.12$) (Table 2). On the other hand, sexual health clinics with significant pharmacists' input were more likely to be available in secondary care ($\chi^2 = 13.59$, $P = 0.001$), while oncology clinics were more likely to be reported in the tertiary care hospitals ($\chi^2 = 8.46$, $P = 0.004$) (Table 2).

Table 2: Pharmacy department profile per level of care

Pharmacy Profile		Hospital Level of Care		Total sample (N=123)
		Secondary (N=68)	Tertiary (N=55)	
Pharmacy staff gender profile, mean percent ($\pm$ SD)	Males	53(24)	50 (19)	52 (22)
	Females	47 (24)	50 (19)	48 (22)
Number of licensed pharmacists employed at facility, mean ($\pm$ SD)		5 (5)	30 (22)	16 (16)
Number of pharmacy technicians employed at facility, mean ($\pm$ SD)		4 (4)	9 (8)	7 (7)
Number of pharmacy support staff, mean ($\pm$ SD)		3 (3)	11 (10)	7 (6)
Proportion of pharmacists with <5 years' experience, mean percent ($\pm$ SD)		43 (35)	27 (19)	32 (28)
Proportion of pharmacists with 5 – 10 years' experience, mean percent ($\pm$ SD)		37 (32)	35 (19)	39 (25)
Proportion of pharmacists with > 10 years' experience, mean percent ($\pm$ SD)		20 (28)	38 (27)	29 (26)
Proportion of pharmacists with post-graduate qualification or professional recognition, mean percent ($\pm$ SD)		22 (21)	51 (31)	34 (33)
Compendial and drug reference resources available at facility	Yes, n (%)	62 (91)	53 (96)	115 (93)
	No, n (%)	6 (9)	2 (4)	8 (7)
Access to online medicine information	Yes, n (%)	29 (43)	40 (73)	69 (56)
	No, n (%)	39 (57)	15 (27)	54 (44)
Drug distribution system available at facility	Centralized, n (%)	34 (50)	22 (40)	56 (46)
	Decentralized, n (%)	12 (18)	25 (45)	37 (30)
	Patient-oriented service, n (%)	22 (32)	8 (15)	30 (24)
Pharmacist-led outpatient clinic available at site	Yes, n (%)	1 (2)	3 (6)	4 (3)
	No, n (%)	67 (98)	52 (94)	119 (97)
Outpatient clinic with significant pharmacist input available at site	Yes, n (%)	43 (63)	42 (76)	85 (69)
	No, n (%)	25 (37)	13 (24)	38 (31)
Type of outpatient clinic with significant pharmacist input	HIV/AIDs, n (%)	42 (62)	37 (67)	79 (64)
	Sexual health, n (%)	18 (26)	1 (2)	19 (15)
	Tuberculosis, n (%)	15 (22)	14 (25)	29 (24)
	Oncology, n (%)	2 (3)	10 (18)	12 (10)

*SD= Standard deviation

Clinical pharmacy services provided

The study showed that medicines information, patient education and counselling, in-patient and outpatient dispensing services were always available in the majority ($\geq 75\%$) of the tertiary and secondary care hospitals in the sample (Table 3). However, fewer than a third of the respondents in either cohort indicated that pharmacists were routinely involved in multidisciplinary ward rounds, therapeutic guidelines development, antibiotic stewardship programmes, anticoagulant services, drug therapy monitoring, clinical trials, and parenteral nutrition service provision (Table 3). Comparatively, discharge counselling, drug utilization evaluation and review, compounding/extemporaneous preparations, and medical device services were more likely to be available in the tertiary care hospitals while vaccines services were more likely to be provided in the secondary care hospitals ($p < 0.05$) (Table 3). Only about half of the hospitals in the overall sample reported the availability of a medication error, pharmacovigilance/adverse drug events (ADE) or adverse drug reaction (ADR) reporting service, and this was not associated with the level of care ($p > 0.05$) (Table 3).

1 **Table 3: Availability of clinical pharmacy services per level of care** (*statistical significance $p < 0.05$)

Clinical pharmacy services provided	Hospital Level of Care												X ²	P
	Secondary (N=68)						Tertiary (N=55)							
	Never		Rarely		Always		Never		Rarely		Always			
	n	%	n	%	n	%	n	%	n	%	n	%		
Multidisciplinary ward rounds	31	46	28	41	9	13	27	49	19	35	9	16	0.574	0.751
Medication Chart review	25	37	23	34	20	29	18	33	24	44	13	24	1.398	0.491
Medication error reporting	9	13	23	34	36	53	5	9	24	44	26	47	1.742	0.481
Therapeutic guidelines and protocol development	26	38	28	41	14	21	22	40	22	40	11	20	0.01	0.995
Inpatient dispensing	12	18	13	19	43	63	7	13	3	5	45	82	6.599	0.037*
Outpatient dispensing	0	0	0	0	68	100	0	0	0	0	55	100	0	1
Medicines information	0	0	10	15	58	85	0	0	11	22	39	78	3.107	0.078
Antimicrobial stewardship	35	51	26	38	7	10	18	33	22	40	15	27	7.761	0.021*
Contraceptive services	35	51	17	25	16	24	26	47	18	33	11	20	0.999	0.607
Vaccines services	13	19	12	18	43	63	19	35	19	35	17	31	12.179	0.002*
Cold chain management	9	13	10	15	49	72	11	20	8	15	36	65	1.135	0.567
Anticoagulant services	46	68	16	24	6	9	25	45	14	25	16	29	9.947	0.007*
Medical devices services	31	46	14	21	23	34	8	15	22	40	25	45	14.87	0.001*
Compounding/Extemporaneous preparation	18	26	32	47	18	26	4	7	4	7	47	85	43.472	0.001*
Pharmacovigilance/ADE/ADR reporting	5	7	33	49	30	44	2	4	23	42	30	55	1.851	0.396
Drug therapy monitoring	8	12	36	53	24	35	9	16	28	51	18	33	0.589	0.745
Medicines reconciliation/history	13	19	29	43	26	38	12	22	14	25	29	53	4.499	0.105
Involvement in clinical trials	54	79	14	21	0	0	23	42	22	40	10	18	23.143	0.001*
Patient education & counselling	0	0	3	4	65	96	0	0	4	7	51	93	0.464	0.496
Discharge counselling	18	26	29	43	21	31	7	13	17	31	31	56	8.616	0.013*
Drug utilization evaluation & review	20	29	29	43	19	28	6	11	19	35	30	55	10.838	0.004*
Aseptic services	34	50	22	32	12	18	16	29	23	42	16	29	5.764	0.056
Parenteral nutrition support (TPN and enteral feeds)	41	60	15	22	12	18	23	42	18	33	14	25	4.162	0.125

The results also showed disparity in the availability of clinical pharmacy services across the six geopolitical regions ($V = 1.293$, $F = 1.570$, $P = 0.001$). Post-hoc analysis indicated that pharmacists in more of the North Central and South West hospitals ($n = 5(26\%)$, $9(36\%)$, respectively) were routinely involved in multidisciplinary ward rounds compared to the other regions with fewer than 5% each. The North Central, South West and South South respondents were more likely to respectively report routine availability of medication chart review ($n = 12(58\%)$, $8(35\%)$, $10(43\%)$) and therapeutic guideline development services ($n = 6(32\%)$, $6(26\%)$, $8(35\%)$), compared to the other regions with fewer than 10% each. Although most of the hospitals in the North Central, North East, North West and South West regions provided compounding/extemporaneous preparation services ($n = 16(79\%)$, $11(56\%)$, $12(52\%)$, $12(52\%)$, respectively); fewer than half of those in the South East and South South ($n = 5(31\%)$, $10(43\%)$, respectively) reported this. Medication error services were reported by more than half of the North Central, North East, South South and South West ($n = 13(63\%)$, $11(55\%)$, $12(52\%)$, $17(70\%)$, respectively) respondents compared with only about a third in the North West and South East region ($n = 7(30\%)$, $4(25\%)$, respectively).

Respondents' perception of practice

Overall, only a few of the respondents ($\leq 30\%$) agreed that the available technology in the pharmacy department, the continuous professional development (CPD) opportunities, and the pharmacists' influence on prescribing was adequate or satisfactory at the respective hospitals (Table 4). This perception was not associated with the level of care provided in the hospitals ($p > 0.05$). More than half of those in the tertiary care compared to a smaller proportion in the secondary care hospitals, agreed that the pharmacy department had the right skills mix with satisfactory opportunities for developing expertise in hospital pharmacy practice (Table 4). However, this difference in perception was not statistically Significant ($p > 0.05$) (Table 4). The majority of the tertiary ($n = 48(87\%)$) and secondary care ($n = 53(78\%)$) respondents agreed that interdisciplinary collaboration in the hospital will raise the profile of the pharmacy department (Table 4). Generally, respondents' perceptions of practice within the respective levels of care were comparative across the six geopolitical regions ($V = 0.333$, $F = 0.888$, $p = 0.681$).

29 **Table 4: Respondents' perceptions of practice and available resources** (*statistical significance $p < 0.05$)

Pharmacists' perceptions of practice	Hospital Level of Care										χ ²	P		
	Secondary (N=68)						Tertiary (N=55)							
	Disagree		Neutral		Agree		Disagree		Neutral				Agree	
	n	%	n	%	n	%	n	%	n	%			n	%
The technology in this pharmacy is adequate to support the provision of high quality pharmacy services	34	50	22	32	12	18	16	29	22	40	17	31	7.07	0.070
The pharmacy team has satisfactory influence over the policymakers and managers within the hospital	17	25	17	25	34	50	20	36	24	44	11	20	11.953	0.003*
More joint professional working and interdisciplinary collaboration would raise the profile of this hospital pharmacy team	0	0	15	22	53	78	2	4	5	9	48	87	5.940	0.051
We have the right mix of skills and qualifications among our staff to provide our current services	9	13	24	35	35	51	7	13	10	18	38	69	4.818	0.090
Staff here have many opportunities to develop high levels of expertise in general hospital pharmacy practice	16	24	22	32	30	44	6	11	19	35	30	55	3.429	0.180
Staff here have many opportunities to develop high levels of expertise in specific clinical areas of hospital pharmacy practice	19	28	20	29	29	43	9	16	19	35	27	49	2.320	0.313
There are many in-house CPD opportunities for staff	25	37	25	37	18	26	20	36	18	33	17	31	0.354	0.838
Hospital pharmacists are responsible and accountable for patients' medication-related outcomes in this hospital	16	24	25	37	27	40	6	11	21	38	28	51	3.577	0.167
Hospital pharmacists significantly influence the prescribing practice in this hospital	20	29	21	31	27	40	19	35	24	44	12	22	6.961	0.138

31

32 DISCUSSION

33 Pharmacists' are essential for attaining the goal of universal health coverage and equitable access to
34 essential health services, particularly with respect to optimizing the safe and responsible use of medicines
35 [28]. Existing reports indicate that pharmaceutical care services and medicines-related activities are
36 carried out by non-pharmacists in the majority of the PHCs in Nigeria [23,29,30]. This was observed in our
37 study as pharmacists were employed in only a fraction of the primary care facilities. This finding highlights
38 the need to prioritize the integration of clinical pharmacists within the primary care system in Nigeria. This
39 is essential, given the evidence from other countries that demonstrate the effectiveness of pharmacist-
40 led primary care interventions in long term disease prevention, medication therapy management, and
41 improvement in drug-related patient outcomes [31,32].

42 Although outpatient clinics with significant pharmacist input beyond dispensing were available in about
43 two-thirds of the hospitals in our survey; the disparity in service availability within the specific levels of
44 care and across the various geopolitical regions indicate the need for national scale up. Several factors
45 including significant workforce shortages, high attrition rate, poor remuneration and funding, and the
46 available pharmacists' expertise are some of the factors reported to limit uptake of clinical pharmacy
47 services in countries in Africa including Nigeria [9,12,18,33–35]. This may explain why some of the clinical
48 pharmacy services assessed in this survey were more likely to be available in the tertiary facilities
49 compared to the secondary care hospitals; especially as the former tend to be larger, more funded and
50 equipped with the capacity of employing more staff. On the other hand, this may also be related to the
51 practice experience of the licensed pharmacists employed in the hospitals within the respective levels of
52 care. Pharmacists in the tertiary care hospitals tended to be more experienced with a larger proportion
53 possessing a post-graduate qualification or professional recognition. This suggests that the tertiary care
54 pharmacists are more likely to have undertaken further post-registration training and are potentially more
55 equipped to provide enhanced patient-oriented care services in their respective hospitals.

56 The finding that online medicine information services were not available in close to half of the secondary
57 care hospitals highlights the need to improve the available information technology infrastructure in the
58 respective hospitals. This is necessary, so as to ensure pharmacists' access to current medicines

information resources, especially as existing evidence demonstrates that professional practice that is consistent with up-to-date knowledge influence patient safety and clinical outcomes [36]. This was also emphasized by the significant proportion of study respondents in both the tertiary and secondary care hospitals who indicated that the IT resources and CPD opportunities available were not adequate. More robust training infrastructure that would provide further opportunities for pharmacists to develop their skills and promote lifelong learning are therefore required in the country. Enhanced pharmaceutical care services such as medication chart review, medication error reporting, antibiotic stewardship programmes, and pharmacovigilance activities are important clinical services that impact patient outcomes [2,37]. Prioritizing pharmacists' involvement in these key services in Nigeria is crucial in order to safeguard patients' health, ensure medication safety, and limit drug interactions.

To the best of our knowledge, this is the first study to provide a comparative overview of the available clinical pharmacy services within the various levels of care and across the six geopolitical regions of Nigeria. The national scope of the study is a key strength, given the paucity of data in the subject area. However, given that this was a non-random survey, our study estimates though accurate, are unlikely to be a precise representation of the population of interest. Also, this study relied on respondents' report of the services available at their respective hospital. This approach is likely to have introduced bias associated with the use of self-administered questionnaires [38]. Despite these limitations, the broad similarities in service provision within the respective levels of care in our sample, provide an indication of the existing trends with respect to clinical pharmacy service availability across the states and geopolitical regions in the country.

Conclusions

This study provides evidence that was previously lacking with respect to the availability of clinical pharmacy services in public sector hospitals in Nigeria. The disparity in the availability of these services across the various levels of care highlight the need to scale up the uptake of these services nationally. Our findings also emphasize the need to prioritize the integration of clinical pharmacy services within the primary healthcare system, to ensure equitable access to medicines expertise and contribute to universal health coverage. The evidence in this study can inform national policy planning and development in the pharmaceutical sector in Nigeria, particularly in relation to ensuring the availability of enhanced patient-oriented services.

References

1. Obayendo T. Presidency Approves Consultant Pharmacist Cadre in Public Service. *Pharmanewsonline* 2020.
2. Rotta I, Salgado TM, Silva ML *et al*. Effectiveness of clinical pharmacy services: an overview of systematic reviews (2000-2010). *Int J Clin Pharm* 2015;**37**:687–97.
3. Carter BL. Evolution of Clinical Pharmacy in the USA and Future Directions for Patient Care. *Drugs Aging* 2016;**33**:169–77.
4. Canadian Society of Hospital Pharmacists. *Hospital Pharmacy in Canada Report 2016/17*. Ottawa, Canada: Canadian Society of Hospital Pharmacists, 2018.
5. Proper JS, Wong A, Plath AE *et al*. Impact of clinical pharmacists in the emergency department of an Australian public hospital: A before and after study. *Emerg Med Australas* 2015;**27**:232–8.
6. Studer H, Boeni F, Messerli M *et al*. Clinical Pharmacy Activities in Swiss Hospitals: How Have They Evolved from 2013 to 2017? *Pharm Basel Switz* 2020;**8**, DOI: 10.3390/pharmacy8010019.
7. The Pharmaceutical Society of Ireland. *Baseline Study of Hospital Pharmacy in Ireland: Final Report*. Dublin, Ireland: The Pharmaceutical Society of Ireland, 2012:205.
8. Elliott RA, Perera D, O’Leary K. National survey of clinical pharmacy services and pharmacy technician roles for subacute aged-care inpatients. *J Pharm Pract Res* 2012;**42**:125–8.
9. Hambisa S, Abie A, Nureye D *et al*. Attitudes, Opportunities, and Challenges for Clinical Pharmacy Services in Mizan-Tepi University Teaching Hospital, Southwest Ethiopia: Health Care Providers’ Perspective. *Adv Pharmacol Pharm Sci* 2020;**2020**:e5415290.
10. Pawłowska I, Pawłowski L, Kocić I *et al*. Clinical and conventional pharmacy services in Polish hospitals: a national survey. *Int J Clin Pharm* 2016;**38**:271–9.
11. Yao D, Xi X, Huang Y *et al*. A national survey of clinical pharmacy services in county hospitals in China. *PLOS ONE* 2017;**12**:e0188354.
12. Auta A, Strickland-Hodge B, Maz J. Challenges to clinical pharmacy practice in Nigerian hospitals: a qualitative exploration of stakeholders’ views. *J Eval Clin Pract* 2016;**22**:699–706.
13. Bronkhorst E, Gous AGS, Schellack N. Practice Guidelines for Clinical Pharmacists in Middle to Low Income Countries. *Front Pharmacol* 2020;**11**, DOI: 10.3389/fphar.2020.00978.
14. Njuguna B, Berhane H, Ndemo FA *et al*. Scaling up clinical pharmacy practice in Africa: Current challenges and the future. *JACCP J Am Coll Clin Pharm* 2020;**3**:966–72.

- 119 15. International Pharmaceutical Federation. *Revised FIP Basel Statements on the Future of Hospital*
120 *Pharmacy*. The Hague, Netherlands: International Pharmaceutical Federation, 2014:6.
- 121 16. Penm J, Moles R. Global developments in hospital pharmacy: the revised Basel statements. *J Pharm*
122 *Pract Res* 2016;**46**:301–3.
- 123 17. Ekpenyong A, Udoh A, Kpokiri E *et al*. An analysis of pharmacy workforce capacity in Nigeria. *J Pharm*
124 *Policy Pract* 2018;**11**:20.
- 125 18. Ma’aji HU, Khan F, Shuaibu A *et al*. Assessment of Hospital Pharmacy Services in North Western
126 Nigeria. *Niger J Pharm Sci* 2018;**17**:90–7.
- 127 19. The World Bank. Population, total - Nigeria | Data. 2019.
- 128 20. International Organization for Migration. *Needs Assessment of the Nigerian Health Sector*. Abuja,
129 Nigeria: International Organization for Migration, 2014:47.
- 130 21. Kombe G, Fleisher L, Kariisa E *et al*. *Nigeria Health System Assessment*. Bethesda, MD: United States
131 Agency for International Development and Abt Associates Inc., 2009.
- 132 22. National Primary Health Care Development Agency. *Report of the Expert Group on Revitalization of*
133 *Primary Health Care In Nigeria*. Abuja, Nigeria: National Primary Health Care Development Agency,
134 2015:97.
- 135 23. Alliance for Health Policy and Systems Research. *Primary Care Systems Profiles and Performance*
136 *(PRIMASYS)*. Geneva, Switzerland: Alliance for Health Policy and Research, The Bill & Melinda Gates
137 Foundation and World Health Organization, 2016:8.
- 138 24. Asuzu M. The necessity for a health system reform in Nigeria. *J Community Med Prim Health Care*
139 2004;**16**:1–3.
- 140 25. Federal Ministry of Health. Distribution of Hospitals and Clinics in Nigeria. *Niger Health Facil Regist*
141 *HFR* 2017.
- 142 26. Olson CL. Comparative Robustness of Six Tests in Multivariate Analysis of Variance. *J Am Stat Assoc*
143 1974;**69**:894–908.
- 144 27. Eysenbach G. Improving the Quality of Web Surveys: The Checklist for Reporting Results of Internet E-
145 Surveys (CHERRIES). *J Med Internet Res* 2004;**6**:e34.
- 146 28. Udoh A, Ernawati DK, Akpan M *et al*. Pharmacies and primary care: a global development framework.
147 *Bull World Health Organ* 2020;**98**:809–11.
- 148 29. Alenoghena I, Aigbiremolen A, Abejegah C *et al*. Primary Health Care in Nigeria: Strategies and
149 Constraints in Implementation. *Int J Community Res* 2014;**3**:74–9.

30. Christian Aid. *Assessment of Primary Health Centres in Selected States of Nigeria: Summary Report of Findings from Christian Aid Supported Communities in Anambra, Benue, Kaduna, Plateau States and the Federal Capital Territory (FCT)*. Abuja, Nigeria: Christian Aid, 2015:38.
31. Tan ECK, Stewart K, Elliott RA *et al*. Pharmacist services provided in general practice clinics: a systematic review and meta-analysis. *Res Soc Adm Pharm RSAP* 2014;**10**:608–22.
32. Avery AJ, Rodgers S, Cantrill JA *et al*. A pharmacist-led information technology intervention for medication errors (PINCER): a multicentre, cluster randomised, controlled trial and cost-effectiveness analysis. *Lancet Lond Engl* 2012;**379**:1310–9.
33. Adibe M, Victoria U. Assessment of Hospital Pharmacy Services in South-Eastern Nigeria. *Int J Pharmagenesis* 2010;**1**:209–15.
34. Bilal AI, Tilahun Z, Gebretekle GB *et al*. Current status, challenges and the way forward for clinical pharmacy service in Ethiopian public hospitals. *BMC Health Serv Res* 2017;**17**:359.
35. Salim AA, Elhada AA, Elgizoli B. Exploring clinical pharmacists' perception of their impact on healthcare in Khartoum State, Sudan. *J Res Pharm Pract* 2016;**5**:272.
36. Institute of Medicine. *To Err Is Human: Building a Safer Health System*. Washington DC: National Academy Press, 2000.
37. Ourghanlian C, Lapidus N, Antignac M *et al*. Pharmacists' role in antimicrobial stewardship and relationship with antibiotic consumption in hospitals: An observational multicentre study. *J Glob Antimicrob Resist* 2020;**20**:131–4.
38. Demetriou C, Ozer BU, Essau CA. Self-Report Questionnaires. *The Encyclopedia of Clinical Psychology*. American Cancer Society, 2015, 1–6.

Funding

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors

Conflict of Interest

None declared

Author contribution

- AU – Conceptualization, methodology, data curation, formal analysis, original draft preparation

- EN, EK, UO, MA, UII - Conceptualization, methodology, data curation, validation, writing review and editing
- BKL, KSL, KA, AM, OT - Methodology, data curation, validation, writing review and editing

Acknowledgment

The authors would like to thank the Association of Hospital and Administrative Pharmacists of Nigeria (AHAPN), the Pharmaceutical Society of Nigeria (PSN) and Olutope Arinola Akinnibosun for assisting with the data collection in this study.

Table Legend

- Table 1: Hospital profile and demography
- Table 2: Pharmacy department profile
- Table 3: Availability of clinical pharmacy services
- Table 4: Respondents' perceptions of practice and available resources

S/N	Name of Facility	State/Location	Region
1	GH Isiukwuato	Abia	South East
2	GH Ohafia	Abia	South East
3	Federal Medical Centre, Umuahia, Abia State	Abia	South East
4	Mkpakpi Utotu, Arochkwu	Abia	South East
5	Ndundu, Isiukwu Ato	Abia	South East
6	PHC Etit Ohazu	Abia	South East
7	Primary Health Centre, Umuebeke	Abia	South East
8	Mubi GH	Adamawa	North East
9	Numan GH	Adamawa	North East
10	Adamawa German Medical Centre Yola	Adamawa	North East
11	Federal Medical Centre, Yola, Adamawa State	Adamawa	North East
12	Bazza PHCc, Michika	Adamawa	North East
13	Gombi A PHCc	Adamawa	North East
14	Gwadabawa PHC, Jimeta	Adamawa	North East
15	Wuro Hausa PHCc, Yola Town	Adamawa	North East
16	General Hospital, Ikot Okoro. Oruk Anam Local Gov't Area. Akwa Ibom State	Akwa Ibom	South South
17	General Hospital Iquita, Oron	Akwa Ibom	South South
18	University of Uyo Teaching Hospital	Akwa Ibom	South South
19	PHC Ukpom-Abak	Akwa Ibom	South South
20	Primary Health Centre, Ikot Oku Ubo	Akwa Ibom	South South
21	Primary Health Centre, Nwaniba, Uruan	Akwa Ibom	South South
22	Primary Healthcare-Based Centre	Akwa Ibom	South South
23	General Hospital Ekwulobia	Anambra	South East
24	General Hospital, Onitsha	Anambra	South East
25	Nauth	Anambra	South East
26	Ukunu Primary Health Centre	Anambra	South East
27	Maternal and Children Health Clinic, Amawbia	Anambra	South East
28	Primary Health Centre, Nise	Anambra	South East
29	Primary Health Centre, Umunnachi	Anambra	South East
30	GH Ningi	Bauchi	North East
31	Federal Medical Centre Azare	Bauchi	North East
32	PHC Buscuri	Bauchi	North East
33	PHC Buzaye	Bauchi	North East
34	PHC Dindima	Bauchi	North East
35	PHC Gada Mewa	Bauchi	North East
36	General Hospital Amassoma	Bayelsa	South South
37	Odi General Hospital	Bayelsa	South South
38	Bayelsa Specialist Hospital	Bayelsa	South South

39	Federal Medical Centre, Yenagoa, Bayelsa State.	Bayelsa	South South
40	Niger Delta University Teaching Hospital Bayelsa	Bayelsa	South South
41	Ekweremo Primary Health Centre	Bayelsa	South South
42	PHC Azikoro	Bayelsa	South South
43	Yenizue PHC	Bayelsa	South South
44	GH Otukpo	Benue	North Central
45	Ugba GH	Benue	North Central
46	Fmc Makurdi	Benue	North Central
47	Chc Yogbo, Guma	Benue	North Central
48	Comprehensive Health Care Center, Gboko North	Benue	North Central
49	PHC Agede, Akurdi	Benue	North Central
50	PHC Otobi, Otukpo	Benue	North Central
51	GH Gwoza	Borno	North East
52	University of Maiduguri Teaching Hospital	Borno	North East
53	Gora Dispensary	Borno	North East
54	Tikka Dispensary	Borno	North East
55	Tobule Health Clinic	Borno	North East
56	Zonal Health Office	Borno	North East
57	General Hospital Calabar	Cross River	South South
58	GH Akim	Cross River	South South
59	University of Calabar Teaching Hospital, Calabar.	Cross River	South South
60	Abenyo Health Post	Cross River	South South
61	Akansoko Clinic, Akpabuyo	Cross River	South South
62	Akpoha Health Post, Abi	Cross River	South South
63	Primary Health Centre, Akim Calabar Municipality	Cross River	South South
64	GH Ogbara	Delta	South South
65	Otor-Udu GH	Delta	South South
66	DELSUTH	Delta	South South
67	Federal Medical Centre Asaba	Delta	South South
68	FUPR Health Centre	Delta	South South
69	Ifie PHC	Delta	South South
70	Govt Unit Hospital Umutu	Delta	South South
71	PHC Adonte	Delta	South South
72	GH Okposi	Ebonyi	South East
73	GH Onueke	Ebonyi	South East
74	Federal Teaching Hospital Abakaliki Ebonyi State	Ebonyi	South East
75	Eguto Health Centre	Ebonyi	South East
76	Ndienyi Health Post	Ebonyi	South East
77	Okaria Health Post	Ebonyi	South East
78	Orona Health Centre	Ebonyi	South East

79	General Hospital Ekpoma	Edo	South South
80	GH Afueze	Edo	South South
81	Irrua Specialist Teaching Hospital	Edo	South South
82	University of Benin Teaching Hospital	Edo	South South
83	Ohe Primary Health Centre	Edo	South South
84	Bekuma Health Post	Edo	South South
85	Idoa PHC	Edo	South South
86	Uneven Health Center	Edo	South South
87	Ode GH	Ekiti	South West
88	State Specialist Hospital Ikole Ekiti	Ekiti	South West
89	Federal Teaching Hospital, Ido Ekiti	Ekiti	South West
90	Okeseri Health Centre	Ekiti	South West
91	Ajebadmidele Health Post	Ekiti	South West
92	Basic Health Centre Irele	Ekiti	South West
93	Odo Basic Health Clinic	Ekiti	South West
94	Medical Centre, University of Nigeria Enugu Campus.	Enugu	South East
95	Enugu State Teaching Hospital, Parklane, Enugu State	Enugu	South East
96	University of Nigeria Teaching Hospital Ituku-Ozalla, Enugu, Enugu State.	Enugu	South East
97	PHC Abakpa Nike	Enugu	South East
98	PHC Awgu Lga	Enugu	South East
99	PHC Ndi-Uno Uwani Akpugo	Enugu	South East
100	PHC Nomeh, Nkanu East	Enugu	South East
101	Garki Hospital, Abuja.	FCT	North Central
102	NNPC Clinic	FCT	North Central
103	UATH, Gwagwalada	FCT	North Central
104	Federal Medical Centre, Jabi, Airport Road, Abuja	FCT	North Central
105	National Hospital Abuja	FCT	North Central
106	Kuje PHC	FCT	North Central
107	Nanda PHC Gwagwalada	FCT	North Central
108	PHC Bwari	FCT	North Central
109	PHC Lugbe	FCT	North Central
110	Cottage Hospital Hinna	Gombe	North East
111	State Specialist Hospital Gombe	Gombe	North East
112	Nafada Health Care Center, Nafada	Gombe	North East
113	Billirin Comprehensive Health Center, Billiri	Gombe	North East
114	Manawachi Health Post	Gombe	North East
115	Primary Health Care Center, Pantami, Gombe State.	Gombe	North East
116	GH Oguta	Imo	South East
117	Imo State Specialist Hospital, Owerri	Imo	South East

118	Imsuth	Imo	South East
119	Federal Medical Centre, Owerri	Imo	South East
120	Akima Health Centre, Oru East	Imo	South East
121	Egbelu Umuhu Health Centre	Imo	South East
122	Omata Health Post	Imo	South East
123	PHC Umuguma	Imo	South East
124	Gumel General Hospital, Gumel Jigawa	Jigawa	North West
125	Hadejia General Hospital	Jigawa	North West
126	Federal Medical Center, Birnin Kudu, Jigawa State	Jigawa	North West
127	Sagu Primary Health Centre	Jigawa	North West
128	Kawaye Health Post	Jigawa	North West
129	Sabon Hari Taura Health Post	Jigawa	North West
130	Walawa Maternity Clinic	Jigawa	North West
131	Ahmadu Bello University Teaching Hospital, Zaria	Kaduna	North West
132	Gambo Sawaba General Hospital	Kaduna	North West
133	Yusuf Dantsoho Memorial Hospital, Kaduna	Kaduna	North West
134	Barau Dikko Teaching Hospital	Kaduna	North West
135	National Ear Care Centre Kaduna	Kaduna	North West
136	Nigerian Defence Academy Hospital Kaduna	Kaduna	North West
137	PHC Jaji	Kaduna	North West
138	PHC Mando	Kaduna	North West
139	PHC Unguwan Rimi	Kaduna	North West
140	Infectious Diseases Hospital	Kano	North West
141	Muhammed Abdullahi Wase Teaching Hospital	Kano	North West
142	Aminu Kano Teaching Hospital	Kano	North West
143	Baburi Health Post, Tundu Wada	Kano	North West
144	Fragawa Health Post	Kano	North West
145	Guzurawa Health Clinic, Kano	Kano	North West
146	Madine Health Post, Bichi	Kano	North West
147	Sarkin Maska Shehu Hospital	Katsina	North West
148	Turai Umar Yar'adua Maternity and Children Hospital Katsina	Katsina	North West
149	Federal Medical Centre Katsina	Katsina	North West
150	Family Support Clinic	Katsina	North West
151	Aya Health Clinic, Baure	Katsina	North West
152	Dadin Kowa Health Centre	Katsina	North West
153	Gidan Bakoshi Health Clinic	Katsina	North West
154	GH Bagudo	Kebbi	North West
155	GH Magaji	Kebbi	North West
156	Maternal Child Health, Rafin Zuru	Kebbi	North West

157	Boko PHC	Kebbi	North West
158	Geza Health Post	Kebbi	North West
159	Tungar Yawo PHC	Kebbi	North West
160	GH Kaba	Kogi	North Central
161	General Hospital Mopa-Muro	Kogi	North Central
162	Federal Medical Centre Lokoja	Kogi	North Central
163	Ojeh PHC	Kogi	North Central
164	Okikili PHC	Kogi	North Central
165	PHC Gboloke	Kogi	North Central
166	PHC Eni Magongo	Kogi	North Central
167	General Hospital Ilorin	Kwara	North Central
168	University of Ilorin Teaching Hospital	Kwara	North Central
169	Babana Dispensary	Kwara	North Central
170	Baruten Health Post & Dispensary	Kwara	North Central
171	Health Post Bayagen	Kwara	North Central
172	Okelele	Kwara	North Central
173	Ajeromi General Hospital	Lagos	South West
174	Federal Neuropsychiatric Hospital Yaba Lagos	Lagos	South West
175	Lagos State University Teaching Hospital, Ikeja Lagos	Lagos	South West
176	Lagos University Teaching Hospital, Idi-Araba Lagos	Lagos	South West
177	National Orthopaedic Hospital Igbobi Lagos	Lagos	South West
178	Nigerian Institute Of Medical Research	Lagos	South West
179	GH Epe	Lagos	South West
180	Mainland Hospital Yaba	Lagos	South West
181	Debojo Primary Health Centre	Lagos	South West
182	Majidun Primary Health Centre	Lagos	South West
183	Harvey Road Health Centre And Maternity	Lagos	South West
184	Itokin Primary Health Centre	Lagos	South West
185	GH Uke	Nasarawa	North Central
186	Keffi GH	Nasarawa	North Central
187	Federal Medical Centre Keffi	Nasarawa	North Central
188	PHC Akwanga	Nasarawa	North Central
189	PHC Angwa Toni, Lafia	Nasarawa	North Central
190	PHC Doma,	Nasarawa	North Central
191	PHC Garaku	Nasarawa	North Central
192	General Hospital Kontagora	Niger	North Central
193	General Hospital Minna	Niger	North Central
194	Federal Medical Centre, Bida	Niger	North Central
195	Efun Madami PHC, Bida	Niger	North Central
196	PHC Agaie	Niger	North Central

197	PHC Kuta, Shiroro Lga	Niger	North Central
198	PHC Waw Road, New Bussa	Niger	North Central
199	GH Omu	Ogun	South West
200	Olikoye Ransom Kuti Memorial Hospital Asero Abeokuta	Ogun	South West
201	Federal Medical Centre Abeokuta	Ogun	South West
202	Olabisi Onabanjo University Teaching Hospital	Ogun	South West
203	Iwopin Comprehensive Health Centre	Ogun	South West
204	Crescent Medical Centre	Ogun	South West
205	Fagberno PHC	Ogun	South West
206	Ijeja Model Clinic	Ogun	South West
207	Otun PHC	Ogun	South West
208	GH Akure	Ondo	South West
209	General Hospital Ipe	Ondo	South West
210	FMC Owo	Ondo	South West
211	Agamo Primary Health Clinic	Ondo	South West
212	Ipori Primary Health Clinic	Ondo	South West
213	Health Centre Ise	Ondo	South West
214	GH Osogbo	Osun	South West
215	State Hospital Ede	Osun	South West
216	Ladoke Akintola University Teaching Hospital	Osun	South West
217	Model Primary Health Centre, Iresi	Osun	South West
218	Aladodo PHC	Osun	South West
219	Ogo-Oluwa PHC	Osun	South West
220	Mokore Primary Health Centre	Osun	South West
221	Tede General	Oyo	South West
222	GH Okaka	Oyo	South West
223	University College Hospital, Ibadan	Oyo	South West
224	Olode PHC	Oyo	South West
225	Asaju Primary Health Centre	Oyo	South West
226	Olode Primary Health Centre	Oyo	South West
227	Iregba Primary Health Centre	Oyo	South West
228	Jos University Teaching Hospital (Juth)	Plateau	North Central
229	Primary Health Care Centre, Daddin Kowa	Plateau	North Central
230	Primary Health Care Centre, Dogon Dutse	Plateau	North Central
231	Primary Health Care Centre, Jos Jarawa	Plateau	North Central
232	Primary Health Care Centre, Jos Township	Plateau	North Central
233	Govt House Clinic PHC	Rivers	South South
234	GH Degema	Rivers	South South
235	Rivers State University Teaching Hospital Port Harcourt	Rivers	South South

236	University Of Port Harcourt Teaching Hospital	Rivers	South South
237	Egendem Health Clinic	Rivers	South South
238	Isiodu Health Centre	Rivers	South South
239	Lulu Briggs Health Centre, University Of Port Harcourt, Rivers, Nigeria	Rivers	South South
240	Medical Center, Rivers State University	Rivers	South South
241	Dogon Daji	Sokoto	North West
242	Infectious Diseases Hospital Amanawa, Sokoto.	Sokoto	North West
243	Specialist Hospital Sokoto	Sokoto	North West
244	Usaman Danfodio University Teaching Hospital Sokoto	Sokoto	North West
245	Chilas PHC	Sokoto	North West
246	Katanga PHC	Sokoto	North West
247	Tarke Health Post	Sokoto	North West
248	Tsitse Health Clinic	Sokoto	North West
249	First Referral Hospital Baissa	Taraba	North East
250	First Referral Hospital Serti	Taraba	North East
251	General Hospital Gembu	Taraba	North East
252	Government House Clinic	Taraba	North East
253	Federal Medical Centre,Jalingo	Taraba	North East
254	Specialist Hospital Jalingo Taraba State	Taraba	North East
255	Mayo-Gwoi Primary Health Centre, Jalingo	Taraba	North East
256	Primary Health Centre, Chachanji	Taraba	North East
257	Primary Health Centre, Kasuwa Ladi	Taraba	North East
258	Primary Health Centre, Sabon Gida	Taraba	North East
259	Dapchi GH	Yobe	North East
260	GH Fika	Yobe	North East
261	Federal Medical Centre, Nguru, Yobe State	Yobe	North East
262	Yobe State University Teaching Hospital Damaturu	Yobe	North East
263	Ningi Health Post	Yobe	North East
264	Sagum Dispensary	Yobe	North East
265	Yelwa Primary Health Clinic	Yobe	North East
266	General Hospital Gusau	Zamfara	North West
267	GH Maru	Zamfara	North West
268	Federal Medical Center Gusau	Zamfara	North West
269	Bawo Dispensary	Zamfara	North West
270	PHC Birnin Mogaji	Zamfara	North West
271	PHC Kurya, Shinkafi	Zamfara	North West
272	PHC Talata Mafara	Zamfara	North West