

**S1 Table.** Characteristics of the study population (n=4870)<sup>a</sup>

Variable	N (%)	Knowledge		Attitude		Practice	
		Inadequate; 3418 (70.2)	Adequate; 1452 (29.8)	Inadequate; 1710 (35.1)	Adequate; 3160 (64.9)	Inadequate; 2360 (48.5)	Adequate; 2510 (51.5)
Age (years)	20 (19-21)	20 (19-21)	20 (19-22)	20 (19-21)	20 (19-21)	20 (19-21)	20 (19-21)
Sex							
Male	1471 (30.2)	1069 (72.7)	402 (27.3)	506 (34.4)	965 (65.6)	812 (55.2)	659 (44.8)
Female	3399 (69.8)	2349 (69.1)	1050 (30.9)	1204 (35.4)	2195 (64.6)	1548 (45.5)	1851 (54.5)
Location	N=4831						
Java	4199 (86.9)	2937 (69.9)	1262 (30.1)	1465 (34.9)	2734 (65.1)	2034 (48.4)	2165 (51.6)
Sumatra	237 (4.9)	173 (73.0)	64 (27.0)	83 (35.0)	154 (65.0)	111 (46.8)	126 (53.2)
Central Indonesia <sup>b</sup>	103 (2.1)	63 (61.2)	40 (38.8)	36 (35.0)	67 (65.0)	56 (54.4)	47 (45.6)
Eastern Indonesia <sup>c</sup>	292 (6.0)	212 (72.6)	80 (27.4)	114 (39.0)	178 (61.0)	144 (49.3)	148 (50.7)
Institution type	N=4831						
Public	2525 (52.3)	1705 (67.5)	820 (32.5)	859 (34.0)	1666 (66.0)	1325 (52.5)	1200 (47.5)
Private	2306 (47.7)	1680 (72.9)	626 (27.1)	839 (36.4)	1467 (63.6)	1020 (44.2)	1286 (55.8)
Academic level							
Pre-clinical	3925 (80.6)	2878 (73.3)	1047 (26.7)	1404 (35.8)	2521 (64.2)	1928 (49.1)	1997 (50.9)
Clinical	945 (19.4)	540 (57.1)	405 (42.9)	306 (32.4)	639 (67.6)	432 (45.7)	513 (54.3)
Living with <sup>d</sup>							
Family	4154 (85.3)	2930 (70.5)	1224 (29.5)	1448 (34.9)	2706 (65.1)	2020 (48.6)	2134 (51.4)
Non-family	58 (1.2)	40 (69.0)	18 (31.0)	20 (34.5)	38 (65.5)	32 (55.2)	26 (44.8)
Alone	658 (13.5)	448 (68.1)	210 (31.9)	242 (36.8)	416 (63.2)	308 (46.8)	350 (53.2)
Number of housemate (people) <sup>d</sup>	4 (3-5)	4 (3-5)	4 (3-5)	4 (3-5)	4 (3-5)	4 (3-5)	4 (3-5)
Living with children							
Yes	2282 (46.9)	1615 (70.8)	667 (29.2)	792 (34.7)	1490 (65.3)	1103 (48.3)	1179 (51.7)
No	2588 (53.1)	1803 (69.7)	785 (30.3)	918 (35.5)	1670 (64.5)	1257 (48.6)	1331 (51.4)
Living with elderly							
Yes	1155 (23.7)	786 (68.1)	369 (31.9)	394 (34.1)	761 (65.9)	563 (48.7)	592 (51.3)
No	3715 (76.3)	2632 (70.8)	1083 (29.2)	1316 (35.4)	2399 (64.6)	1797 (48.4)	1918 (51.6)
Marital status							
Married	21 (0.4)	15 (71.4)	6 (28.6)	6 (28.6)	15 (71.4)	7 (33.3)	14 (66.7)
Not married	4847 (99.5)	3402 (70.2)	1445 (29.8)	1704 (35.2)	3143 (64.8)	2352 (48.5)	2495 (51.5)
Divorced	2 (0.0)	1 (50.0)	1 (50.0)	0 (0.0)	2 (100)	1 (50.0)	1 (50.0)

Family income							
≤ IDR 1,500,000	241 (4.9)	168 (69.7)	73 (30.3)	82 (34.0)	159 (66.0)	116 (48.1)	125 (51.9)
IDR 1,500,001-2,500,000	273 (5.6)	200 (73.3)	73 (26.7)	119 (43.6)	154 (56.4)	154 (56.4)	119 (43.6)
IDR 2,500,001-3,500,000	534 (11.0)	382 (71.5)	152 (28.5)	198 (37.1)	336 (62.9)	259 (48.5)	275 (51.5)
> IDR 3,500,000	3822 (78.5)	2668 (69.8)	1154 (30.2)	1311 (34.3)	2511 (65.7)	1831 (47.9)	1991 (52.1)
History of chronic illness							
Yes	316 (6.5)	200 (63.3)	116 (36.7)	108 (34.2)	208 (65.8)	158 (50.0)	159 (50.0)
No	4554 (93.5)	3218 (70.7)	1336 (29.3)	1602 (35.2)	2952 (64.8)	2202 (48.4)	2352 (51.6)
Volunteered in health sectors							
Yes	864 (17.7)	533 (61.7)	331 (38.3)	258 (29.9)	606 (70.1)	373 (43.2)	491 (56.8)
No	4006 (82.3)	2885 (72.0)	1121 (28.0)	1452 (36.2)	2554 (63.8)	1987 (49.6)	2019 (50.4)
Volunteered in non-health sectors							
Yes	3149 (64.7)	2129 (67.6)	1020 (32.4)	1042 (33.1)	2107 (66.9)	1473 (46.8)	1676 (53.2)
No	1721 (35.3)	1289 (74.9)	432 (25.1)	668 (38.8)	1053 (61.2)	887 (51.5)	834 (48.5)
Family members diagnosed with COVID-19							
Yes	387 (7.9)	258 (66.7)	129 (33.3)	99 (25.6)	288 (74.4)	177 (45.7)	210 (54.3)
No	3831 (78.7)	2679 (69.9)	1152 (30.1)	1378 (36.0)	2453 (64.0)	1828 (47.7)	2003 (52.3)
Don't know	652 (13.4)	481 (73.8)	171 (26.2)	233 (35.7)	419 (64.3)	355 (54.4)	297 (45.6)
Contacts with COVID-19 patients							
Yes	167 (3.4)	97 (58.1)	70 (41.9)	42 (25.1)	125 (74.9)	66 (39.5)	101 (60.5)
No	3618 (74.3)	2532 (70.0)	1086 (30.0)	1289 (35.6)	2329 (64.4)	1694 (46.8)	1924 (53.2)
Don't know	1085 (22.3)	789 (72.7)	296 (27.3)	379 (34.9)	706 (65.1)	600 (55.3)	485 (44.7)
Had been a COVID-19 patient							
Yes <sup>e</sup>	33 (0.7)	22 (66.7)	11 (33.3)	12 (36.4)	21 (63.6)	11 (33.3)	22 (66.7)
No	3990 (81.9)	2784 (69.8)	1206 (30.2)	1423 (35.7)	2567 (64.3)	1869 (46.8)	2121 (53.2)
Don't know	847 (17.4)	612 (72.3)	235 (27.7)	275 (32.5)	572 (67.5)	480 (56.7)	367 (43.3)

<sup>a</sup>Unless explicitly stated, data are presented in n (%), mean ± standard deviation, or median (interquartile range). <sup>b</sup>Includes Sulawesi and Kalimantan. <sup>c</sup>Includes Bali, Nusa Tenggara, Maluku, and Papua. <sup>d</sup>Defined as the people living with the respondents at the time of questionnaire completion. <sup>e</sup>Includes both confirmed and unconfirmed (suspected or probable) cases. COVID-19, coronavirus disease 2019; IDR, Indonesian Rupiah

**S2 Table.** Item-specific responses on the participants' knowledge on COVID-19 (n=4870)

<b>Signaling question</b>	<b>Correct, n (%)</b>
1. Children and teenagers do not need to conduct preventive measures against COVID-19	4729 (97.1)
2. SARS-CoV-2, the etiology of COVID-19, is transmitted via respiratory droplets of infected patients	4697 (96.4)
3. Which of the following can confirm the diagnosis of COVID-19?	4631 (95.1)
4. The main clinical findings in patients with COVID-19 are fever, fatigue, dry cough, and muscle tenderness (myalgia)	4087 (83.9)
5. Currently, not a single drug has been proven to cure COVID-19	4056 (83.3)
6. In COVID-19 patients, what are the radiological findings that might be seen in the chest CT-scan result?	3934 (80.8)
7. Cold and nasal congestion are less likely to be found in patients with COVID-19 compared to patients with common cold	2782 (57.1)
8. What are the laboratory findings that may be present in COVID-19 patients?	1548 (31.8)
9. Eating or getting into contact with a wild animal might cause someone to get infected by the COVID-19 virus	1548 (31.8)
10. How long is the median incubation period of SARS-CoV-2 in human body? (in days)	782 (16.1)

COVID-19, coronavirus disease 2019; CT-scan, computed tomography scan.

**S3 Table.** Item-specific responses on the participants' attitude towards COVID-19 (n=4870)

<b>Signaling question</b>	<b>Strongly disagree</b>	<b>Disagree</b>	<b>Neutral</b>	<b>Agree</b>	<b>Strongly agree</b>
1. Face mask is effective to prevent COVID-19 infection	46 (0.9)	99 (2.0)	391 (8.0)	2389 (49.1)	1945 (39.9)
2. Washing your hands might prevent you from getting COVID-19 infection	24 (0.5)	15 (0.3)	163 (3.3)	2197 (45.1)	2471 (50.7)
3. Early detection of COVID-19 might improve the outcomes of treatment	26 (0.5)	33 (0.7)	281 (5.8)	2205 (45.3)	2325 (47.7)
4. It is possible to take care of COVID-19 patients in their home	338 (6.9)	762 (15.6)	1636 (33.6)	1655 (34.0)	479 (9.8)
5. Health education might reduce the rate of COVID-19 infection	32 (0.7)	38 (0.8)	330 (6.8)	2165 (44.5)	2305 (47.3)
6. COVID-19 is a serious disease	27 (0.6)	29 (0.6)	305 (6.3)	1888 (38.8)	2621 (53.8)
7. Once a vaccine for COVID-19 is available, I will voluntarily get vaccinated	29 (0.6)	42 (0.9)	703 (14.4)	1873 (38.5)	2223 (45.6)
8. COVID-19 is a curable disease	39 (0.8)	77 (1.6)	808 (16.6)	2362 (48.5)	1584 (32.5)
9. People living in my surroundings already have a good awareness regarding COVID-19	548 (11.3)	1253 (25.7)	1503 (30.9)	1237 (25.4)	329 (6.8)
10. The government should have prohibited people from traveling to and from areas infected with COVID-19 to prevent transmission	44 (0.9)	89 (1.8)	792 (16.3)	1985 (40.8)	1960 (40.2)
11. If the number of COVID-19 cases continues to rise, the government should close public places/areas. (e.g., school, place of worship, shopping center, etc.)	36 (0.7)	70 (1.4)	584 (12.0)	1850 (38.0)	2330 (47.8)
12. If the number of COVID-19 cases continues to rise, the government should be ready to impose a lockdown policy	51 (1.0)	89 (1.8)	644 (13.2)	1726 (35.4)	2360 (48.5)

COVID-19, coronavirus disease 2019.

**S4 Table.** Item-specific responses on the participants' practice towards COVID-19 (n=4870)

<b>Signaling question</b>	<b>Strongly disagree</b>	<b>Disagree</b>	<b>Neutral</b>	<b>Agree</b>	<b>Strongly agree</b>
1. In this pandemic, I have always washed my hands for at least 20 seconds	22 (0.5)	63 (1.3)	569 (11.7)	2087 (42.9)	2129 (43.7)
2. In this pandemic, I have always tried to avoid touching my eyes, mouth, and mouth with my hand directly	20 (0.4)	181 (3.7)	1163 (23.9)	2176 (44.7)	1330 (27.3)
3. In this pandemic, I have always implemented a proper coughing and sneezing etiquette	10 (0.2)	24 (0.5)	232 (4.8)	1695 (34.8)	2909 (59.7)
4. In this pandemic, I have always tried to use disinfectants or alike-solutions to clean the surface of my surroundings	41 (0.8)	146 (3.0)	594 (12.2)	1802 (37.0)	2287 (47.0)
5. In this pandemic, I have always tried to use disinfectants or alike-solutions to clean my handphone	146 (3.0)	388 (8.0)	1060 (21.8)	1643 (33.7)	1633 (33.5)
6. In order to prevent contracting and spreading COVID-19, I avoid going out of my home	57 (1.2)	77 (1.6)	474 (9.7)	2179 (44.7)	2083 (42.8)
7. In this pandemic, I have always consumed vitamins to strengthen my immune system	129 (2.6)	279 (5.7)	965 (19.8)	1816 (37.3)	1681 (34.5)
8. In the last few days, I have consumed antibiotics or other non-herbal medications to prevent COVID-19 infection	1927 (39.6)	1118 (23.0)	890 (18.3)	525 (10.8)	410 (8.4)
9. In this pandemic, I have always put my face mask on before getting into contact with other people	8 (0.2)	14 (0.3)	120 (2.5)	1296 (26.6)	3432 (70.5)
10. In this pandemic, I have always avoided handshaking, hugging, or kissing	17 (0.3)	50 (1.0)	322 (6.6)	1754 (36.0)	2727 (56.0)
11. In this pandemic, I have always tried to avoid crowds and getting into close contact with people	12 (0.2)	20 (0.4)	280 (5.7)	2025 (41.6)	2533 (52.0)

12. In this pandemic, I have consumed herbal products or other traditional medicines (e.g., <i>jamu</i> , <i>temulawak</i> , and other herbal “drugs” intended to affect my health)	1449 (29.8)	990 (20.3)	1056 (21.7)	821 (16.9)	554 (11.4)
---	-------------	------------	-------------	------------	------------

COVID-19, coronavirus disease 2019.

**S5 Table.** Correlation between the students’ trust in health information sources with knowledge, attitude, and practice towards COVID-19 (n=4870)<sup>a</sup>

Items	Knowledge	Attitude	Practice
Television	-0.001	-0.005	-0.007
Newspaper	-0.005	0.003	-0.010
Online news	0.008	0.007	-0.026
Social media	-0.009	0.000	-0.040*
Government statement	0.019	-0.001	0.013
Health institution statement	0.012	-0.004	-0.002
Expert opinion	0.020	-0.007	-0.020

\*p<0.01. <sup>a</sup>Analyzed with Spearman’s correlation test. COVID-19, coronavirus disease 2019.