

Supplementary Materials

COVID-19 Vaccine Acceptance in the Canton of Geneva: A Cross-Sectional Web-Based Study

Ania Wisniak, H el ene Baysson, Nick Pullen, Mayssam Nehme, Francesco Pennacchio, Mar ia-Eugenia Zaballa, Idris Guessous, Silvia Stringhini, and the Specchio-COVID19 study group

Part 1: Study questionnaire

The following questions were included in the analysis (in French in the original questionnaire):

- (1) Have you already been vaccinated with at least one dose of the vaccine against COVID-19? (Yes / No / I have an appointment for the first dose)
- (2) Once you will be eligible for the COVID-19 vaccination, do you intend to get vaccinated? (Yes / Rather yes / Rather no / No).
- (3) Then, participants had to clarify the reasons why they would get vaccinated or not (with a list of possible answers, including 'other' entered as free text).
- (4) For those (rather) not intending to get vaccinated: what would make you change your mind in favor of vaccination? (list of possible answers, including 'other' entered as free text)
- (5) Do you think that the vaccine is an important step to end the pandemic?
- (6) Do you think that vaccinated people should continue to adopt preventive measures (such as wearing a mask)?
- (7) In the past three months, have you changed your mind about COVID-19 vaccination? If so, participants were asked to explain what had changed their mind (list of possible answers, including 'other' entered as free text).
- (8) If vaccination against COVID-19 were recommended to children, would you be willing to vaccinate your children? (Yes / Rather yes / I don't know / Rather no / No / I do not have children or my children are above 18)

The questionnaire also included three questions from a French study on vaccination hesitancy¹ adapted from the World Health Organization's Strategic Advisory Group of Experts (SAGE) definition of vaccine hesitancy²:

- (1) Have you ever refused, (for your child or yourself), a vaccine recommended by your physician, because you considered this vaccination as dangerous or useless?
- (2) Have you ever delayed a vaccine recommended by your physician, for your child or yourself because you hesitated over it?
- (3) Have you ever had a vaccine, (for your child or yourself), despite having doubts about its effectiveness?

With possible answers being 'Yes', 'No', 'I Don't know'.

Part 2: Supplementary Figures and Tables

Figure S1. Flow chart of the Specchio-COVID19 Vaccination survey




Table S1 Socio-demographic and health-related characteristics of respondents (n=4'067) vs. non-respondents (n=1'185) to the vaccination questionnaire

Socio-demographic characteristics	Respondents n (%)	Non-respondents n (%)	p-value
Sex			0.002
Female	2276 (56)	626 (52.8)	
Male	1780 (43.8)	548 (46.2)	
Intersex	11 (0.3)	11 (0.9%)	
Mean age +/- SD	53.3 +/- 14.4	43.8 +/- 14.4	
Age category			< 0.001
18-34	423 (10.4)	299 (25.2)	
35-49	1184 (29.1)	511 (43.1)	
50-64	1439 (35.4)	261 (22)	
≥ 65	1021 (25.1)	114 (9.6)	
Education			< 0.001
Compulsory/none	158 (3.9)	81 (6.8)	
Apprenticeship	722 (17.8)	160 (13.5)	
Secondary	546 (13.4)	193 (16.3)	
Tertiary	2631 (64.7)	749 (63.2)	
Household income¹			< 0.001
Low	523 (12.9)	193 (16.3)	
Middle	2055 (50.5)	498 (42)	
High	582 (14.3)	164 (13.9)	
Don't know/don't wish to answer	773 (19)	258 (21.8)	
Chronic disease			< 0.001
Yes	1094 (26.9)	227 (19.2)	
No	2973 (73.1)	956 (80.7)	
Employment status			< 0.001
Employee	2174 (53.5)	726 (61.3)	
Retired	1052 (25.9)	116 (9.8)	
Student	162 (4)	142 (12)	
Independent	320 (7.9)	79 (6.7)	
Househusband or housewife	183 (4.5)	62 (5.2)	
Unemployed	132 (3.2)	46 (3.9)	
Long-term sick leave	43 (1.1)	14 (1.2)	
Living conditions			< 0.001
Alone	589 (14.5)	110 (9.3)	
Single parent with children	238 (5.9)	68 (5.7)	
With partner	1264 (31.1)	195 (16.5)	
With partner and children	1675 (41.2)	623 (52.6)	
Shared apartment	300 (7.4)	189 (15.9)	
Smoking status			< 0.001
Current smoker	606 (14.9)	227 (19.2)	
Former smoker	1296 (31.9)	282 (23.8)	
Never smoker	2164 (53.2)	676 (57)	
Previous SARS-CoV-2 infection³			0.005
Positive	772 (19)	269 (22.7)	
Negative	3295 (81)	916 (77.3)	

SD: standard deviation.

¹ Income category was calculated based on living conditions (alone, with partner, with or without children, with other adults) and reported household income.

² Previous SARS-CoV-2 infection was defined as being either seropositive or having declared a positive PCR or antigenic test for SARS-CoV-2 in one of monthly surveys.

Table S2. Comparison of education level and age category between the Canton of Geneva and the vaccination survey respondents.

	Women		Men		Overall	
	Geneva N (%)	Survey respondents N (%)	Geneva N (%)	Survey respondents N (%)	Geneva N (%)	Survey respondents** N (%)
Education level						
Tertiary	77117 (20.1)	1404 (34.7)	76217 (19.9)	1220 (30.2)	153334 (39.9)	2624 (64.9)
Secondary*	65639 (17.1)	766 (18.9)	59500 (15.5)	498 (12.3)	125139 (32.6)	1264 (31.2)
Compulsory	57509 (15)	99 (2.4)	47930 (12.5)	59 (1.5)	105439 (27.5)	158 (3.9)
Age category						
18-34	58026 (14)	266 (6.6)	57421 (13.9)	155 (3.8)	115447 (27.9)	421 (10.4)
35-49	58556 (14.1)	712 (17.6)	56718 (13.7)	470 (11.6)	115274 (27.8)	1182 (29.1)
50-64	50892 (12.3)	802 (19.8)	48949 (11.8)	632 (15.6)	99841 (24.1)	1434 (35.4)
≥ 65	48509 (11.7)	496 (12.2)	35303 (8.5)	523 (12.9)	83812 (20.2)	1019 (25.1)

*Secondary education level combines 'apprenticeship' and 'secondary' education from Table S1.

**Intersex individuals were not included in this table due to lack of data on this category in the statistics of the canton of Geneva.

Table S3. Willingness to vaccinate one's children (N=1'339) stratified by parents' vaccination, education level and child's age.

	Willingness to vaccinate one's children				
	Yes	Rather yes	Don't know	Rather no	No
Parent's vaccination intention, N (%)					
Yes	341 (37)	245 (26.6)	233 (25.3)	73 (7.9)	29 (3.1)
No	3 (1.3)	10 (4.3)	29 (12.4)	60 (25.6)	132 (56.4)
Don't know	2 (1.1)	10 (5.4)	88 (47.8)	47 (25.5)	37 (20.1)
Parent's education level, N(%)					
Tertiary	296 (29.6)	209 (20.9)	242 (24.2)	123 (12.3)	130 (13)
Secondary	17 (12.8)	19 (14.3)	46 (34.6)	21 (15.8)	30 (22.6)
Apprenticeship	23 (13.9)	29 (17.6)	49 (29.7)	33 (20)	31 (18.8)
Compulsory/none	10 (25.6)	8 (20.5)	11 (28.2)	3 (7.7)	7 (18)
Child's age* (years), N(%)					
0-5	102 (25.8)	78 (19.7)	97 (24.5)	56 (14.1)	63 (15.9)
6-10	78 (20.7)	67 (17.8)	120 (31.9)	51 (13.6)	60 (16)
11-15	110 (27.1)	86 (21.2)	98 (24.1)	52 (12.8)	60 (14.8)
16-18	56 (34.8)	34 (21.1)	35 (21.7)	21 (13)	15 (9.3)

*When a participant had several children, the age of the youngest child was considered in the categorization.

Table S4. Socio-demographic and health-related characteristics, and risk perception stratified by intention of vaccination against COVID-19.

Characteristics	Intention to get vaccinated		
	Yes/rather yes/ already vaccinated (N=3'080) n(%)	No/ rather no (N=562) n(%)	Don't know (N=425) n(%)
Sex			
Female	1631 (53)	357 (63.5)	288 (67.8)
Male	1440 (46.8)	205 (36.5)	135 (31.8)
Intersex	9 (0.3)	0 (0)	2 (0.5)
Age category			
18-34	285 (9.3)	93 (16.5)	45 (10.6)
35-49	803 (26.1)	217 (38.6)	164 (38.6)
50-64	1081 (35.1)	194 (34.5)	164 (38.6)
≥ 65	911 (29.6)	58 (10.3)	52 (12.2)
Education			
Tertiary	2093 (68)	315 (56)	223 (52.5)
Secondary	387 (12.6)	89 (15.8)	70 (16.5)
Apprenticeship	485 (15.7)	135 (24)	102 (24)
Compulsory/none	109 (3.5)	22 (3.9)	27 (6.4)
Household income¹			
Low	347 (11.3)	89 (15.8)	87 (20.5)
Middle	1578 (51.2)	286 (50.9)	191 (44.9)
High	495 (16.1)	46 (8.2)	41 (9.6)
Don't know/don't wish to answer	569 (18.5)	107 (19)	97 (22.8)
NA	91 (3)	34 (6)	9 (2.1)
Chronic disease			
Yes	897 (29.1)	96 (17.1)	101 (23.8)
No	2183 (70.9)	466 (82.9)	324 (76.2)
Residential area			
Rural	483 (15.7)	132 (23.5)	72 (16.9)
Semi-urban	1088 (35.3)	188 (33.5)	161 (37.9)
Urban	1508 (49)	242 (43.1)	192 (45.2)
Employment status			
Employee	1554 (50.5)	352 (62.6)	268 (63.1)
Retired	935 (30.4)	62 (11)	55 (12.9)
Student	120 (3.9)	25 (4.4)	17 (4)
Independent	229 (7.4)	53 (9.4)	38 (8.9)
Househusband or housewife	131 (4.3)	29 (5.2)	23 (5.4)
Unemployed	81 (2.6)	33 (5.9)	18 (4.2)
Long-term sickleave	29 (0.9)	8 (1.4)	6 (1.4)
Living conditions			
Alone	460 (14.9)	79 (14.1)	50 (11.8)
Single parent with children	145 (4.7)	52 (9.3)	41 (9.6)
With partner	1051 (34.1)	122 (21.7)	91 (21.4)
With partner and children	1213 (39.4)	252 (44.8)	210 (49.4)
Shared apartment	210 (6.8)	57 (10.1)	33 (7.8)
Smoking status			
Current smoker	426 (13.8)	90 (16)	90 (21.2)
Former smoker	1014 (32.9)	155 (27.6)	127 (29.9)
Never smoker	1639 (53.2)	317 (56.4)	208 (48.9)

Previous SARS-CoV-2 infection²			
Negative	2573 (83.5)	408 (72.6)	314 (73.9)
Positive	507 (16.5)	154 (27.4)	111 (26.1)
Perceived severity of COVID-19³			
Extremely severe	158 (7)	4 (1)	8 (2.6)
Very severe	608 (27)	27 (6.6)	36 (11.8)
Severe	886 (39.3)	117 (28.5)	125 (41)
Rather severe	570 (25.3)	225 (54.7)	129 (42.3)
Not at all severe	33 (1.5)	38 (9.2)	7 (2.3)
Perceived contagiousness of COVID-19³			
Extremely contagious	296 (13.1)	12 (2.9)	18 (5.9)
Very contagious	1273 (56.5)	170 (41.4)	149 (48.9)
Contagious	448 (19.9)	151 (36.7)	96 (31.5)
Rather contagious	236 (10.5)	75 (18.2)	42 (13.8)
Not at all contagious	2 (0.1)	3 (0.7)	0 (0)

NA (not available) results with low counts were excluded from the table for simplicity of presentation.

¹ Income category was calculated based on living conditions (alone, with partner, with or without children, with other adults) and reported household income.

² Positive COVID-19 status was defined as being either seropositive or having declared a positive PCR or antigenic test for SARS-CoV-2 in one of monthly surveys.

³ Data obtained from monthly questionnaires sent to participants (N=2'971)