

eAppendix. Carnegie Mellon University (CMU) Delphi Group’s COVID Trends and Impact Survey (CTIS): select questions and response sets.

Below are the survey items used in this study. Unless otherwise noted, the survey items remained unchanged during the study period. The full text of each survey instrument is available online: <https://cmu-delphi.github.io/delphi-epidata/symptom-survey/coding.html>

D1 What is your gender?

1. Male
2. Female
3. Non-binary
4. Prefer to self-describe _____
5. Prefer not to answer

D2 What is your age?

1. 18-24 years
2. 25-34 years
3. 35-44 years
4. 45-54 years
5. 55-64 years
6. 65-74 years
7. 75 years or older

D6 Are you of Hispanic, Latino, or Spanish origin?

1. Yes
2. No, not of Hispanic, Latino, or Spanish origin

D7 What is your race? Please select all that apply.

1. American Indian or Alaska Native
2. Asian
3. Black or African American
4. Native Hawaiian or other Pacific Islander
5. White
6. Some other race

Continued next page

D8 What is the highest degree or level of school you have completed?

1. Less than high school
2. High school graduate or equivalent (GED)
3. Some college
4. 2 year degree
5. 4 year degree
6. Master's degree
7. Professional degree (e.g. MD, JD, DVM)
8. Doctorate

D9 In the past 4 weeks, did you do any kind of work for pay?

1. Yes
2. No

D10 [Displayed if D9 = "Yes"] Was any of your work for pay in the last four weeks outside your home?

1. Yes
2. No

A3 What is your current ZIP code? _____

B11 Have you **ever** tested positive for coronavirus (COVID-19)?

1. Yes
2. No
3. I don't know

C1 Have you ever been told by a doctor, nurse, or other health professional that you have any of the following medical conditions? Please select all that apply.

1. Cancer (other than skin cancer)
2. Heart attack, heart disease, or other heart condition
3. High blood pressure
4. Asthma
5. Chronic lung disease such as COPD, chronic bronchitis, or emphysema
6. Kidney disease
7. Autoimmune disorder such as rheumatoid arthritis or Crohn's disease
8. Type 1 diabetes
9. Type 2 diabetes
10. Weakened or compromised immune system
11. Obesity
12. None of these

A5 How many people, including you, are currently staying in your household?

1. Children under 18 years old _____
2. Adults between 18 and 64 years old _____
3. Adults 65 years old or older _____

C9 How worried do you feel that you or someone in your immediate family might become seriously ill from COVID-19 (coronavirus disease)?

1. Very worried
2. Somewhat worried
3. Not too worried
4. Not worried at all

C17 Have you gotten a seasonal flu vaccine since June 2020?

1. Yes, I have gotten a seasonal flu vaccine since June 2020
2. No, I have not gotten a seasonal flu vaccine since June 2020
3. I don't know if I have gotten a seasonal flu vaccine since June 2020

C7 To what extent are you intentionally avoiding contact with other people?

1. All of the time
2. Most of the time; I only leave my home to buy food and other essentials
3. Some of the time; I have reduced the amount of times I am in public spaces, social gatherings, or at work
4. None of the time

V1 Have you had a COVID-19 vaccination?

1. Yes
2. No
3. I don't know

V3 If a vaccine to prevent COVID-19 were offered to you today, would you choose to get vaccinated?

1. Yes, definitely
2. Yes, probably
3. No, probably not
4. No, definitely not

V5

- a) [Displayed if V3 = "Yes, probably"] Which of the following, if any, are reasons that you only probably would choose to get a COVID-19 vaccine? Please select all that apply.
- b) [Displayed if V3 = "No, probably not"] Which of the following, if any, are reasons that you probably wouldn't choose to get a COVID-19 vaccine? Please select all that apply.
- c) [Displayed if V3 = "No, definitely not"] Which of the following, if any, are reasons that you definitely wouldn't choose to get a COVID-19 vaccine? Please select all that apply.

Answer choices:

- 1. I am concerned about possible side effects of a COVID-19 vaccine.
- 2. I am concerned about having an allergic reaction to a COVID-19 vaccine.
- 3. I don't know if a COVID-19 vaccine will work.
- 4. I don't believe I need a COVID-19 vaccine.
- 5. I don't like vaccines.
- 6. My doctor has not recommended it.
- 7. I plan to wait and see if it is safe and may get it later.
- 8. I think other people need it more than I do right now.
- 9. I am concerned about the cost of a COVID-19 vaccine.
- 10. I don't trust COVID-19 vaccines.
- 11. I don't trust the government.
- 12. It is against my religious beliefs.
- 13. I have a health condition and am concerned about the safety of the vaccine for people with my condition.
- 14. I am currently/planning to be pregnant and/or breastfeeding and do not want to get vaccinated at this time.
- 15. Other

eMethods

Each month, the COVID Trends and Impact Survey (CTIS)¹ is offered to a random sample, stratified by geographic region, of ≈100 million US residents from the Facebook Active User Base who use one of the supported languages (English [American and British], Spanish [Spain and Latin American], French, Brazilian Portuguese, Vietnamese, and simplified Chinese) via a link at the top of their Facebook News Feed to yield ≈40,000 responses daily (≈1.2 million responders monthly), which allows for evaluation of local trends. Facebook users may be offered the opportunity to participate in CTIS from once a month to once every six months, depending on their geographic strata. Weights accounting for the sampling design and non-response are then post-stratified to match the US general population by age, gender, and state². The design ensures CMU researchers do not see user names or profile information and Facebook does not see survey microdata.

The survey has been updated (including edits to existing questions as well as removal and addition of questions) periodically since its inception³. The same version of the vaccine update and intent questions were offered to all potential respondents from January 6 to May, 19, 2021, and to approximately 15% of potential respondents from May 20-31. Thus, this study is limited to this group. Prior to analysis, data was aggregated by month.

In May 2021, 66,138,989 Facebook users were offered a survey version with the same vaccine update and intent questions, of whom 562,572 completed at least part of the survey (criteria for screening), and 529,658 answered the questions on vaccine uptake and intent and were included in the May analysis. Applying the same criteria, the January, February, March, and April samples had 1,201,807; 1,148,862; 1,217,489; and 1,022,620 participants, respectively (see **eTable 1** for study flow by month). There may be repeat respondents across months; however, respondents cannot be linked longitudinally, so data was treated as repeat cross-sectional surveys in the time trend analyses.

Participants who reported Hispanic ethnicity were categorized by ethnicity. Non-Hispanic participants were categorized by their race; non-Hispanic participants who reported more than one race were categorized as multi-racial. Participants who did not select one of the named races were categorized as missing.

Zip code was used to determine participants' county to create variables for their US region (i.e., Census Bureau statistical region⁴, dividing West into Mountain and Pacific; their urban-rural level of metropolitan statistical area classification⁵; and several political/COVID-19 environment indicators: quartile of county COVID-19 death rate in the previous month (April 2021)⁶, quartile of county Trump vote share in the 2020 presidential election (calculated as percent voted for Trump minus percent voted for Biden out of total votes within a county; not available for Alaska)⁷ and state governor's political party (not available for US territories)⁸.


Participants were asked if they ever tested positive for COVID-19 and if they were ever diagnosed with specific health conditions (asthma, autoimmune disorder, cancer, chronic obstructive pulmonary disease (COPD), diabetes type 1, diabetes type 2, heart disease, high blood pressure, kidney disease, and weakened/compromised immune system). Participants were categorized as having one or more conditions or no condition. Additionally, participants were categorized as having high blood pressure only, each of the other conditions with or without high blood pressure, or "multiple conditions," defined as at least two conditions excluding high blood pressure, which was relatively common and has limited support as a risk-factor for COVID-19⁹.

Finally, participants were asked whether they lived with someone age 65 years or older, the extent of worry about self or family becoming seriously ill from COVID-19, self-report of past-year flu vaccination, and the extent of intentionally avoiding contact with others.

To enable model fitting with an interaction term for age and race, where age data was missing but race/ethnicity was available, race/ethnicity was recoded to missing. This affected 81 Hispanics, 266 Whites, 46 Blacks, 13 Asians, 15 Native Americans, 1 Pacific Islanders, and 30 multi-racial respondents (0.07% of our sample).

eFigure 1. COVID-19 vaccine receipt and intent among US adults by month (January-May, 2021)

Vaccine hesitancy decreased among adults each month from January to May, mostly due to a decrease in the response, “probably not” (-7.0 percentage points (%) [95% CI -7.1, -6.9]) versus “definitely not” (-1.6 % [95% CI -1.7, -1.4]).



eTable 1. Participant flow for Carnegie Mellon University (CMU) Delphi Group’s COVID Trends and Impact Survey (CTIS) by month (January-May, 2021)

	January^a	February	March	April	May^b
	N				
Offered survey	106,387,320	95,953,902	104,768,154	103,399,752	66,138,989
Did not respond	105,073,194	94,721,211	103,476,197	102,315,236	65,576,417
Did not report hesitancy	11,2319	83,829	74,468	61,896	32,914
Report sample	1,201,807	1,148,862	1,217,489	1,022,620	529,658
Vaccinated/Definitely Yes	x	x	x	x	436,868
Did not provide reasons	x	x	x	x	2,280
Reasons sample	x	x	x	x	90,510

^a January data was subset to January 6-31 because January 6 was the first date both vaccine questions (receipt and intent) were both asked.

^b May data was subset to include only those receiving the survey prior to an update to the vaccine questions; on May 20 a new survey version was offered to approximately 85% of potential respondents.

eTable 2. COVID-19 vaccine receipt and intent by month (January-May, 2021), among US adults

	January	February	March	April	May	Difference (May - January)
	% (95% CI)					
Already vaccinated	10.9 (10.8, 10.9)	24.2 (24.1, 24.3)	44.4 (44.3, 44.5)	67.8 (67.7, 67.9)	75.9 (75.8, 76.0)	65.0 (64.8, 65.1)
Yes, definitely	45.2 (45.1, 45.3)	37.2 (37.1, 37.3)	24.2 (24.1, 24.3)	8.1 (8.0, 8.1)	3.3 (3.2, 3.3)	-41.9 (-42.0, -41.7)
Yes, probably	18.2 (18.2, 18.3)	14.6 (14.5, 14.6)	10.6 (10.5, 10.6)	5.9 (5.8, 5.9)	3.7 (3.7, 3.8)	-14.5 (-14.6, -14.4)
No, probably not	13.0 (13.0, 13.1)	11.5 (11.5, 11.6)	9.3 (9.2, 9.3)	7.1 (7.0, 7.1)	6.0 (5.9, 6.1)	-7.0 (-7.1, -6.9)
No, definitely not	12.7 (12.6, 12.7)	12.5 (12.5, 12.6)	11.5 (11.4, 11.6)	11.1 (11.1, 11.2)	11.1 (11.0, 11.2)	-1.6 (-1.7, -1.4)
Hesitant ^a	25.7 (25.6, 25.8)	24.1 (24.0, 24.1)	20.8 (20.7, 20.9)	18.2 (18.1, 18.3)	17.1 (17.0, 17.2)	-8.6 (-8.7, -8.4)

^a Answered that they probably or definitely would not choose to get vaccinated if offered a vaccine to prevent COVID-19

eTable 3. COVID-19 vaccine hesitancy by race/ethnicity, education level, US region and county Trump vote share in the 2020 presidential election, respectively, by month (January-May, 2021), among US adults

	January	February	March	April	May	Difference (May - January)
	% (95% CI)					
Race/ethnicity among 18 - 34 year olds^a						
White	31.3 (30.9, 31.6)	30.0 (29.7, 30.3)	27.6 (27.2, 27.9)	24.3 (23.9, 24.7)	22.9 (22.4, 23.5)	-8.3 (-8.9, -7.7)
Hispanic	32.2 (31.6, 32.8)	29.0 (28.4, 29.6)	24.2 (23.6, 24.8)	19.8 (19.2, 20.5)	17.1 (16.2, 17.9)	-15.1 (-16.1, -14.1)
Black	58.9 (57.7, 60.0)	53.1 (51.9, 54.3)	43.4 (42.0, 44.7)	34.3 (32.7, 35.8)	27.4 (25.4, 29.4)	-31.5 (-33.8, -29.2)
Asian	12.5 (11.5, 13.5)	11.7 (10.7, 12.7)	8.1 (7.1, 9.0)	4.6 (3.9, 5.3)	3.5 (2.6, 4.4)	-9.0 (-10.3, -7.7)
Native American	44.0 (41.2, 46.8)	39.9 (36.9, 42.9)	33.6 (30.3, 36.8)	32.3 (28.7, 35.8)	34.2 (28.7, 39.8)	-9.8 (-16.0, -3.6)
Pacific Islander	42.6 (36.7, 48.6)	31.3 (25.7, 37.0)	30.9 (24.3, 37.4)	26.7 (18.3, 35.1)	15.8 (7.9, 23.6)	-26.9 (-36.7, -17.0)
Multi-racial	39.0 (37.6, 40.4)	38.7 (37.3, 40.2)	37.2 (35.8, 38.5)	33.4 (31.9, 34.9)	31.6 (29.5, 33.6)	-7.4 (-9.9, -5.0)
Education level						
≤ High school	35.0 (34.8, 35.3)	32.2 (31.9, 32.4)	26.9 (26.6, 27.1)	23.3 (23.0, 23.6)	20.8 (20.4, 21.1)	-14.3 (-14.7, -13.8)
Some college	27.3 (27.2, 27.5)	25.6 (25.4, 25.7)	22.0 (21.8, 22.2)	19.2 (19.0, 19.4)	18.3 (18.1, 18.6)	-9.0 (-9.3, -8.7)
Bachelor's	15.4 (15.3, 15.6)	14.6 (14.4, 14.7)	12.5 (12.3, 12.6)	11.1 (11.0, 11.3)	11.0 (10.8, 11.3)	-4.4 (-4.7, -4.1)
Master's	11.8 (11.6, 12.0)	10.8 (10.6, 11.0)	9.4 (9.2, 9.6)	8.5 (8.3, 8.7)	8.3 (8.1, 8.6)	-3.5 (-3.8, -3.2)
Professional (e.g., JD)	12.8 (12.4, 13.2)	12.8 (12.4, 13.3)	12.1 (11.6, 12.5)	11.4 (10.9, 11.9)	12.3 (11.6, 13.0)	-0.5 (-1.3, 0.4)
PhD	23.1 (22.4, 23.9)	23.7 (22.9, 24.4)	22.6 (21.8, 23.4)	22.9 (22.1, 23.7)	23.9 (22.7, 25.1)	0.8 (-0.6, 2.1)
US Region						
Midwest	26.6 (26.4, 26.8)	25.1 (24.9, 25.3)	22.1 (21.9, 22.3)	19.4 (19.2, 19.6)	18.1 (17.9, 18.4)	-8.4 (-8.8, -8.1)
South	28.7 (28.6, 28.9)	27.0 (26.9, 27.2)	23.2 (23.1, 23.4)	20.4 (20.2, 20.5)	19.2 (19.0, 19.5)	-9.5 (-9.8, -9.2)
Pacific	20.2 (20.0, 20.5)	18.3 (18.1, 18.6)	15.6 (15.3, 15.8)	13.0 (12.7, 13.2)	12.1 (11.7, 12.4)	-8.2 (-8.6, -7.8)
Mountain	24.6 (24.3, 25.0)	23.2 (22.9, 23.6)	20.7 (20.3, 21.0)	18.7 (18.3, 19.0)	17.9 (17.4, 18.5)	-6.7 (-7.3, -6.1)
Northeast	21.8 (21.6, 22.0)	19.8 (19.6, 20.1)	16.3 (16.1, 16.5)	14.0 (13.8, 14.2)	12.6 (12.3, 12.9)	-9.2 (-9.6, -8.8)
County Trump vote share						
Lowest quartile	21.9 (21.8, 22.0)	19.9 (19.8, 20.1)	16.6 (16.5, 16.7)	14.0 (13.9, 14.1)	12.8 (12.6, 12.9)	-9.2 (-9.3, -9.0)
Second lowest quartile	30.0 (29.7, 30.2)	28.8 (28.5, 29.0)	25.6 (25.4, 25.8)	22.9 (22.7, 23.2)	21.9 (21.6, 22.3)	-8.0 (-8.4, -7.6)
Second highest quartile	35.4 (35.1, 35.7)	34.1 (33.7, 34.4)	30.7 (30.3, 31.0)	28.4 (28.0, 28.8)	27.6 (27.0, 28.1)	-7.8 (-8.5, -7.2)
Highest quartile	39.2 (38.6, 39.7)	38.8 (38.3, 39.4)	36.0 (35.5, 36.6)	33.3 (32.6, 33.9)	32.5 (31.7, 33.4)	-9.2 (-9.3, -9.0)

Juris Doctorate= JD; NH=Non-Hispanic

^aRace/ethnicity categories are reported among young adults (18-34 years) only, because there was an interaction between race/ethnicity and age, such that race/ethnic comparisons differed by age group. Younger adults were selected because hesitancy was higher among younger versus older adults. Race/ethnicity groups other than the group labeled “Hispanic” are non-Hispanic

eTable 4. COVID-19 vaccine hesitancy in May 2021 by age groups, stratified by race/ethnicity^a among US adults

	Sample		COVID-19 vaccine hesitant		
	n	%	% (95% CI)	RR (95% CI)	Adj. RR (95% CI)
White					
18-24 years	9997	1.9	24.0 (22.9, 25.0)	2.94 (2.79, 3.09)	1.47 (1.39, 1.54)
25-34 years	35519	6.7	22.3 (21.8, 22.8)	2.73 (2.64, 2.83)	1.64 (1.58, 1.70)
35-44 years	49628	9.4	19.0 (18.6, 19.4)	2.32 (2.25, 2.40)	1.48 (1.42, 1.53)
45-54 years	55001	10.4	18.4 (18.0, 18.8)	2.26 (2.18, 2.33)	1.43 (1.38, 1.48)
55-64 years	75116	14.2	13.4 (13.1, 13.7)	1.64 (1.59, 1.70)	1.22 (1.17, 1.26)
65-74 years	76941	14.5	8.2 (7.9, 8.4)	1.00 (NA)	1.00 (NA)
≥ 75 years	36110	6.8	6.1 (5.8, 6.4)	1.34 (1.27, 1.41)	1.29 (1.23, 1.35)
Hispanic					
18-24 years	3124	0.6	17.9 (16.3, 19.5)	2.55 (2.20, 2.89)	1.57 (1.38, 1.75)
25-34 years	8803	1.7	16.5 (15.6, 17.4)	2.36 (2.09, 2.63)	1.65 (1.49, 1.82)
35-44 years	11863	2.2	13.2 (12.4, 14.0)	1.88 (1.66, 2.11)	1.37 (1.22, 1.52)
45-54 years	13082	2.5	9.6 (9.1, 10.2)	1.37 (1.21, 1.53)	1.10 (0.99, 1.21)
55-64 years	11605	2.2	8.1 (7.5, 8.7)	1.15 (1.01, 1.30)	1.02 (0.91, 1.14)
65-74 years	6584	1.2	7.0 (6.3, 7.7)	1.00 (NA)	1.00 (NA)
≥ 75 years	2466	0.5	35.7 (33.1, 38.4)	5.09 (4.46, 5.73) ^b	1.62 (1.45, 1.79)
Black					
18-24 years	628	0.1	30.7 (26.4, 35.0)	7.23 (5.89, 8.57)	3.56 (2.81, 4.30)
25-34 years	2216	0.4	25.5 (23.5, 27.5)	6.00 (5.13, 6.87)	3.74 (3.19, 4.28)
35-44 years	3801	0.7	18.8 (17.5, 20.2)	4.43 (3.81, 5.06)	2.98 (2.56, 3.40)
45-54 years	5546	1.0	12.4 (11.4, 13.4)	2.91 (2.49, 3.33)	2.17 (1.86, 2.47)
55-64 years	8310	1.6	7.8 (7.2, 8.5)	1.84 (1.57, 2.11)	1.47 (1.26, 1.69)
65-74 years	6403	1.2	4.3 (3.7, 4.8)	1.00 (NA)	1.00 (NA)
≥ 75 years	1675	0.3	3.8 (2.4, 5.1)	0.88 (0.56, 1.21)	0.87 (0.61, 1.14)
Asian					
18-24 years	617	0.1	4.8 (2.7, 6.9)	2.39 (1.01, 3.76)	1.61 (0.74, 2.48)
25-34 years	2295	0.4	2.8 (2.0, 3.5)	1.37 (0.75, 2.00)	1.21 (0.68, 1.74)
35-44 years	2748	0.5	2.9 (2.2, 3.6)	1.45 (0.79, 2.10)	1.32 (0.75, 1.89)
45-54 years	2246	0.4	3.5 (2.6, 4.4)	1.74 (0.95, 2.54)	1.50 (0.85, 2.16)
55-64 years	1964	0.4	2.9 (2.0, 3.7)	1.42 (0.74, 2.10)	1.30 (0.71, 1.90)
65-74 years	1536	0.3	2.0 (1.3, 2.8)	1.00 (NA)	1.00 (NA)
≥ 75 years	593	0.1	4.4 (1.2, 7.5)	2.17 (0.41, 3.92)	1.81 (0.78, 2.84)
Native American					
18-24 years	148	<0.05	37.7 (26.8, 48.7)	2.71 (1.73, 3.69)	1.60 (0.98, 2.23)
25-34 years	414	0.1	31.7 (26.4, 37.1)	2.28 (1.66, 2.90)	1.27 (0.98, 1.56)
35-44 years	581	0.1	27.5 (23.4, 31.6)	1.97 (1.46, 2.49)	1.31 (1.02, 1.59)
45-54 years	847	0.2	24.6 (21.3, 27.8)	1.76 (1.32, 2.21)	1.20 (0.95, 1.46)
55-64 years	1041	0.2	21.9 (19.1, 24.7)	1.57 (1.18, 1.97)	1.18 (0.94, 1.43)
65-74 years	699	0.1	13.9 (10.9, 16.9)	1.00 (NA)	1.00 (NA)
≥ 75 years	248	<0.05	19.3 (13.3, 25.2)	1.38 (0.86, 1.91)	1.31 (0.91, 1.70)

Continued next page

Pacific Islander ^a					
18-24 years	20	<0.05	6.0 (-4.3, 16.2)	0.82 (-0.67, 2.31)	0.64 (-0.46, 1.75)
25-34 years	68	<0.05	21.2 (11.2, 31.1)	2.92 (0.79, 5.05)	1.51 (0.48, 2.55)
35-44 years	151	<0.05	14.3 (8.1, 20.6)	1.97 (0.57, 3.37)	1.52 (0.52, 2.52)
45-54 years	233	<0.05	17.0 (11.2, 22.7)	2.34 (0.81, 3.87)	1.60 (0.62, 2.57)
55-64 years	279	0.1	12.1 (7.5, 16.6)	1.67 (0.54, 2.79)	1.31 (0.48, 2.13)
65-74 years	192	<0.05	7.3 (3.2, 11.3)	1.00 (NA)	1.00 (NA)
≥ 75 years	58	<0.05	18.5 (4.9, 32.2)	2.55 (0.19, 4.91)	1.62 (0.55, 2.68)
Multi-racial					
18-24 years	922	0.2	31.9 (28.2, 35.6)	1.99 (1.67, 2.31)	1.19 (1.03, 1.36)
25-34 years	2318	0.4	31.3 (29.0, 33.5)	1.95 (1.69, 2.21)	1.23 (1.09, 1.38)
35-44 years	2641	0.5	31.9 (29.9, 33.9)	1.99 (1.73, 2.25)	1.24 (1.10, 1.38)
45-54 years	2445	0.5	29.8 (27.7, 31.8)	1.86 (1.61, 2.10)	1.22 (1.08, 1.36)
55-64 years	2528	0.5	25.3 (23.4, 27.2)	1.58 (1.36, 1.79)	1.14 (1.01, 1.28)
65-74 years	1820	0.3	16.0 (14.2, 17.9)	1.00 (NA)	1.00 (NA)
≥ 75 years	729	0.1	30.7 (24.8, 36.5)	1.91 (1.49, 2.34)	0.90 (0.76, 1.05)

^aRace/ethnicity groups other than the group labeled “Hispanic” are non-Hispanic.

^bThe Hispanic ≥75 years group has unusually high rates of self-describe gender; results were attenuated in a sensitivity analysis with that group (self-describe gender) removed.

^cDue to the limited sample size of age groups among Pacific Islanders, the 95% CI of the RR estimates are large.

eTable 5. COVID-19 vaccine hesitancy in May 2021 by race/ethnicity^a, stratified by age groups, among US adults

	Sample		COVID-19 vaccine hesitant		
	n	%	% (95% CI)	RR (95% CI)	Adj. RR (95% CI)
18-24 years					
White	9997	1.9	24.0 (22.9, 25.0)	1.00 (NA)	1.00 (NA)
Hispanic	3124	0.6	17.9 (16.3, 19.5)	0.75 (0.67, 0.82)	0.93 (0.84, 1.01)
Black	628	0.1	30.7 (26.4, 35.0)	1.28 (1.09, 1.47)	1.47 (1.21, 1.73)
Asian	617	0.1	4.8 (2.7, 6.9)	0.20 (0.11, 0.29)	0.42 (0.25, 0.59)
Native American	148	<0.05	37.7 (26.8, 48.7)	1.57 (1.11, 2.04)	1.43 (0.93, 1.93)
Pacific Islander	20	<0.05	6.0 (-4.3, 16.2)	0.25 (-0.18, 0.68)	0.44 (-0.29, 1.17)
Multi-racial	922	0.2	31.9 (28.2, 35.6)	1.33 (1.17, 1.49)	1.25 (1.12, 1.38)
25-34 years					
White	35519	6.7	22.3 (21.8, 22.8)	1.00 (NA)	1.00 (NA)
Hispanic	8803	1.7	16.5 (15.6, 17.4)	0.74 (0.70, 0.79)	0.88 (0.83, 0.92)
Black	2216	0.4	25.5 (23.5, 27.5)	1.14 (1.05, 1.24)	1.38 (1.26, 1.50)
Asian	2295	0.4	2.8 (2.0, 3.5)	0.12 (0.09, 0.16)	0.28 (0.21, 0.35)
Native American	414	0.1	31.7 (26.4, 37.1)	1.42 (1.18, 1.67)	1.01 (0.86, 1.16)
Pacific Islander	68	<0.05	21.2 (11.2, 31.1)	0.95 (0.50, 1.40)	0.94 (0.52, 1.35)
Multi-racial	2318	0.4	31.3 (29.0, 33.5)	1.40 (1.30, 1.51)	1.15 (1.08, 1.23)
35-44 years					
White	49628	9.4	19.0 (18.6, 19.4)	1.00 (NA)	1.00 (NA)
Hispanic	11863	2.2	13.2 (12.4, 14.0)	0.70 (0.65, 0.74)	0.81 (0.76, 0.85)
Black	3801	0.7	18.8 (17.5, 20.2)	0.99 (0.92, 1.07)	1.22 (1.13, 1.31)
Asian	2748	0.5	2.9 (2.2, 3.6)	0.15 (0.11, 0.19)	0.34 (0.26, 0.42)
Native American	581	0.1	27.5 (23.4, 31.6)	1.45 (1.23, 1.67)	1.16 (1.01, 1.30)
Pacific Islander	151	<0.05	14.3 (8.1, 20.6)	0.75 (0.42, 1.08)	1.04 (0.63, 1.46)
Multi-racial	2641	0.5	31.9 (29.9, 33.9)	1.68 (1.57, 1.79)	1.29 (1.21, 1.36)
45-54 years					
White	55001	10.4	18.4 (18.0, 18.8)	1.00 (NA)	1.00 (NA)
Hispanic	13082	2.5	9.6 (9.1, 10.2)	0.52 (0.49, 0.55)	0.67 (0.63, 0.71)
Black	5546	1	12.4 (11.4, 13.4)	0.67 (0.62, 0.73)	0.92 (0.85, 0.99)
Asian	2246	0.4	3.5 (2.6, 4.4)	0.19 (0.14, 0.24)	0.40 (0.30, 0.50)
Native American	847	0.2	24.6 (21.3, 27.8)	1.33 (1.16, 1.51)	1.10 (0.97, 1.22)
Pacific Islander	233	<0.05	17.0 (11.2, 22.7)	0.92 (0.61, 1.23)	1.13 (0.77, 1.49)
Multi-racial	2445	0.5	29.8 (27.7, 31.8)	1.62 (1.50, 1.73)	1.31 (1.23, 1.39)
55-64 years					
White	75116	14.2	13.4 (13.1, 13.7)	1.00 (NA)	1.00 (NA)
Hispanic	11605	2.2	8.1 (7.5, 8.7)	0.60 (0.56, 0.65)	0.73 (0.68, 0.78)
Black	8310	1.6	7.8 (7.2, 8.5)	0.58 (0.53, 0.63)	0.74 (0.67, 0.80)
Asian	1964	0.4	2.9 (2.0, 3.7)	0.21 (0.15, 0.28)	0.41 (0.29, 0.53)
Native American	1041	0.2	21.9 (19.1, 24.7)	1.64 (1.43, 1.85)	1.27 (1.13, 1.41)
Pacific Islander	279	0.1	12.1 (7.5, 16.6)	0.90 (0.56, 1.24)	1.09 (0.70, 1.48)
Multi-racial	2528	0.5	25.3 (23.4, 27.2)	1.89 (1.74, 2.03)	1.45 (1.35, 1.54)

Continued next page

65-74 years					
White	76941	14.5	8.2 (7.9, 8.4)	1.00 (NA)	1.00 (NA)
Hispanic	6584	1.2	7.0 (6.3, 7.7)	0.86 (0.77, 0.95)	0.87 (0.79, 0.95)
Black	6403	1.2	4.3 (3.7, 4.8)	0.52 (0.46, 0.59)	0.61 (0.53, 0.68)
Asian	1536	0.3	2.0 (1.3, 2.8)	0.25 (0.15, 0.34)	0.38 (0.24, 0.52)
Native American	699	0.1	13.9 (10.9, 16.9)	1.71 (1.34, 2.07)	1.31 (1.07, 1.54)
Pacific Islander	192	<0.05	7.3 (3.2, 11.3)	0.89 (0.39, 1.39)	1.02 (0.48, 1.55)
Multi-racial	1820	0.3	16.0 (14.2, 17.9)	1.96 (1.74, 2.19)	1.54 (1.38, 1.69)
≥ 75 years					
White	36110	6.8	6.1 (5.8, 6.4)	1.00 (NA)	1.00 (NA)
Hispanic	2466	0.5	35.7 (33.1, 38.4)	5.85 (5.34, 6.35) ^b	1.82 (1.68, 1.96)
Black	1675	0.3	3.8 (2.4, 5.1)	0.61 (0.40, 0.83)	0.68 (0.49, 0.88)
Asian	593	0.1	4.4 (1.2, 7.5)	0.71 (0.20, 1.23)	0.89 (0.50, 1.29)
Native American	248	<0.05	19.3 (13.3, 25.2)	3.15 (2.17, 4.14)	2.21 (1.65, 2.76)
Pacific Islander	58	<0.05	18.5 (4.9, 32.2)	3.03 (0.79, 5.26)	2.12 (1.27, 2.97)
Multi-racial	729	0.1	30.7 (24.8, 36.5)	5.02 (4.04, 6.00)	1.79 (1.56, 2.03)

^a Race/ethnicity groups other than the group labeled “Hispanic” are non-Hispanic.

^b The Hispanic ≥ 75 years has unusually high rates of self-describe gender; results were attenuated in a sensitivity analysis with that group (self-describe gender) removed.

eTable 6. COVID-19 vaccine hesitancy in May 2021 by health condition and status^a among US adults

	Sample		COVID-19 vaccine hesitant		
	n	%	% (95% CI)	RR (95% CI)	Adj. RR (95% CI)
None	184503	34.8	19.4 (19.2, 19.7)	1.0 (NA)	1.0 (NA)
Cancer (other than skin)	10379	2.0	9.0 (8.3, 9.6)	0.46 (0.43, 0.50)	0.80 (0.75, 0.85)
Diabetes Type II	19728	3.7	9.7 (9.2, 10.1)	0.50 (0.47, 0.52)	0.82 (0.78, 0.86)
Obesity	51223	9.7	11.2 (10.8, 11.5)	0.58 (0.56, 0.60)	0.79 (0.77, 0.82)
Diabetes Type I	2619	0.5	12.3 (10.8, 13.9)	0.64 (0.56, 0.72)	0.86 (0.76, 0.97)
High blood pressure	49161	9.3	13.4 (13.0, 13.7)	0.69 (0.67, 0.71)	0.94 (0.92, 0.97)
Kidney disease	2357	0.4	13.7 (11.9, 15.5)	0.71 (0.61, 0.80)	1.09 (0.96, 1.22)
Chronic obstructive pulmonary disease	6408	1.2	14.0 (12.7, 15.2)	0.72 (0.66, 0.78)	1.03 (0.96, 1.11)
Multiple conditions	129016	24.4	14.8 (14.6, 15.1)	0.76 (0.75, 0.78)	1.12 (1.09, 1.14)
Heart attack, heart disease, other heart condition	12880	2.4	15.0 (14.2, 15.8)	0.77 (0.73, 0.82)	1.11 (1.06, 1.17)
Autoimmune disorder	9737	1.8	15.4 (14.5, 16.3)	0.79 (0.74, 0.84)	1.06 (1.01, 1.12)
Asthma	26432	5.0	16.8 (16.2, 17.5)	0.87 (0.83, 0.90)	1.02 (0.99, 1.06)
Weakened or compromised immune system	4383	0.8	21.1 (19.5, 22.8)	1.09 (1.00, 1.17)	1.41 (1.32, 1.51)
No response	20832	3.9	35.9 (35.0, 36.8)	1.85 (1.80, 1.90)	1.69 (1.64, 1.74)

^aParticipants were categorized as having high blood pressure only, each of the other conditions with or without high blood pressure, or “multiple conditions,” defined as at least two conditions excluding high blood pressure, which was relatively common and has limited support as a risk-factor for poor COVID-19 outcomes.

eTable 7. Reasons for COVID-19 vaccine hesitancy in May 21 by race/ethnicity^a among hesitant US adults (N=75792)^b

	% (95% CI)							
	White N=44720	Hispanic N=6817	Black N=3156	Asian N=358	Native Am. N=846	Pac. Isl. N=128	Multiracial N=3426	Unknown N=16341
Concerned about possible side effects	51.4 (50.8, 52.0)	50.2 (48.7, 51.8)	51.1 (49.0, 53.2)	47.2 (40.3, 54.1)	41.3 (37.1, 45.6)	41.9 (31.9, 51.9)	58.4 (56.2, 60.5)	41.9 (40.9, 42.9)
Don't trust COVID-19 vaccines	50.7 (50.1, 51.3)	48.1 (46.5, 49.6)	46.1 (44.0, 48.2)	39.3 (32.3, 46.3)	45.6 (41.3, 50.0)	45.1 (35.1, 55.0)	56.7 (54.5, 58.8)	45.2 (44.2, 46.2)
Don't trust the government	43.7 (43.1, 44.3)	41.0 (39.5, 42.6)	34.6 (32.5, 36.7)	28.0 (21.6, 34.5)	β	34.7 (25.1, 44.3)	52.4 (50.2, 54.5)	40.7 (39.7, 41.7)
Don't believe I need it	42.1 (41.5, 42.7)	36.3 (34.7, 37.9)	22.7 (20.8, 24.7)	34.4 (27.4, 41.4)	32.8 (28.8, 36.7)	27.3 (18.0, 36.7)	48.5 (46.3, 50.7)	34.4 (33.4, 35.3)
Plan to wait and to see if safe	33.6 (33.0, 34.1)	41.6 (40.1, 43.2)	40.7 (38.6, 42.8)	40.8 (33.8, 47.7)	26.5 (22.7, 30.2)	34.1 (24.8, 43.4)	33.4 (31.4, 35.5)	30.7 (29.8, 31.6)
Concerned about an allergic reaction	23.1 (22.7, 23.6)	28.8 (27.4, 30.3)	32.9 (30.9, 34.9)	27.1 (20.3, 33.8)	24.8 (21.1, 28.4)	26.2 (17.7, 34.8)	32.4 (30.4, 34.5)	21.1 (20.3, 21.9)
Don't know if it will work	22.2 (21.7, 22.7)	26.1 (24.7, 27.5)	21.3 (19.5, 23.1)	26.1 (19.2, 33.1)	17.5 (14.3, 20.6)	23.7 (15.4, 32.1)	29.1 (27.1, 31.1)	20.3 (19.5, 21.1)
Don't like vaccines	14.0 (13.6, 14.4)	19.2 (17.9, 20.5)	14.7 (13.2, 16.2)	14.7 (9.9, 19.4)	13.5 (10.8, 16.2)	13.7 (6.9, 20.4)	20.3 (18.5, 22.2)	16.5 (15.7, 17.2)
Other people need it more	11.9 (11.5, 12.3)	19.3 (17.9, 20.7)	10.4 (9.1, 11.8)	18.2 (12.1, 24.4)	10.8 (8.0, 13.5)	14.9 (7.8, 21.9)	16.3 (14.6, 18.0)	12.3 (11.6, 13.0)
Safety concern because of my health condition	11.9 (11.6, 12.3)	15.3 (14.1, 16.4)	15.9 (14.5, 17.3)	13.0 (8.4, 17.6)	13.1 (10.7, 15.4)	9.9 (4.2, 15.5)	19.6 (17.9, 21.3)	10.7 (10.2, 11.2)
Doctor has not recommended	9.1 (8.7, 9.4)	14.0 (12.7, 15.2)	7.7 (6.4, 9.0)	9.4 (5.2, 13.6)	9.2 (7.0, 11.4)	2.7 (0.2, 5.2)	16.2 (14.5, 18.0)	9.5 (9.0, 10.1)
Against religious beliefs	7.0 (6.7, 7.3)	15.2 (14.0, 16.5)	7.8 (6.7, 9.0)	8.3 (3.8, 12.8)	13.7 (10.9, 16.5)	2.9 (0.3, 5.5)	16.1 (14.4, 17.8)	10.2 (9.6, 10.8)
Currently/planning to be pregnant/breastfeeding	6.1 (5.8, 6.4)	13.7 (12.5, 14.9)	7.0 (5.9, 8.1)	12.2 (7.6, 16.7)	4.5 (2.6, 6.3)	4.0 (0.3, 7.6)	9.6 (8.3, 10.9)	6.3 (5.9, 6.8)
Concerned about cost	2.4 (2.2, 2.6)	9.1 (7.9, 10.2)	3.3 (2.5, 4.1)	5.3 (0.6, 10.1)	2.0 (1.0, 3.1)	2.4 (-0.4, 5.2)	7.4 (6.0, 8.7)	4.5 (4.1, 5.0)
Other	15.8 (15.3, 16.2)	18.5 (17.3, 19.6)	11.7 (10.3, 13.1)	21.1 (14.2, 28.0)	19.5 (16.4, 22.7)	21.0 (12.8, 29.2)	26.9 (24.9, 28.9)	20.5 (19.7, 21.2)

NH=Non-Hispanic; Native Am.=Native American; Pac. Isl.=Pacific Islander.

^a Race/ethnicity groups other than the group labeled “Hispanic” are non-Hispanic.

^b Answered that they probably or definitely would not choose to get vaccinated if offered a vaccine to prevent COVID-19.

References

1. Delphi Group. COVID Symptom Survey. Delphi Epidata API. Accessed July 9, 2021. <https://cmu-delphi.github.io/delphi-epidata/symptom-survey/>
2. Barkay N, Cobb C, Eilat R, et al. Weights and Methodology Brief for the COVID-19 Symptom Survey by University of Maryland and Carnegie Mellon University, in Partnership with Facebook. *arXiv:200914675 [cs]*. Published online October 6, 2020. Accessed May 26, 2021. <http://arxiv.org/abs/2009.14675>
3. CTIS Questions and Coding. Delphi Epidata API. Accessed July 19, 2021. <https://cmu-delphi.github.io/delphi-epidata/symptom-survey/coding.html>
4. US Census Bureau. Geographic Areas Reference Manual (Ch.6). The United States Census Bureau. Accessed June 25, 2021. <https://www.census.gov/programs-surveys/geography/guidance/geographic-areas-reference-manual.html>
5. Centers for Disease Control and Prevention. Data Access - Urban Rural Classification Scheme for Counties. Published December 2, 2019. Accessed June 25, 2021. https://www.cdc.gov/nchs/data_access/urban_rural.htm
6. JHU Cases and Deaths. Delphi Epidata API. Accessed June 25, 2021. <https://cmu-delphi.github.io/delphi-epidata/api/covidcast-signals/jhu-csse.html>
7. New York Times. Data file. Accessed June 27, 2021. <https://static01.nyt.com/elections-assets/2020/data/api/2020-11-03/national-map-page/national/president.json>
8. Partisan composition of governors. Ballotpedia. Accessed June 25, 2021. https://ballotpedia.org/Partisan_composition_of_governors
9. Centers for Disease Control and Prevention. Underlying Medical Conditions Associated with High Risk for Severe COVID-19: Information for Healthcare Providers. Centers for Disease Control and Prevention. Published March 13, 2020. Accessed May 26, 2021. <https://www.cdc.gov/coronavirus/2019-ncov/hcp/clinical-care/underlyingconditions.html>