

Supplement to:
Ethnic disparities in SARS-CoV-2 infections became wider during the second wave of SARS-CoV-2 in Amsterdam, the Netherlands: a population-based longitudinal study


Authors

Liza Coyer, Anders Boyd, Janke Schinkel, Charles Agyemang, Henrike Galenkamp, Anitra D M Koopman, Tjalling Leenstra, Yvonne van Duijnhoven, Eric P Moll van Charante, Bert-Jan H van den Born, Anja Lok, Arnoud Verhoeff, Aeilko H Zwinderman, Suzanne Jurriaans, Karien Stronks, Maria Prins

Contents

	Page
Figure S1. Number of individuals with a visit and test results per month by ethnicity, Amsterdam, the Netherlands, June 24, 2020 – May 7, 2021	2
Table S1. Comparison of SARS-CoV-2 incidence since 1 January 2020 between ethnic groups, including interaction terms between ethnicity and time period before/after July 1, 2020.	3
Table S2. Estimated cumulative SARS-CoV-2 incidence between January 1, 2020 and March 31, 2021 in sensitivity analyses compared to main analysis.	4
Table S3. Interaction terms between ethnicity and time period in sensitivity analyses compared to main analysis.	4
Figure S2. Estimated cumulative SARS-CoV-2 incidence between January 1, 2020 and March 31, 2021 per ethnic group, adjusted for age and sex, defining the two piecewise-constant functions on August 15, 2021, HELIUS COVID-19 seroprevalence substudy	5
Table S4. Factors associated with transitioning to positive SARS-CoV-2 antibody status in Dutch participants, Amsterdam, the Netherlands, January 1, 2020 – March 31, 2021	6
Table S5. Factors associated with transitioning to positive SARS-CoV-2 antibody status in South-Asian Surinamese participants, Amsterdam, the Netherlands, January 1, 2020 – March 31, 2021	8
Table S6. Factors associated with transitioning to positive SARS-CoV-2 antibody status in African Surinamese participants, Amsterdam, the Netherlands, January 1, 2020 – March 31, 2021	10
Table S7. Factors associated with transitioning to positive SARS-CoV-2 antibody status in Ghanaian participants, Amsterdam, the Netherlands, January 1, 2020 – March 31, 2021	12
Table S8. Factors associated with transitioning to positive SARS-CoV-2 antibody status in Turkish participants, Amsterdam, the Netherlands, January 1, 2020 – March 31, 2021	14
Table S9. Factors associated with transitioning to positive SARS-CoV-2 antibody status in Moroccan participants, Amsterdam, the Netherlands, January 1, 2020 – March 31, 2021	16

Figure S1. Number of individuals with a visit and test results per month by ethnicity, Amsterdam, the Netherlands, June 24, 2020 – May 7, 2021



The left side of the graph shows the number of individuals with a visit in the COVID-19 seroprevalence substudy, per calendar month by ethnic group. The right side of the graph shows the distribution of test results per month by ethnic group, excluding people without a test result, equivocal test result or who were already vaccinated. The first visit took place between June 24 and October 9, 2020 and the second visit between November 23, 2020 and June 4, 2021. The cut-off date for this figure was on May 7, 2021.

Table S1. Comparison of SARS-CoV-2 incidence since 1 January 2020 between ethnic groups, including interaction terms between ethnicity and time period before/after July 1, 2020.

Characteristic	aHR (95% CI)	P-value
Ethnicity		
Dutch	1	
South-Asian Surinamese	0.58 (0.24-1.40)	0.23
African Surinamese	0.93 (0.46-1.90)	0.86
Ghanaian	4.74 (2.66-8.45)	<0.001
Turkish	0.42 (0.12-1.56)	0.20
Moroccan	0.78 (0.34-1.79)	0.56
Sex		
Male	1	
Female	1.12 (0.94-1.33)	0.19
Per year increase in age in years	1.00 (0.99-1.01)	0.53
Time period		
Before 1 July 2021	1	
On or after 1 July 2021	1.57 (0.83-2.96)	0.17
Interaction term ethnicity*time period		
Dutch on or after 1 July 2021	1	
South-Asian Surinamese on or after 1 July 2021	4.30 (1.50-12.3)	0.007
African Surinamese on or after 1 July 2021	2.98 (1.22-7.31)	0.017
Ghanaian on or after 1 July 2021	1.39 (0.61-3.20)	0.44
Turkish on or after 1 July 2021	10.6 (2.50-44.6)	0.001
Moroccan on or after 1 July 2021	6.52 (2.43-17.5)	<0.001

Abbreviations: aHR, adjusted hazard ratio; CI, confidence interval

Table S2. Estimated cumulative SARS-CoV-2 incidence between January 1, 2020 and March 31, 2021 in sensitivity analyses compared to main analysis.

	Main analysis: piecewise-constant based on July 1, 2020			Sensitivity analysis 1: piecewise-constant based on August 15, 2020			Sensitivity analysis 2: LTFU Included as absorbing state		
	Cumulative incidence (%)	aHR (95% CI)	P-value	Cumulative incidence (%)	aHR (95% CI)	P-value	Cumulative incidence (%)	aHR (95% CI)	P-value
Ethnicity									
Dutch	15.9 (9.6-25.5)	1		16.7 (10.3-26.3)	1		14.4 (0-22.2)	1	
South-Asian Surinamese	25.0 (15.8-37.9)	1.66 (1.16-2.40)	0.006	26.3 (17.4-39.4)	1.67 (1.16-2.41)	0.006	21.3 (0-31.5)	1.62 (1.12-2.33)	0.010
African Surinamese	28.9 (18.8-43.6)	1.97 (1.37-2.83)	<0.001	30.3 (18.7-46.0)	1.98 (1.38-2.83)	<0.001	25.5 (0-36.9)	1.94 (1.35-2.79)	<0.001
Ghanaian	64.6 (49.6-80.1)	6.00 (4.33-8.30)	<0.001	67.7 (50.9-83.5)	6.18 (4.46-8.56)	<0.001	50.8 (0-63.8)	5.47 (3.95-7.58)	<0.001
Turkish	37.0 (25.3-50.0)	2.67 (1.89-3.78)	<0.001	38.8 (27.6-53.8)	2.69 (1.90-3.80)	<0.001	29.9 (0-42.1)	2.52 (1.78-3.56)	<0.001
Moroccan	41.9 (30.0-58.1)	3.13 (2.22-4.42)	<0.001	43.6 (30.4-60.0)	3.14 (2.23-4.42)	<0.001	33.7 (0-45.3)	2.93 (2.08-4.13)	<0.001


Abbreviations: aHR, adjusted hazard ratio; CI, confidence interval; LTFU, loss to follow-up

Table S3. Interaction terms between ethnicity and time period in sensitivity analyses compared to main analysis.

	Main	Sensitivity 1	Sensitivity 2
	P-value	P-value	P-value
Interaction term ethnicity*time period			
Dutch	Ref	Ref	Ref
South-Asian Surinamese	0.007	0.012	0.007
African Surinamese	0.017	0.017	0.017
Ghanaian	0.44	0.99	0.44
Turkish	0.001	<0.001	0.001
Moroccan	<0.001	<0.001	<0.001

Abbreviations: aHR, adjusted hazard ratio; CI, confidence interval

Figure S2. Estimated cumulative SARS-CoV-2 incidence between January 1, 2020 and March 31, 2021 per ethnic group, adjusted for age and sex, defining the two piecewise-constant functions on August 15, 2021, HELIUS COVID-19 seroprevalence substudy



Footnote: Incidence was based on SARS-CoV-2 antibody test results from two subsequent study visits. The first visit took place between June 24 and October 9, 2020 and the second between November 23, 2020 and March 31, 2021. We chose to administratively censor follow-up on March 31, 2021 given the few participants with testing after this date (see also **Fig S1**). We modelled the transition of negative to positive SARS-CoV-2 antibody test using a time-homogenous, continuous-time, two-state Markov model, assuming all participants were SARS-CoV-2 negative on January 1, 2020.

Table S4. Factors associated with transitioning to positive SARS-CoV-2 antibody status in Dutch participants, Amsterdam, the Netherlands, January 1, 2020 – March 31, 2021

Characteristic	Univariable		Multivariable	
	HR (95% CI)	P-value	aHR (95% CI)	P-value
Sex				
Male	1			
Female	1.37 (0.77-2.44)	0.28		
Per year increase in age in years	1.00 (0.98-1.02)	0.87		
Migration generation				
1 st	NA			
2 nd	NA			
Educational level^c				
No school/elementary school	1			
Lower vocational/ lower secondary school	0.18 (0.02-1.25)	0.082		
Intermediary vocational/ intermediary secondary school	0.40 (0.09-1.89)	0.25		
Higher vocational/university	0.56 (0.35-2.33)	0.44		
Labor participation^c				
Employed	1			
Not in workforce	0.77 (0.34-1.72)	0.70		
Unemployed/on benefits	0.88 (0.21-3.62)	0.83		
Disabled	0.86 (0.17-6.25)	0.81		
Unknown/missing	0 (0-inf)	0.95		
Elementary occupation^c				
No	1			
Yes	1.12 (0.64-1.94)	0.71		
Difficulties with Dutch language				
No	NA			
Yes	NA			
Health literacy (SBSQ)^c				
Adequate	1			
Low	0 (0-inf)	0.91		
Job setting^{b,e}				
No job / caretaker only	1			
Job with no contact within 1.5 meter	0.95 (0.36-2.56)	0.93		
Other job with contact within 1.5 meter	1.54 (0.69-3.46)	0.30		
Child care/schools/higher education	1.86 (0.74-4.68)	0.19		
Bar/restaurant	1.12 (1.42-8.85)	0.92		
Hospital/long-term care facility/Care worker elsewhere	1.14 (0.41-3.21)	0.81		
Caretaker^b				
No	1			
Yes	1.31 (0.64-2.70)	0.47		
Per 1 person increase in number of household members^c				
	1.25 (0.98-1.58)	0.068		
Lives with other people^b				
Partner	1.73 (0.89-3.39)	0.11		
Children up to 3 years old	0.51 (0.12-2.09)	0.35		
Children 4 through 12 years old	0.87 (0.34-2.19)	0.78		
Children 13 through 17 years old	1.26 (0.45-3.51)	0.67		
Children 18+ years old	1.51 (0.68-3.36)	0.32		
Parents or parents-in-law	0 (0-inf)	0.91		
Other adults	0.53 (0.07-3.82)	0.54		

Household member/steady partner with suspected infection^b

N.A./No	1		1	
Yes	4.43 (2.41-8.13)	<0.001	4.43 (2.41-8.13)	<0.001
Number of times left home in the past week^{b,d} (per 1 increase)				
0-7	1			
8-11	1.68 (0.58-4.84)	0.34		
12-16	0.60 (0.19-1.89)	0.39		
17+	1.43 (0.55-3.73)	0.47		
In the past week, left home to^b:				
Work	1.62 (0.92-2.86)	0.097		
Do groceries	0.78 (0.24-2.52)	0.70		
Visit family or friends	1.16 (0.63-2.14)	0.64		
Walk the dog or go outside with kids	1.08 (0.57-2.04)	0.82		
Walk or exercise outside	0.70 (0.37-1.32)	0.28		
Take care of someone	1.30 (0.63-2.68)	0.48		
Pick up prescription medicines or visit doctor	1.73 (0.93-3.22)	0.082		
Attend religious service	2.16 (0.3-15.67)	0.46		
Visit cultural place	1.00 (0.47-2.12)	0.99		
Visit bar or restaurant	0.80 (0.46-1.40)	0.44		
Indoor sports	0.97 (0.41-2.27)	0.94		
Visit recreational park	0.80 (0.45-1.43)	0.46		
Frequency of using public transportation in the past week^b				
0 days	1			
1-2 days	1.27 (0.67-2.41)	0.48		
3-4 days	1.62 (0.62-4.19)	0.33		
5-7 days	2.26 (0.54-9.49)	0.27		
Number of unique visitors at home in the past week^b (per 1 increase)				
0	1			
1	1.35 (0.62-2.93)	0.45		
2-4	1.09 (0.53-2.22)	0.83		
5+	2.11 (0.92-4.86)	0.078		
Travelled abroad in 2020^b				
No	1			
Yes	1.12 (0.64-1.97)	0.69		

Abbreviations: CI, confidence interval; HELIUS, Healthy Life in an Urban Setting; N.A., not applicable; OR, odds ratio

^a Those with an equivocal test result were excluded from this analysis ^b Measured at COVID-19 visit (2020) ^c Measured at baseline (2011-2015) ^d Quartiles ^e Presumed higher exposure categories had priority, i.e. if someone was working in a school and as a care worker, they were categorized as a health worker. Caretakers were not included as a category because many had other jobs.

In multivariable analysis, the following variables were removed as they were no longer significant in the multivariable model: number of household members, job setting, living with a partner, leaving home to work in the past week, educational level, number of unique visitors at home in the past week, and leaving home to pick up medication in the past week.

Table S5. Factors associated with transitioning to positive SARS-CoV-2 antibody status in South-Asian Surinamese participants, Amsterdam, the Netherlands, January 1, 2020 – March 31, 2021

Characteristic	Univariable		Multivariable	
	HR (95% CI)	P-value	aHR (95% CI)	P-value
Sex				
Male	1			
Female	1.32 (0.80-2.17)	0.28		
Per year increase in age in years	1.00 (0.98-1.02)	0.74		
Migration generation				
1 st	1			
2 nd	1.44 (0.83-2.48)	0.20		
Educational level^c				
No school/elementary school	1			
Lower vocational/ lower secondary school	1.14 (0.54-2.41)	0.75		
Intermediary vocational/ intermediary secondary school	0.90 (0.41-1.98)	0.81		
Higher vocational/university	0.78 (0.33-1.81)	0.57		
Labor participation^c				
Employed	1			
Not in workforce	0.62 (0.25-1.55)	0.31		
Unemployed/on benefits	0.72 (0.33-1.57)	0.41		
Disabled	0.55 (0.20-1.53)	0.26		
Unknown/missing	1.20 (0.17-8.71)	0.87		
Elementary occupation^c				
No	1			
Yes	0.95 (0.66-1.36)	0.78		
Difficulties with Dutch language				
No	1			
Yes	1.25 (0.74-2.12)	0.41		
Health literacy (SBSQ)^c				
Adequate	1		1	
Low	2.49 (1.00-6.21)	0.049	3.07 (1.21-7.74)	0.018
Job setting^{b,e}				
No job / caretaker only	1			
Job with no contact within 1.5 meter	0.76 (0.32-1.79)	0.54		
Other job with contact within 1.5 meter	1.26 (0.71-2.23)	0.43		
Child care/schools/higher education	2.06 (0.91-4.65)	0.083		
Bar/restaurant	1.33 (0.31-5.66)	0.72		
Hospital/long-term care facility/Care worker elsewhere	0.81 (0.33-2.00)	0.66		
Caretaker^b				
No	1			
Yes	0.90 (0.46-1.76)	0.78		
Per 1 person increase in number of household members^c	1.16 (0.98-1.37)	0.092		
Lives with other people^b				
Partner	1.34 (0.84-2.15)	0.22		
Children up to 3 years old	1.98 (0.79-4.92)	0.14		
Children 4 through 12 years old	1.01 (0.48-2.10)	0.99		
Children 13 through 17 years old	1.21 (0.56-2.63)	0.64		
Children 18+ years old	1.05 (0.64-1.72)	0.85		
Parents or parents-in-law	1.93 (0.96-3.90)	0.065		
Other adults	0.90 (0.36-2.24)	0.83		
Household member/steady partner with suspected infection^b				

20210720-HELIUS COVID-19 incidence appendix-vs5

N.A./No	1		1	
Yes	2.66 (1.43-4.96)	0.002	2.96 (1.58-5.54)	<0.001
Number of times left home in the past week^{b,d} (per 1 increase)				
0-7	1.02 (0.98-1.05)	0.30		
8-11	1.12 (0.59-2.11)	0.74		
12-16	1.39 (0.73-2.62)	0.32		
17+	1.52 (0.76-3.04)	0.24		
In the past week, left home to^b:				
Work	0.88 (0.55-1.42)	0.62		
Do groceries	1.12 (0.41-3.06)	0.84		
Visit family or friends	1.02 (0.64-1.63)	0.94		
Walk the dog or go outside with kids	1.79 (0.89-3.60)	0.10		
Walk or exercise outside	1.54 (0.93-2.55)	0.092	1.66 (1.00-2.76)	0.049
Take care of someone	0.73 (0.35-1.52)	0.40		
Pick up prescription medicines or visit doctor	0.76 (0.43-1.32)	0.34		
Attend religious service	0.95 (0.30-3.02)	0.93		
Visit cultural place	1.59 (0.58-4.36)	0.38		
Visit bar or restaurant	0.82 (0.44-1.52)	0.54		
Indoor sports	1.39 (0.78-2.46)	0.26		
Visit recreational park	0.85 (0.44-1.66)	0.65		
Frequency of using public transportation in the past week^b				
0 days	1			
1-2 days	1.25 (0.69-2.27)	0.47		
3-4 days	1.44 (0.61-3.36)	0.41		
5-7 days	1.06 (0.38-2.95)	0.92		
Number of unique visitors at home in the past week^b				
0	1			
1	0.74 (0.37-1.50)	0.41		
2-4	0.95 (0.55-1.66)	0.87		
5+	1.22 (0.51-2.89)	0.67		
Travelled abroad in 2020^b				
No	1			
Yes	1.35 (0.82-2.23)	0.25		

Abbreviations: CI, confidence interval; HELIUS, Healthy Life in an Urban Setting; N.A., not applicable; OR, odds ratio

^a Those with an equivocal test result were excluded from this analysis ^b Measured at COVID-19 visit (2020) ^c Measured at baseline (2011-2015) ^d Quartiles ^e Presumed higher exposure categories had priority, i.e. if someone was working in a school and as a care worker, they were categorized as a health worker. Caretakers were not included as a category because many had other jobs.

In multivariable analysis, the following variables were removed as they were no longer significant in the multivariable model: migration generation, leaving home to walk the dog or go outside with kids, living with a partner, job setting, living with a child up to 3 years old, number of household members

Table S6. Factors associated with transitioning to positive SARS-CoV-2 antibody status in African Surinamese participants, Amsterdam, the Netherlands, January 1, 2020 – March 31, 2021

Characteristic	Univariable		Multivariable	
	HR (95% CI)	P-value	aHR (95% CI)	P-value
Sex				
Male	1			
Female	0.98 (0.62-1.55)	0.94		
Per year increase in age in years	0.99 (0.97-1.01)	0.22		
Migration generation				
1 st	1			
2 nd	1.19 (0.63-2.26)	0.60		
Educational level^c				
No school/elementary school	1			
Lower vocational/ lower secondary school	0.60 (0.21-1.76)	0.36		
Intermediary vocational/ intermediary secondary school	0.83 (0.29-2.34)	0.73		
Higher vocational/university	0.49 (0.17-1.44)	0.20		
Labor participation^c				
Employed	1			
Not in workforce	1.15 (0.54-2.41)	0.73		
Unemployed/on benefits	1.33 (0.69-2.54)	0.40		
Disabled	0.64 (0.20-2.06)	0.47		
Unknown/missing	1.54 (0.21-11.17)	0.68		
Elementary occupation^c				
No	1			
Yes	1.18 (0.81-1.72)	0.39		
Difficulties with Dutch language				
No	1			
Yes	1.71 (0.94-3.11)	0.080		
Health literacy (SBSQ)^c				
Adequate	1			
Low	2.52 (0.79-8.03)	0.12	3.64 (1.08-12.32)	0.038
Job setting^{b,e}				
No job / caretaker only	1			
Job with no contact within 1.5 meter	0.46 (0.14-1.57)	0.22		
Other job with contact within 1.5 meter	1.44 (0.80-2.58)	0.22		
Child care/schools/higher education	1.28 (0.58-2.83)	0.55		
Bar/restaurant	0 (0-inf)	0.88		
Hospital/long-term care facility/Care worker elsewhere	1.89 (0.97-3.68)	0.061		
Caretaker^b				
No	1			
Yes	1.17 (0.65-2.09)	0.61		
Per 1 person increase in number of household members^c	1.32 (1.16-1.49)	<0.001		
Lives with other people^b				
Partner	1.63 (1.04-2.57)	0.033		
Children up to 3 years old	1.67 (0.67-4.13)	0.27		
Children 4 through 12 years old	2.04 (1.14-3.65)	0.017		
Children 13 through 17 years old	1.77 (0.95-3.29)	0.070		
Children 18+ years old	2.16 (1.36-3.43)	0.001	2.31 (1.43-3.71)	<0.001
Parents or parents-in-law	1.03 (0.25-4.21)	0.97		
Other adults	2.18 (1.08-4.38)	0.029		
Household member/steady partner with suspected infection^b				

20210720-HELIUS COVID-19 incidence appendix-vs5

N.A./No	1		1	
Yes	4.52 (2.62-7.78)	<0.001	4.32 (2.46-7.58)	<0.001
Number of times left home in the past week^{b,d} (per 1 increase)	1.01 (0.98-1.04)	0.4		
0-7	1			
8-11	1.01 (0.55-1.88)	0.97		
12-16	0.94 (0.48-1.85)	0.88		
17+	1.42 (0.79-2.55)	0.25		
In the past week, left home to^b:				
Work	1.58 (1.00-2.49)	0.05		
Do groceries	0.62 (0.31-1.24)	0.18		
Visit family or friends	1.26 (0.80-1.98)	0.32		
Walk the dog or go outside with kids	1.42 (0.79-2.54)	0.24		
Walk or exercise outside	0.61 (0.39-0.96)	0.03	0.56 (0.35-0.89)	0.014
Take care of someone	1.06 (0.55-2.07)	0.87		
Pick up prescription medicines or visit doctor	1.39 (0.85-2.28)	0.19		
Attend religious service	1.81 (0.66-4.96)	0.25		
Visit cultural place	0.96 (0.30-3.06)	0.95		
Visit bar or restaurant	1.09 (0.64-1.85)	0.76		
Indoor sports	1.07 (0.55-2.08)	0.86		
Visit recreational park	1.01 (0.56-1.84)	0.97		
Frequency of using public transportation in the past week^b				
0 days	1			
1-2 days	0.87 (0.50-1.52)	0.64		
3-4 days	1.06 (0.51-2.18)	0.89		
5-7 days	1.42 (0.66-3.04)	0.37		
Number of unique visitors at home in the past week^b (per 1 increase)	1.05 (1.00-1.10)	0.063		
0	1		1	
1	1.55 (0.84-2.86)	0.16	1.27 (0.66-2.43)	0.48
2-4	1.79 (1.02-3.14)	0.041	1.80 (1.02-3.20)	0.044
5+	2.16 (1.01-4.62)	0.046	2.43 (1.12-5.26)	0.024
Travelled abroad in 2020^b				
No	1			
Yes	1.20 (0.75-1.93)	0.45		

Abbreviations: CI, confidence interval; HELIUS, Healthy Life in an Urban Setting; N.A., not applicable; OR, odds ratio

^a Those with an equivocal test result were excluded from this analysis ^b Measured at COVID-19 visit (2020) ^c Measured at baseline (2011-2015) ^d Quartiles ^e Presumed higher exposure categories had priority, i.e. if someone was working in a school and as a care worker, they were categorized as a health worker. Caretakers were not included as a category because many had other jobs.

In multivariable analysis, the following variables were removed as they were no longer significant in the multivariable model: Dutch language skills, leaving home to work in the past week, number of visitors (continuous variable), living with a child of 13 through 17 years old, leaving home to do groceries in the past week, living with a partner, number of household members, leaving with other adults, living with a child of 4 through 12 years old, job setting.

Table S7. Factors associated with transitioning to positive SARS-CoV-2 antibody status in Ghanaian participants, Amsterdam, the Netherlands, January 1, 2020 – March 31, 2021

Characteristic	Univariable		Multivariable	
	HR (95% CI)	P-value	aHR (95% CI)	P-value
Sex				
Male	1			
Female	1.14 (0.82-1.59)	0.46		
Per year increase in age in years	1.01 (0.99-1.03)	0.39		
Migration generation				
1 st	1			
2 nd	0.38 (0.05-2.73)	0.34		
Educational level^c				
No school/elementary school	1			
Lower vocational/ lower secondary school	0.88 (0.58-1.33)	0.55		
Intermediary vocational/ intermediary secondary school	0.83 (0.51-1.34)	0.45		
Higher vocational/university	0.72 (0.36-1.46)	0.37		
Labor participation^c				
Employed	1			
Not in workforce	0.64 (0.20-2.02)	0.45		
Unemployed/on benefits	1.10 (0.72-1.69)	0.66		
Disabled	0.92 (0.49-1.73)	0.81		
Unknown/missing	0.54 (0.13-2.22)	0.40		
Elementary occupation^c				
No	1			
Yes	0.97 (0.76-1.23)	0.80		
Difficulties with Dutch language				
No	1			
Yes	1.17 (0.69-1.97)	0.57		
Health literacy (SBSQ)^c				
Adequate	1			
Low	1.06 (0.81-1.37)	0.69		
Job setting^{b,e}				
No job / caretaker only	1			
Job with no contact within 1.5 meter	1.10 (0.67-1.82)	0.72		
Other job with contact within 1.5 meter	1.21 (0.79-1.87)	0.39		
Child care/schools/higher education	1.88 (0.78-4.53)	0.16		
Bar/restaurant	1.73 (0.91-3.29)	0.097		
Hospital/long-term care facility/Care worker elsewhere	1.02 (0.50-2.07)	0.96		
Caretaker^b				
No	1			
Yes	0.80 (0.37-1.71)	0.57		
Per 1 person increase in number of household members^c	1.09 (0.98-1.22)	0.12		
Lives with other people^b				
Partner	0.86 (0.61-1.21)	0.40		
Children up to 3 years old	1.46 (0.84-2.55)	0.18		
Children 4 through 12 years old	0.99 (0.67-1.45)	0.96		
Children 13 through 17 years old	1.25 (0.86-1.81)	0.24		
Children 18+ years old	1.25 (0.89-1.75)	0.20		
Parents or parents-in-law	1.18 (0.44-3.22)	0.75		
Other adults	1.31 (0.87-1.97)	0.19		
Household member/steady partner with suspected infection^b				

20210720-HELIUS COVID-19 incidence appendix-vs5

N.A./No	1			
Yes	0.72 (0.29-1.76)	0.48		
Number of times left home in the past week^{b,d} (per 1 increase)	1.00 (0.97-1.04)	0.85		
0-7	1			
8-11	0.84 (0.57-1.24)	0.39		
12-16	0.87 (0.54-1.40)	0.57		
17+	1.19 (0.67-2.13)	0.56		
In the past week, left home to^b:				
Work	1.41 (1.00-2.00)	0.050	1.49 (1.05-2.11)	0.024
Do groceries	1.01 (0.58-1.76)	0.98		
Visit family or friends	0.93 (0.63-1.37)	0.74		
Walk the dog or go outside with kids	1.66 (0.93-2.96)	0.084	1.90 (1.06-3.41)	0.031
Walk or exercise outside	0.86 (0.61-1.20)	0.38		
Take care of someone	1.44 (0.70-2.95)	0.33		
Pick up prescription medicines or visit doctor	0.96 (0.64-1.45)	0.86		
Attend religious service	1.50 (1.08-2.09)	0.017		
Visit cultural place	1.08 (0.15-7.79)	0.94		
Visit bar or restaurant	0.42 (0.15-1.13)	0.086	0.34 (0.12-0.92)	0.034
Indoor sports	1.31 (0.75-2.29)	0.35		
Visit recreational park	1.03 (0.51-2.12)	0.93		
Frequency of using public transportation in the past week^b				
0 days	1			
1-2 days	0.95 (0.60-1.51)	0.84		
3-4 days	1.24 (0.73-2.09)	0.43		
5-7 days	1.06 (0.71-1.60)	0.78		
Number of unique visitors at home in the past week^b (per 1 increase)	1.05 (0.96-1.15)	0.39		
0	1			
1	0.78 (0.46-1.33)	0.38		
2-4	1.29 (0.81-2.05)	0.29		
5+	0.69 (0.17-2.80)	0.61		
Travelled abroad in 2020^b				
No	1			
Yes	0.85 (0.56-1.28)	0.44		

Abbreviations: CI, confidence interval; HELIUS, Healthy Life in an Urban Setting; N.A., not applicable; OR, odds ratio

^a Those with an equivocal test result were excluded from this analysis ^b Measured at COVID-19 visit (2020) ^c Measured at baseline (2011-2015) ^d Quartiles ^e Presumed higher exposure categories had priority, i.e. if someone was working in a school and as a care worker, they were categorized as a health worker. Caretakers were not included as a category because many had other jobs.

In multivariable analysis, the following variables were removed as they were no longer significant in the multivariable model: number of household members, job setting, living with a child up to 3 years old, living with an adult child, living with other adults, attending a religious service.

Table S8. Factors associated with transitioning to positive SARS-CoV-2 antibody status in Turkish participants, Amsterdam, the Netherlands, January 1, 2020 – March 31, 2021

Characteristic	Univariable		Multivariable	
	HR (95% CI)	P-value	aHR (95% CI)	P-value
Sex				
Male	1			
Female	1.01 (0.68-1.49)	0.98		
Per year increase in age in years	0.99 (0.98-1.01)	0.45		
Migration generation				
1 st	1			
2 nd	1.13 (0.74-1.74)	0.58		
Educational level^c				
No school/elementary school	1		1	
Lower vocational/ lower secondary school	0.61 (0.33-1.10)	0.098	0.56 (0.31-1.02)	0.059
Intermediary vocational/ intermediary secondary school	0.58 (0.34-0.98)	0.043	0.57 (0.33-0.99)	0.044
Higher vocational/university	0.54 (0.31-0.94)	0.028	0.48 (0.27-0.85)	0.011
Labor participation^c				
Employed	1			
Not in workforce	1.05 (0.60-1.85)	0.87		
Unemployed/on benefits	0.85 (0.48-1.51)	0.59		
Disabled	1.13 (0.51-2.47)	0.78		
Unknown/missing	0.11 (0.00-84.89)	0.53		
Elementary occupation^c				
No	1			
Yes	1.14 (0.90-1.44)	0.28		
Difficulties with Dutch language				
No	1			
Yes	1.17 (0.78-1.74)	0.46		
Health literacy (SBSQ)^c				
Adequate	1			
Low	1.24 (0.87-1.77)	0.23		
Job setting^{b,e}				
No job / caretaker only	1			
Job with no contact within 1.5 meter	1.03 (0.57-1.85)	0.93		
Other job with contact within 1.5 meter	1.00 (0.62-1.61)	1.00		
Child care/schools/higher education	0.73 (0.29-1.87)	0.52		
Bar/restaurant	0.64 (0.09-4.61)	0.67		
Hospital/long-term care facility/Care worker elsewhere	1.22 (0.63-2.37)	0.57		
Caretaker^b				
No	1		1	
Yes	1.63 (0.93-2.88)	0.089	1.93 (1.08-3.45)	0.027
Per 1 person increase in number of household members^c	1.23 (1.06-1.42)	0.006	1.17 (1.01-1.36)	0.041
Lives with other people^b				
Partner	1.50 (0.97-2.32)	0.067		
Children up to 3 years old	1.03 (0.55-1.93)	0.93		
Children 4 through 12 years old	0.98 (0.60-1.58)	0.93		
Children 13 through 17 years old	1.42 (0.90-2.25)	0.13		
Children 18+ years old	1.43 (0.97-2.11)	0.073		
Parents or parents-in-law	0.87 (0.40-1.87)	0.73		
Other adults	0.77 (0.28-2.10)	0.63		

Household member/steady partner with suspected infection^b				
N.A./No	1		1	
Yes	2.17 (1.30-3.62)	0.003	2.19 (1.29-3.74)	0.004
Number of times left home in the past week^{b,d} (per 1 increase)				
	1.00 (0.97-1.03)			
0-7	1			
8-11	0.92 (0.54-1.59)	0.79		
12-16	0.97 (0.57-1.65)	0.91		
17+	0.88 (0.51-1.53)	0.67		
In the past week, left home to^b:				
Work	1.31 (0.89-1.94)	0.17		
Do groceries	1.11 (0.59-2.08)	0.75		
Visit family or friends	1.16 (0.78-1.72)	0.46		
Walk the dog or go outside with kids	1.25 (0.78-2.00)	0.40		
Walk or exercise outside	1.02 (0.68-1.54)	0.92		
Take care of someone	1.42 (0.76-2.66)	0.28		
Pick up prescription medicines or visit doctor	1.13 (0.70-1.81)	0.63		
Attend religious service	1.46 (0.89-2.39)	0.13		
Visit cultural place	1.08 (0.40-2.93)	0.90		
Visit bar or restaurant	0.85 (0.56-1.32)	0.49		
Indoor sports	1.29 (0.72-2.31)	0.40		
Visit recreational park	1.13 (0.69-1.84)	0.64		
Frequency of using public transportation in the past week^b				
0 days	1			
1-2 days	1.07 (0.65-1.76)	0.80		
3-4 days	1.43 (0.52-3.91)	0.50		
5-7 days	0.88 (0.28-2.79)	0.84		
Number of unique visitors at home in the past week^b (per 1 increase)				
	0.98 (0.90-1.06)	0.55		
0	1			
1	1.05 (0.56-1.98)	0.89		
2-4	1.25 (0.80-1.94)	0.34		
5+	0.77 (0.35-1.70)	0.53		
Travelled abroad in 2020^b				
No	1			
Yes	1.16 (0.79-1.71)	0.46		

Abbreviations: CI, confidence interval; HELIUS, Healthy Life in an Urban Setting; N.A., not applicable; OR, odds ratio

^a Those with an equivocal test result were excluded from this analysis ^b Measured at COVID-19 visit (2020) ^c Measured at baseline (2011-2015) ^d Quartiles ^e Presumed higher exposure categories had priority, i.e. if someone was working in a school and as a care worker, they were categorized as a health worker. Caretakers were not included as a category because many had other jobs.

In multivariable analysis, the following variables were removed as they were no longer significant in the multivariable model: living with a partner, living with an adult child, living with a child aged 13 through 17 years old, attending a religious service, number of unique visitors at home in the past week, living with a child up to 3 years old, leaving home to work in the past week.

Table S9. Factors associated with transitioning to positive SARS-CoV-2 antibody status in Moroccan participants, Amsterdam, the Netherlands, January 1, 2020 – March 31, 2021

Characteristic	Univariable		Multivariable	
	HR (95% CI)	P-value	aHR (95% CI)	P-value
Sex				
Male	1			
Female	1.16 (0.79-1.70)	0.47		
Per year increase in age in years	1.00 (0.98-1.01)	0.63		
Migration generation				
1 st	1			
2 nd	1.05 (0.68-1.62)	0.84		
Educational level^c				
No school/elementary school	1			
Lower vocational/ lower secondary school	1.24 (0.70-2.20)	0.48		
Intermediary vocational/ intermediary secondary school	0.96 (0.57-1.62)	0.89		
Higher vocational/university	0.71 (0.40-1.27)	0.25		
Labor participation^c				
Employed	1			
Not in workforce	1.21 (0.72-2.05)	0.48		
Unemployed/on benefits	0.91 (0.50-1.65)	0.76		
Disabled	1.01 (0.44-2.34)	0.98		
Unknown/missing	3.60 (1.09-11.92)	0.035		
Elementary occupation^c				
No	1			
Yes	1.09 (0.87-1.36)	0.48		
Difficulties with Dutch language				
No	1			
Yes	1.12 (0.76-1.67)	0.57		
Health literacy (SBSQ)^c				
Adequate	1			
Low	1.18 (0.86-1.62)	0.32		
Job setting^{b,e}				
No job / caretaker only	1			
Job with no contact within 1.5 meter	1.11 (0.63-1.95)	0.74		
Other job with contact within 1.5 meter	0.65 (0.39-1.09)	0.10		
Child care/schools/higher education	1.20 (0.67-2.13)	0.55		
Bar/restaurant	0.93 (0.22-3.86)	0.92		
Hospital/long-term care facility/Care worker elsewhere	0.95 (0.47-1.91)	0.89		
Caretaker^b				
No	1			
Yes	1.15 (0.68-1.93)	0.62		
Per 1 person increase in number of household members^c	1.20 (1.08-1.34)	0.001	1.22 (1.09-1.36)	<0.001
Lives with other people^b				
Partner	1.10 (0.73-1.66)	0.65		
Children up to 3 years old	1.30 (0.75-2.25)	0.36		
Children 4 through 12 years old	0.70 (0.44-1.12)	0.13	0.53 (0.33-0.87)	0.012
Children 13 through 17 years old	1.72 (1.17-2.54)	0.006		
Children 18+ years old	2.01 (1.37-2.95)	<0.000		
Parents or parents-in-law	0.90 (0.40-2.06)	0.82		
Other adults	1.01 (0.44-2.31)	0.98		

Household member/steady partner with suspected infection^b				
N.A./No	1		1	
Yes	2.45 (1.56-3.85)	<0.000	2.54 (1.58-4.08)	<0.001
Number of times left home in the past week^{b,d} (per 1 increase)				
0-7	1			
8-11	0.75 (0.44-1.30)	0.31		
12-16	0.70 (0.41-1.20)	0.20		
17+	0.80 (0.49-1.32)	0.39		
In the past week, left home to^b:				
Work	0.67 (0.45-1.00)	0.048		
Do groceries	0.63 (0.33-1.17)	0.15	0.45 (0.24-0.87)	<0.001
Visit family or friends	1.20 (0.81-1.77)	0.37		
Walk the dog or go outside with kids	0.84 (0.52-1.37)	0.50		
Walk or exercise outside	0.77 (0.52-1.15)	0.20		
Take care of someone	0.92 (0.53-1.58)	0.77		
Pick up prescription medicines or visit doctor	0.90 (0.57-1.43)	0.67		
Attend religious service	1.27 (0.68-2.37)	0.47		
Visit cultural place	0.38 (0.09-1.54)	0.18		
Visit bar or restaurant	1.03 (0.69-1.53)	0.91		
Indoor sports	0.94 (0.50-1.75)	0.85		
Visit recreational park	1.00 (0.64-1.56)	1.00		
Frequency of using public transportation in the past week^b				
0 days	1			
1-2 days	0.56 (0.33-0.95)	0.031		
3-4 days	1.32 (0.66-2.64)	0.44		
5-7 days	0.43 (0.14-1.38)	0.16		
Number of unique visitors at home in the past week^b (per 1 increase)				
0	1		1	
1	0.42 (0.18-0.97)	0.042	0.37 (0.16-0.88)	0.023
2-4	1.02 (0.66-1.59)	0.92	0.85 (0.53-1.36)	0.51
5+	1.42 (0.77-2.59)	0.26	1.28 (0.67-2.43)	0.47
Travelled abroad in 2020^b				
No	1			
Yes	0.96 (0.65-1.41)	0.83		

Abbreviations: CI, confidence interval; HELIUS, Healthy Life in an Urban Setting; N.A., not applicable; OR, odds ratio

^a Those with an equivocal test result were excluded from this analysis ^b Measured at COVID-19 visit (2020) ^c Measured at baseline (2011-2015) ^d Quartiles ^e Presumed higher exposure categories had priority, i.e. if someone was working in a school and as a care worker, they were categorized as a health worker. Caretakers were not included as a category because many had other jobs.

In multivariable analysis, the following variables were removed as they were no longer significant in the multivariable model: number of visitors (continuous), attending a cultural place in the past week, living with an adult child, labor participation, living with a child aged 13 through 17 years, job setting, leaving home to work in the past week, frequency of using public transportation in the past week.