

Supplementary material

Appendix I

Diagnostic codes

The following ICD-10 diagnoses were included in the outcome definition Venous thromboembolism:

Cerebral venous sinus thrombosis

- G08 Intracranial and intraspinal phlebitis and thrombophlebitis
- I676 Nonpyogenic thrombosis of intracranial venous system
- I636 Cerebral infarction due to cerebral venous thrombosis, nonpyogenic

Mesenteric thrombosis

- K55011 Focal (segmental) acute (reversible) ischemia of small intestine
- K55012 Diffuse acute (reversible) ischemia of small intestine
- K55019 Acute (reversible) ischemia of small intestine, extent unspecified
- K55021 Focal (segmental) acute infarction of small intestine
- K55022 Diffuse acute infarction of small intestine
- K55029 Acute infarction of small intestine, extent unspecified
- K55031 Focal (segmental) acute (reversible) ischemia of large intestine
- K55032 Diffuse acute (reversible) ischemia of large intestine
- K55039 Acute (reversible) ischemia of large intestine, extent unspecified
- K55041 Focal (segmental) acute infarction of large intestine
- K55042 Diffuse acute infarction of large intestine
- K55049 Acute infarction of large intestine, extent unspecified
- K55051 Focal (segmental) acute (reversible) ischemia of intestine, part unspecified
- K55052 Diffuse acute (reversible) ischemia of intestine, part unspecified
- K55059 Acute (reversible) ischemia of intestine, part and extent unspecified
- K55061 Focal (segmental) acute infarction of intestine, part unspecified
- K55062 Diffuse acute infarction of intestine, part unspecified
- K55069 Acute infarction of intestine, part and extent unspecified

Portal vein thrombosis

- I81 Portal vein thrombosis

Non-limb venous thrombosis

- I821 Thrombophlebitis migrans
- I82210 Acute embolism and thrombosis of superior vena cava
- I82220 Acute embolism and thrombosis of inferior vena cava
- I82290 Acute embolism and thrombosis of other thoracic veins
- I823 Embolism and thrombosis of renal vein
- I82B11 Acute embolism and thrombosis of right subclavian vein
- I82B12 Acute embolism and thrombosis of left subclavian vein
- I82B13 Acute embolism and thrombosis of subclavian vein, bilateral
- I82B19 Acute embolism and thrombosis of unspecified subclavian vein
- I82C11 Acute embolism and thrombosis of right internal jugular vein
- I82C12 Acute embolism and thrombosis of left internal jugular vein
- I82C13 Acute embolism and thrombosis of internal jugular vein, bilateral
- I82C19 Acute embolism and thrombosis of unspecified internal jugular vein

Venous thrombosis of extremities

- I82401 Acute embolism and thrombosis of unspecified deep veins of right lower extremity
- I82402 Acute embolism and thrombosis of unspecified deep veins of left lower extremity
- I82403 Acute embolism and thrombosis of unspecified deep veins of lower extremity, bilateral
- I82409 Acute embolism and thrombosis of unspecified deep veins of unspecified lower extremity
- I82411 Acute embolism and thrombosis of right femoral vein
- I82412 Acute embolism and thrombosis of left femoral vein
- I82413 Acute embolism and thrombosis of femoral vein, bilateral
- I82419 Acute embolism and thrombosis of unspecified femoral vein
- I82421 Acute embolism and thrombosis of right iliac vein
- I82422 Acute embolism and thrombosis of left iliac vein
- I82423 Acute embolism and thrombosis of iliac vein, bilateral
- I82429 Acute embolism and thrombosis of unspecified iliac vein

I82431	Acute embolism and thrombosis of right popliteal vein
I82432	Acute embolism and thrombosis of left popliteal vein
I82433	Acute embolism and thrombosis of popliteal vein, bilateral
I82439	Acute embolism and thrombosis of unspecified popliteal vein
I82441	Acute embolism and thrombosis of right tibial vein
I82442	Acute embolism and thrombosis of left tibial vein
I82443	Acute embolism and thrombosis of tibial vein, bilateral
I82449	Acute embolism and thrombosis of unspecified tibial vein
I82491	Acute embolism and thrombosis of other specified deep vein of right lower extremity
I82492	Acute embolism and thrombosis of other specified deep vein of left lower extremity
I82493	Acute embolism and thrombosis of other specified deep vein of lower extremity, bilateral
I82499	Acute embolism and thrombosis of other specified deep vein of unspecified lower extremity
I824Y1	Acute embolism and thrombosis of unspecified deep veins of right proximal lower extremity
I824Y2	Acute embolism and thrombosis of unspecified deep veins of left proximal lower extremity
I824Y3	Acute embolism and thrombosis of unspecified deep veins of proximal lower extremity, bilateral
I824Y9	Acute embolism and thrombosis of unspecified deep veins of unspecified proximal lower extremity
I824Z1	Acute embolism and thrombosis of unspecified deep veins of right distal lower extremity
I824Z2	Acute embolism and thrombosis of unspecified deep veins of left distal lower extremity
I824Z3	Acute embolism and thrombosis of unspecified deep veins of distal lower extremity, bilateral
I824Z9	Acute embolism and thrombosis of unspecified deep veins of unspecified distal lower extremity
I82601	Acute embolism and thrombosis of unspecified veins of right upper extremity
I82602	Acute embolism and thrombosis of unspecified veins of left upper extremity
I82603	Acute embolism and thrombosis of unspecified veins of upper extremity, bilateral
I82609	Acute embolism and thrombosis of unspecified veins of unspecified upper extremity
I82611	Acute embolism and thrombosis of superficial veins of right upper extremity
I82612	Acute embolism and thrombosis of superficial veins of left upper extremity
I82613	Acute embolism and thrombosis of superficial veins of upper extremity, bilateral
I82619	Acute embolism and thrombosis of superficial veins of unspecified upper extremity
I82621	Acute embolism and thrombosis of deep veins of right upper extremity
I82622	Acute embolism and thrombosis of deep veins of left upper extremity
I82623	Acute embolism and thrombosis of deep veins of upper extremity, bilateral
I82629	Acute embolism and thrombosis of deep veins of unspecified upper extremity
I82811	Embolism and thrombosis of superficial veins of right lower extremity
I82812	Embolism and thrombosis of superficial veins of left lower extremity
I82813	Embolism and thrombosis of superficial veins of lower extremities, bilateral
I82819	Embolism and thrombosis of superficial veins of unspecified lower extremity
I82A11	Acute embolism and thrombosis of right axillary vein
I82A12	Acute embolism and thrombosis of left axillary vein
I82A13	Acute embolism and thrombosis of axillary vein, bilateral
I82A19	Acute embolism and thrombosis of unspecified axillary vein
I8000	Phlebitis and thrombophlebitis of superficial vessels of unspecified lower extremity
I8001	Phlebitis and thrombophlebitis of superficial vessels of right lower extremity
I8002	Phlebitis and thrombophlebitis of superficial vessels of left lower extremity
I8003	Phlebitis and thrombophlebitis of superficial vessels of lower extremities, bilateral
I8010	Phlebitis and thrombophlebitis of unspecified femoral vein
I8011	Phlebitis and thrombophlebitis of right femoral vein
I8012	Phlebitis and thrombophlebitis of left femoral vein
I8013	Phlebitis and thrombophlebitis of femoral vein, bilateral
I80201	Phlebitis and thrombophlebitis of unspecified deep vessels of right lower extremity
I80202	Phlebitis and thrombophlebitis of unspecified deep vessels of left lower extremity
I80203	Phlebitis and thrombophlebitis of unspecified deep vessels of lower extremities, bilateral
I80209	Phlebitis and thrombophlebitis of unspecified deep vessels of unspecified lower extremity
I80211	Phlebitis and thrombophlebitis of right iliac vein
I80212	Phlebitis and thrombophlebitis of left iliac vein
I80213	Phlebitis and thrombophlebitis of iliac vein, bilateral
I80219	Phlebitis and thrombophlebitis of unspecified iliac vein
I80221	Phlebitis and thrombophlebitis of right popliteal vein

- I80222 Phlebitis and thrombophlebitis of left popliteal vein
I80223 Phlebitis and thrombophlebitis of popliteal vein, bilateral
I80229 Phlebitis and thrombophlebitis of unspecified popliteal vein
I80231 Phlebitis and thrombophlebitis of right tibial vein
I80232 Phlebitis and thrombophlebitis of left tibial vein
I80233 Phlebitis and thrombophlebitis of tibial vein, bilateral
I80239 Phlebitis and thrombophlebitis of unspecified tibial vein
I80291 Phlebitis and thrombophlebitis of other deep vessels of right lower extremity
I80292 Phlebitis and thrombophlebitis of other deep vessels of left lower extremity
I80293 Phlebitis and thrombophlebitis of other deep vessels of lower extremity, bilateral
I80299 Phlebitis and thrombophlebitis of other deep vessels of unspecified lower extremity
I803 Phlebitis and thrombophlebitis of lower extremities, unspecified
- Nonspecific venous thrombosis**
- I82890 Acute embolism and thrombosis of other specified veins
I8290 Acute embolism and thrombosis of unspecified vein
I808 Phlebitis and thrombophlebitis of other sites
I809 Phlebitis and thrombophlebitis of unspecified site
- Pulmonary embolism**
- I2601 Septic pulmonary embolism with acute cor pulmonale
I2602 Saddle embolus of pulmonary artery with acute cor pulmonale
I2609 Other pulmonary embolism with acute cor pulmonale
I2690 Septic pulmonary embolism without acute cor pulmonale
I2692 Saddle embolus of pulmonary artery without acute cor pulmonale
I2699 Other pulmonary embolism without acute cor pulmonale
- Thrombocytopenia**
- D693 Immune thrombocytopenic purpura
D6959 Other secondary thrombocytopenia
D696 Thrombocytopenia, unspecified
D7582 Heparin induced thrombocytopenia (HIT)

Appendix II

Figure S1. Cases of selected diagnoses of venous thromboembolism in 2020, recorded in the preliminary exploration of the database; number of cases.




Table S1. Reference population (2019, weeks 1 to 52): number of cases of the selected diagnoses, by age and sex.

Age	n	VTE ^a	CVST ^b	MesT ^c	PVT ^d	TCP ^e	VTE+TCP ^f
10–19	826 219	68	9	1	5	130	6
20–29	847 320	160	4	4	9	284	9
30–39	1 078 419	364	6	20	20	486	13
40–49	1 312 392	738	20	40	90	534	42
50–59	1 072 450	1 357	15	101	224	918	83
60–69	821 399	1 883	17	177	273	1 291	138
70–79	600 679	2 366	8	307	252	1 778	97
80–89	367 307	2 097	9	285	143	1 554	56
>89	86 855	506	1	108	13	393	14
Total	7 013 040	9 539	89	1 043	1 029	7 368	458
10–39	2 751 958	592	19	25	34	900	28
40–69	3 206 241	3 978	52	318	587	2,743	263
70–89	967 986	4 463	17	592	395	3,332	153
>89	86 855	506	1	108	13	393	14
Sex							
Men	3 426 332	5 134	51	552	702	4 292	301
Women	3 586 708	4 405	38	491	327	3 076	157

^a Any diagnosis of venous thromboembolism.^b Cerebral venous sinus thrombosis.^c Mesenteric thrombosis.^d Portal vein thrombosis.^e Thrombocytopenia (idiopathic, secondary, not specified).^f Patients with simultaneous diagnoses of venous thromboembolism and thrombocytopenia.

Table S2. Reference population (2019, weeks 1 to 52): 21 day incidence of the selected diagnoses, by age and sex, n/100 000.

Age	n	VTE ^a	CVST ^b	MesT ^c	PVT ^d	TCP ^e	VTE+TCP ^f
10–19	826 219	0·47	0·06	0·01	0·03	0·91	0·04
20–29	847 320	1·09	0·03	0·03	0·06	1·93	0·06
30–39	1 078 419	1·95	0·03	0·11	0·11	2·60	0·07
40–49	1 312 392	3·24	0·01	0·18	0·40	2·35	0·18
50–59	1 072 450	7·30	0·08	0·54	1·20	4·94	0·45
60–69	821 399	13·23	0·12	1·24	1·92	9·07	0·97
70–79	600 679	22·72	0·08	2·95	2·42	17·08	0·93
80–89	367 307	32·94	0·14	4·48	2·25	24·41	0·88
>89	86 855	33·61	0·07	7·17	0·86	26·10	0·93
Total	7 013 040	7·85	0·07	0·86	0·85	6·06	0·38
10–39	2 751 958	1·24	0·04	0·05	0·07	1·89	0·06
40–69	3 206 241	7·16	0·09	0·57	1·06	4·94	0·47
70–89	967 986	26·60	0·10	3·53	2·35	19·86	0·91
>89	86 855	33·61	0·07	7·17	0·86	26·10	0·93
Sex							
Men	3 426 332	8·64	0·09	0·93	1·18	7·23	0·51
Women	3 586 708	7·09	0·06	0·79	0·53	4·95	0·25

^a Any diagnosis of venous thromboembolism.

^b Cerebral venous sinus thrombosis.

^c Mesenteric thrombosis.

^d Portal vein thrombosis.

^e Thrombocytopenia (idiopathic, secondary, not specified).

^f Patients with simultaneous diagnoses of venous thromboembolism and thrombocytopenia.

Table S3. People vaccinated with the first dose of a Covid-19 vaccine (2021, weeks 1 to 16): number of cases of the selected diagnoses by age and sex in the 21 days following vaccination.

Age	n	VTE ^a	CVST ^b	MesT ^c	PVT ^d	TCP ^e	VTE+TCP ^f
10–19	6 990	1	0	0	0	2	0
20–29	82 341	2	0	0	0	6	0
30–39	104 149	3	0	0	2	7	1
40–49	151 535	18	2	1	2	10	2
50–59	139 712	19	0	2	5	20	1
60–69	434 153	63	3	3	9	51	4
70–79	337 017	94	1	7	18	75	5
80–89	324 708	112	0	13	6	69	1
>89	82 114	33	0	4	2	25	0
Total	1 662 719	345	6	30	44	265	14
10–39	193 480	6	0	0	2	15	1
40–69	725 400	100	5	6	16	81	7
70–89	661 725	206	1	20	24	144	6
>89	82 114	33	0	4	2	25	0
Sex							
Men	669 108	185	2	17	32	163	8
Women	993 611	160	4	13	12	102	6

^a Any diagnosis of venous thromboembolism.

^b Cerebral venous sinus thrombosis.

^c Mesenteric thrombosis.

^d Portal vein thrombosis.

^e Thrombocytopenia (idiopathic, secondary, not specified).

^f Patients with simultaneous diagnoses of venous thromboembolism and thrombocytopenia.

Table S4. People vaccinated with the first dose of a Covid-19 vaccine (2021, weeks 1 to 16): 21 day crude incidence of the selected diagnoses by age and sex, n/100 000.

Age	n	VTE ^a	CVST ^b	MesT ^c	PVT ^d	TCP ^e	VTE+TCP ^f
10–19	6 990	14·31	0	0	0	28·61	0
20–29	82 341	2·43	0	0	0	7·29	0
30–39	104 149	2·88	0	0	1·92	6·72	0·96
40–49	151 535	11·88	1·32	0·66	1·32	6·60	1·32
50–59	139 712	13·60	0	1·43	3·58	14·32	0·72
60–69	434 153	14·51	0·69	0·69	2·07	11·75	0·92
70–79	337 017	27·89	0·30	2·08	5·34	22·25	1·48
80–89	324 708	34·49	0	4·00	1·85	21·25	0·31
>89	82 114	40·19	0	4·87	2·44	30·45	0
Total	1 662 719	20·75	0·36	1·80	2·65	15·94	0·84
10–39	1934 80	3·10	0	0	1·03	7·75	0·52
40–69	725 400	13·79	0·69	0·83	2·21	11·17	0·96
70–89	661 725	31·13	0·15	3·02	3·63	21·76	0·91
>89	82 114	40·19	0	4·87	2·44	30·45	0
Sex							
Men	669108	27·65	0·30	2·54	4·78	24·36	1·20
Women	993611	16·10	0·40	1·31	1·21	10·27	0·60

^a Any diagnosis of venous thromboembolism.

^b Cerebral venous sinus thrombosis.

^c Mesenteric thrombosis.

^d Portal vein thrombosis.

^e Thrombocytopenia (idiopathic, secondary, not specified).

^f Patients with simultaneous diagnoses of venous thromboembolism and thrombocytopenia.

Table S5. People vaccinated with the second dose of a Covid-19 vaccine (2021, weeks 1 to 16): number of cases of the selected diagnoses by age and sex.

Age	n	VTE ^a	CVST ^b	MesT ^c	PVT ^d	TCP ^e	VTE+TCP ^f
10–19	3 371	0	0	0	0	0	0
20–29	40 536	0	0	0	0	2	0
30–39	46 476	3	0	0	1	1	1
40–49	66 088	4	0	0	1	6	0
50–59	72 243	12	0	1	3	5	0
60–69	51 907	15	0	2	2	7	1
70–79	40 390	15	0	4	3	34	2
80–89	229 416	85	1	9	10	52	1
>89	72 351	26	0	2	1	26	0
Total	622 778	160	1	18	21	133	5
10–39	90 383	3	0	0	1	3	1
40–69	190 238	31	0	3	6	18	1
70–89	269 806	100	1	13	13	86	3
>89	72 351	26	0	2	1	26	0
Sex							
Men	210 675	73	0	6	14	80	3
Women	412 103	87	1	12	7	53	2

^a Any diagnosis of venous thromboembolism.

^b Cerebral venous sinus thrombosis.

^c Mesenteric thrombosis.

^d Portal vein thrombosis.

^e Thrombocytopenia (idiopathic, secondary, not specified).

^f Patients with simultaneous diagnoses of venous thromboembolism and thrombocytopenia.

Table S6. People vaccinated with the second dose of a Covid-19 vaccine (2021, weeks 1 to 16): 21 day crude incidence of the selected diagnoses by age and sex, n/100 000.

Age	n	VTE ^a	CVST ^b	MesT ^c	PVT ^d	TCP ^e	VTE+TCP ^f
10–19	3 371	0	0	0	0	0	0
20–29	40 536	0	0	0	0	4·93	0
30–39	46 476	6·45	0	0	2·15	2·15	2·15
40–49	66 088	6·05	0	0	1·51	9·08	0
50–59	72 243	16·61	0	1·38	4·15	6·92	0
60–69	51 907	28·90	0	3·85	3·85	13·49	1·93
70–79	40 390	37·14	0	9·90	7·43	84·18	4·95
80–89	229 416	37·05	0·44	3·92	4·36	22·67	0·44
>89	72 351	35·94	0	2·76	1·38	35·94	0
Total	622 778	25·69	0·16	2·89	3·37	21·36	0·80
10–39	90 383	3·32	0	0	1·11	3·32	1·11
40–69	190 238	16·30	0	1·58	3·15	9·46	0·53
70–89	269 806	37·06	0·37	4·82	4·82	31·87	1·11
>89	72 351	35·94	0	2·76	1·38	35·94	0
Sex							
Men	210 675	34·65	0	2·85	6·65	37·97	1·42
Women	412 103	21·11	0·24	2·91	1·70	12·86	0·49

^a Any diagnosis of venous thromboembolism.

^b Cerebral venous sinus thrombosis.

^c Mesenteric thrombosis.

^d Portal vein thrombosis.

^e Thrombocytopenia (idiopathic, secondary, not specified).

^f Patients with simultaneous diagnoses of venous thromboembolism and thrombocytopenia.

Table S7. Incident cases of Covid-19 (2021, weeks 1 to 16): number of cases of the selected diagnoses, by age and sex in the 21 days following diagnosis.

Age	n	VTE ^a	CVST ^b	MesT ^c	PVT ^d	TCP ^e	VTE+TCP ^f
10–19	29 088	0	0	0	0	3	0
20–29	24 660	5	0	0	0	7	0
30–39	27 570	11	0	0	0	15	1
40–49	36 735	51	0	2	0	42	1
50–59	31 020	120	0	0	4	73	6
60–69	18 901	172	2	2	6	90	10
70–79	12 683	180	0	6	2	122	14
80–89	7 572	115	0	3	1	66	1
>89	2 387	32	0	0	1	24	0
Total	190 616	686	2	13	14	442	33
10–39	81 318	16	0	0	0	25	1
40–69	86 656	343	2	4	10	205	17
70–89	20 255	295	0	9	3	188	15
>89	2 387	32	0	0	1	24	0
Sex							
Men	92 072	443	1	8	10	292	26
Women	98 544	243	1	5	4	150	7

^a Any diagnosis of venous thromboembolism.

^b Cerebral venous sinus thrombosis.

^c Mesenteric thrombosis.

^d Portal vein thrombosis.

^e Thrombocytopenia (idiopathic, secondary, not specified).

^f Patients with simultaneous diagnoses of venous thromboembolism and thrombocytopenia.

Table S8. Venous thromboembolism in the Covid-19 cohort (2021, weeks 1 to 16): 21 day crude incidence of the selected diagnoses, by age and sex, n/100 000.

Age	n	VTE ^a	CVST ^b	MesT ^c	PVT ^d	TCP ^e	VTE+TCP ^f
10–19	29 088	0	0	0	0	10·31	0
20–29	24 660	20·28	0	0	0	28·39	0
30–39	27 570	39·90	0	0	0	54·41	3·63
40–49	36 735	138·83	0	5·44	0	114·33	2·72
50–59	31 020	386·85	0	0	12·89	235·33	19·34
60–69	18 901	910·00	10·58	10·58	31·74	476·17	52·91
70–79	12 683	1 419·22	0	47·31	15·77	961·92	110·38
80–89	7 572	1 518·75	0	39·62	13·21	871·63	13·21
>89	2 387	1 340·59	0	0	41·89	1 005·45	0
Total	190 616	359·89	1·05	6·82	7·34	231·88	17·31
10–39	81 318	19·68	0	0	0	30·74	1·23
40–69	86 656	395·82	2·31	4·62	11·54	236·57	19·62
70–89	20 255	1 456·43	0	44·43	14·81	928·17	74·06
>89	2 387	1 340·59	0	0	41·89	1 005·45	0
Sex							
Men	92 072	481·15	1·09	8·69	10·86	317·14	28·24
Women	98 544	246·59	1·01	5·07	4·06	152·22	7·10

^a Any diagnosis of venous thromboembolism.

^b Cerebral venous sinus thrombosis.

^c Mesenteric thrombosis.

^d Portal vein thrombosis.

^e Thrombocytopenia (idiopathic, secondary, not specified).

^f Patients with simultaneous diagnoses of venous thromboembolism and thrombocytopenia.

Table S9. Age and sex distribution of people vaccinated with each Covid-19 vaccine.

First dose						
Age group	Comirnaty®		Spikevax®		VaxZevria®	
	Men (n=369 792)	Women (n=619 326)	Men (n=33 875)	Women (n=49 134)	Men (n=265 169)	Women (n=324 968)
10–39	6·6%	9·6%	17·3%	27·0%	11·0%	18·8%
40–69	14·8%	20·0%	55·7%	56·5%	88·9%	81·2%
70–89	72·3%	60·9%	26·6%	16·3%	0·0%	0·0%
>89	6·3%	9·4%	0·3%	0·2%	0·0%	0·0%
All	100%	100%	100%	100%	100%	100%
Second dose						
	(n=196 159)	(n=389 772)	(n=14 442)	(n=22 227)		
10–39	11·7%	14·6%	20·6%	33·7%		
40–69	26·0%	30·4%	57·1%	55·9%		
70–89	51·9%	41·7%	21·8%	10·0%		
>89	10·4%	13·3%	0·4%	0·3%		
All	100%	100%	100%	100%		

Table S10. Non adjusted excess event rate of any diagnosis of VTE in people vaccinated with the first and with the second dose of Covid-19 vaccines and in patients with Covid-19 (21 days following vaccination or following the diagnosis of Covid-19), by age and sex.

Age, sex	Vaccine first dose (n/100 000 doses)	Vaccine second dose (n/100 000 doses)	Covid-19 (n/100 000 patients)
10–39	1·86 (-0·62 to 4·34)	2·08 (-1·68 to 5·84)	18·43 (8·79 to 28·08)
40–69	6·63 (3·92 to 9·34)	9·14 (3·40 to 14·88)	388·66 (346·77 to 430·55)
70–89	4·53 (0·21 to 8·85)	10·46 (3·16 to 17·77)	1429·83 (1263·63 to 1596·03)
>89	6·58 (-7·44 to 20·60)	2·33 (-11·79 to 16·45)	1306·98 (842·49 to 1771·48)
Men	19·00 (15·01 to 23·00)	26·01 (18·05 to 33·96)	472·50 (427·70 to 517·31)
Women	9·02 (6·51 to 11·52)	14·03 (9·58 to 18·47)	239·50 (208·50 to 270·51)
All	12·90 (10·71 to 15·10)	17·84 (13·86 to 21·83)	352·04 (325·11 to 378·97)

Table S11. Non adjusted excess event rate (ER) estimates of unusual site thrombosis^a associated to thrombocytopenia per 100 000 first dose vaccinations, by age and sex.

Age group, sex	Excess rate (n/100 000)
10–19	-0·15
20–29	-0·18
30–39	2·56
40–49	3·78
50–59	3·45
60–69	0·13
70–79	2·82
80–89	-1·58
>89	-1·73
Total	3·50
10–39	1·33
41–69	2·49
70–89	0·81
>89	-1·73
Men	6·11
Women	1·89

^a Any of the following: cerebral venous sinus thrombosis, mesenteric thrombosis, portal vein thrombosis, or any venous thromboembolism associated with thrombocytopenia.

Table S12. Venous thromboembolism (VTE) in unusual anatomical sites as a proportion of all cases of VTE in the four cohorts.

	Any VTE, n	Unusual VTE or VTE+TCP, n	Percentage (95 percent confidence interval)
Reference	9 539	2 619	27·5 (26·6 to 28·4)
Vaccinated first dose	345	94	27·3 (22·8 to 32·2)
Vaccinated second dose	160	45	28·1 (21·7 to 35·5)
Covid-19	686	62	9·0 (7·1 to 11·4)

Table S13. Number of cases and incidence of unusual site thrombosis^a and of simultaneous diagnosis of venous thromboembolism (VTE) and thrombocytopenia (TCP) in vaccinated individuals, by vaccine, following the first and following the second dose; 2021, weeks 1 to 16.

	Doses, n	Unusual thrombosis or VTE+TCP		Simultaneous diagnosis of VTE and TCP	
		Cases, n	I, n/100 000 (95 percent confidence interval)	Cases, n	I, n/100 000 (95 percent confidence interval)
First dose					
Comirnaty®	989 118	58	5·86 (4·53 to 7·58)	6	0·61 (0·27 to 1·35)
Spikevax®	83 009	19	22·89 (14·60 to 35·88)	3	3·61 (1·17 to 11·21)
VaxZevria®	590 137	17	2·88 (1·79 to 4·63)	5	0·85 (0·35 to 2·04)
Total	1 662 264	94	5·65 (4·62 to 6·92)	14	0·84 (0·50 to 1·42)
Second dose					
Comirnaty®	585 931	38	6·49 (4·72 to 8·91)	4	0·68 (0·26 to 1·82)
Spikevax®	36 669	7	19·09 (9·10 to 40·04)	1	2·73 (0·38 to 19·36)
VaxZevria®	178	0	0	0	0
Total	622 778	45	7·23 (5·39 to 9·68)	5	0·80 (0·33 to 1·93)

^a Any of the following: cerebral venous sinus thrombosis, mesenteric thrombosis, portal vein thrombosis, or any venous thromboembolism associated with thrombocytopenia.

Table S14. Number of cases of various diagnostic definitions following the first and following the second dose of each vaccine; 2021, weeks 1 to 16.

	Doses, n	Unusual thrombosis or VTE+ TCP ^a	VTE+TCP ^b	Any VTE ^c	CVST ^d	MesT ^e	PVT ^f	TCP ^g
First dose								
Comirnaty®	989 118	58	6	241	2	23	27	166
Spikevax®	83 009	19	3	68	0	4	12	77
VaxZevria®	590 137	17	5	36	4	3	5	22
All	1 662 719	94	14	345	6	30	44	265
Second dose								
Comirnaty®	585 931	38	4	136	1	16	17	109
Spikevax®	36 669	7	1	24	0	2	4	24
VaxZevria®	178	—	—	—	—	—	—	—
All	622 778	45	5	160	1	18	21	133

^a Any of the following: cerebral venous sinus thrombosis, mesenteric thrombosis, portal vein thrombosis, or any venous thromboembolism associated with thrombocytopenia.

^b Patients with simultaneous diagnoses of venous thromboembolism and thrombocytopenia.

^c Any diagnosis of venous thromboembolism.

^d Cerebral venous sinus thrombosis.

^e Mesenteric thrombosis.

^f Portal vein thrombosis.

^g Thrombocytopenia (idiopathic, secondary, not specified).