

Online resource table S5: Allele frequencies of the pathogenic and likely pathogenic *RYR1* variants

Variant	All_AF (%)	CHS_AF (%)	INS_AF (%)	MAS_AF (%)	ExAC_ALL (%)	GnomAD_exome_ALL (%)	AMR_AF (%)	NFE_AF (%)	SAS_AF (%)	SEA_AF (%)	NEA_AF (%)
c.325C>T	0.01	0.018	0	0	0.01	0.008	0.009 (ExAC) 0.003 (gnomAD)	0.02 (ExAC) 0 (gnomAD)	0.006 (ExAC) 0 (gnomAD)	Nil	Nil
c.6487C>T	0.01	0	0	0.055	Nil	0.001	0.003 (gnomAD)	0 (gnomAD)	0.02 (gnomAD)	Nil	Nil
c.7268T>A	0.03	0	0.133	0	0.004	0.002	0 (ExAC) 0.02 (gnomAD)	0 (ExAC and gnomAD)	0.03 (ExAC) 0 (gnomAD)	Nil	Nil
c.14111C>T	0.01	0	0.044	0	0.002	0.004	0 (ExAC) 0.003 (gnomAD)	0.003 (ExAC) 0 (gnomAD)	0 (ExAC and gnomAD)	Nil	Nil
c.742G>T	0.01	0.018	0	0	0.001	0.001	0 (ExAC and gnomAD)	0 (ExAC and gnomAD)	0 (ExAC and gnomAD) 0.069 (genome)	0 (genome asia 100K)	0 (genome asia 100k)

									asia 100k)		
c.1186G>T	0.03	0	0	0.166	0.001	0.001	0 (ExAC and gnomAD )	0.002 (ExAC) 0 (gnomA D)	0 (ExAC and gnomAD )	Nil	Nil
c.2654G>A	0.031	0	0.133	0	0.02	0.02	0 (ExAC) 0.04 (gnomA D)	0.02 (ExAC) 0 (gnomA D)	0.04 (ExAC) 0 (gnomA D)	Nil	Nil
c.8554C>T	0.01	0.018	0	0	Nil	0	0 (gnomA D)	0 (gnomA D)	0 (gnomA D)	Nil	Nil

Orange: defined as pathogenic in this study; Blue: defined as likely pathogenic in this study.

Abbreviations: All\_AF: allele frequency in the Singapore population; CHS\_AF: allele frequency amongst Chinese; INS: allele frequency amongst Indians; MAS: allele frequency amongst Malays; ExAC\_ALL: allele frequency in the ExAC browser; GnomAD\_exome ALL: allele frequency in the gnomAD browser; AMR\_AF: allele frequency in the American population; NFE\_AF: allele frequency in the Non-Finnish European population; SAS\_AF: allele frequency in the South Asian population; SEA\_AF: allele frequency in the Southeast Asian population; NEA\_AF: allele frequency in the Northeast Asian population. Nil: no data available