

Supplementary material

Supplementary Table S1. SNPs selected as instrumental variables and their associations with bipolar disorder.								
SNP	Chromosome	Position (hg19)	Gene	Annotation	Effect Allele	Other Allele	β	se (β)
rs10043984	5	137712121	KDM3B	intron	C	T	-0.059	0.010
rs10255167	7	140676153	CCT4P1	intergenic	G	A	-0.066	0.011
rs10737496	1	163745389	RP4-640E24.1	intergenic	C	T	0.054	0.009
rs10791849	11	65890597	PACS1	intron	T	A	0.069	0.012
rs10866641	5	169289206	DOCK2	intron	T	C	0.062	0.009
rs10994415	10	62322034	ANK3	intron	T	C	-0.118	0.017
rs11062170	12	2348844	CACNA1C	intron	G	C	-0.077	0.009
rs11764361	7	105043229	SRPK2	upstream	A	G	0.061	0.010
rs12575685	11	70517927	SHANK2	intron	G	A	-0.065	0.010
rs12668848	7	2020995	MAD1L1	intron	G	A	0.057	0.009
rs12932628	16	89632725	-	-	G	T	-0.057	0.009

rs13044225	20	60865815	OSBPL2	intron	A	G	-0.054	0.009
rs13195402	6	26463575	-	-	G	T	0.136	0.017
rs13417268	2	169481837	CERS6	intron	C	G	0.061	0.011
rs1487445	6	98565211	RP11-436D23.1	intron	C	T	-0.074	0.009
rs17183814	2	166152389	SCN2A	splice acceptor	G	A	0.102	0.018
rs174592	11	61618608	FADS2	intron	A	G	-0.072	0.009
rs1998820	10	18751103	CACNB2	intron	T	A	0.083	0.015
rs2011302	2	193738336	PCGEM1	intergenic	T	A	-0.052	0.009
rs2126180	1	61105668	LINC01748	intron	G	A	-0.056	0.009
rs2273738	10	111648659	XPNPEP1	intron	C	T	-0.091	0.013
rs228768	17	42191893	HDAC5	intron	G	T	0.064	0.010
rs2336147	3	52626443	PBRM1	intron	T	C	0.067	0.009
rs237460	20	48033127	KCNB1	intron	C	T	-0.055	0.009
rs2693698	14	99719219	BCL11B	intron	A	G	-0.053	0.009

rs28455634	16	9230816	C16orf72	intergenic	G	A	0.062	0.009
rs28565152	5	7542911	ADCY2	intron	G	A	-0.067	0.011
rs2953928	8	34152492	RP1-84O15.2	intron	G	A	-0.116	0.02
rs35306827	13	113869045	CUL4A	intron	G	A	0.065	0.011
rs35958438	15	38973793	RP11-275I4.2	intron	G	A	0.064	0.011
rs41315395	6	32201469	TBC1D22B	intergenic	C	A	-0.071	0.012
rs4447398	15	42904904	STARD9	intron	A	C	0.082	0.013
rs4619651	2	97416153	LMAN2L	intergenic	G	A	0.066	0.010
rs4790841	17	1835482	RTN4RL1	downstream	C	T	-0.072	0.013
rs5758064	22	41153879	SCUBE1	intergenic	T	C	0.052	0.009
rs61554907	17	38220432	THRA	intron	G	T	-0.086	0.015
rs62489493	8	9763581	LINC00599	upstream	C	G	-0.089	0.013
rs67712855	20	43682551	STK4	intron	T	G	0.067	0.010
rs6887473	5	80961069	SSBP2	intron	G	A	0.060	0.010

rs6946056	7	131870597	PLXNA4	intron	A	C	-0.053	0.009
rs6954854	7	21492589	SP4	intron	G	A	0.058	0.009
rs696366	3	107757060	RP11-861A13.3	noncoding exon	C	A	0.051	0.009
rs6992333	8	144993377	PLEC	synonymous	A	G	-0.060	0.01
rs7108878	11	79107807	TENM4	intron	T	G	-0.081	0.014
rs7201930	16	9958655	GRIN2A	intron	T	C	-0.058	0.010
rs748455	15	85149575	ZSCAN2	intron	T	C	0.067	0.010
rs7707252	5	78840610	CTD-2232E5.2	intergenic	A	G	-0.057	0.010
rs9834970	3	36856030	LINC02033	downstream	T	C	-0.083	0.009

SNP, single nucleotide polymorphism; OR, odds ratio; se, standard error; β , beta coefficient.

Supplementary Table S2. SNPs selected as instrumental variables and their associations with schizophrenia.


SNP	Chromosome	Position (hg19)	Gene	Annotation	Effect Allele	Other Allele	β	se (β)
rs1024582	12	2402246	CACNA1C	intron	A	G	0.093	0.012
rs11027827	11	24375179	RP11-2F20.1	intergenic	T	C	-0.073	0.012
rs11210892	1	44100084	PTPRF	intergenic	A	G	-0.083	0.012
rs11602497	11	130717432	RP11-890B15.2	splice donor	A	G	-0.079	0.014
rs11693094	2	185601420	ZNF804A	intron	T	C	-0.080	0.012
rs11740474	5	153680747	GALNT10	intron	A	T	-0.074	0.012
rs1198588	1	98552832	NFU1P2	intergenic	A	T	-0.122	0.014
rs12190758	6	93148341	RP11-374I15.1	intergenic	A	G	-0.076	0.013
rs12421382	11	109378071	RP11-708B6.2	intron	T	C	-0.074	0.012
rs12532143	7	111025948	IMMP2L	intron	T	C	0.079	0.012
rs12704290	7	86427626	GRM3	intron	A	G	-0.107	0.018
rs12826178	12	57622371	SHMT2	upstream	T	G	-0.175	0.026

rs13107325	4	103188709	SLC39A8	missense	T	C	0.136	0.023
rs13176930	5	152664721	LINC01470	intergenic	A	T	-0.071	0.012
rs13262595	8	143316970	TSNARE1	intron	A	G	0.070	0.012
rs17620999	3	2561556	CNTN4	intron	A	G	-0.094	0.015
rs1789589	18	53804156	CTD-2008L17.2	intron	T	C	-0.079	0.013
rs2068012	14	30190316	PRKD1	intron	T	C	-0.080	0.014
rs2103655	20	37425958	RP11-101E14.3	intergenic	A	G	0.089	0.013
rs2535627	3	52845105	ITIH4	downstream	T	C	0.065	0.012
rs281768	2	200825240	MAIP1	intron	A	T	0.098	0.015
rs2851447	12	123665113	MPHOSPH9	intron	C	G	-0.082	0.013
rs34053174	14	99722290	BCL11B	intron	C	G	-0.076	0.014
rs34312605	3	180590297	FXR1	intron	T	C	-0.084	0.014
rs34542576	14	71535493	PCNX1	intron	A	C	0.069	0.012
rs35017470	5	87727104	LINC02060	intron	T	C	0.196	0.032
rs3741434	12	53605344	RARG	3 prime UTR	T	C	-0.105	0.019
rs3743078	15	78894759	CHRNA3	intron	C	G	-0.099	0.014

rs3802924	11	133827733	IGSF9B	upstream	A	C	0.090	0.014
rs3849046	5	137851192	ETF1	intron	T	C	0.066	0.012
rs4702	15	91426560	FURIN	3 prime UTR	A	G	-0.087	0.012
rs4766428	12	110723245	ATP2A2	intron	T	C	0.071	0.012
rs4906364	14	104214342	PPP1R13B	intron	C	G	-0.082	0.012
rs55661361	11	124613957	NRGN	intron	A	G	-0.082	0.012
rs61882743	11	46548754	AMBRA1	intron	C	G	-0.096	0.015
rs6704768	2	233592501	GIGYF2	intron	A	G	-0.068	0.012
rs67119537	15	84950369	RP11-182J1.14	-	T	C	0.081	0.013
rs6868457	5	60550041	LINC02057	intron	T	C	0.075	0.012
rs7085104	10	104628873	AS3MT	upstream	A	G	0.098	0.012
rs7185124	16	13750694	U95743.1	intergenic	T	C	0.088	0.014
rs72936314	18	53580677	LINC01416	intron	A	G	0.158	0.023
rs7577690	2	220045035	FAM134A	intron	A	G	0.070	0.012
rs7599488	2	60718347	BCL11A	intron	T	C	-0.072	0.012
rs760648	22	42571028	TCF20	intron	A	G	0.076	0.013
rs7653924	4	170202862	LINC02174	intergenic	T	C	0.065	0.012

rs7819570	8	89588626	RP11-586K2.1	intron	T	G	0.085	0.015
rs7893279	10	18745105	CACNB2	intron	T	G	0.110	0.019
rs8139773	22	39975691	CACNA1I	intron	A	G	-0.075	0.012
rs832190	3	63842629	THOC7	intron	T	C	-0.073	0.012
rs9330316	2	110284236	SEPT10	intergenic	A	G	0.071	0.013
rs940174	3	136309710	STAG1	intron	T	C	0.071	0.012
rs9428966	1	243667900	AKT3	3 prime UTR	T	G	0.077	0.013

SNP, single nucleotide polymorphism; OR, odds ratio; se, standard error; β , beta coefficient.



Supplementary Figure S1. Leave-one-out analysis for the estimates for bipolar disorder on rheumatoid arthritis. Each point represents the Mendelian randomization estimate excluding that particular variant. The leave-one-out plot suggests that the association determined is not disproportionately affected by a certain instrumenta variable.