

Supplemental Table S15. Membrane-bound receptor DEGs comparing SARS-CoV-2 + B2R antagonist versus SARS-CoV-2

ProbeName	p (SARS-CoV-2 Regulation)	FC (SARS-CoV-2)	GeneSymbol	Description	
A_33_P3258206	0,04418962	down	-1,780782	OR6N2	Homo sapiens olfactory receptor, family 6, subfamily N, member 2 (OR6N2), mRNA [NM_001005278]
A_33_P3305388	0,00808579	down	-1,750339	OR8K5	Homo sapiens olfactory receptor, family 8, subfamily K, member 5 (OR8K5), mRNA [NM_001004058]
A_33_P3419551	0,0297491	down	-1,683478	OR5K1	Homo sapiens olfactory receptor, family 5, subfamily K, member 1 (OR5K1), mRNA [NM_001004736]
A_33_P3381097	0,03317082	down	-1,9448466	OR10V1	Homo sapiens olfactory receptor, family 10, subfamily V, member 1 (OR10V1), mRNA [NM_001005324]
A_33_P3375766	0,01975872	down	-1,9204632	KCNC2	Homo sapiens potassium channel, voltage gated Shaw related subfamily C, member 2 (KCNC2), transcript variant 3, mRNA [NM_153748]
A_23_P26062	0,04506961	down	-1,85466	TMEM202	Homo sapiens transmembrane protein 202 (TMEM202), mRNA [NM_001080462]
A_23_P23292	0,01135998	down	-1,8885309	RXRG	Homo sapiens retinoid X receptor, gamma (RXRG), transcript variant 1, mRNA [NM_006917]
A_24_P229025	0,03108848	down	-2,0338626	GRIA3	Homo sapiens glutamate receptor, ionotropic, AMPA 3 (GRIA3), transcript variant 3, mRNA [NM_001256743]
A_33_P3394699	0,01182187	down	-1,8345557	SCN2B	sodium channel, voltage-gated, type II, beta subunit [Source:HGNC Symbol;Acc:HGNC:10589] [ENST00000278947]
A_33_P3218975	0,04259694	down	-1,5564153	ENTPD1	Homo sapiens ectonucleoside triphosphate diphosphohydrolase 1 (ENTPD1), transcript variant 1, mRNA [NM_001776]
A_23_P103328	0,0147997	down	-1,5368288	PTGER3	Homo sapiens prostaglandin E receptor 3 (subtype EP3) (PTGER3), transcript variant 4, mRNA [NM_198714]
A_33_P3359383	0,0329296	down	-2,2303607	OR10H5	Homo sapiens olfactory receptor, family 10, subfamily H, member 5 (OR10H5), mRNA [NM_001004466]
A_33_P3355856	0,00441775	down	-1,965058		olfactory receptor, family 51, subfamily J, member 1 (gene/pseudogene) [Source:HGNC Symbol;Acc:HGNC:14856] [ENST00000332043]
A_33_P3330418	0,02829296	down	-2,0804675	OR7A5	Homo sapiens olfactory receptor, family 7, subfamily A, member 5 (OR7A5), mRNA [NM_017506]
A_21_P0000167	0,04515371	down	-1,5759147	SORCS1	Homo sapiens sortilin-related VPS10 domain containing receptor 1 (SORCS1), transcript variant 5, mRNA [NM_001206571]
A_33_P3252583	0,03593494	down	-1,714341	OR9I1	Homo sapiens olfactory receptor, family 9, subfamily I, member 1 (OR9I1), mRNA [NM_001005211]
A_23_P406782	0,0197992	down	-1,7807523	HPN	Homo sapiens hepsin (HPN), transcript variant 1, mRNA [NM_182983]
A_24_P170439	0,02440206	down	-1,7213168	TREML3P	Homo sapiens triggering receptor expressed on myeloid cells-like 3, pseudogene (TREML3P), non-coding RNA [NR_027256]
A_23_P89132	0,02538322	down	-1,9572493	ZP2	Homo sapiens zona pellucida glycoprotein 2 (sperm receptor) (ZP2), transcript variant 1, mRNA [NM_003460]
A_21_P0000170	0,02363338	down	-1,593824	SMIM18	Homo sapiens small integral membrane protein 18 (SMIM18), mRNA [NM_001206847]
A_33_P3419562	0,01892465	down	-1,7824667	OR5K2	Homo sapiens olfactory receptor, family 5, subfamily K, member 2 (OR5K2), mRNA [NM_001004737]
A_24_P178819	0,03222796	down	-1,505357		T cell receptor alpha variable 12-2 [Source:HGNC Symbol;Acc:HGNC:12106] [ENST00000390437]
A_23_P109913	0,02610222	down	-1,5543842	CXCR6	Homo sapiens chemokine (C-X-C motif) receptor 6 (CXCR6), mRNA [NM_006564]
A_33_P3330886	0,0191175	down	-1,5555087	OR6C65	Homo sapiens olfactory receptor, family 6, subfamily C, member 65 (OR6C65), mRNA [NM_001005518]
A_33_P3422595	0,00383447	down	-2,0085564		T cell receptor gamma variable 8 [Source:HGNC Symbol;Acc:HGNC:12294] [ENST00000390343]
A_33_P3416347	0,02879058	down	-1,8018223		T cell receptor beta variable 23-1 (non-functional) [Source:HGNC Symbol;Acc:HGNC:12201] [ENST00000390396]
A_24_P655458	0,04344975	down	-1,666827	TREML4	Homo sapiens triggering receptor expressed on myeloid cells-like 4 (TREML4), mRNA [NM_198153]
A_33_P3284621	0,03216589	down	-1,7418137	DDR2	discoidin domain receptor tyrosine kinase 2 [Source:HGNC Symbol;Acc:HGNC:2731] [ENST00000367922]
A_33_P3408782	0,04539359	down	-1,774031	EPHA6	Homo sapiens EPH receptor A6 (EPHA6), transcript variant 1, mRNA [NM_001080448]
A_23_P355377	0,02646404	down	-1,9830261	SLC12A5	Homo sapiens solute carrier family 12 (potassium/chloride transporter), member 5 (SLC12A5), transcript variant 2, mRNA [NM_020708]
A_24_P118052	0,03708456	down	-2,0904982	TPTE2	Homo sapiens transmembrane phosphoinositide 3-phosphatase and tensin homolog 2 (TPTE2), transcript variant 3, mRNA [NM_199254]
A_33_P3224535	0,02496846	down	-1,6096613	OR5D18	Homo sapiens olfactory receptor, family 5, subfamily D, member 18 (OR5D18), mRNA [NM_001001952]
A_24_P31627	0,01857773	down	-1,5557013	KCNB1	Homo sapiens potassium channel, voltage gated Shab related subfamily B, member 1 (KCNB1), mRNA [NM_004975]
A_33_P3392927	0,04515215	down	-1,8602587		olfactory receptor, family 5, subfamily M, member 2 pseudogene [Source:HGNC Symbol;Acc:HGNC:14803] [ENST00000529003]
A_21_P0010873	0,01194135	down	-1,8027905	ANTXRLP1	Homo sapiens anthrax toxin receptor-like pseudogene 1 (ANTXRLP1), transcript variant 2, non-coding RNA [NR_103828]
A_33_P3420605	0,03833315	down	-2,3175163	OR4D1	Homo sapiens olfactory receptor, family 4, subfamily D, member 1 (OR4D1), mRNA [NM_012374]
A_21_P0010808	0,01438448	down	-1,7226753	MALRD1	Homo sapiens MAM and LDL receptor class A domain containing 1 (MALRD1), mRNA [NM_001142308]
A_23_P21990	0,02143563	down	-2,3075705	SLC23A1	Homo sapiens solute carrier family 23 (ascorbic acid transporter), member 1 (SLC23A1), transcript variant 2, mRNA [NM_152685]
A_33_P3264416	0,00374799	down	-2,9500098		T cell receptor beta variable 18 [Source:HGNC Symbol;Acc:HGNC:12193] [ENST00000611520]
A_23_P205900	0,00460241	down	-2,3870409	NTRK3	Homo sapiens neurotrophic tyrosine kinase, receptor, type 3 (NTRK3), transcript variant 1, mRNA [NM_001012338]
A_33_P3363725	0,00646022	down	-1,9825865	OR52N5	Homo sapiens olfactory receptor, family 52, subfamily N, member 5 (OR52N5), mRNA [NM_001001922]
A_33_P3385696	0,01805648	down	-1,9870719	OR52D1	Homo sapiens olfactory receptor, family 52, subfamily D, member 1 (OR52D1), mRNA [NM_001005163]

A_33_P3376493	0,03345821	down	-1,8630021	AGTR2	Homo sapiens angiotensin II receptor, type 2 (AGTR2), mRNA [NM_000686]
A_33_P3396244	0,03147338	down	-1,7422631	NPY2R	Homo sapiens neuropeptide Y receptor Y2 (NPY2R), mRNA [NM_000910]
A_33_P3403399	0,03717863	down	-1,6168706	SLC47A1	Homo sapiens solute carrier family 47 (multidrug and toxin extrusion), member 1 (SLC47A1), mRNA [NM_018242]
A_33_P3383988	0,02580289	down	-1,7756995		T cell receptor alpha variable 9-2 [Source:HGNC Symbol;Acc:HGNC:12154] [ENST00000390441]
A_33_P3299329	0,02906759	down	-2,0721483		H.sapiens mRNA for T-cell receptor IGR b 18 Vbeta 7. [A25969]
A_24_P24770	0,01016718	down	-2,4188416	SLC9C1	Homo sapiens solute carrier family 9, subfamily C (Na ⁺ -transporting carboxylic acid decarboxylase), member 1 (SLC9C1), mRNA [NM_183061]
A_33_P3364811	0,00983733	down	-2,0276864	PTPRC	Homo sapiens protein tyrosine phosphatase, receptor type, C (PTPRC), transcript variant 1, mRNA [NM_002838]
A_33_P3226060	0,00557939	down	-2,483791	TMEM178B	Homo sapiens transmembrane protein 178B (TMEM178B), mRNA [NM_001195278]
A_23_P257962	0,01842982	down	-1,8486652	GRIN1	Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 1 (GRIN1), transcript variant GluN1-1a, mRNA [NM_007327]
A_23_P413760	0,00141387	down	-2,0794134	P2RX5	Homo sapiens purinergic receptor P2X, ligand gated ion channel, 5 (P2RX5), transcript variant 2, mRNA [NM_175080]
A_33_P3244215	0,01501591	down	-2,1482882	OR13C5	Homo sapiens olfactory receptor, family 13, subfamily C, member 5 (OR13C5), mRNA [NM_001004482]
A_23_P13195	0,03000051	down	-1,9745032	OR8G1	Homo sapiens olfactory receptor, family 8, subfamily G, member 1 (gene/pseudogene) (OR8G1), transcript variant 1, mRNA [NM_001002905]
A_33_P3340014	0,00952162	down	-1,9314481	TRO	Homo sapiens trophinin (TRO), transcript variant 3, mRNA [NM_016157]
A_23_P168403	0,01474765	down	-1,5590942	KCNH2	Homo sapiens potassium voltage-gated channel, subfamily H (eag-related), member 2 (KCNH2), transcript variant 1, mRNA [NM_000238]
A_32_P60065	0,04420897	down	-1,7265391	F2RL2	Homo sapiens coagulation factor II (thrombin) receptor-like 2 (F2RL2), transcript variant 1, mRNA [NM_004101]
A_33_P3343250	0,00175025	down	-2,2864676	GPR1	Homo sapiens G protein-coupled receptor 1 (GPR1), transcript variant 4, mRNA [NM_001261453]
A_33_P3215635	0,01404406	down	-1,6950067	CHRN2	Homo sapiens cholinergic receptor, nicotinic, beta 2 (neuronal) (CHRN2), mRNA [NM_000748]
A_33_P3261373	4,48E-05	down	-3,8485372		olfactory receptor, family 4, subfamily C, member 5 (gene/pseudogene) [Source:HGNC Symbol;Acc:HGNC:14702] [ENST00000319813]
A_33_P3265709	0,03728425	down	-2,1869175	OR2Y1	Homo sapiens olfactory receptor, family 2, subfamily Y, member 1 (OR2Y1), mRNA [NM_001001657]
A_24_P944964	0,01974662	down	-2,1319976	GP5	Homo sapiens glycoprotein V (platelet) (GP5), mRNA [NM_004488]
A_24_P381844	0,00901695	down	-1,9644018	GRIN2A	Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 2A (GRIN2A), transcript variant 2, mRNA [NM_000833]
A_33_P3332576	0,00658593	down	-2,063662	GPR151	Homo sapiens G protein-coupled receptor 151 (GPR151), mRNA [NM_194251]
A_23_P310410	0,01858192	down	-1,6482953	CD1E	Homo sapiens CD1e molecule (CD1E), transcript variant 2, mRNA [NM_001042583]
A_24_P945096	0,04818654	down	-1,8050053	CACNA1I	Homo sapiens calcium channel, voltage-dependent, T type, alpha 1I subunit (CACNA1I), transcript variant 1, mRNA [NM_021096]
A_33_P3405769	6,09E-04	down	-2,5182621	TARM1	Homo sapiens T cell-interacting, activating receptor on myeloid cells 1 (TARM1), mRNA [NM_001135686]
A_33_P3323535	0,01457425	down	-2,0621862		T cell receptor alpha variable 24 [Source:HGNC Symbol;Acc:HGNC:12121] [ENST00000390453]
A_33_P3413558	0,03426481	down	-2,0173213	CD226	CD226 molecule [Source:HGNC Symbol;Acc:HGNC:16961] [ENST00000280200]
A_33_P3241021	0,01925859	down	-2,1987698	CD69	CD69 molecule [Source:HGNC Symbol;Acc:HGNC:1694] [ENST00000416624]
A_33_P3326271	0,01507	down	-2,1182187	OR13C2	Homo sapiens olfactory receptor, family 13, subfamily C, member 2 (OR13C2), mRNA [NM_001004481]
A_33_P3280646	0,00661566	down	-2,2763705	CASR	Homo sapiens calcium-sensing receptor (CASR), transcript variant 1, mRNA [NM_001178065]
A_23_P200728	0,00913424	down	-2,0077603	FCGR3A	Homo sapiens Fc fragment of IgG, low affinity IIIa, receptor (CD16a) (FCGR3A), transcript variant 1, mRNA [NM_000569]
A_33_P3224882	0,03538781	down	-1,5173547		T cell receptor gamma variable 9 [Source:HGNC Symbol;Acc:HGNC:12295] [ENST00000444775]
A_33_P3238579	0,01659678	down	-1,5561819		T cell receptor beta variable 11-3 [Source:HGNC Symbol;Acc:HGNC:12182] [ENST00000611787]
A_33_P3313215	0,0329466	down	-1,5020438	LRIT2	Homo sapiens leucine-rich repeat, immunoglobulin-like and transmembrane domains 2 (LRIT2), transcript variant 1, mRNA [NM_001284223]
A_24_P319113	0,01615628	down	-1,7449347	P2RX7	Homo sapiens purinergic receptor P2X, ligand-gated ion channel, 7 (P2RX7), transcript variant 1, mRNA [NM_002562]
A_33_P3273679	0,01952371	down	-1,5049766	NRXN1	Homo sapiens neuorexin 1, mRNA (cDNA clone IMAGE:4815048), complete cds. [BC046631]
A_33_P3266769	0,02908384	down	-1,6246543	LHCGR	lutetizing hormone/choriogonadotropin receptor [Source:HGNC Symbol;Acc:HGNC:6585] [ENST00000477576]
A_23_P95536	0,01830276	down	-2,1320918	ADAM29	Homo sapiens ADAM metalloproteinase domain 29 (ADAM29), transcript variant 1, mRNA [NM_014269]
A_33_P3346529	0,03544362	down	-2,147902	OR2W5	Homo sapiens olfactory receptor, family 2, subfamily W, member 5 (gene/pseudogene) (OR2W5), mRNA [NM_001004698]
A_33_P3414192	0,0207025	down	-2,2150536	SORCS1	Homo sapiens sortilin-related VPS10 domain containing receptor 1 (SORCS1), transcript variant 6, mRNA [NM_001206572]
A_33_P3278013	0,03389755	down	-2,0211592	CD2	CD2 molecule [Source:HGNC Symbol;Acc:HGNC:1639] [ENST00000369477]
A_23_P417173	0,0386335	down	-1,7254565	KCNA5	Homo sapiens potassium channel, voltage gated shaker related subfamily A, member 5 (KCNA5), mRNA [NM_002234]
A_23_P23829	0,00684698	down	-2,085793	CD34	Homo sapiens CD34 molecule (CD34), transcript variant 2, mRNA [NM_001773]
A_33_P3342056	0,00291116	down	-2,5372047	TIGIT	Homo sapiens T cell immunoreceptor with Ig and ITIM domains (TIGIT), mRNA [NM_173799]
A_23_P31996	0,02925612	down	-1,7108716	SLC46A2	Homo sapiens solute carrier family 46, member 2 (SLC46A2), mRNA [NM_033051]
A_24_P254833	0,01048419	down	-1,5933747		T cell receptor beta variable 7-9 [Source:HGNC Symbol;Acc:HGNC:12243] [ENST00000612787]

A_23_P64879	0,04161025	down	-1,5252799	KCNJ8	Homo sapiens potassium channel, inwardly rectifying subfamily J, member 8 (KCNJ8), mRNA [NM_004982]
A_33_P3398951	0,02968554	down	-1,5072616		T cell receptor delta variable 1 [Source:HGNC Symbol;Acc:HGNC:12262] [ENST00000390452]
A_33_P3270104	0,02106279	down	-1,9156722	FAM26D	Homo sapiens family with sequence similarity 26, member D (FAM26D), transcript variant 1, mRNA [NM_001256887]
A_24_P299769	0,03918802	down	-1,680728	OR1C1	Homo sapiens olfactory receptor, family 1, subfamily C, member 1 (OR1C1), mRNA [NM_012353]
A_23_P705	0,02073175	down	-1,5605893	OR10R2	Homo sapiens olfactory receptor, family 10, subfamily R, member 2 (OR10R2), mRNA [NM_001004472]
A_23_P128023	0,02571472	down	-1,6901866	OR51B4	Homo sapiens olfactory receptor, family 51, subfamily B, member 4 (OR51B4), mRNA [NM_033179]
A_33_P3222124	0,04038541	down	-1,528293	OR6B3	Homo sapiens olfactory receptor, family 6, subfamily B, member 3 (OR6B3), mRNA [NM_173351]
A_23_P129225	0,04824073	down	-1,5774928	TRPM1	Homo sapiens transient receptor potential cation channel, subfamily M, member 1 (TRPM1), transcript variant 2, mRNA [NM_002420]
A_24_P97405	0,04106878	down	-1,8425514	CCRL2	Homo sapiens chemokine (C-C motif) receptor-like 2 (CCRL2), transcript variant 1, mRNA [NM_003965]
A_23_P337867	0,01912973	down	-1,8654202	TAS2R41	Homo sapiens taste receptor, type 2, member 41 (TAS2R41), mRNA [NM_176883]
A_23_P38634	0,04309718	down	-1,5717353	OR1G1	Homo sapiens olfactory receptor, family 1, subfamily G, member 1 (OR1G1), mRNA [NM_003555]
A_33_P3406836	0,00964598	down	-1,7121874	HTR1F	Homo sapiens 5-hydroxytryptamine (serotonin) receptor 1F, G protein-coupled (HTR1F), mRNA [NM_000866]
A_33_P3416757	0,03221973	down	-1,5744605	PRLR	Homo sapiens prolactin receptor (PRLR), transcript variant 2, mRNA [NM_001204315]
A_23_P24294	0,04997865	down	-1,6079974	SLC17A6	Homo sapiens solute carrier family 17 (vesicular glutamate transporter), member 6 (SLC17A6), mRNA [NM_020346]
A_33_P3270252	0,0268541	down	-1,6455377	OR1B1	Homo sapiens olfactory receptor, family 1, subfamily B, member 1 (gene/pseudogene) (OR1B1), mRNA [NM_001004450]
A_33_P3352827	0,04088375	down	-1,5143107	SLAMF1	Homo sapiens signaling lymphocytic activation molecule family member 1 (SLAMF1), transcript variant 1, mRNA [NM_003037]
A_23_P167121	0,02155313	down	-1,5914401	GABRA2	Homo sapiens gamma-aminobutyric acid (GABA) A receptor, alpha 2 (GABRA2), transcript variant 1, mRNA [NM_000807]
A_23_P65629	0,03001706	down	-1,5310405	KCNK10	Homo sapiens potassium channel, two pore domain subfamily K, member 10 (KCNK10), transcript variant 1, mRNA [NM_021161]
A_24_P276576	0,04108823	down	-1,506987	FCRLA	Homo sapiens Fc receptor-like A (FCRLA), transcript variant 2, mRNA [NM_032738]
A_24_P304311	0,02470366	down	-1,5111704	SLC22A8	Homo sapiens solute carrier family 22 (organic anion transporter), member 8 (SLC22A8), transcript variant 1, mRNA [NM_004254]
A_23_P209055	0,03686409	down	-1,6131264	CD22	Homo sapiens CD22 molecule (CD22), transcript variant 1, mRNA [NM_00101771]
A_23_P157027	0,02544632	down	-1,5663916	VSTM2A	Homo sapiens V-set and transmembrane domain containing 2A (VSTM2A), transcript variant 1, mRNA [NM_182546]
A_33_P3336715	0,03190766	down	-1,5230186	GABRB2	Homo sapiens gamma-aminobutyric acid (GABA) A receptor, beta 2 (GABRB2), transcript variant 1, mRNA [NM_021911]
A_23_P382240	0,03837828	down	-1,5911989	TMEM26	Homo sapiens transmembrane protein 26 (TMEM26), mRNA [NM_178505]
A_33_P3349751	0,01031384	down	-1,5279223	OR4K5	Homo sapiens olfactory receptor, family 4, subfamily K, member 5 (OR4K5), mRNA [NM_001005483]
A_23_P94902	0,02063369	down	-1,8646433	KCTD8	Homo sapiens potassium channel tetramerization domain containing 8 (KCTD8), mRNA [NM_198353]
A_33_P3409225	0,01707313	down	-1,9776696		T cell receptor beta variable 5-3 (non-functional) [Source:HGNC Symbol;Acc:HGNC:12220] [ENST00000390362]
A_33_P3318631	0,04450053	down	-1,5870581	OR5H2	Homo sapiens olfactory receptor, family 5, subfamily H, member 2 (OR5H2), mRNA [NM_001005482]
A_33_P3400700	0,03422651	down	-1,6804116	SLC26A5	Homo sapiens solute carrier family 26 (anion exchanger), member 5 (SLC26A5), transcript variant d, mRNA [NM_206885]
A_23_P306610	0,02637717	down	-1,7250291	MUC17	Homo sapiens mucin 17, cell surface associated (MUC17), mRNA [NM_001040105]
A_23_P304509	0,03105481	down	-1,7640876	VSTM4	Homo sapiens V-set and transmembrane domain containing 4 (VSTM4), transcript variant 2, mRNA [NM_144984]
A_32_P485915	0,02388218	down	-1,8074466	SLC9C2	Homo sapiens solute carrier family 9, member C2 (putative) (SLC9C2), mRNA [NM_178527]
A_23_P42189	0,03699989	down	-1,5042356	SLC17A1	Homo sapiens solute carrier family 17 (organic anion transporter), member 1 (SLC17A1), mRNA [NM_005074]
A_24_P98006	0,01291829	down	-1,5489992	MCHR2	Homo sapiens melanin-concentrating hormone receptor 2 (MCHR2), transcript variant 1, mRNA [NM_001040179]
A_32_P169114	0,03321869	down	-1,513263	GRIN2A	Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 2A (GRIN2A), transcript variant 1, mRNA [NM_001134407]
A_23_P58464	0,03433973	down	-1,567382	PCDHB6	Homo sapiens protocadherin beta 6 (PCDHB6), transcript variant 1, mRNA [NM_018939]
A_23_P59783	0,01958949	down	-1,591302	OR2A14	Homo sapiens olfactory receptor, family 2, subfamily A, member 14 (OR2A14), mRNA [NM_001001659]
A_23_P62309	0,02713982	down	-1,5687008	AGTR2	Homo sapiens angiotensin II receptor, type 2 (AGTR2), mRNA [NM_000686]
A_24_P945113	0,0275925	down	-1,5558444	ACVRL1	Homo sapiens activin A receptor type II-like 1 (ACVRL1), transcript variant 1, mRNA [NM_000020]
A_21_P0000762	0,02503607	down	-1,5392176	OR51B5	Homo sapiens olfactory receptor, family 51, subfamily B, member 5 (OR51B5), transcript variant 2, non-coding RNA [NR_038321]
A_23_P311895	0,01512973	down	-1,6527369	CLIC5	Homo sapiens chloride intracellular channel 5 (CLIC5), transcript variant 2, mRNA [NM_016929]
A_24_P242581	0,0472428	down	-1,5385278	SLC5A9	Homo sapiens solute carrier family 5 (sodium/sugar cotransporter), member 9 (SLC5A9), transcript variant 2, mRNA [NM_001011547]
A_23_P415706	0,03804463	down	-1,501283	GPR133	Homo sapiens G protein-coupled receptor 133 (GPR133), mRNA [NM_198827]
A_33_P3386203	0,01391168	down	-2,0066903	OR2T10	Homo sapiens olfactory receptor, family 2, subfamily T, member 10 (OR2T10), mRNA [NM_001004693]
A_33_P3285275	0,04207528	down	-1,8045393	CACNB2	calcium channel, voltage-dependent, beta 2 subunit [Source:HGNC Symbol;Acc:HGNC:1402] [ENST00000498816]
A_23_P85039	0,00650566	down	-1,6968335	IRS4	Homo sapiens insulin receptor substrate 4 (IRS4), mRNA [NM_003604]

A_33_P3335506	0,02240652	down	-1,5982019	FCRL5	Fc receptor-like 5 [Source:HGNC Symbol;Acc:HGNC:18508] [ENST00000368190]
A_33_P3236813	0,03666383	down	-1,6711134	GPR19	Homo sapiens G protein-coupled receptor 19 (GPR19), mRNA [NM_006143]
A_21_P0010561	0,03149213	down	-1,549648	FCGR1B	Homo sapiens Fc fragment of IgG, high affinity I _b , receptor (CD64) (FCGR1B), transcript variant 3, mRNA [NM_001244910]
A_33_P3344911	0,04665769	down	-1,65717	PTPRQ	Homo sapiens protein tyrosine phosphatase, receptor type, Q (PTPRQ), mRNA [NM_001145026]
A_23_P359746	0,02949573	down	-1,6928108	TAS2R38	Homo sapiens taste receptor, type 2, member 38 (TAS2R38), mRNA [NM_176817]
A_24_P116710	0,02468533	down	-1,5919541	RAMP2	Homo sapiens receptor (G protein-coupled) activity modifying protein 2 (RAMP2), mRNA [NM_005854]
A_33_P3222469	0,04641605	down	-1,5104042	OR4K13	Homo sapiens olfactory receptor, family 4, subfamily K, member 13 (OR4K13), mRNA [NM_001004714]
A_33_P3257428	0,02163425	down	-1,5667188		T cell receptor beta variable 7-7 [Source:HGNC Symbol;Acc:HGNC:12241] [ENST00000390377]
A_23_P18342	0,03890482	down	-1,6254228	EPHA6	Homo sapiens EPH receptor A6 (EPHA6), transcript variant 3, mRNA [NM_001278300]
A_33_P3397599	0,02240254	down	-1,5443267	LILRA6	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 6 (LILRA6), transcript variant 2, non-coding RNA.
A_33_P3368776	0,02910659	down	-1,5082635	TMIGD1	Homo sapiens transmembrane and immunoglobulin domain containing 1 (TMIGD1), mRNA [NM_206832]
A_33_P3363341	0,02262146	down	-1,5413668	TMEM212	Homo sapiens transmembrane protein 212 (TMEM212), mRNA [NM_001164436]
A_23_P430747	0,01508784	down	-1,5232787	TMEM257	Homo sapiens transmembrane protein 257 (TMEM257), mRNA [NM_004709]
A_23_P24948	0,01242467	down	-1,6533204	KCNE3	Homo sapiens potassium channel, voltage gated subfamily E regulatory beta subunit 3 (KCNE3), mRNA [NM_005472]
A_33_P3385716	0,02717383	down	-1,5179464	OR52K1	Homo sapiens olfactory receptor, family 52, subfamily K, member 1 (OR52K1), mRNA [NM_001005171]
A_33_P3321263	0,00919623	down	-1,5800287		olfactory receptor, family 4, subfamily G, member 2 pseudogene [Source:HGNC Symbol;Acc:HGNC:8303] [ENST00000328113]
A_24_P405705	0,02976372	down	-1,5351261	SLC2A2	Homo sapiens solute carrier family 2 (facilitated glucose transporter), member 2 (SLC2A2), transcript variant 1, mRNA [NM_000340]
A_24_P319374	0,01225101	down	-1,620831	GPA33	Homo sapiens glycoprotein A33 (transmembrane) (GPA33), mRNA [NM_005814]
A_23_P1863	0,00435315	down	-1,633698	OR5AK2	Homo sapiens olfactory receptor, family 5, subfamily AK, member 2 (OR5AK2), mRNA [NM_001005323]
A_33_P3359483	0,03086149	down	-1,6683838	OR5AC2	Homo sapiens olfactory receptor, family 5, subfamily AC, member 2 (OR5AC2), mRNA [NM_054106]
A_23_P151264	0,02073521	down	-1,7591082	GRIN2B	Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 2B (GRIN2B), mRNA [NM_000834]
A_23_P115200	0,01340452	down	-2,1123626	FCRL4	Homo sapiens Fc receptor-like 4 (FCRL4), mRNA [NM_031282]
A_23_P43369	0,00974178	down	-1,8951069	SIT1	Homo sapiens signaling threshold regulating transmembrane adaptor 1 (SIT1), mRNA [NM_014450]
A_23_P308839	0,03741295	down	-1,7640392	TMEM132D	Homo sapiens transmembrane protein 132D (TMEM132D), mRNA [NM_133448]
A_33_P3400239	0,01600916	down	-2,0678427	SYNDIG1	PREDICTED: Homo sapiens synapse differentiation inducing 1 (SYNDIG1), transcript variant X1, mRNA [XM_006723626]
A_24_P295465	0,04664632	down	-1,7114917	LRRTM3	Homo sapiens leucine rich repeat transmembrane neuronal 3 (LRRTM3), transcript variant 1, mRNA [NM_178011]
A_33_P3254246	0,02412851	down	-1,9104643	OR7C1	Homo sapiens olfactory receptor, family 7, subfamily C, member 1 (OR7C1), mRNA [NM_198944]
A_33_P3334615	0,02243861	down	-1,8690815	CNGA2	Homo sapiens cyclic nucleotide gated channel alpha 2 (CNGA2), mRNA [NM_005140]
A_33_P3349746	0,04382502	down	-1,5753626	OR4K2	Homo sapiens olfactory receptor, family 4, subfamily K, member 2 (OR4K2), mRNA [NM_001005501]
A_33_P3330881	0,04344924	down	-1,5133283	OR6C75	Homo sapiens olfactory receptor, family 6, subfamily C, member 75 (OR6C75), mRNA [NM_001005497]
A_33_P3368991	0,02198167	down	-1,5019486	MPZ	Homo sapiens myelin protein zero (MPZ), mRNA [NM_000530]
A_23_P12392	0,02155351	down	-1,5038058	PTPRC	Homo sapiens protein tyrosine phosphatase, receptor type, C (PTPRC), transcript variant 4, non-coding RNA [NR_052021]
A_23_P167468	0,0266862	down	-1,6078331	PRLR	Homo sapiens prolactin receptor (PRLR), transcript variant 1, mRNA [NM_000949]
A_23_P106362	0,02455532	down	-1,551873	AQP9	Homo sapiens aquaporin 9 (AQP9), mRNA [NM_020980]
A_23_P41847	0,03045766	down	-1,6563475	GABRA6	Homo sapiens gamma-aminobutyric acid (GABA) A receptor, alpha 6 (GABRA6), mRNA [NM_000811]
A_33_P3357853	0,03612573	down	-1,5698785	SLC25A48	solute carrier family 25, member 48 [Source:HGNC Symbol;Acc:HGNC:30451] [ENST00000274513]
A_23_P114008	0,02951521	down	-1,514669	TM4SF20	Homo sapiens transmembrane 4 L six family member 20 (TM4SF20), mRNA [NM_024795]
A_33_P3211488	0,02943458	down	-1,640576	OR6K3	Homo sapiens olfactory receptor, family 6, subfamily K, member 3 (OR6K3), mRNA [NM_001005327]
A_21_P0011718	0,02753268	down	-1,5028747	SMIM17	Homo sapiens small integral membrane protein 17 (SMIM17), mRNA [NM_001193628]
A_21_P0000178	0,02854586	down	-1,6577682	TREM1	Homo sapiens triggering receptor expressed on myeloid cells 1 (TREM1), transcript variant 2, mRNA [NM_001242589]
A_24_P930111	0,01632282	down	-1,7870566	SLC4A10	Homo sapiens solute carrier family 4, sodium bicarbonate transporter, member 10 (SLC4A10), transcript variant 2, mRNA [NM_022058]
A_33_P3362652	0,03069491	down	-1,8591263	OR5H14	Homo sapiens olfactory receptor, family 5, subfamily H, member 14 (OR5H14), mRNA [NM_001005514]
A_24_P223018	0,04327273	down	-1,6534114	SCN11A	Homo sapiens sodium channel, voltage gated, type XI alpha subunit (SCN11A), transcript variant 1, mRNA [NM_014139]
A_21_P0010946	0,00758381	down	-1,7793748	ANTXRPL1	Homo sapiens anthrax toxin receptor-like pseudogene 1 (ANTXRPL1), transcript variant 2, non-coding RNA [NR_103828]
A_23_P16630	0,01547165	down	-1,6853212	OR7A5	Homo sapiens olfactory receptor, family 7, subfamily A, member 5 (OR7A5), mRNA [NM_017506]
A_33_P3780983	0,02941013	down	-1,6129428	SLC34A3	Homo sapiens solute carrier family 34 (type II sodium/phosphate cotransporter), member 3 (SLC34A3), transcript variant 2, mRNA [NM_001177]

A_24_P941896	0,01164032	down	-1,7608724	GRID1	Homo sapiens glutamate receptor, ionotropic, delta 1 (GRID1), mRNA [NM_017551]
A_33_P3218980	0,00842023	down	-1,7830722	ENTPD1	Homo sapiens ectonucleoside triphosphate diphosphohydrolase 1 (ENTPD1), transcript variant 1, mRNA [NM_001776]
A_33_P3379190	0,03627465	down	-1,5157654	OR6C4	Homo sapiens olfactory receptor, family 6, subfamily C, member 4 (OR6C4), mRNA [NM_001005494]
A_23_P433586	0,03362111	down	-1,6894854	HTR2C	5-hydroxytryptamine (serotonin) receptor 2C, G protein-coupled [Source:HGNC Symbol;Acc:HGNC:5295] [ENST00000276198]
A_23_P153155	0,02166423	down	-1,6480209	GALR1	Homo sapiens galanin receptor 1 (GALR1), mRNA [NM_001480]
A_23_P367013	0,03421049	down	-1,915556	TAS2R60	Homo sapiens taste receptor, type 2, member 60 (TAS2R60), mRNA [NM_177437]
A_32_P812268	0,00453953	down	-1,9035704	CALHM1	Homo sapiens calcium homeostasis modulator 1 (CALHM1), mRNA [NM_001001412]
A_33_P3651948	0,00263292	down	-2,4755828	NEO1	Homo sapiens neogenin 1 (NEO1), transcript variant 1, mRNA [NM_002499]
A_23_P50039	0,02453035	down	-2,340947	MC5R	Homo sapiens melanocortin 5 receptor (MC5R), mRNA [NM_005913]
A_23_P313278	0,03299773	down	-2,2489772	MUC3A	Homo sapiens MUC3A mRNA for intestinal mucin, partial cds. [AB038784]
A_23_P75707	0,01577365	down	-2,4640841	OR8H1	Homo sapiens olfactory receptor, family 8, subfamily H, member 1 (OR8H1), mRNA [NM_001005199]
A_21_P0010681	0,01026646	down	-1,7027928		olfactory receptor, family 6, subfamily R, member 1 pseudogene [Source:HGNC Symbol;Acc:HGNC:15037] [ENST00000431838]
A_23_P6943	0,0469381	down	-2,3869176	GPR15	Homo sapiens G protein-coupled receptor 15 (GPR15), mRNA [NM_005290]
A_33_P3806676	0,02603149	down	-2,4054852		T cell receptor beta variable 28 [Source:HGNC Symbol;Acc:HGNC:12209] [ENST00000390400]
A_32_P187571	0,03643743	down	-1,8836282	SCN2B	Homo sapiens sodium channel, voltage gated, type II beta subunit (SCN2B), mRNA [NM_004588]
A_33_P3258546	0,00421202	down	-2,5884864	PCDHA5	Homo sapiens protocadherin alpha 5 (PCDHA5), transcript variant 2, mRNA [NM_031501]
A_33_P3355230	0,00818525	down	-2,241749	LAIR1	Homo sapiens leukocyte-associated immunoglobulin-like receptor 1 (LAIR1), transcript variant a, mRNA [NM_002287]
A_23_P391857	1,56E-04	down	-3,0335839	ESRRB	Homo sapiens estrogen-related receptor beta (ESRRB), mRNA [NM_004452]
A_23_P347541	0,00443829	down	-2,5857582	GRIN3A	Homo sapiens glutamate receptor, ionotropic, N-methyl-D-aspartate 3A (GRIN3A), mRNA [NM_133445]
A_33_P3277611	0,0011636	down	-1,8976617	TMEM8C	Homo sapiens transmembrane protein 8C (TMEM8C), mRNA [NM_001080483]
A_23_P377882	0,02940033	down	-2,4876564	KCNH2	Homo sapiens potassium voltage-gated channel, subfamily H (eag-related), member 2 (KCNH2), transcript variant 2, mRNA [NM_172056]
A_23_P79015	0,02266739	down	-2,3576698	SCN1B	Homo sapiens sodium channel, voltage gated, type I beta subunit (SCN1B), transcript variant b, mRNA [NM_199037]
A_33_P3423320	7,87E-04	down	-3,9208627		olfactory receptor, family 8, subfamily J, member 2 (gene/pseudogene) [Source:HGNC Symbol;Acc:HGNC:15311] [ENST00000533152]
A_23_P14667	0,02109362	down	-2,6855488	SLC28A1	Homo sapiens solute carrier family 28 (concentrative nucleoside transporter), member 1 (SLC28A1), transcript variant 1, mRNA [NM_004213]
A_33_P3290739	0,03496353	down	-2,2976596		T cell receptor alpha variable 23/delta variable 6 [Source:HGNC Symbol;Acc:HGNC:12120] [ENST00000390451]
A_23_P26522	0,01826032	down	-2,4486797	AQP8	Homo sapiens aquaporin 8 (AQP8), mRNA [NM_001169]
A_21_P0010506	0,02378679	down	-1,8435849	TNFRSF14	Homo sapiens tumor necrosis factor receptor superfamily, member 14 (TNFRSF14), transcript variant 1, mRNA [NM_003820]
A_33_P3332955	0,02147174	down	-2,0002813	CLEC1B	Homo sapiens C-type lectin domain family 1, member B (CLEC1B), transcript variant 1, mRNA [NM_016509]
A_23_P255695	0,02983506	down	-2,376025	SLC17A3	Homo sapiens solute carrier family 17 (organic anion transporter), member 3 (SLC17A3), transcript variant 2, mRNA [NM_006632]
A_33_P3415012	0,01891622	down	-2,1078854	KCNA6	Homo sapiens potassium channel, voltage gated shaker related subfamily A, member 6 (KCNA6), mRNA [NM_002235]
A_24_P281439	0,02988154	down	-1,895704	OR2T5	Homo sapiens olfactory receptor, family 2, subfamily T, member 5 (OR2T5), mRNA [NM_001004697]
A_33_P3302777	0,04969193	down	-2,275277	DCLK1	Homo sapiens doublecortin-like kinase 1 (DCLK1), transcript variant 1, mRNA [NM_004734]
A_21_P0013981	0,02963747	down	-1,7642552	CHRM3	cholinergic receptor, muscarinic 3 [Source:HGNC Symbol;Acc:HGNC:1952] [ENST00000481779]
A_33_P3290792	0,02446973	down	-2,045246	OR10G9	Homo sapiens olfactory receptor, family 10, subfamily G, member 9 (OR10G9), mRNA [NM_001001953]
A_23_P313542	0,03216801	down	-2,166786	GRK1	Homo sapiens G protein-coupled receptor kinase 1 (GRK1), mRNA [NM_002929]
A_24_P117147	0,005055	down	-2,8706326	KIR3DL1	Homo sapiens killer cell immunoglobulin-like receptor, three domains, long cytoplasmic tail, 1 (KIR3DL1), mRNA [NM_013289]
A_23_P218058	0,02380868	down	-2,2714703	KLRC4	Homo sapiens killer cell lectin-like receptor subfamily C, member 4 (KLRC4), mRNA [NM_013431]
A_23_P387537	0,00370691	down	-2,592161	PRRG3	Homo sapiens proline rich Gla (G-carboxyglutamic acid) 3 (transmembrane) (PRRG3), transcript variant 1, mRNA [NM_024082]
A_33_P3300610	0,02289296	down	-1,8640034	OR7G2	Homo sapiens olfactory receptor, family 7, subfamily G, member 2 (OR7G2), mRNA [NM_001005193]
A_23_P139654	0,00836091	down	-2,1316981	KLRC1	Homo sapiens killer cell lectin-like receptor subfamily C, member 1 (KLRC1), transcript variant 2, mRNA [NM_007328]
A_23_P310931	0,04372076	down	-2,2412853	CNR2	Homo sapiens cannabinoid receptor 2 (macrophage) (CNR2), mRNA [NM_001841]
A_23_P135226	6,52E-04	down	-2,69251	OR1N2	Homo sapiens olfactory receptor, family 1, subfamily N, member 2 (OR1N2), mRNA [NM_001004457]
A_23_P85453	0,00486417	down	-3,3950548	CD244	Homo sapiens CD244 molecule, natural killer cell receptor 2B4 (CD244), transcript variant 1, mRNA [NM_016382]
A_23_P111978	0,02651563	down	-2,6335762	KCNK9	Homo sapiens potassium channel, two pore domain subfamily K, member 9 (KCNK9), transcript variant 1, mRNA [NM_001282534]
A_33_P3243008	0,00379402	down	-2,5622954	KCNU1	Homo sapiens potassium channel, subfamily U, member 1 (KCNU1), mRNA [NM_001031836]
A_23_P71649	0,04060037	down	-1,913628	MUSK	Homo sapiens muscle, skeletal, receptor tyrosine kinase (MUSK), transcript variant 1, mRNA [NM_005592]

A_33_P3360296	0,03580659	down	-1,9404445	ANTXRL	Homo sapiens anthrax toxin receptor-like (ANTXRL), mRNA [NM_001278688]
A_32_P183765	0,04826975	down	-2,016431	ERBB4	Homo sapiens erb-b2 receptor tyrosine kinase 4 (ERBB4), transcript variant JM-a/CVT-1, mRNA [NM_005235]
A_23_P254688	0,02878435	down	-2,3979728	TMEM108	Homo sapiens transmembrane protein 108 (TMEM108), transcript variant 1, mRNA [NM_023943]
A_33_P3280106	0,03306894	down	-3,169259	CACNA1B	Homo sapiens calcium channel, voltage-dependent, N type, alpha 1B subunit (CACNA1B), transcript variant 2, mRNA [NM_001243812]
A_33_P3210399	0,03803759	down	-1,8543372	SLC14A1	Homo sapiens solute carrier family 14 (urea transporter), member 1 (Kidd blood group) (SLC14A1), transcript variant 4, mRNA [NM_00114603]
A_23_P126528	0,02976564	down	-2,3561606	KCNA10	Homo sapiens potassium channel, voltage gated shaker related subfamily A, member 10 (KCNA10), mRNA [NM_005549]
A_33_P3235213	0,0153642	down	-2,5404625	TIGIT	Homo sapiens T cell immunoreceptor with Ig and ITIM domains (TIGIT), mRNA [NM_173799]
A_23_P85963	0,00784953	down	-2,8825476	OR6Y1	Homo sapiens olfactory receptor, family 6, subfamily Y, member 1 (OR6Y1), mRNA [NM_001005189]
A_33_P3260116	9,77E-04	down	-2,3042867		T cell receptor alpha variable 26-2 [Source:HGNC Symbol;Acc:HGNC:12124] [ENST00000390460]
A_23_P303238	0,00824512	down	-2,2485015	VN1R5	Homo sapiens vomeronasal 1 receptor 5 (gene/pseudogene) (VN1R5), mRNA [NM_173858]
A_33_P3395905	0,04373019	down	-2,0588725		T cell receptor alpha variable 12-1 [Source:HGNC Symbol;Acc:HGNC:12105] [ENST00000390433]
A_33_P3295313	2,88E-04	down	-3,3100839	MS4A2	Homo sapiens membrane-spanning 4-domains, subfamily A, member 2 (MS4A2), transcript variant 1, mRNA [NM_000139]
A_33_P3251024	0,00386581	down	-2,1450882	LRRTM2	Homo sapiens leucine rich repeat transmembrane neuronal 2 (LRRTM2), mRNA [NM_015564]
A_23_P214727	0,03161659	down	-1,8933461	GPR63	Homo sapiens G protein-coupled receptor 63 (GPR63), transcript variant 2, mRNA [NM_030784]
A_23_P123424	0,03585705	down	-1,8078041	CHRNB3	Homo sapiens cholinergic receptor, nicotinic, beta 3 (neuronal) (CHRNB3), mRNA [NM_000749]
A_23_P501193	0,03600597	down	-1,5049622	KCNJ16	Homo sapiens potassium channel, inwardly rectifying subfamily J, member 16 (KCNJ16), transcript variant 2, mRNA [NM_170741]
A_24_P142503	0,00630497	down	-2,2221107	SLC47A1	Homo sapiens solute carrier family 47 (multidrug and toxin extrusion), member 1 (SLC47A1), mRNA [NM_018242]
A_23_P256641	0,027132	down	-1,7334518	KCNE5	Homo sapiens potassium channel, voltage gated subfamily E regulatory beta subunit 5 (KCNE5), mRNA [NM_012282]
A_33_P3234020	0,00211696	down	-2,629176	IGDCC3	Homo sapiens immunoglobulin superfamily, DCC subclass, member 3 (IGDCC3), mRNA [NM_004884]
A_32_P310503	0,04494036	down	-2,1407912	OR2M2	Homo sapiens olfactory receptor, family 2, subfamily M, member 2 (OR2M2), mRNA [NM_001004688]
A_23_P43350	0,01820944	down	-2,549153	MLANA	Homo sapiens melan-A (MLANA), mRNA [NM_005511]
A_33_P3240867	0,01873725	down	-2,384537	GRK1	Homo sapiens G protein-coupled receptor kinase 1 (GRK1), mRNA [NM_002929]
A_33_P3249229	0,02840515	down	-2,1856308	OR3A4P	Homo sapiens olfactory receptor, family 3, subfamily A, member 4 pseudogene (OR3A4P), non-coding RNA [NR_024128]
A_23_P75867	0,02042555	down	-2,7280943	OR10A4	Homo sapiens olfactory receptor, family 10, subfamily A, member 4 (OR10A4), mRNA [NM_207186]
A_23_P13271	0,01469271	down	-2,5435812		olfactory receptor, family 5, subfamily AK, member 3 pseudogene [Source:HGNC Symbol;Acc:HGNC:15252] [ENST00000527486]
A_24_P97687	0,01981213	down	-2,5974538	HTR1A	Homo sapiens 5-hydroxytryptamine (serotonin) receptor 1A, G protein-coupled (HTR1A), mRNA [NM_000524]
A_24_P289648	0,01360577	down	-2,7294364	HFE	Homo sapiens hemochromatosis (HFE), transcript variant 11, mRNA [NM_139011]
A_33_P3384958	0,04612382	down	-1,7408122	LPPR4	Homo sapiens lipid phosphate phosphatase-related protein type 4 (LPPR4), transcript variant 1, mRNA [NM_014839]
A_23_P13479	0,02303714	down	-1,939346	OR4S1	Homo sapiens olfactory receptor, family 4, subfamily S, member 1 (OR4S1), mRNA [NM_001004725]
A_24_P52293	0,0104476	down	-2,7451172	OR2A25	Homo sapiens olfactory receptor, family 2, subfamily A, member 25 (OR2A25), mRNA [NM_001004488]
A_33_P3225046	0,03421618	down	-2,5512295	CD34	Homo sapiens CD34 molecule (CD34), transcript variant 1, mRNA [NM_001025109]
A_33_P3383246	3,16E-04	down	-2,1851623	OR52R1	Homo sapiens olfactory receptor, family 52, subfamily R, member 1 (gene/pseudogene) (OR52R1), mRNA [NM_001005177]
A_23_P81683	0,00596197	down	-2,900122	GPRC6A	Homo sapiens G protein-coupled receptor, class C, group 6, member A (GPRC6A), transcript variant 1, mRNA [NM_148963]
A_23_P127662	0,00735194	down	-2,6807091	OR8D1	Homo sapiens olfactory receptor, family 8, subfamily D, member 1 (OR8D1), mRNA [NM_001002917]
A_23_P12746	0,01751062	down	-2,5118883	MRC1	Homo sapiens mannose receptor, C type 1 (MRC1), mRNA [NM_002438]
A_33_P3263651	0,00737022	down	-2,925967	SEMA6B	Homo sapiens sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6B (SEMA6B), mRNA [NM_032108]
A_23_P34424	0,01256995	down	-3,5274222	KCNQ4	Homo sapiens potassium channel, voltage gated KQT-like subfamily Q, member 4 (KCNQ4), transcript variant 1, mRNA [NM_004700]
A_32_P87649	0,0370746	down	-2,2158432	TMCO2	Homo sapiens transmembrane and coiled-coil domains 2 (TMCO2), mRNA [NM_001008740]
A_33_P3422248	0,00286837	down	-1,7062064	TMEM200C	transmembrane protein 200C [Source:HGNC Symbol;Acc:HGNC:37208] [ENST00000581347]
A_33_P3330074	0,01487756	down	-1,6581982	TRPC2	transient receptor potential cation channel, subfamily C, member 2, pseudogene [Source:HGNC Symbol;Acc:HGNC:12334] [ENST0000045104]
A_23_P252082	0,00600484	down	-1,7340733	TMEM176A	Homo sapiens transmembrane protein 176A (TMEM176A), mRNA [NM_018487]
A_33_P3222203	0,04621681	down	-1,5790596	OXER1	Homo sapiens oxoeicosanoid (OXE) receptor 1 (OXER1), mRNA [NM_148962]
A_33_P3228837	0,00780649	down	-1,7269272	CD8A	Homo sapiens CD8a molecule (CD8A), transcript variant 3, mRNA [NM_001145873]
A_33_P3325661	0,01025367	down	-1,6960107		T cell receptor beta variable 24-1 [Source:HGNC Symbol;Acc:HGNC:12203] [ENST00000390397]
A_33_P3562537	0,00978484	down	-1,727199	RET	Homo sapiens ret proto-oncogene (RET), transcript variant 4, mRNA [NM_020630]
A_21_P0012333	0,00252424	down	-1,7794586	KCNMB3	Homo sapiens potassium channel subfamily M regulatory beta subunit 3 (KCNMB3), transcript variant 2, mRNA [NM_171829]

A_33_P3342156	0,00112467	down	-3,4905586	T cell receptor alpha variable 36/delta variable 7 [Source:HGNC Symbol;Acc:HGNC:12135] [ENST00000390463]
A_24_P7965	0,01767049	down	-3,0306885	ESRRG
A_23_P168993	0,003327	down	-3,0895123	ADRB3
A_33_P3370029	0,04458654	down	-2,6767948	T cell receptor gamma variable 11 (non-functional) [Source:HGNC Symbol;Acc:HGNC:12286] [ENST00000390340]
A_33_P3260659	0,00482139	down	-2,3211706	OR2T1
A_23_P15832	2,04E-04	down	-3,2454913	OR1D5
A_33_P3249976	0,00308756	down	-2,360399	JAM2
A_33_P3260684	0,00407762	down	-2,4415846	OR2T6
A_33_P3417113	0,01487972	down	-2,569186	NPSR1
A_33_P3341442	0,02313304	down	-2,068512	CSF2RB
A_23_P58729	0,00943444	down	-2,8295608	SLC34A1
A_21_P0011331	0,02811525	down	-2,1181018	CSPG4
A_23_P385199	0,00241181	down	-1,9690264	EPHA10
A_24_P350759	0,04573663	down	-2,0317166	SLC1A2
A_23_P434289	0,01099968	down	-1,8822633	GPR62
A_33_P3321462	0,03432452	down	-2,1516585	OR5B21
A_32_P486693	0,04066332	down	-1,8055965	NRIP3
A_33_P3278789	0,04292123	down	-2,1384544	KCNK16
A_23_P402936	0,03402005	down	-2,4539344	PPFIA2
A_33_P3259693	0,00707328	down	-4,365351	OR6P1
A_24_P212234	0,01227298	down	-2,2397532	SLC6A18
A_23_P315991	2,55E-04	down	-4,965023	OR10A5
A_23_P319423	0,00103116	down	-3,493477	KCNK5
A_33_P3265309	0,02638436	down	-1,658292	CEACAM4
A_23_P432056	0,00145678	down	-1,9153086	RTN4RL1
A_23_P416191	5,99E-04	down	-2,2355773	TAS2R31
A_33_P3232120	6,77E-04	down	-2,7809799	
A_33_P3262069	0,00572064	down	-2,7597675	OR2AG2
A_23_P156824	8,35E-06	down	-3,658279	HTR1B
A_23_P24676	0,01071806	down	-2,850212	OR8U1
A_23_P162607	6,94E-04	down	-3,8409832	STAB2
A_23_P27107	0,00357729	down	-3,6172636	TM4SF5
A_33_P3345016	0,00400523	down	-2,5235734	HTR6
A_24_P350622	0,02168956	down	-2,5401216	KIR2DL4
A_23_P59772	0,00263268	down	-2,0110087	CLCN1
A_33_P3390637	0,00171263	down	-2,0518823	SLC23A3
A_33_P3314151	5,65E-04	down	-2,5952857	CRACR2A
A_23_P51761	0,00821699	down	-5,356401	OR6K2
A_33_P3266489	0,00496559	down	-2,2513986	OR13H1
A_33_P3344423	0,03575051	down	-2,0579205	NCR3
A_23_P151361	0,02803455	down	-2,04211	SMIM2
A_33_P3358943	0,01544227	up	1,8035592	GRM2
A_23_P121480	0,02160561	up	1,6621829	CD200
A_33_P3295098	0,04833084	up	1,7559806	ESYT3
A_23_P16469	0,03658775	up	2,0255094	PLAUR
A_23_P98616	0,00797538	up	1,9063076	SLC22A6

A_33_P3377256	0,00115396 up	2,0249357	OGFRP1	Homo sapiens opioid growth factor receptor pseudogene 1 (OGFRP1), non-coding RNA [NR_036498]
A_33_P3303291	0,0032364 up	1,6796671	RIPK3	Homo sapiens receptor-interacting serine-threonine kinase 3 (RIPK3), mRNA [NM_006871]
A_23_P19428	0,02121763 up	1,666443	OR2J2	Homo sapiens olfactory receptor, family 2, subfamily J, member 2 (OR2J2), mRNA [NM_030905]
A_23_P93302	0,02325907 up	1,5119251	GABBR1	Homo sapiens gamma-aminobutyric acid (GABA) B receptor, 1 (GABBR1), transcript variant 1, mRNA [NM_001470]
A_23_P94103	0,03416655 up	1,9073746	SCARA5	Homo sapiens scavenger receptor class A, member 5 (SCARA5), mRNA [NM_173833]
A_23_P92650	0,00807711 down	-2,16979	SLC25A2	Homo sapiens solute carrier family 25 (mitochondrial carrier; ornithine transporter) member 2 (SLC25A2), mRNA [NM_031947]
A_33_P3261957	0,04173563 down	-1,9484638	CALCRL	Homo sapiens calcitonin receptor-like (CALCRL), transcript variant 1, mRNA [NM_005795]
A_24_P792124	0,00670627 down	-2,949434	SCN9A	Homo sapiens sodium channel, voltage gated, type IX alpha subunit (SCN9A), mRNA [NM_002977]
A_33_P3410274	0,0021756 down	-2,7136688		transient receptor potential cation channel, subfamily C, member 6 pseudogene [Source:HGNC Symbol;Acc:HGNC:23270] [ENST0000042123]
A_33_P3375541	0,00132988 down	-2,4598093	CD3D	Homo sapiens CD3d molecule, delta (CD3-TCR complex) (CD3D), transcript variant 1, mRNA [NM_000732]
A_33_P3400217	0,02282586 down	-2,310932	SLC4A1	Homo sapiens solute carrier family 4 (anion exchanger), member 1 (Diego blood group) (SLC4A1), mRNA [NM_000342]
A_23_P318938	0,02817906 down	-2,0037775	TMEM52B	Homo sapiens transmembrane protein 52B (TMEM52B), transcript variant 1, mRNA [NM_153022]
A_33_P3335511	0,02132568 down	-1,8054705	FCRL5	Homo sapiens Fc receptor-like 5 (FCRL5), transcript variant 2, mRNA [NM_001195388]
A_23_P46412	0,00406527 down	-1,7652537	SCNN1D	Homo sapiens sodium channel, non voltage gated 1 delta subunit (SCNN1D), transcript variant 1, mRNA [NM_001130413]
A_23_P56604	0,02239883 down	-1,5287845	IL1RL2	Homo sapiens interleukin 1 receptor-like 2 (IL1RL2), mRNA [NM_003854]
A_33_P3421028	0,01785833 down	-1,6955128	ROS1	ROS proto-oncogene 1, receptor tyrosine kinase [Source:HGNC Symbol;Acc:HGNC:10261] [ENST00000403284]
A_32_P489986	0,02345983 down	-2,1372492	TMEM232	Homo sapiens transmembrane protein 232 (TMEM232), mRNA [NM_001039763]
A_23_P2431	7,59E-04 down	-1,9494691	C3AR1	Homo sapiens complement component 3a receptor 1 (C3AR1), mRNA [NM_004054]
A_23_P373031	9,21E-04 down	-2,0299516	CACNA1C	Homo sapiens calcium channel, voltage-dependent, L type, alpha 1C subunit (CACNA1C), transcript variant 18, mRNA [NM_000719]
A_23_P161968	0,01299055 down	-2,0607798	SLC22A10	Homo sapiens solute carrier family 22, member 10 (SLC22A10), mRNA [NM_001039752]
A_24_P383478	0,02022964 down	-1,5490509	ESR1	Homo sapiens estrogen receptor 1 (ESR1), transcript variant 1, mRNA [NM_000125]
A_33_P3286157	0,02185078 down	-1,5149355	TNFRSF4	Homo sapiens tumor necrosis factor receptor superfamily, member 4 (TNFRSF4), mRNA [NM_003327]
A_23_P42241	0,01187852 down	-1,8668864	OR5V1	Homo sapiens olfactory receptor, family 5, subfamily V, member 1 (OR5V1), mRNA [NM_030876]
A_33_P3356577	0,02376668 down	-1,943252	SIRPB1	signal-regulatory protein beta 1 [Source:HGNC Symbol;Acc:HGNC:15928] [ENST00000381596]
A_23_P90497	0,0304226 down	-1,6590503	LILRA4	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 4 (LILRA4), mRNA [NM_012276]
A_23_P363313	0,03322676 down	-1,6353767	SLC16A11	Homo sapiens solute carrier family 16, member 11 (SLC16A11), mRNA [NM_153357]
A_23_P119042	0,03121998 down	-1,8689405	NKG7	Homo sapiens natural killer cell granule protein 7 (NKG7), mRNA [NM_005601]
A_33_P3359647	0,00710027 down	-1,9313471	OPRL1	Homo sapiens opiate receptor-like 1 (OPRL1), transcript variant 1, mRNA [NM_182647]
A_33_P3401701	0,04848501 down	-1,7141898	EDNRA	Homo sapiens endothelin receptor type A (EDNRA), transcript variant 1, mRNA [NM_001957]
A_33_P3279276	0,04257939 down	-2,21045	GRIP2	Homo sapiens glutamate receptor interacting protein 2 (GRIP2), mRNA [NM_001080423]
A_23_P111395	0,02838425 down	-1,834713	SLC22A2	Homo sapiens solute carrier family 22 (organic cation transporter), member 2 (SLC22A2), mRNA [NM_003058]
A_23_P17456	0,01355448 down	-1,6302507	SIRPB1	Homo sapiens signal-regulatory protein beta 1 (SIRPB1), transcript variant 1, mRNA [NM_006065]
A_23_P92754	0,00185557 down	-1,6196762	FGFR4	Homo sapiens fibroblast growth factor receptor 4 (FGFR4), transcript variant 3, mRNA [NM_213647]
A_33_P3230189	0,0163531 down	-1,5824893	SLITRK6	Homo sapiens SLIT and NTRK-like family, member 6 (SLITRK6), mRNA [NM_032229]
A_33_P3273906	0,04627171 down	-1,9127558	OR10G4	Homo sapiens olfactory receptor, family 10, subfamily G, member 4 (OR10G4), mRNA [NM_001004462]
A_33_P3286923	0,04049462 up	1,6092532	TMPRSS5	Homo sapiens transmembrane protease, serine 5 (TMPRSS5), transcript variant 4, mRNA [NM_001288751]
A_33_P3337500	0,04931976 up	1,5241963		T cell receptor alpha variable 22 [Source:HGNC Symbol;Acc:HGNC:12119] [ENST00000390450]
A_23_P8497	0,0339932 up	1,8711636	GHRHR	Homo sapiens growth hormone releasing hormone receptor (GHRHR), mRNA [NM_000823]