

Supplemental Tables

Table S1. Example of capture-recapture estimate

Clinical Database			
Research database	Cases	Cases	Total
	Clinical test	missed	
Cases enrolled	284 (<i>m</i>)	29 (<i>N</i> ₂)	313 (<i>n</i>)
Cases missed	24 (<i>N</i> ₁)	2 (<i>X</i>)	
Total	308 (<i>M</i>)		337(<i>N</i>)

Table S2. Examining independence assumption for overall and sub-populations

Population	Probability of capture in both databases (m/N)	Marginal Probability		Product of Marginal probabilities	Independence Condition Satisfied*
		Clinical database (M/N)	Research database (n/N)		
3-year total	0.84	0.91	0.93	0.85	Yes
Sub-Populations					
Age group					
18-49 years	0.85	0.93	0.92	0.85	Yes
50-64 years	0.82	0.90	0.91	0.83	Yes
65-74 years	0.84	0.92	0.92	0.85	Yes
75+	0.87	0.91	0.96	0.87	Yes
Race					
White	0.85	0.91	0.94	0.85	Yes
Black	0.83	0.93	0.90	0.84	Yes
Sex					

Female	0.83	0.91	0.92	0.84	Yes
Male	0.87	0.93	0.94	0.87	Yes
Season					
2016-2017	0.87	0.94	0.92	0.87	Yes
2017-2018	0.85	0.93	0.92	0.85	Yes
2018-2019	0.82	0.87	0.95	0.82	Yes
Vaccination Status					
Unvaccinated	0.81	0.91	0.91	0.82	Yes
Vaccinated	0.87	0.92	0.94	0.87	Yes
Prior Vaccination					
No	0.85	0.92	0.92	0.85	Yes
Yes	0.84	0.90	0.94	0.85	Yes

*Independence condition: Probability of influenza positives captured by both databases is equal or nearly equal to the product of the marginal probabilities of influenza positives captured by clinical and research databases.