

Supplemental Materials

Vy Kim Nguyen Ph.D.^{1,3}, Justin Colacino Ph.D.^{1,2,4,5}, Chirag J Patel Ph.D.³, Maureen Sartor Ph.D.², Olivier Jolliet Ph.D.^{1,2}

Affiliations:

1 Department of Environmental Health Sciences, School of Public Health, University of Michigan, Ann Arbor, MI, USA

2 Department of Computational Medicine and Bioinformatics, Medical School, University of Michigan, Ann Arbor, MI, USA

3 Department of Biomedical Informatics, Medical School, Harvard University, Boston, MA, USA

4 Department of Nutritional Sciences, School of Public Health, University of Michigan, Ann Arbor, MI, USA

5 Rogel Cancer Center, University of Michigan, Ann Arbor, MI, USA

To whom correspondence should be addressed:

Vy Kim Nguyen

Department of Environmental Health Sciences, School of Public Health, University of Michigan

1415 Washington Heights, Ann Arbor, MI, 48109, USA

e-mail: nguyenvy@umich.edu

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Table of Contents

Text S1. Exclusion criteria on chemical biomarkers..... 4

Text S2. Hierarchal clustering procedure to identify groups of occupations with similar chemical profile 5

Text S3. Sensitivity Analysis on Contribution of Occupation in Explaining Chemical Biomarker Levels 6

Text S4. Sensitivity Analysis on the Influence of Smoking 7

Table S1. Job occupation description with corresponding collar category..... 8

Table S2. Number of participants by occupation group..... 11

Table S3. Sample size required to detect significant differences..... 13

Table S4. Inclusion criteria for 517 chemical biomarkers. 14

Table S5. Chemical name and class for included 129 substances. 28

Table S6. Number of participants by included chemicals..... 32

Table S7. Distribution statistics of chemical biomarkers..... 36

Table S8. Number of participants with a given number of measured chemicals..... 41

Table S9. Description of each hierarchical clustering method..... 44

Table S10. Biomonitoring equivalents for noncancer effects. 45

Table S11. Cancer and intake slope factors used to calculate biomonitoring equivalents for cancer effects via inhalation or ingestion. 49

Figure S1. Heatmap of detection frequency by chemical biomarker and occupational group. 52

Figure S2. Heatmap of dichotomized biomarker measurements by participants and included chemicals to show sparsity of the chemical biomarker dataset..... 53

Figure S3. Boxplot of cophenetic correlation coefficients by linkage methods for clustering the occupational groups based on chemical exposure profiles. 54

Figure S4. Box plot of distribution of blood cadmium. 55

Figure S5. Box plot of distribution of total mercury in blood..... 56

Figure S6. Box plot of distribution of toluene in blood. 57

Figure S7. Box plot of distribution of 1-napthol in blood..... 58

Figure S8. Box plot of distribution of NNAL in urine. 59

Figure S9. Box plot of distribution of DEET acid in urine. 60

Figure S10. Box plot of distribution of acrylamide in urine. 61

Figure S11. Box plot of distribution of mono-ethyl phthalate in urine..... 62

Figure S12. Heatmap of percent differences in chemical biomarker concentrations by occupational group, relative to white collars from Public Administration. 63

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Figure S13. Heatmap of percentages of workers with biomarker levels exceeding biomonitoring equivalents for cancer effects via inhalation. 64

Figure S14. Heatmap of percentages of workers with biomarker levels exceeding biomonitoring equivalents for cancer effects via ingestion. 65

Figure S15. Alphabet soup plot of variance explained by occupation alone and after adjusting for all other covariates. 66

Figure S16. Alphabet soup plot of variance explained by smoking after adjusting for all other covariates. 67

Figure S17. Heatmap of percent differences in chemical biomarker concentrations by occupational group, relative to white collars from Public Administration. 68

Figure S18. Panel of correlation plots comparing percent difference in chemical biomarker levels when including active smokers versus excluding active smokers across the different stepwise regression models. 69

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Text S1. Exclusion criteria on chemical biomarkers

We preferred lipid adjusted measurements for biomarkers indicated by 7- or 8-letter NHANES codename ending in “L” or “LA,” respectively, for which NHANES provided both lipid-adjusted and non-lipid adjusted measurements. Therefore, we excluded non-lipid adjusted chemical biomarkers for which there was a corresponding lipid-adjusted measure (c = 68). We excluded creatinine as it is not an exposure biomarker (c = 1). We calculated detection frequencies for each combination of chemical biomarkers and occupations. For a given chemical, we calculated the average detection frequency across the occupational groups and excluded chemicals with detection frequency below 10% overall (c = 133). Then for each remaining chemical, we calculated the sample size for each sector-collar combination, determined the median sample size across all sector-collars, and excluded chemical biomarkers with a median sample size of less than 90 participants (c = 184). We chose 90 participants as the cut-off based on a power calculation to have a 70% chance of detecting a significant difference with a p-value of less than 5% and with an effect size of 0.37 (Table S3).

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Text S2. Hierarchical clustering procedure to identify groups of occupations with similar chemical profile

First, we normalized the percent differences across a given chemical biomarker with the mean equal to 0 and the standard deviation equal to 1 to make the chemicals comparable to each other. Normalizing also prevents the chemical biomarker(s) with the greatest variation from driving the clustering²¹. Second, we used Pearson's correlation-based distance as our distance measure^{22,23}. This distance measure calculates the similarity between the chemicals of every pair of occupational groups by using Pearson's correlation. We preferred Pearson's correlation-based distance to Euclidean distance as we are interested in identifying clusters of occupations with similar overall profiles²¹ in chemical exposures. Using Euclidean distance would cluster the occupation groups based on magnitude of the percent differences, e.g. occupations with the highest chemical biomarker levels would cluster together. Third, we needed to decide which linkage method to use in order to best determine how the occupational groups should cluster together based on similarity in chemical exposures²¹. We tested four different linkage functions: single, complete, average, and McQuitty's linkage method. We provided description of each linkage method in **Table S8**. Fourth, we selected the linkage method that generated the dendrogram that best preserves the dissimilarity among the occupation groups. We evaluated this performance with the cophenetic correlation coefficient, which is a correlation coefficient between the original distance matrix and the distance matrix generated by the clustering configuration²⁴. A cophenetic correlation coefficient equal to 1 implies that the clustering configuration perfectly preserves the dissimilarity between the objects, e.g. occupation groups. The average linkage method has the highest cophenetic coefficients (**Figure S3**), so we report the clustering results from the average linkage method. Finally, we conducted hierarchical agglomerative clustering with 1500 multiscale bootstrap replicates to calculate the approximately unbiased (AU) p-values²⁵. An AU p-value of 1 implies that all bootstrap replicates support the cluster, implying that the cluster is strongly supported by the data²⁵. We visualized the clusters of occupation groups with dendrograms. We also used Pearson's correlation-based distance to cluster the chemical biomarkers based on having similar profiles on occupational groups.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Text S3. Sensitivity Analysis on Contribution of Occupation in Explaining Chemical Biomarker Levels

We examined how occupation contributes to explaining chemical biomarker levels. To quantify how occupation explains variation in chemical biomarker levels, we first determined the Pearson's R2 for univariate linear models with the outcome variable as the chemical biomarker levels, treated as a continuous variable, and the main predictor as the occupational groups. In addition, we calculated how much of the variation of chemical biomarker levels is additionally explained by occupation after controlling for all other covariates.

Figure S15 in appendix p 61 shows the variation of chemical biomarker levels explained by occupation alone and after adjusting for all covariates. The chemical biomarker levels are treated as a continuous variable. The "1"s show the how much of the variation of chemical biomarker levels is explained by occupation alone, i.e., the R2 of the univariate model with the outcome variable as the chemical biomarker levels and the main predictor as the occupational groups. The R2s of the univariate models range from 0.58% to 14.3%. Blood lead (14.3%), NNAL (11.1%), cotinine (9.6%), 3-fluorene (8.5%), and trans-b-carotene (8.4%) show the highest variations of chemical biomarker levels explained by occupation alone. The "2"s show the contribution of occupation on explaining chemical biomarker levels changes after adjusting for all other covariates, i.e., the difference in R2 between the fully adjusted models and the models not adjusting for occupation. The R2s, showing the additional contribution of occupation, ranges from 0.28% to 4.8%. Chemicals showing the highest, additional contribution of occupation include cotinine (4.8%), d-Tocopherol (3.3%), Desethyl hydroxy DEET (3.0%), Combined Lutein/zeaxanthin (2.4%), and a-carotene (2.4%). There are substantial differences between the contribution of occupation alone versus contribution of occupation independent of other confounders in explaining chemical biomarker levels. Such differences suggest the complex correlation structure among the covariates and occupation in explaining the biomarker levels.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Text S4. Sensitivity Analysis on the Influence of Smoking

We performed several sensitivity analyses to examine the influence of tobacco exposures on characterizing occupational differences in chemical biomarker levels. We have interest in tobacco exposures as we observed the signals for cotinine were the most substantial and significant. First, we observed how smoking contributes to explaining the variance of the chemical biomarker levels. We, therefore, calculated the difference in R2 between the fully adjusted models and the models not adjusting for tobacco exposures. The chemical biomarkers with the highest difference in R2 may suggest that exposures to these chemicals could be due, at least in part, to smoking. Second, to determine the degree to which tobacco exposures was driving the clustering of the occupations, we excluded the regression results of biomarkers of tobacco exposures such as cotinine and NNAL from the clustering analyses. Third, we performed analyses to understand the extent to which similarity in chemical exposure profiles among the blue-collar workers were due to these workers being predominantly active smokers. To do this, we characterized the chemical exposure profiles for those who were not actively smoking, by performing additional regression and clustering analyses after excluding active smokers. Active smokers were defined with serum cotinine levels above 3 ng/mL²⁶. The sample size after excluding active smokers is 30,545 participants.

Figure S16 shows how smoking contributes to the explaining variation in chemical biomarker levels, i.e difference in R2 between the fully adjusted models and the models not adjusting for smoking. The differences in R2 ranges from 1.4e-7% to 46.9%. Smoking explains a substantial amount of the variation for VOCs, PAHs, smoking related compounds, and blood cadmium, suggesting that participants may be exposed to such toxicants via smoking.

Figure S17 is a heatmap showing relative differences in chemical biomarker profiles across occupational groups without including cotinine and NNAL as part of the clustering analysis to form the dendrogram on the occupational groups. The dendrogram in this figure is similar to the dendrogram when smoking related compounds were included in the clustering analysis of the occupational groups. This suggests that the smoking related compounds are not solely driving the clustering of the occupational groups.

Figure S18 is a panel of correlation plots comparing the relative difference in chemical biomarker levels when including active smokers versus excluding active smokers. Each point is for comparing the relative difference in chemical biomarkers between a given occupational group and the reference group of white collars from "Public Administration". The chemicals and occupational groups that are affected by the exclusion of active smokers (i.e. the points that deviate from the 1-1 line) include VOCs, PAHs, and smoking related compounds in blue-collars and unemployed participants.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Tables

Table S1. Job occupation description with corresponding collar category. OCD240 was used in Cycle 1-3, while OCD241 was used in Cycle 4-8.

NHANES codename	Original occupational code	Original occupation description	Harmonized occupational code	Harmonized occupation description	Collar category
OCD240	1	Executive, administrators, and managers	1	Management Occupations	White
OCD240	2	Management related occupations	1	Management Occupations	White
OCD240	5	Teachers	8	Education, Training, Library Occupations	White
OCD240	6	Writers, artists, entertainers, and athletes	9	Arts, Design, Entertainment, Sports, Media Occupations	White
OCD240	4	Health diagnosing, assessing and treating occupations	10	Healthcare Practitioner, Technical Occupations	White
OCD240	22	Health service occupations	10	Healthcare Practitioner, Technical Occupations	White
OCD240	18	Protective service occupations	12	Protective Service Occupations	White
OCD240	20	Cooks	13	Food Preparation, Serving Occupations	Blue
OCD240	21	Miscellaneous food preparation and service occupations'	13	Food Preparation, Serving Occupations	Blue
OCD240	19	Waiters and waitresses	13	Food Preparation, Serving Occupations	Blue
OCD240	23	Cleaning and building service occupations	14	Building & Grounds Cleaning, Maintenance Occupations	Blue
OCD240	17	Private household occupations	14	Building & Grounds Cleaning, Maintenance Occupations	Blue
OCD240	24	Personal service occupations	15	Personal Care, Service Occupations	Blue
OCD240	10	Sales representatives, finance, business, & commodities ex. Retail	16	Sales & Related Occupations	White
OCD240	11	Sales workers, retail and personal services	16	Sales & Related Occupations	White
OCD240	9	Supervisors and proprietors, sales occupations	16	Sales & Related Occupations	White
OCD240	13	Information clerks	17	Office, Administrative Support Occupations	White
OCD240	15	Material recording, scheduling, and distributing clerks	17	Office, Administrative Support Occupations	White
OCD240	16	Miscellaneous administrative support occupations	17	Office, Administrative Support Occupations	White
OCD240	14	Records processing occupations	17	Office, Administrative Support Occupations	White
OCD240	12	Secretaries, stenographers, and typists	17	Office, Administrative Support Occupations	White

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

OCD240	26	Farm and nursery workers	18	Farming, Fishing, Forestry Occupations	Blue
OCD240	25	Farm operators, managers, and supervisors	18	Farming, Fishing, Forestry Occupations	Blue
OCD240	27	Related agricultural, forestry, and fishing occupations	18	Farming, Fishing, Forestry Occupations	Blue
OCD240	37	Construction laborers	19	Construction, Extraction Occupations	Blue
OCD240	30	Construction trades	19	Construction, Extraction Occupations	Blue
OCD240	31	Extractive and precision production occupations	19	Construction, Extraction Occupations	Blue
OCD240	38	Laborers, except construction	19	Construction, Extraction Occupations	Blue
OCD240	29	Other mechanics and repairers	20	Installation, Maintenance, Repair Occupations	Blue
OCD240	28	Vehicle and mobile equipment mechanics and repairers	20	Installation, Maintenance, Repair Occupations	Blue
OCD240	34	Fabricators, assemblers, inspectors, and samplers	21	Production Occupations	Blue
OCD240	33	Machine operators, assorted materials	21	Production Occupations	Blue
OCD240	32	Textile, apparel, and furnishings machine operators	21	Production Occupations	Blue
OCD240	39	Freight, stock, and material movers, hand	22	Transportation, Material Moving Occupations	Blue
OCD240	35	Motor vehicle operators	22	Transportation, Material Moving Occupations	Blue
OCD240	40	Other helpers, equipment cleaners, hand packagers and laborers	22	Transportation, Material Moving Occupations	Blue
OCD240	36	Other transportation and material moving occupations	22	Transportation, Material Moving Occupations	Blue
OCD240	41	Military occupations	23	Armed Forces	Blue
OCD240	98	Blank but applicable	99	Blank but applicable	
OCD240	8	Technicians and related support occupations	3,4,5,6,7	STEM, Social, and Legal Services Occupations	White
OCD240	3	Engineers, architects and scientists	3,4,5,6,7	STEM, Social, and Legal Services Occupations	White
OCD240	7	Other professional specialty occupations	3,4,5,6,7	STEM, Social, and Legal Services Occupations	White
OCD241	1	Management Occupations	1	Management Occupations	White
OCD241	2	Business, Financial Operations Occupations	2	Business, Financial Operations Occupations	White
OCD241	8	Education, Training, Library Occupations	8	Education, Training, Library Occupations	White
OCD241	9	Arts, Design, Entertainment, Sports, Media Occupations	9	Arts, Design, Entertainment, Sports, Media Occupations	White
OCD241	10	Healthcare Practitioner, Technical Occupations	10	Healthcare Practitioner, Technical Occupations	White

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

OCD241	11	Healthcare Support Occupations	11	Healthcare Support Occupations	White
OCD241	12	Protective Service Occupations	12	Protective Service Occupations	White
OCD241	13	Food Preparation, Serving Occupations	13	Food Preparation, Serving Occupations	Blue
OCD241	14	Building & Grounds Cleaning, Maintenance Occupations	14	Building & Grounds Cleaning, Maintenance Occupations	Blue
OCD241	15	Personal Care, Service Occupations	15	Personal Care, Service Occupations	Blue
OCD241	16	Sales & Related Occupations	16	Sales & Related Occupations	White
OCD241	17	Office, Administrative Support Occupations	17	Office, Administrative Support Occupations	White
OCD241	18	Farming, Fishing, Forestry Occupations	18	Farming, Fishing, Forestry Occupations	Blue
OCD241	19	Construction, Extraction Occupations	19	Construction, Extraction Occupations	Blue
OCD241	20	Installation, Maintenance, Repair Occupations	20	Installation, Maintenance, Repair Occupations	Blue
OCD241	21	Production Occupations	21	Production Occupations	Blue
OCD241	22	Transportation, Material Moving Occupations	22	Transportation, Material Moving Occupations	Blue
OCD241	23	Armed Forces	23	Armed Forces	Blue
OCD241	98	Text present but uncodable	98	Text present but uncodable	
OCD241	99	Blank but applicable	99	Blank but applicable	
OCD241	4	Architecture, Engineering Occupations	3,4,5,6,7	STEM, Social, and Legal Services Occupations	White
OCD241	6	Community, Social Services Occupations	3,4,5,6,7	STEM, Social, and Legal Services Occupations	White
OCD241	3	Computer, Mathematical Occupations	3,4,5,6,7	STEM, Social, and Legal Services Occupations	White
OCD241	7	Legal Occupations	3,4,5,6,7	STEM, Social, and Legal Services Occupations	White
OCD241	5	Life, Physical, Social Science Occupations	3,4,5,6,7	STEM, Social, and Legal Services Occupations	White

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Table S2. Number of participants by occupation group. These sector-occupation groups include sector-collar combinations and unemployment status (e.g. Looking for work, On layoff, Disabled, Going to school, Taking care of house or family, Retired). “Occupation Missing” consist of participants who are at least 16 years old but did not record their occupation status.

Occupation Group	Number of Participants	Include?
Blank but applicable - White	4	no
Blank but applicable - Blue	5	no
Finance, Insurance - Blue	5	no
Armed Forces - White	8	no
Armed Forces - Blue	16	no
Private Households - White	19	no
Mining - White	39	no
Public Administration - Blue	77	yes
Utilities - White	93	yes
Information Services - Blue	95	yes
Mining - Blue	98	yes
Utilities - Blue	128	yes
Agriculture, Forestry, Fishing - White	142	yes
Real Estate, Rental, Leasing - Blue	152	yes
Arts, Entertainment, Recreation - Blue	280	yes
Private Households - Blue	286	yes
Professional, Scientific, Technical Services - Blue	288	yes
Wholesale Trade - Blue	312	yes
Arts, Entertainment, Recreation - White	315	yes
Construction - White	322	yes
Education Services - Blue	345	yes
Transportation, Warehousing - White	370	yes
Accommodation, Food Services - White	381	yes
Manufacturing: Non-Durable Goods - White	398	yes
Wholesale Trade - White	401	yes
Information Services - White	443	yes
Agriculture, Forestry, Fishing - Blue	493	yes
Real Estate, Rental, Leasing - White	498	yes
Other Services - Blue	513	yes
On layoff	565	yes
Management, Administrative, Waste Services - White	625	yes
Manufacturing: Durable Goods - White	640	yes
Transportation, Warehousing - Blue	682	yes
Health Care, Social Assistance - Blue	697	yes
Other Services - White	720	yes

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Management, Administrative, Waste Services - Blue	793	yes
Finance, Insurance - White	832	yes
Manufacturing: Non-Durable Goods - Blue	884	yes
Public Administration - White	889	yes
Professional, Scientific, Technical Services - White	899	yes
Manufacturing: Durable Goods - Blue	1086	yes
Accommodation, Food Services - Blue	1293	yes
Retail Trade - Blue	1323	yes
Looking for work	1559	yes
Education Services - White	1669	yes
Construction - Blue	1700	yes
Unable to work for health reasons	1708	yes
Occupation Missing	1766	yes
Disabled	2400	yes
Retail Trade - White	2503	yes
Health Care, Social Assistance - White	2705	yes
Going to school	3680	yes
Taking care of house or family	3699	yes
Retired	9261	yes

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Table S3. Sample size required to detect significant differences. x% power mean that a study has a x% chance of ending up with a p-value of less than 5% in a statistical test when the effect size (or regression coefficient) is a corresponding value if the sample size is a particular number. For example, a study has a 70% chance of detecting a significance difference with a regression coefficient of 0.37 when the sample size is 90 participants.

Effect Size (or Regression Coefficients)	90% Power	80% Power	70% Power
0.01	209952	156800	123008
0.02	52488	39200	30752
0.03	23328	17422	13668
0.04	13122	9800	7688
0.05	8398	6272	4920
0.06	5832	4356	3417
0.07	4285	3200	2510
0.08	3281	2450	1922
0.09	2592	1936	1519
0.1	2100	1568	1230
0.11	1735	1296	1017
0.2	525	392	308
0.3	233	174	137
0.31	218	163	128
0.32	205	153	120
0.33	193	144	113
0.34	182	136	106
0.35	171	128	100
0.36	162	121	95
0.37	153	115	90
0.38	145	109	85
0.39	138	103	81
0.4	131	98	77
0.5	84	63	49
0.6	58	44	34
0.7	43	32	25
0.8	33	25	19
0.9	26	19	15
1	21	16	12

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Table S4. Inclusion criteria for 517 chemical biomarkers.

Chemical name	Detection frequency	Median sample size across occupational groups	Include ?
Total Calcium	NA	561	yes
Chloride	NA	561	yes
Potassium	NA	561	yes
Sodium	NA	561	yes
Vitamin B12, serum	NA	348	yes
4-pyridoxic acid	NA	203	yes
Vitamin B6	NA	202	yes
Vitamin A	NA	187	yes
d-Tocopherol	NA	186	yes
g-tocopherol	NA	178	yes
Retinyl palmitate	NA	172	yes
Retinyl stearate	NA	150	yes
a-Carotene	NA	118	yes
trans-b-carotene	NA	118	yes
Combined Lutein/zeaxanthin	NA	118	yes
trans-lycopene	NA	118	yes
b-cryptoxanthin	NA	117	yes
total Lycopene	NA	117	yes
cis-b-carotene	NA	114	yes
Vitamin D	100.00	454	yes
25-hydroxyvitamin D3	100.00	238	yes
Iodine, urine	100.00	207	yes
Methylmalonic Acid	100.00	119	yes
2-fluorene	99.99	174	yes
2-naphthol	99.99	143	yes
Perchlorate, urine	99.99	246	yes
9-fluorene	99.99	120	yes
Cesium, urine	99.95	199	yes
Molybdenum, urine	99.94	197	yes
1-naphthol	99.93	141	yes
Mono-ethyl phthalate	99.88	184	yes
Urinary thiocyanate	99.88	227	yes
Vitamin C	99.87	122	yes
Mono-2-ethyl-5-carboxypentyl phthalate	99.86	139	yes

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Sum of metabolites of DEHP	99.85	139	yes
Urinary nitrate	99.75	227	yes
1-phenanthrene	99.71	175	yes
Perfluorooctane sulfonic acid	99.69	154	yes
Daidzein	99.61	118	yes
Acrylamide	99.60	132	yes
Perfluorooctanoic acid	99.55	154	yes
Enterolactone	99.50	118	yes
Blood lead	99.47	522	yes
Methyl paraben	99.33	109	yes
Thallium, urine	99.32	198	yes
Mono-(2-ethyl-5-hydroxyhexyl) phthalate	99.26	162	yes
Urinary total Arsenic	98.95	146	yes
3-fluorene	98.89	172	yes
3-phenanthrene	98.88	146	yes
Mono-(2-ethyl-5-oxohexyl) phthalate	98.62	162	yes
2-phenanthrene	98.57	145	yes
Cobalt, urine	98.53	199	yes
Genistein	98.43	123	yes
Glycideamide	98.38	128	yes
Mono-n-butyl phthalate	98.31	184	yes
2,5-dichlorophenol	98.23	139	yes
Mono(carboxyocetyl) phthalate	98.15	109	yes
Mono-benzyl phthalate	98.12	184	yes
Barium, urine	98.04	196	yes
Urinary Benzophenone-3	96.64	139	yes
Lead, urine	96.01	199	yes
Mono-(3-carboxypropyl) phthalate	95.28	162	yes
1-pyrene	95.19	139	yes
Mono(carboxynonyl) phthalate	95.05	109	yes
Propyl paraben	94.66	109	yes
Blood Toluene	94.63	153	yes
Mono-isobutyl phthalate	94.52	162	yes
Cadmium, urine	93.48	197	yes
Urinary Bisphenol A	92.09	139	yes
Mercury, urine	91.14	192	yes
Blood Chloroform	90.95	159	yes
2,4-dichlorophenol	88.95	139	yes
Blood mercury, total	88.82	416	yes
3,5,6-trichloropyridinol	87.94	120	yes

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

o-Desmethylangolensin (O-DMA)	86.18	145	yes
Blood m-/p-Xylene	85.27	203	yes
Paranitrophenol	83.16	125	yes
Perfluorononanoic acid	82.84	154	yes
Urinary Dimethylarsonic acid	82.68	147	yes
Uranium, urine	82.56	162	yes
Perfluorohexane sulfonic acid	82.52	154	yes
Tungsten, urine	82.43	199	yes
DEET acid	81.59	93	yes
Sum of arsenic metabolites	80.05	147	yes
Blood cadmium	79.20	522	yes
3-phenoxybenzoic acid	78.78	140	yes
Antimony, urine	77.11	198	yes
epi-25-hydroxyvitamin D3	76.95	229	yes
Urinary Triclosan	76.26	139	yes
Cotinine	76.08	561	yes
Blood Bromodichloromethane	75.51	170	yes
Dimethyl thiophosphate	72.44	127	yes
Mono-(2-ethylhexyl) phthalate	71.53	184	yes
2-(N-methyl-PFOSA) acetate	66.52	133	yes
NNAL , urine	61.47	247	yes
Urinary Arsenobetaine	61.40	147	yes
2,4-D	57.26	164	yes
Perfluorodecanoic acid	56.05	154	yes
Mono-n-methyl phthalate	55.29	134	yes
Diethylthiophosphate	54.03	126	yes
Diethylphosphate	53.55	125	yes
Dimethyl phosphate	53.42	125	yes
Blood 1,4-Dichlorobenzene	52.71	140	yes
Ethyl paraben	49.34	109	yes
Blood Ethylbenzene	47.60	204	yes
Blood Dibromochloromethane	46.94	194	yes
Blood o-Xylene	46.17	200	yes
Blood Styrene	43.79	114	yes
Urinary Monomethylarsonic acid	40.10	147	yes
Butyl paraben	38.86	109	yes
Blood Benzene	38.47	204	yes
Blood MTBE	37.98	193	yes
Dimethyl dithiophosphate	35.34	127	yes
Perfluoroundecanoic acid	33.11	154	yes

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

2,4,5-trichlorophenol	31.90	95	yes
2,4,6-trichlorophenol	28.68	95	yes
O-Phenylphenol	25.91	95	yes
Blood Bromoform	24.21	176	yes
Mono-isononyl phthalate	22.24	184	yes
Mercury, Inorganic	20.82	416	yes
Perfluorooctane sulfonamide	20.81	133	yes
Blood 2,5-Dimethylfuran	20.40	181	yes
25-hydroxyvitamin D2	19.89	238	yes
Urinary Arsenous acid	19.80	147	yes
trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane carboxylic acid	19.48	142	yes
Oxypyrimidine	18.36	128	yes
2-(N-ethyl-PFOSA) acetate	15.87	133	yes
Blood Tetrachloroethene	15.83	206	yes
Blood furan	14.73	115	yes
Diethyl dithiophosphate	12.05	126	yes
Desethyl hydroxy DEET	11.34	92	yes
Creatinine, urine	NA	584	no
a-Cryptoxanthin	NA	62	no
a-Tocopherol	NA	62	no
total b-Carotene	NA	62	no
cis-Lycopene	NA	62	no
cis-Lutein/Zeaxanthin	NA	62	no
Lutein	NA	62	no
Phytoene	NA	62	no
Phytofluene	NA	62	no
Zeaxanthin	NA	62	no
Serum Copper	NA	39	no
Serum Zinc	NA	39	no
Melamine	NA	5.5	no
Cyanuric acid	NA	4	no
Blood manganese	100.00	86	no
Selenium	100.00	86	no
Blood Nitromethane	100.00	85	no
Formaldehyde	100.00	18	no
PCB28 Lipid Adj	100.00	17	no
PCB52 Lipid Adj	100.00	17	no
PCB74 Lipid Adj	100.00	17	no
PCB118 Lipid Adj	100.00	17	no

Formatted: Position: Horizontal: Right, Relative to: Margin,
Vertical: 0", Relative to: Paragraph, Wrap Around

PCB138 Lipid Adj	100.00	17	no
PCB138 & 158 Lipid Adj	100.00	17	no
PCB153 Lipid Adj	100.00	17	no
PCB28	100.00	17	no
PCB52	100.00	17	no
PCB74	100.00	17	no
PCB118	100.00	17	no
PCB138	100.00	17	no
PCB138 & 158	100.00	17	no
PCB153	100.00	17	no
Strontium, urine	99.97	43	no
Harman	99.95	20	no
Hexachlorobenzene	99.94	17	no
Hexachlorobenzene Lipid Adj	99.94	17	no
PCB99 Lipid Adj	99.94	16.5	no
PCB99	99.94	16.5	no
N-acetyl-s-(3-hydroxypropyl-1-methyl)-L-cysteine	99.91	74	no
Norharman	99.90	20	no
p,p'-DDE	99.86	51	no
p,p'-DDE Lipid Adj	99.86	51	no
PCB44 Lipid Adj	99.81	17	no
PCB44	99.81	17	no
N-acetyl-S-(3,4-dihydroxybutyl)-L-cysteine	99.79	75	no
Equol	99.57	86	no
2 & 3-Hydroxyphenanthrene	99.55	20	no
PCB180 Lipid Adj	99.50	17	no
PCB180	99.50	17	no
3-methylhippuric acid & 4-methylhippuric acid	99.49	75	no
Enterodiol	99.49	71	no
N-acetyl-S-(2-carbamoylethyl)-L-cysteine	99.44	74	no
PCB49 Lipid Adj	99.43	17	no
PCB49	99.43	17	no
N-acetyl-S-(3-Hydroxypropyl)-L-cysteine	99.39	75	no
N-acetyl-S-(N-methylcarbamoyl)-L-cysteine	99.30	75	no
Isopentanaldehyde	99.14	18	no
Linear perfluorooctanoate	99.13	20	no
N-Acetyl-S-(benzyl)-L-cysteine	99.09	75	no
Linear perfluorooctane sulfonate	99.03	20	no
PCB66 Lipid Adj	99.01	17	no
PCB66	99.01	17	no

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

PCB146 Lipid Adj	98.88	17	no
PCB146	98.88	17	no
PCB187 Lipid Adj	98.63	17	no
PCB187	98.63	17	no
PCB170 Lipid Adj	98.57	17	no
PCB170	98.57	17	no
Mandelic acid	98.56	74	no
N-acetyl-S-(2-Carboxyethyl)-L-cysteine	98.54	75	no
Branched iso of PFOS	98.27	20	no
PCB110 Lipid Adj	98.18	17	no
PCB110	98.18	17	no
1,2,3,4,6,7,8-Heptachlororodibenzo-p-dioxin Lipid Adj	98.11	35	no
1,2,3,4,6,7,8-Heptachlororodibenzo-p-dioxin	98.11	35	no
Total Hydroxycotinine, urine	98.07	20	no
o-Anisidine, urine	97.90	20	no
PCB105 Lipid Adj	97.74	17	no
PCB105	97.74	17	no
Total Cotinine, urine	97.71	20	no
2,2',4,4'-tetrabromodiphenyl ether lipid adj	97.71	17	no
2,2',4,4'-tetrabromodiphenyl ether	97.71	17	no
N-Acetyl-S-(4-hydroxy-2-butenyl)-L-Cysteine	97.62	73	no
Hexanaldehyde	97.55	16	no
PCB101 Lipid Adj	96.65	17	no
PCB101	96.65	17	no
Ethylene Oxide	95.92	20	no
PCB149 Lipid Adj	95.85	17	no
PCB149	95.85	17	no
PCB206 Lipid Adj	95.72	16.5	no
PCB206	95.72	16.5	no
PCB209 Lipid Adj	95.18	16	no
PCB209	95.18	16	no
Benzaldehyde	94.78	16	no
N-acetyl-S-(2-hydroxypropyl)-L-cysteine	94.26	75	no
Estradiol	93.89	58	no
2-Methylhippuric acid	93.74	74	no
2,2',4,4',6-pentabromodiphenyl lipid adj	93.48	17	no
2,2',4,4',6-pentabromodiphenyl ether	93.48	17	no
2,2',4,4',5,5'-hexabromodiphenyl ether lipid adj	93.25	17	no
2,2',4,4',5,5'-hexabromodiphenyl ether	93.25	17	no
Mono-2-hydroxy-isobutyl phthalate	92.87	22	no

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Phenylglyoxylic acid	92.58	75	no
Bis(1,3-dichloro-2-propyl) phosphate	92.32	45	no
PCB183 Lipid Adj	92.15	17	no
PCB183	92.15	17	no
Heptaldehyde	92.06	16	no
Diphenyl phosphate	91.14	46	no
PCB196 Lipid Adj	90.87	17	no
PCB196 & 203 Lipid Adj	90.87	17	no
PCB196 & 203	90.87	17	no
PCB196	90.87	17	no
PCB199 Lipid Adj	90.54	17	no
PCB199	90.54	17	no
N-acetyl-S-(2-cyanoethyl)-L-cysteine	90.53	75	no
Urinary Bisphenol S	90.42	22	no
Propanaldehyde	88.48	18	no
PCB156 Lipid Adj	88.32	17	no
PCB156	88.32	17	no
4-phenanthrene	87.90	71	no
Methylmercury	87.77	86	no
Tin, urine	87.12	43	no
Bis(2-chloroethyl) phosphate	86.15	46	no
PCB177 Lipid Adj	86.09	17	no
PCB177	86.09	17	no
o-Toluidine, urine	85.14	19	no
Trans-nonachlor	84.79	52	no
Trans-nonachlor Lipid Adj	84.79	52	no
PCB194 Lipid Adj	84.25	16	no
PCB194	84.25	16	no
2-Aminothiazole-4-carboxylic acid	83.71	74	no
PCB87 Lipid Adj	83.57	17	no
PCB87	83.57	17	no
PCB178 Lipid Adj	82.20	17	no
PCB178	82.20	17	no
2,2',4,4',5,5'-hexbromobiphenyl lipid adj	80.46	17	no
2,2',4,4',5,5'-hexabromobiphenyl	80.46	17	no
2,4,4'-tribromodiphenyl ether lipid adj	79.92	17	no
2,4,4'-tribromodiphenyl ether	79.92	17	no
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin Lipid Adj	79.81	49	no
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	79.81	49	no
PCB151 Lipid Adj	79.48	17	no

Formatted: Position: Horizontal: Right, Relative to: Margin,
Vertical: 0", Relative to: Paragraph, Wrap Around

PCB151	79.48	17	no
Butyraldehyde	79.35	17	no
3,3',4,4',5-Pentachlorobiphenyl (pncb) Lipid Adj	78.94	51	no
3,3',4,4',5-Pentachlorobiphenyl (pncb)	78.94	51	no
4-Aminobiphenyl, urine	77.33	20	no
1,2,3,4,6,7,8-Heptachlorodibenzofuran (hpcdf) Lipid Adj	75.70	49	no
1,2,3,4,6,7,8-Heptachlorodibenzofuran	75.70	49	no
3,3',4,4',5,5'-hexachlorobiphenyl Lipid Adj	75.53	33.5	no
3,3',4,4',5,5'-hexachlorobiphenyl	75.53	33.5	no
2-Aminonaphthalene, urine	74.99	20	no
Oxychlordane	73.18	49	no
Oxychlordane Lipid Adj	73.18	49	no
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin Lipid Adj	73.13	52	no
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	73.13	52	no
N-Acetyl-S-(n-propyl)-L-cysteine	72.46	75	no
PCB172 Lipid Adj	72.23	17	no
PCB172	72.23	17	no
1-Aminonaphthalene, urine	71.59	19	no
3-fluoranthene	71.37	20	no
Mono-3-hydroxy-n-butyl phthalate	70.35	22	no
PCB157 Lipid Adj	70.20	17	no
PCB157	70.20	17	no
Dieldrin	70.07	38	no
Dieldrin Lipid Adj	70.07	38	no
2,2',4,4',5-pentabromodiphenyl ether lipid adj	68.42	17	no
2,2',4,4',5-pentabromodiphenyl ether	68.42	17	no
Beta-hexachlorocyclohexane	68.23	52	no
Beta-hexachlorocyclohexane Lipid Adj	68.23	52	no
Urinary Bisphenol F	65.75	22	no
2,6-Dimethylaniline, urine	65.19	18	no
PCB167 Lipid Adj	63.62	16.5	no
PCB167	63.62	16.5	no
1,2,3,4,7,8-Hexachlorodibenzofuran Lipid Adj	61.90	52	no
1,2,3,4,7,8-Hexachlorodibenzofuran	61.90	52	no
PCB195 Lipid Adj	60.85	16	no
PCB195	60.85	16	no
2,3,4,7,8-Pentachlorodibenzofuran Lipid Adj	60.42	52	no
2,3,4,7,8-Pentachlorodibenzofuran	60.42	52	no
Dibutyl phosphate	58.98	46	no
2-Amino-1-methyl-6-phenylimidazo[4,5-b]pyridine	58.50	20	no

Heptachlor Epoxide	58.46	17	no
Heptachlor Epoxide Lipid Adj	58.46	17	no
Bis(1-chloro-2-propyl) phosphate	56.68	46	no
2,2',4,4',5,6'-hexabromodiphenyl ether lipid adj	54.72	17	no
2,2',4,4',5,6'-hexabromodiphenyl ether	54.72	17	no
2-Amino-9H-pyrido[2,3-b]indole	53.31	20	no
Hydroxycotinine, Serum	49.79	60	no
N-acetyl-S-(2-carbamoyl-2-hydroxyethyl)-L-cysteine	49.46	75	no
p,p'-DDT	48.50	49	no
p,p'-DDT Lipid Adj	48.50	49	no
1,2,3,6,7,8-Hexachlorodibenzofuran Lipid Adj	47.64	52	no
1,2,3,6,7,8-Hexachlorodibenzofuran	47.64	52	no
Urinary Triclocarban	41.64	22	no
N-acetyl-S-(2-Hydroxyethyl)-L-cysteine	41.00	75	no
cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane carboxylic acid	38.66	37	no
2-thioxothiazolidine-4-carboxylic acid	37.77	75	no
Nonanaldehyde	36.86	16	no
1,2,3,7,8-Pentachlorodibenzo-p-dioxin Lipid Adj	35.94	52	no
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	35.94	52	no
Alachlor mercapturate	34.64	13	no
Pentanaldehyde	34.02	18	no
Crotonaldehyde	33.48	17	no
Pentachlorophenol	32.64	19	no
N-Acetyl-S-(phenyl)-L-cysteine	32.08	75	no
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin Lipid Adj	31.17	35	no
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	31.17	35	no
2,3,7,8-Tetrachlorodienzo-p-dioxin Lipid Adj	29.34	35	no
2,3,7,8-Tetrachlorodienzo-p-dioxin	29.34	35	no
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin Lipid Adj	28.41	52	no
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	28.41	52	no
Cotinine-n-oxide, urine	28.08	7	no
Mirex	27.19	51	no
Mirex Lipid Adj	27.19	51	no
Nicotine-1 N-oxide, urine	26.96	7	no
PCB189 Lipid Adj	26.36	15	no
PCB189	26.36	15	no
Nicotine, urine	25.64	7	no
PCB128 Lipid Adj	25.36	17	no
PCB128	25.36	17	no

Formatted: Position: Horizontal: Right, Relative to: Margin,
Vertical: 0", Relative to: Paragraph, Wrap Around

Malathion dicarboxylic acid	24.91	70	no
2,2',3,4,4'-pentabromodiphenyl ether lipid adj	24.91	17	no
2,2',3,4,4'-pentabromodiphenyl ether	24.91	17	no
Normicotine, urine	24.12	7	no
Urinary Perfluorohexanoic acid	24.08	22	no
N-acetyl-S-(phenyl-2-hydroxyethyl)-L-cysteine	24.04	75	no
Anatabine, urine	23.70	7	no
N'-Nitrosanatabine, urine	23.40	66	no
Anabasine, urine	23.40	7	no
N'-Nitrosoanabasine (NAB), urine	23.00	65	no
2,3',4,4'-tetrabromodiphenyl lipid adj	22.82	17	no
2,3',4,4'-tetrabromodiphenyl ether	22.82	17	no
MHNCH	19.85	42	no
N'-Nitrosornicotine, urine	19.50	66	no
2-Amino-3-methyl-9H-pyrido[2,3-b]indole	19.31	20	no
Branched isomers of perfluorooctanoate	18.25	20	no
2,2',3,4,4',5',6-heptabromodiphenyl ether lipid adj	16.77	17	no
2,2',3,4,4',5',6-heptabromodiphenyl ether	16.77	17	no
Octanaldehyde	14.79	15	no
3,4,4',5-Tetrachlorobiphenyl Lipid Adj	14.16	51	no
3,4,4',5-Tetrachlorobiphenyl	14.16	51	no
N-acetyl-S-(2-hydroxy-3-butenyl)-L-cysteine	13.63	75	no
Di-p-cresyl phosphate	11.29	22	no
Urinary Perfluorobutanoic acid	10.91	22	no
1,2,3,4,6,7,8,9-Octachlorodibenzofuran Lipid Adj	10.46	49	no
1,2,3,4,6,7,8,9-Octachlorodibenzofuran	10.46	49	no
Perfluoroheptanoic acid	9.92	154	no
Platinum, urine	9.46	71	no
Urinary 4-tert-octylphenol	9.03	69	no
Ethylenethio urea	8.85	62	no
4-fluoro-3-phenoxybenzoic acid	7.08	145	no
o,p'-DDT	6.96	17	no
o,p'-DDT Lipid Adj	6.96	17	no
Mono-cyclohexyl phthalate	6.41	145	no
DEET	6.34	145	no
2,3,4,6,7,8-Hexchlorodibenzofuran Lipid Adj	6.03	52	no
2,3,4,6,7,8-Hexchlorodibenzofuran	6.03	52	no
2-(diethylamino)-6-methylpyrimidin-4-ol/one	5.92	22	no
Urinary Arsenocholine	5.29	147	no
N-Nitrosomorpholine (NMOR)	5.05	20	no

Formatted: Position: Horizontal: Right, Relative to: Margin,
Vertical: 0", Relative to: Paragraph, Wrap Around

2,2',4-tribromodiphenyl ether lipid adj	4.94	17	no
2,2',4-tribromodiphenyl ether	4.94	17	no
N-Nitrosopiperidine (NPIP)	4.83	20	no
2,3,4,5-tetrabromobenzoic acid	4.50	46	no
o-Tolualdehyde	4.03	16	no
3-chloro-7-hydroxy-4-methyl-2H-chromen-2-one/ol	3.67	22	no
Perfluorododecanoic acid	3.64	133	no
Metolachlor mercapturate	3.48	23	no
Mono-n-octyl phthalate	3.39	145	no
1,2,3,4,7,8,9-Heptachlorodibenzofuran Lipid Adj	3.22	33.5	no
1,2,3,4,7,8,9-Heptachlorodibenzofuran	3.22	33.5	no
Carbofuranphenol	3.20	57	no
Urinary Arsenic acid	3.18	147	no
Ethylmercury	2.82	86	no
Acetochlor mercapturate	2.37	22	no
1-Methyl-3-amino-5H-pyrido[4,3-b]indole	2.29	20	no
2-amino-3-methyl-3H-imidazo[4,5-f] quinolone	2.19	20	no
2,4,5-Trichlorophenoxyacetic acid	2.16	98	no
2-Amino-6-methyldipyrido[1,2-a:3',2'-d]imidazole	2.09	20	no
Blood Heptane	1.89	30	no
Acephate	1.84	61	no
Perfluorobutane sulfonic acid	1.82	137	no
Blood Cyclohexane	1.77	29	no
Blood Methylcyclopentane	1.76	30	no
3-Amino-1,4-dimethyl-5H-pyrido[4,3-b]indole	1.73	20	no
Blood Ethyl Acetate	1.73	30	no
Gamma-hexachlorocyclohexane	1.64	51	no
Gamma-hexachlorocyclohexane Lipid Adj	1.64	51	no
2,3,7,8-Tetrachlorodibenzofuran Lipid Adj	1.60	51	no
2,3,7,8-Tetrachlorodibenzofuran	1.60	51	no
Blood Trichloroethene	1.43	211	no
Blood Hexane	1.42	85	no
Blood Octane	1.31	30	no
Blood 1,2-Dichloroethane	1.26	186	no
Atrazine mercapturate	1.21	59	no
Blood Carbon Tetrachloride	1.19	209	no
Blood 1,1,1-Trichloroethane	1.11	185	no
Urinary Perfluoroheptanoic acid	1.08	22	no
1,2,3,7,8-Pentachlorodibenzofuran Lipid Adj	1.02	52	no
1,2,3,7,8-Pentachlorodibenzofuran	1.02	52	no

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around


Beryllium, urine	1.00	142	no
Urinary GenX (HFPO-DA propanoateammonium salt of heptafluoropropoxy)-propanoate	0.93	22	no
cis-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropane carboxylic acid	0.90	96	no
N-Nitrosoethylmethylamine (NMEA)	0.89	20	no
N-acetyl-s-(1-hydroxyMethyl)-2-propenyl)-L-cysteine	0.87	75	no
Blood Tetrahydrofuran	0.86	30	no
Decanaldehyde	0.85	14	no
Urinary Trimethylarsine Oxide	0.76	128	no
2-isopropoxyphenol	0.56	56	no
Blood isopropylbenzene	0.46	118	no
N-Nitrosopyrrolidine	0.46	20	no
N-acetyl-S-(2,2-Dichlorovinyl)-L-cysteine	0.45	75	no
N-Nitrosodiethylamine (NDEA)	0.42	20	no
Blood Chloroethane	0.42	30	no
Diaminochloroatrazine	0.40	24	no
Methamidophos	0.37	62	no
N-acetyl-S-(dimethylphenyl)-L-cysteine	0.33	73	no
2-Aminodipyrido[1,2-a:3',2'-d]imidazole	0.31	20	no
Blood 1,3-Dichlorobenzene	0.30	182	no
Blood Methylene Chloride	0.30	168	no
Dimethoate	0.26	62	no
Blood Diethyl Ether	0.22	29	no
1,2,3,7,8,9-Hexachlorodibenzofuran Lipid Adj	0.18	51	no
1,2,3,7,8,9-Hexachlorodibenzofuran	0.18	51	no
Propylenethio urea	0.17	62	no
Aldrin	0.17	40	no
Aldrin Lipid Adj	0.17	40	no
Desethyl atrazine	0.16	23	no
Blood Dibromomethane	0.15	155	no
Endrin	0.15	36	no
Endrin Lipid Adj	0.15	36	no
Ethametsulfuron methyl	0.14	61	no
Blood Chlorobenzene	0.13	185	no
Nicosulfuron	0.13	56	no
Desisopropyl atrazine mercapturate	0.10	22	no
Di-o-cresyl phosphate	0.10	22	no
Urinary Branched isomers of perfluorooctanoate	0.10	22	no
Blood trans-1,2-Dichloroethene	0.08	156	no
Dibenzyl phosphate	0.08	46	no

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

N-acetyl-S-(1,2-dichlorovinyl)-L-cysteine	0.06	75	no
N-acetyl-s-(trichlorovinyl)-L-cysteine	0.06	75	no
Desisopropyl atrazine	0.05	22	no
Urinary Perfluoroheptane sulfonic acid	0.05	22	no
Urinary Perfluorohexane sulfonic acid	0.05	22	no
Urinary Perfluorononanoic acid	0.05	22	no
Blood 1,2-Dichlorobenzene	0.05	116	no
Blood 1,1,2,2-Tetrachloroethane	0.04	156	no
Metsulfuron methyl	0.04	61	no
Sulfosulfuron	0.04	59	no
O-methoate	0.03	62	no
Blood 1,2-Dichloropropane	0.02	157	no
Chlorsulfuron	0.02	59	no
Prosulfuron	0.02	60	no
Oxasulfuron	0.02	62	no
Blood 1,2,3-trichloropropane	0.01	117	no
Blood Hexachloroethane	0.01	141	no
Blood Nitrobenzene	0.01	175	no
Blood 1,1-Dichloroethane	0	156	no
Blood cis-1,2-Dichloroethene	0	156	no
Blood 1,1,2-Trichloroethane	0	155	no
Blood 1,1-Dichloroethene	0	153	no
Blood 1,1,1,2-tetrachloroethane	0	119	no
Blood 1,2-dibromoethane	0	117	no
Blood 1,2-Dibromo-3-chloropropane	0	115	no
Blood 1,4-Dioxane	0	75	no
Rimsulfuron	0	62	no
Sulfometuron methyl	0	61	no
Thifensulfuron methyl	0	61	no
Bensulfuron methyl	0	60	no
Mesosulfuron methyl	0	60	no
Triasulfuron	0	60	no
Triflusulfuron methyl	0	59	no
Halosulfuron	0	58	no
Primisulfuron methyl	0	58	no
Foramsulfuron	0	56	no
Blood aaa-Trifluorotoluene	0	30	no
Blood Vinyl Bromide	0	30	no
Atrazine	0	24	no

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Urinary 9-chlorohexadecafluoro-3-oxanonane-1-sulfonate	0	22	no
Urinary Adona (ammonium salt of 4,8-dioxa-3H-perfluorononanoate)	0	22	no
Urinary Perfluoropentanoic acid	0	22	no
Urinary Branched iso of PFOS	0	22	no
Urinary Perfluorobutane sulfonic acid	0	22	no
Urinary Perfluorodecanoic acid	0	22	no
Urinary Perfluoroundecanoic acid	0	22	no



Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Table S5. Chemical name and class for included 129 substances.

Chemical Name	Chemical Class
Acrylamide	Acrylamide
Glycideamide	Acrylamide
Methylmalonic Acid	Dietary Components
25-hydroxyvitamin D2	Dietary Components
25-hydroxyvitamin D3	Dietary Components
epi-25-hydroxyvitamin D3	Dietary Components
Vitamin C	Dietary Components
Vitamin D	Dietary Components
4-pyridoxic acid	Dietary Components
a-Carotene	Dietary Components
Vitamin B12, serum	Dietary Components
trans-b-carotene	Dietary Components
cis-b-carotene	Dietary Components
b-cryptoxanthin	Dietary Components
g-tocopherol	Dietary Components
total Lycopene	Dietary Components
Combined Lutein/zeaxanthin	Dietary Components
trans-lycopene	Dietary Components
Vitamin B6	Dietary Components
Retinyl palmitate	Dietary Components
Retinyl stearate	Dietary Components
Total Calcium	Dietary Components
Chloride	Dietary Components
Potassium	Dietary Components
Sodium	Dietary Components
Vitamin A	Dietary Components
d-Tocopherol	Dietary Components
Blood cadmium	Metals
Blood lead	Metals
Mercury, Inorganic	Metals
Blood mercury, total	Metals
Urinary Arsenous acid	Metals
Urinary Arsenobetaine	Metals
Urinary total Arsenic	Metals
Barium, urine	Metals
Cadmium, urine	Metals
Cobalt, urine	Metals

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Cesium, urine	Metals
Urinary Dimethylarsonic acid	Metals
Mercury, urine	Metals
Urinary Monomethylarsonic acid	Metals
Molybdenum, urine	Metals
Lead, urine	Metals
Antimony, urine	Metals
Thallium, urine	Metals
Tungsten, urine	Metals
Uranium, urine	Metals
Sum of arsenic metabolites	Metals
Urinary nitrate	Other
Urinary thiocyanate	Other
Iodine, urine	Other
Perchlorate, urine	Other
2-(N-ethyl-PFOSA) acetate	Per- and Polyfluoroalkyl Substances (PFAS)
2-(N-methyl-PFOSA) acetate	Per- and Polyfluoroalkyl Substances (PFAS)
Perfluorodecanoic acid	Per- and Polyfluoroalkyl Substances (PFAS)
Perfluorohexane sulfonic acid	Per- and Polyfluoroalkyl Substances (PFAS)
Perfluorononanoic acid	Per- and Polyfluoroalkyl Substances (PFAS)
Perfluorooctanoic acid	Per- and Polyfluoroalkyl Substances (PFAS)
Perfluorooctane sulfonic acid	Per- and Polyfluoroalkyl Substances (PFAS)
Perfluorooctane sulfonamide	Per- and Polyfluoroalkyl Substances (PFAS)
Perfluoroundecanoic acid	Per- and Polyfluoroalkyl Substances (PFAS)
Urinary Benzophenone-3	Personal Care & Consumer Product Compounds
Urinary Bisphenol A	Personal Care & Consumer Product Compounds
Butyl paraben	Personal Care & Consumer Product Compounds
Ethyl paraben	Personal Care & Consumer Product Compounds
Methyl paraben	Personal Care & Consumer Product Compounds

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Propyl paraben	Personal Care & Consumer Product Compounds
Urinary Triclosan	Personal Care & Consumer Product Compounds
2,5-dichlorophenol	Pesticides
2,4,5-trichlorophenol	Pesticides
2,4-D	Pesticides
2,4,6-trichlorophenol	Pesticides
3,5,6-trichloropyridinol	Pesticides
2,4-dichlorophenol	Pesticides
DEET acid	Pesticides
Desethyl hydroxy DEET	Pesticides
Dimethyl phosphate	Pesticides
Diethylphosphate	Pesticides
Dimethyl thiophosphate	Pesticides
Diethylthiophosphate	Pesticides
Dimethyl dithiophosphate	Pesticides
Diethyl dithiophosphate	Pesticides
3-phenoxybenzoic acid	Pesticides
O-Phenylphenol	Pesticides
Oxypyrimidine	Pesticides
Paranitrophenol	Pesticides
trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane carboxylic acid	Pesticides
Mono(carboxynonyl) phthalate	Phthalates & Plasticizers
Mono(carboxyoctyl) phthalate	Phthalates & Plasticizers
Mono-2-ethyl-5-carboxypentyl phthalate	Phthalates & Plasticizers
Mono-n-butyl phthalate	Phthalates & Plasticizers
Mono-(3-carboxypropyl) phthalate	Phthalates & Plasticizers
Mono-ethyl phthalate	Phthalates & Plasticizers
Mono-(2-ethyl-5-hydroxyhexyl) phthalate	Phthalates & Plasticizers
Mono-(2-ethylhexyl) phthalate	Phthalates & Plasticizers
Mono-isobutyl phthalate	Phthalates & Plasticizers
Mono-n-methyl phthalate	Phthalates & Plasticizers
Mono-isononyl phthalate	Phthalates & Plasticizers
Mono-(2-ethyl-5-oxohexyl) phthalate	Phthalates & Plasticizers
Mono-benzyl phthalate	Phthalates & Plasticizers
Sum of metabolites of DEHP	Phthalates & Plasticizers
Daidzein	Phytoestrogens
o-Desmethylangolensin (O-DMA)	Phytoestrogens
Enterolactone	Phytoestrogens

Genistein

1-naphthol

2-naphthol

3-fluorene

2-fluorene

3-phenanthrene

1-phenanthrene

2-phenanthrene

1-pyrene

9-fluorene

Cotinine

NNAL , urine

Blood 2,5-Dimethylfuran

Blood Tetrachloroethene

Blood Bromoform

Blood Bromodichloromethane

Blood Benzene

Blood Chloroform

Blood Dibromochloromethane

Blood 1,4-Dichlorobenzene

Blood Ethylbenzene

Blood furan

Blood MTBE

Blood o-Xylene

Blood Styrene

Blood Toluene

Blood m-/p-Xylene

Phytoestrogens

Polyaromatic Hydrocarbons (PAH)

Polyaromatic Hydrocarbons (PAH)

Polyaromatic Hydrocarbons (PAH)

Polyaromatic Hydrocarbons (PAH)

Polyaromatic Hydrocarbons (PAH)

Polyaromatic Hydrocarbons (PAH)

Polyaromatic Hydrocarbons (PAH)

Polyaromatic Hydrocarbons (PAH)

Polyaromatic Hydrocarbons (PAH)

Smoking Related Compounds

Smoking Related Compounds

Volatile Organic Compounds (VOC)

Volatile Organic Compounds (VOC)

Volatile Organic Compounds (VOC)

Volatile Organic Compounds (VOC)

Volatile Organic Compounds (VOC)

Volatile Organic Compounds (VOC)

Volatile Organic Compounds (VOC)

Volatile Organic Compounds (VOC)

Volatile Organic Compounds (VOC)

Volatile Organic Compounds (VOC)

Volatile Organic Compounds (VOC)

Volatile Organic Compounds (VOC)

Volatile Organic Compounds (VOC)

Volatile Organic Compounds (VOC)

Volatile Organic Compounds (VOC)

Formatted: Position: Horizontal: Right, Relative to: Margin,
Vertical: 0", Relative to: Paragraph, Wrap Around

Table S6. Number of participants by included chemicals. Participants have data available for age, sex, race, poverty income ratio, smoking, cycle, occupational group, and given chemical. The total number of participants is 51,008 who have data available for age, sex, race, poverty income ratio, smoking, cycle, and occupational group.

Chemical Name	Number of Participants
Cotinine	41710
Sodium	41500
Chloride	41498
Potassium	41498
Total Calcium	41472
Blood cadmium	38933
Blood lead	38933
Vitamin D	36596
Blood mercury, total	32433
Mercury, Inorganic	32320
Vitamin B12, serum	24322
25-hydroxyvitamin D3	20866
25-hydroxyvitamin D2	20865
epi-25-hydroxyvitamin D3	20565
NNAL , urine	20173
Perchlorate, urine	18893
Urinary nitrate	17219
Urinary thiocyanate	17218
Vitamin B6	16052
4-pyridoxic acid	16048
Iodine, urine	15620
Blood o-Xylene	14766
Blood m-/p-Xylene	14731
Vitamin A	14683
d-Tocopherol	14650
Blood Benzene	14594
Blood Ethylbenzene	14580
Blood Dibromochloromethane	14542
Blood Tetrachloroethene	14490
Blood MTBE	14181
g-tocopherol	14098
Blood 2,5-Dimethylfuran	13795
Blood Bromoform	13767
Mercury, urine	13678
Cobalt, urine	13623

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Lead, urine	13623
Cesium, urine	13622
Retinyl palmitate	13613
Thallium, urine	13575
Mono-n-butyl phthalate	13531
Mono-(2-ethylhexyl) phthalate	13531
Mono-isononyl phthalate	13531
Mono-benzyl phthalate	13531
Tungsten, urine	13530
Mono-ethyl phthalate	13527
Antimony, urine	13512
Molybdenum, urine	13501
Cadmium, urine	13490
Barium, urine	13475
Retinyl stearate	12590
1-phenanthrene	12362
2-fluorene	12351
3-fluorene	12310
Blood Bromodichloromethane	12305
Uranium, urine	12253
Mono-(3-carboxypropyl) phthalate	12051
Mono-(2-ethyl-5-hydroxyhexyl) phthalate	12051
Mono-isobutyl phthalate	12051
Mono-(2-ethyl-5-oxohexyl) phthalate	12051
Blood 1,4-Dichlorobenzene	12049
Blood Toluene	11669
Acrylamide	11588
Blood Chloroform	11565
Glycideamide	11559
Perfluorooctanoic acid	11463
Perfluorooctane sulfonic acid	11463
Perfluorodecanoic acid	11460
Perfluorohexane sulfonic acid	11460
Perfluorononanoic acid	11460
Perfluoroundecanoic acid	11460
2,4-D	11125
2-naphthol	10614
1-pyrene	10576
1-naphthol	10567
2-phenanthrene	10529

3-phenanthrene	10522
Urinary Arsenobetaine	10517
Urinary Arsenous acid	10517
Urinary Dimethylarsonic acid	10517
Urinary Monomethylarsonic acid	10516
Sum of arsenic metabolites	10516
Urinary total Arsenic	10505
Vitamin C	10348
trans-b-carotene	10339
Combined Lutein/zeaxanthin	10339
trans-lycopene	10339
a-Carotene	10332
b-cryptoxanthin	10293
2,5-dichlorophenol	10291
2,4-dichlorophenol	10291
Urinary Benzophenone-3	10287
Urinary Bisphenol A	10287
Urinary Triclosan	10287
Mono-2-ethyl-5-carboxypentyl phthalate	10284
Sum of metabolites of DEHP	10284
total Lycopene	10260
Mono-n-methyl phthalate	10260
o-Desmethylangolensin (O-DMA)	9927
cis-b-carotene	9882
Blood furan	9735
2-(N-ethyl-PFOSA) acetate	9671
2-(N-methyl-PFOSA) acetate	9671
Perfluorooctane sulfonamide	9671
Methylmalonic Acid	9476
3-phenoxybenzoic acid	9457
trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane carboxylic acid	9433
Dimethyl thiophosphate	9344
Dimethyl phosphate	9334
Diethylphosphate	9328
Dimethyl dithiophosphate	9327
Diethylthiophosphate	9294
Diethyl dithiophosphate	9211
9-fluorene	8823
Oxypyrimidine	8654
Butyl paraben	8615

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Ethyl paraben	8615
Methyl paraben	8615
Propyl paraben	8615
Mono(carboxynonyl) phthalate	8614
Mono(carboxyoctyl) phthalate	8614
Paranitrophenol	8484
Genistein	8457
Daidzein	8318
Enterolactone	8317
Blood Styrene	7991
3,5,6-trichloropyridinol	7985
2,4,5-trichlorophenol	6895
2,4,6-trichlorophenol	6895
O-Phenylphenol	6895
Desethyl hydroxy DEET	6876
DEET acid	6868

Formatted: Position: Horizontal: Right, Relative to: Margin,
Vertical: 0", Relative to: Paragraph, Wrap Around

Table S7. Distribution statistics of chemical biomarkers.

Chemical Name	Minimum	25 th Percentile	Median	Mean	75 th Percentile	Maximum
1-naphthol	31.60	838.95	2071.00	29555.39	7572.55	35920000.00
1-phenanthrene	2.80	73.00	137.00	225.82	257.85	22334.00
1-pyrene	3.50	52.00	112.90	224.27	238.05	12517.90
2-(N-ethyl-PFOA) acetate	0.07	0.07	0.14	0.24	0.30	24.60
2-(N-methyl-PFOA) acetate	0.06	0.13	0.30	0.49	0.60	54.30
2-fluorene	2.80	126.00	267.00	705.02	686.50	75607.00
2-naphthol	9.30	1945.65	4476.55	9000.49	10627.08	590676.00
2-phenanthrene	2.10	35.10	68.00	117.17	130.10	12420.00
2,4-D	0.01	0.14	0.28	0.66	0.47	1232.00
2,4-dichlorophenol	0.07	0.40	0.80	5.66	2.10	1230.00
2,4,5-trichlorophenol	0.07	0.07	0.07	0.14	0.10	17.50
2,4,6-trichlorophenol	0.35	0.35	0.35	0.60	0.50	95.00
2,5-dichlorophenol	0.07	1.90	7.10	190.98	31.30	47200.00
25-hydroxyvitamin D2	1.45	1.45	1.45	3.84	1.45	315.00
25-hydroxyvitamin D3	3.02	40.08	57.10	59.40	74.90	373.67
3-fluorene	1.40	45.00	98.30	356.89	316.00	23854.60
3-phenanthrene	2.80	46.30	93.00	212.30	190.00	126202.00
3-phenoxybenzoic acid	0.07	0.14	0.44	1.77	1.09	999.61
3,5,6-trichloropyridinol	0.07	0.56	1.32	2.40	2.71	180.00
4-pyridoxic acid	0.50	15.00	23.30	84.52	45.13	18800.00
9-fluorene	7.10	152.85	315.00	632.44	662.50	79645.00
a-Carotene	0.21	1.28	2.40	4.02	4.72	98.71
Acrylamide	2.12	39.50	52.20	74.17	77.50	910.00
Antimony, urine	0.02	0.04	0.07	0.11	0.13	47.00

Format
Vertical

b-cryptoxanthin	0.14	5.05	7.88	10.12	12.52	106.00
Barium, urine	0.04	0.65	1.32	2.24	2.53	419.00
Blood 1,4-Dichlorobenzene	0.03	0.03	0.08	1.24	0.22	238.00
Blood 2,5-Dimethylfuran	0.01	0.01	0.01	0.03	0.01	0.78
Blood Benzene	0.02	0.02	0.02	0.07	0.05	2.50
Blood Bromodichloromethane	0.15	0.44	1.53	3.08	3.59	93.00
Blood Bromoform	0.39	0.71	0.71	2.93	3.74	540.00
Blood cadmium	0.07	0.20	0.34	0.52	0.60	10.80
Blood Chloroform	1.48	4.30	8.95	19.84	18.00	22000.00
Blood Dibromochloromethane	0.14	0.44	1.10	2.46	3.50	180.00
Blood Ethylbenzene	0.01	0.02	0.02	0.06	0.05	8.37
Blood furan	0.02	0.02	0.02	0.03	0.02	0.47
Blood lead	0.07	0.81	1.30	1.77	2.13	61.29
Blood m-/p-Xylene	0.02	0.05	0.09	0.19	0.16	23.80
Blood mercury, total	0.07	0.42	0.81	1.48	1.62	85.70
Blood MTBE	0.13	0.99	2.20	14.39	7.10	3800.00
Blood o-Xylene	0.02	0.02	0.03	0.06	0.04	7.91
Blood Styrene	0.01	0.02	0.02	0.09	0.05	146.00
Blood Tetrachloroethene	0.01	0.03	0.03	0.07	0.03	57.50
Blood Toluene	0.02	0.05	0.09	0.22	0.21	56.30
Butyl paraben	0.07	0.14	0.14	3.80	0.60	1150.00
Cadmium, urine	0.00	0.12	0.23	0.38	0.47	36.78
Cesium, urine	0.07	2.85	4.70	5.46	6.93	552.12
Chloride	70.00	102.00	104.00	103.60	105.10	119.00
cis-b-carotene	0.21	0.50	0.80	1.18	1.35	23.28
Cobalt, urine	0.02	0.22	0.37	0.54	0.58	127.87
Combined Lutein/zeaxanthin	0.14	10.49	14.30	16.05	19.49	113.05
Cotinine	0.01	0.02	0.07	53.41	8.85	1820.00
d-Tocopherol	2.00	8.00	798.00	769.45	1177.60	7230.30

Formatted: Position: Horizontal: Right, Relative to: Margin,
Vertical: 0", Relative to: Paragraph, Wrap Around

Daidzein	0.20	19.30	57.60	367.13	201.21	46000.00
DEET acid	0.34	0.70	2.06	96.85	7.16	382000.00
Desethyl hydroxy DEET	0.06	0.06	0.06	2.19	0.06	11400.00
Diethyl dithiophosphate	0.04	0.07	0.07	0.23	0.28	44.78
Diethylphosphate	0.07	0.26	0.54	3.63	3.60	1344.61
Diethylthiophosphate	0.06	0.18	0.40	1.09	0.97	205.78
Dimethyl dithiophosphate	0.06	0.07	0.36	1.60	0.58	297.12
Dimethyl phosphate	0.07	0.35	0.72	5.27	4.57	516.70
Dimethyl thiophosphate	0.07	0.39	1.68	8.25	5.60	1800.00
Enterolactone	0.10	102.00	344.00	783.45	844.00	122000.00
epi-25-hydroxyvitamin D3	1.16	1.74	2.86	3.54	4.42	59.80
Ethyl paraben	0.71	0.71	0.71	19.05	6.00	3130.00
g-tocopherol	7.00	142.00	205.50	227.12	286.00	3122.00
Genistein	0.10	9.50	26.70	176.02	89.40	25700.00
Glycideamide	2.83	34.80	49.00	61.70	72.20	599.00
Iodine, urine	2.90	84.00	149.40	431.29	255.03	1406700.00
Lead, urine	0.02	0.30	0.57	0.86	1.00	71.70
Mercury, Inorganic	0.19	0.25	0.25	0.32	0.30	42.00
Mercury, urine	0.04	0.19	0.42	0.90	0.94	83.03
Methyl paraben	0.71	16.95	68.70	258.56	247.00	17300.00
Methylmalonic Acid	26.60	107.00	139.00	171.52	186.00	5540.00
Molybdenum, urine	0.57	23.90	45.20	58.23	76.20	1215.90
Mono-(2-ethyl-5-hydroxyhexyl) phthalate	0.14	6.20	13.80	45.43	31.70	9326.10
Mono-(2-ethyl-5-oxohexyl) phthalate	0.14	4.00	8.90	27.53	19.92	6079.90
Mono-(2-ethylhexyl) phthalate	0.35	0.80	2.00	7.35	5.20	1966.10
Mono-(3-carboxypropyl) phthalate	0.10	1.10	2.48	6.47	5.00	1588.70
Mono-2-ethyl-5-carboxypentyl phthalate	0.14	9.70	20.40	59.65	44.00	15828.00
Mono-benzyl phthalate	0.06	2.95	7.42	17.16	17.14	16510.32
Mono-ethyl phthalate	0.37	31.57	91.34	390.89	279.58	31660.00

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Mono-isobutyl phthalate	0.14	2.70	6.10	12.18	12.70	14537.00
Mono-isononyl phthalate	0.35	0.87	0.87	2.45	1.09	454.61
Mono-n-butyl phthalate	0.28	8.00	17.40	34.45	34.70	9873.60
Mono-n-methyl phthalate	0.10	0.70	0.90	5.46	3.09	10530.00
Mono(carboxynonyl) phthalate	0.14	1.22	2.50	5.60	4.90	876.40
Mono(carboxyoctyl) phthalate	0.14	3.90	9.39	34.72	26.60	3287.40
NNAL , urine	0.00	0.00	0.00	0.17	0.03	890.00
o-Desmethylangolensin (O-DMA)	0.10	0.60	3.20	79.00	20.10	21600.00
O-Phenylphenol	0.07	0.07	0.07	0.21	0.14	35.40
Oxypyrimidine	0.07	0.07	0.07	0.31	0.49	43.13
Paranitrophenol	0.07	0.23	0.62	1.17	1.31	59.89
Perchlorate, urine	0.04	1.90	3.46	5.29	6.01	583.00
Perfluorodecanoic acid	0.07	0.14	0.20	0.33	0.40	25.20
Perfluorohexane sulfonic acid	0.07	0.54	1.40	2.15	2.60	82.00
Perfluorononanoic acid	0.06	0.40	0.82	1.09	1.39	80.77
Perfluorooctane sulfonamide	0.07	0.07	0.07	0.14	0.10	9.60
Perfluorooctane sulfonic acid	0.14	6.40	12.30	17.37	22.40	1403.00
Perfluorooctanoic acid	0.07	1.97	3.20	3.84	4.90	123.00
Perfluoroundecanoic acid	0.07	0.07	0.14	0.24	0.20	28.50
Potassium	2.30	3.80	4.00	4.00	4.20	7.30
Propyl paraben	0.07	1.30	9.00	64.91	51.00	7210.00
Retinyl palmitate	0.09	0.70	1.40	1.85	2.40	58.52
Retinyl stearate	0.08	0.31	0.49	0.50	0.50	13.01
Sodium	99.00	138.00	139.00	139.17	141.00	160.00
Sum of arsenic metabolites	1.49	2.74	4.50	6.50	7.36	384.00
Sum of metabolites of DEHP	0.86	21.04	44.88	136.78	97.73	32041.50
Thallium, urine	0.01	0.10	0.17	0.19	0.26	2.82
Total Calcium	6.50	9.20	9.50	9.46	9.70	14.80
total Lycopene	0.21	27.28	39.27	41.59	53.10	175.62

Formatted: Position: Horizontal: Right, Relative to: Margin,
Vertical: 0", Relative to: Paragraph, Wrap Around

trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane carboxylic acid	0.28	0.42	0.42	1.44	0.42	614.75
trans-b-carotene	0.43	6.48	11.05	16.78	19.90	388.19
trans-lycopene	0.21	14.30	20.91	22.22	28.79	110.00
Tungsten, urine	0.01	0.03	0.07	0.14	0.15	32.91
Uranium, urine	0.00	0.00	0.01	0.01	0.01	1.82
Urinary Arsenobetaine	0.28	0.51	1.13	9.95	5.82	1280.00
Urinary Arsenous acid	0.08	0.71	0.85	0.79	0.85	156.00
Urinary Benzophenone-3	0.20	4.20	13.60	270.28	63.55	92900.00
Urinary Bisphenol A	0.14	0.90	1.90	3.95	3.80	965.00
Urinary Dimethylarsonic acid	1.20	2.11	3.71	5.57	6.30	270.00
Urinary Monomethylarsonic acid	0.14	0.63	0.64	0.93	1.04	177.00
Urinary nitrate	494.97	26900.00	46100.00	56638.61	72200.00	1540000.00
Urinary thiocyanate	14.00	548.00	1160.00	2419.91	2570.00	204000.00
Urinary total Arsenic	0.35	4.12	8.00	19.46	16.60	1470.00
Urinary Triclosan	1.20	2.40	9.40	103.22	52.65	9572.00
Vitamin A	0.21	44.00	54.00	56.19	65.80	223.20
Vitamin B12, serum	18.00	364.00	486.00	619.47	655.00	240599.00
Vitamin B6	2.00	26.50	43.35	67.18	74.50	2330.00
Vitamin C	0.01	0.64	0.97	0.96	1.24	4.83
Vitamin D	5.49	42.20	58.50	60.65	75.30	375.00

Formatted: Position: Horizontal: Right, Relative to: Margin,
Vertical: 0", Relative to: Paragraph, Wrap Around

Table S8. Number of participants with a given number of measured chemicals. For example, 716 participants have measurements available for 89 chemical biomarkers.

Number of measured chemicals	Number of participants
0	2969
1	77
2	13
3	6
4	23
5	28
6	11
7	5
8	45
9	361
10	261
11	260
12	177
13	385
14	257
15	216
16	1163
17	194
18	327
19	1591
20	1562
21	605
22	1306
23	437
24	501
25	1486
26	1487
27	366
28	766
29	1678
30	362
31	797
32	260

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

33	1634
34	468
35	339
36	601
37	345
38	364
39	1632
40	316
41	388
42	1090
43	1126
44	108
45	182
46	358
47	404
48	622
49	1809
50	3512
51	1412
52	1185
53	1030
54	1278
55	1987
56	2207
57	327
58	1066
59	68
60	53
61	120
62	222
63	307
64	137
65	163
66	79
67	366
68	915
69	182

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

70	229
71	65
72	122
73	102
74	7
75	5
76	46
77	4
78	11
79	20
80	52
81	166
82	185
83	22
84	33
85	23
86	98
87	234
88	484
89	716

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Table S9. Description of each hierarchical clustering method.

Linkage Method	Description
Single (nearest neighbor)	Distance between two clusters is determined by a pair of elements that are closest to each other. At each step, if a pair of elements, with the shortest distance, do not belong in the same cluster, then the two clusters will be combined.
Complete (farthest neighbor)	Distance between two clusters is determined by a pair of elements that are farthest from each other. At each step, if a pair of elements, with the shortest distance, do not belong in the same cluster, then the two clusters will be combined.
Average (unweighted pair group method with arithmetic mean or UPGMA)	Distance between two clusters is determined by the average of all distances between each pairs of distance in either clusters.
McQuitty (Weighted Pair Group Method with Arithmetic Mean or WPGMA)	Distance of two nearest clusters (i and j) to another cluster (k) is the arithmetic mean of average distances between elements of k and i along with k and j .

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Table S10. Biomonitoring equivalents for noncancer effects.

Chemical Name	CAS No.	Biological Medium	Biomonitoring Equivalents	Exposure Guidelines	Website source
Blood Ethylbenzene (ng/ml)	100-41-4	blood	1	MRL	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood Styrene (ng/ml)	100-42-5	blood	3	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood 1,4-Dichlorobenzene (ng/ml)	106-46-7	blood	3	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood m-/p-Xylene (ng/ml)	108-38-3/106-42-3	blood	0.3	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood Toluene (ng/mL)	108-88-3	blood	20	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood Chlorobenzene (ng/mL)	108-90-7	blood	0.2	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Hexachlorobenzene (ng/g)	118-74-1	blood	47	MRL	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Hexachlorobenzene Lipid Adj (ng/g)	118-74-1	blood	47	MRL	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood Dibromochloromethane (pg/ml)	124-48-1	blood	20	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood Tetrachloroethene (ng/mL)	127-18-4	blood	1	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Mono-n-butyl phthalate (ng/mL)	131-70-4	urine	2700	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood cis-1,2-Dichloroethene (ng/mL)	156-59-2	blood	0.034	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood trans-1,2-Dichloroethene (ng/mL)	156-60-5	blood	0.07	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood MTBE (pg/ml)	1634-04-04	blood	20	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Mono-ethyl phthalate (ng/mL)	2306-33-4	urine	18000	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Mono-benzyl phthalate (ng/mL)	2528-16-7	urine	3800	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Mono(carboxynonyl) phthalate (ng/mL)	26761-40-0	urine	390	ADI	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Uriry Triclosan (ng/mL)	3380-34-5	urine	6400	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Uriry Triclosan (ng/mL)	3380-34-5	urine	1783	Acceptable daily intake	https://www.sciencedirect.com/science/article/pii/S1438463919304626
3-phenoxybenzoic acid (ug/L)	3739-38-6	urine	1.7	RfD	https://www.sciencedirect.com/science/article/pii/S1438463919304626
cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane carboxylic acid (ug/L)	55701-05-08	urine	50	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood Carbon Tetrachloride (ng/ml)	56-23-5	blood	0.19	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Glycideamide (pmol/g Hb)	5694-00-8	blood	176	RfD	https://www.sciencedirect.com/science/article/pii/S1438463919304626
cis-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropane carboxylic acid (ug/L)	63597-73-9	urine	20	Acceptable daily intake	https://www.sciencedirect.com/science/article/pii/S1438463919304626
3,5,6-trichloropyridinol (ug/L)	6515-38-4	urine	2100	biomonitoring guidance value	https://www.sciencedirect.com/science/article/pii/S1438463919304626
Blood Chloroform (pg/ml)	67-66-3	blood	230	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood Hexachloroethane (ng/mL)	67-72-1	blood	0.2	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood Benzene (ng/ml)	71-43-2	blood	0.15	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood 1,1,1-Trichloroethane (ng/mL)	71-55-6	blood	20	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood lead (ug/dL)	7439-92-1	blood	10		https://www.cdc.gov/biomonitoring/Lead_BiomonitoringSummary.html
Blood mercury, total (ug/L)	7439-97-6	blood	5.8	NRC benchmark concentration assessment	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Molybdenum, urine (ng/mL)	7439-98-7	urine	7516	NOAEL + Uncertainty Factor	https://www.sciencedirect.com/science/article/pii/S1438463919304626
Thallium, urine (ng/mL)	7440-28-0	urine	5	occupatiol biomonitoring data	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood cadmium (ug/L)	7440-43-9	blood	1.7	RfD	https://www.sciencedirect.com/science/article/pii/S1438463919304626

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Cadmium, urine (ng/mL)	7440-43-9	urine	1.5	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood Bromoform (pg/ml)	75-25-2	blood	130	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood Bromodichloromethane (pg/ml)	75-27-4	blood	80	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood 1,1-Dichloroethene (ng/mL)	75-35-4	blood	0.3	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
4-fluoro-3-phenoxybenzoic acid (ug/L)	77279-89-1	urine	240	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
4-fluoro-3-phenoxybenzoic acid (ug/L)	77279-89-1	urine	46	Acceptable daily intake	https://www.sciencedirect.com/science/article/pii/S1438463919304626
Selenium (ug/L)	7782-49-2	blood	480	Uncertain factor	https://www.sciencedirect.com/science/article/pii/S1438463919304626
Blood 1,2-Dichloropropane (ng/mL)	78-87-5	blood	0.01	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood 1,1,2-Trichloroethane (ng/mL)	79-00-5	blood	0.05	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood Trichloroethene (ng/mL)	79-01-6	blood	0.0062	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Acrylamide (pmoL/g Hb)	79-06-1	blood	190	RfD	https://www.sciencedirect.com/science/article/pii/S1438463919304626
Blood 1,1,2,2-Tetrachloroethane (ng/mL)	79-34-5	blood	0.2	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Urinary Bisphenol A (ng/mL)	80-05-7	urine	2000	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Pentachlorophenol (ug/L)	87-86-5	urine	25	occupational biomonitoring data	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
2,4-D (ug/L)	94-75-7	urine	2000	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood o-Xylene (ng/mL)	95-47-6	blood	0.3	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood 1,2-Dichlorobenzene (ng/mL)	95-50-1	blood	0.7	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood 1,2-Dibromo-3-chloropropane (ng/mL)	96-12-8	blood	0.001	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Blood Nitrobenzene (ng/mL)	98-95-3	blood	0.03	RfC	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Sum of metabolites of DEHP	urine	400	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740
Sum of arsenic metabolites	urine	5.8	RfD	https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205740

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Table S11. Cancer and intake slope factors used to calculate biomonitoring equivalents for cancer effects via inhalation or ingestion. Biomonitoring equivalents are calculated with the following formula: $\frac{\text{extra cancer risk}}{\text{cancer slope factor}} \times \text{intake slope factor}$. Extra cancer risk can be 10E-4, 10E-5, 10E-6.

Chemical Name	CAS No.	Biological medium	Intake type	Cancer slope factor	Intake slope factor	Source for cancer slope factor	Source for intake slope factor
Blood 1,1-Dichloroethane (ng/mL)	75-34-3	blood	ingestion	0	2.6	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood 1,1-Dichloroethene (ng/mL)	75-35-4	blood	ingestion	0	1.1	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood 1,1,1-Trichloroethane (ng/mL)	71-55-6	blood	ingestion	0	48	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood 1,1,1,2-tetrachloroethane (ng/mL)	630-20-6	blood	ingestion	0.020068681	18	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood 1,1,2-Trichloroethane (ng/mL)	79-00-5	blood	ingestion	0.066409091	13	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood 1,1,2,2-Tetrachloroethane (ng/mL)	79-34-5	blood	ingestion	0.095365535	9	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood 1,2-dibromoethane (ng/ml)	106-93-4	blood	ingestion	1.434548328	12	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood 1,2,3-trichloropropane (ng/ml)	96-18-4	blood	ingestion	4.174285714	14	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood 1,4-Dioxane (ng/mL)	123-91-1	blood	ingestion	0.017904412	70.2	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Benzene (ng/ml)	71-43-2	blood	ingestion	0.026	34	Usetox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Bromodichloromethane (pg/ml)	75-27-4	blood	ingestion	0.077	5000	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Bromoform (pg/ml)	75-25-2	blood	ingestion	0.003165747	5800	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Carbon Tetrachloride (ng/ml)	56-23-5	blood	ingestion	0.02435	16	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Chloroform (pg/ml)	67-66-3	blood	ingestion	0.040448505	4100	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Blood Dibromochloromethane (pg/ml)	124-48-1	blood	ingestion	0.026276978	7400	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Ethylbenzene (ng/ml)	100-41-4	blood	ingestion	0.042209961	21	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood furan (ng/mL)	110-00-9	blood	ingestion	5.180313408	39	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Hexachloroethane (ng/mL)	67-72-1	blood	ingestion	0.037028955	52	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Hexane (ng/mL)	110-54-3	blood	ingestion	1.21E-04	8	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Methylene Chloride (ng/mL)	75-09-2	blood	ingestion	0.004690711	12	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Styrene (ng/ml)	100-42-5	blood	ingestion	0	5.4	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Tetrachloroethene (ng/mL)	127-18-4	blood	ingestion	0.039022436	120	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Tetrahydrofuran (ng/mL)	109-99-9	blood	ingestion	0.005040305	0.5	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Toluene (ng/mL)	108-88-3	blood	ingestion	6.70E-04	11	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Trichloroethene (ng/ml)	79-01-6	blood	ingestion	0.005285818	15	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
N-acetyl-S-(dimethylphenyl)-L-cysteine (ng/mL)	1330-20-7	urine	ingestion	6.60E-04	3.3	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood 1,1-Dichloroethene (ng/mL)	75-35-4	blood	inhalation	0.105563584	1.3	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood 1,1,1,2-tetrachloroethane (ng/mL)	630-20-6	blood	inhalation	0.020068681	4.1	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood 1,1,2-Trichloroethane (ng/mL)	79-00-5	blood	inhalation	0.066409091	3.7	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood 1,1,2,2-Tetrachloroethane (ng/mL)	79-34-5	blood	inhalation	0.095365535	3.5	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood 1,2-dibromoethane (ng/ml)	106-93-4	blood	inhalation	1.298357031	3.8	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood 1,2,3-trichloropropane (ng/ml)	96-18-4	blood	inhalation	4.174285714	1.6	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around

Blood 1,4-Dioxane (ng/mL)	123-91-1	blood	inhalation	0.017904412	9.9	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Benzene (ng/ml)	71-43-2	blood	inhalation	0.026	4.2	Usetox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Bromoform (pg/ml)	75-25-2	blood	inhalation	0.003165747	3200	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Carbon Tetrachloride (ng/ml)	56-23-5	blood	inhalation	0.193253968	1.9	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Chloroform (pg/ml)	67-66-3	blood	inhalation	0.010089779	2400	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Dibromochloromethane (pg/ml)	124-48-1	blood	inhalation	0.026276978	3200	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Ethylbenzene (ng/ml)	100-41-4	blood	inhalation	0.042209961	4.3	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood furan (ng/mL)	110-00-9	blood	inhalation	5.180313408	4.4	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Hexachloroethane (ng/mL)	67-72-1	blood	inhalation	0.037028955	7.5	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Hexane (ng/mL)	110-54-3	blood	inhalation	1.21E-04	0.7	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Methylene Chloride (ng/mL)	75-09-2	blood	inhalation	0.003320455	2.8	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Styrene (ng/ml)	100-42-5	blood	inhalation	0.088043095	3	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Tetrachloroethene (ng/mL)	127-18-4	blood	inhalation	0.01521875	11	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Tetrahydrofuran (ng/mL)	109-99-9	blood	inhalation	0.005040305	2.7	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Toluene (ng/mL)	108-88-3	blood	inhalation	0	3.1	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
Blood Trichloroethene (ng/ml)	79-01-6	blood	inhalation	0.003070964	3.1	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/
N-acetyl-S-(dimethylphenyl)-L-cysteine (ng/mL)	1330-20-7	urine	inhalation	6.60E-04	2.8	USEtox	https://pubmed.ncbi.nlm.nih.gov/20685286/

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S1. Heatmap of detection frequency by chemical biomarker and occupational group. Both chemical biomarkers and occupational groups are clustered by hierarchical clustering using Euclidean distance.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S2. Heatmap of dichotomized biomarker measurements by participants and included chemicals to show sparsity of the chemical biomarker dataset. NHANES participants have data available for age, sex, race/ethnicity, poverty income ratio, smoking, study period, and occupational data. Chemical biomarkers are grouped by chemical class. Participants are order by number of measured chemicals, which ranges from 0 to 89 chemicals, e.g. participants to the far-right have measurements available for 89 chemical biomarkers.

Formatted: Position: Horizontal: Right, Relative to: Margin,
Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S3. Boxplot of cophenetic correlation coefficients by linkage methods for clustering the occupational groups based on chemical exposure profiles. A cophenetic coefficient is calculated for each stepwise regression models with log10-transformed chemical biomarker levels as the outcome variable and the main predictor as the occupational groups. Covariates include age (continuous), sex (categorical), race (categorical), poverty income ratio (continuous), NHANES cycle (continuous), and smoking with serum cotinine levels (continuous).

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S4. Box plot of distribution of blood cadmium. The “NHANES Population” consists of participants in 1999-2014. The “NHANES 16+ Population” consists of participants in 1999-2014 and are 16 years old or older. Percent differences are derived from fully adjusted models, which were adjusted for age, sex, race/ethnicity, poverty income ratio, study period, and serum cotinine (biomarker of smoking). Reference group for the occupational groups is comprised of white collars from Public Administration. Number of asterisks indicate statistical significance of the percent differences: * (p-value \in (0.01, 0.05]), ** (p-value \in (0.001, 0.01]), and *** (p-value \leq 0.001). The p-values corrected for multiple comparison with the Benjamini and Hochberg FDR procedure of 5%.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S5. Box plot of distribution of total mercury in blood. The “NHANES Population” consists of participants in 1999-2014. The “NHANES 16+ Population” consists of participants in 1999-2014 and are 16 years old or older. Percent differences are derived from fully adjusted models, which were adjusted for age, sex, race/ethnicity, poverty income ratio, study period, and serum cotinine (biomarker of smoking). Reference group for the occupational groups is comprised of white collars from Public Administration. Number of asterisks indicate statistical significance of the percent differences: * (p-value \in (0.01, 0.05]), ** (p-value \in (0.001, 0.01]), and *** (p-value \leq 0.001). The p-values corrected for multiple comparison with the Benjamini and Hochberg FDR procedure of 5%.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S6. Box plot of distribution of toluene in blood. The “NHANES Population” consists of participants in 1999-2014. The “NHANES 16+ Population” consists of participants in 1999-2014 and are 16 years old or older. Percent differences are derived from fully adjusted models, which were adjusted for age, sex, race/ethnicity, poverty income ratio, study period, and serum cotinine (biomarker of smoking). Reference group for the occupational groups is comprised of white collars from Public Administration. Number of asterisks indicate statistical significance of the percent differences: * (p-value \in (0.01, 0.05]), ** (p-value \in (0.001, 0.01]), and *** (p-value \leq 0.001). The p-values corrected for multiple comparison with the Benjamini and Hochberg FDR procedure of 5%.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S7. Box plot of distribution of 1-naphthol in blood. The “NHANES Population” consists of participants in 1999-2014. The “NHANES 16+ Population” consists of participants in 1999-2014 and are 16 years old or older. Percent differences are derived from fully adjusted models, which were adjusted for age, sex, race/ethnicity, poverty income ratio, study period, and serum cotinine (biomarker of smoking). Reference group for the occupational groups is comprised of white collars from Public Administration. Number of asterisks indicate statistical significance of the percent differences: * (p-value \in (0.01, 0.05]), ** (p-value \in (0.001, 0.01]), and *** (p-value \leq 0.001). The p-values corrected for multiple comparison with the Benjamini and Hochberg FDR procedure of 5%.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S8. Box plot of distribution of NNAL in urine. The “NHANES Population” consists of participants in 1999-2014. The “NHANES 16+ Population” consists of participants in 1999-2014 and are 16 years old or older. Percent differences are derived from fully adjusted models, which were adjusted for age, sex, race/ethnicity, poverty income ratio, and study period. Reference group for the occupational groups is comprised of white collars from Public Administration. Number of asterisks indicate statistical significance of the percent differences: * (p-value \in (0.01, 0.05]), ** (p-value \in (0.001, 0.01]), and *** (p-value \leq 0.001). The p-values corrected for multiple comparison with the Benjamini and Hochberg FDR procedure of 5%.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S9. Box plot of distribution of DEET acid in urine. The “NHANES Population” consists of participants in 1999-2014. The “NHANES 16+ Population” consists of participants in 1999-2014 and are 16 years old or older. Percent differences are derived from fully adjusted models, which were adjusted for age, sex, race/ethnicity, poverty income ratio, study period, and serum cotinine (biomarker of smoking). Reference group for the occupational groups is comprised of white collars from Public Administration. Number of asterisks indicate statistical significance of the percent differences: * (p-value \in (0.01, 0.05]), ** (p-value \in (0.001, 0.01]), and *** (p-value \leq 0.001). The p-values corrected for multiple comparison with the Benjamini and Hochberg FDR procedure of 5%.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S10. Box plot of distribution of acrylamide in urine. The “NHANES Population” consists of participants in 1999-2014. The “NHANES 16+ Population” consists of participants in 1999-2014 and are 16 years old or older. Percent differences are derived from fully adjusted models, which were adjusted for age, sex, race/ethnicity, poverty income ratio, study period, and serum cotinine (biomarker of smoking). Reference group for the occupational groups is comprised of white collars from Public Administration. Number of asterisks indicate statistical significance of the percent differences: * (p-value \in (0.01, 0.05]), ** (p-value \in (0.001, 0.01]), and *** (p-value \leq 0.001). The p-values corrected for multiple comparison with the Benjamini and Hochberg FDR procedure of 5%.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S11. Box plot of distribution of mono-ethyl phthalate in urine. The “NHANES Population” consists of participants in 1999-2014. The “NHANES 16+ Population” consists of participants in 1999-2014 and are 16 years old or older. Percent differences are derived from fully adjusted models, which were adjusted for age, sex, race/ethnicity, poverty income ratio, study period, and serum cotinine (biomarker of smoking). Reference group for the occupational groups is comprised of white collars from Public Administration. Number of asterisks indicate statistical significance of the percent differences: * (p-value \in (0.01, 0.05]), ** (p-value \in (0.001, 0.01]), and *** (p-value \leq 0.001). The p-values corrected for multiple comparison with the Benjamini and Hochberg FDR procedure of 5%.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S12. Heatmap of percent differences in chemical biomarker concentrations by occupational group, relative to white collars from Public Administration. Chemical biomarkers in white color indicates that the concentrations are the same between the given sector-collar combination and the reference group. The color bar for the columns represents the collar categorization and unemployment. Blue presents the blue-collar workers. White represents the white-collar workers. Gray presents the unemployed participants. Results are adjusted for age, sex, race/ethnicity, poverty income ratio, study period, and serum cotinine (biomarker of smoking). Results for cotinine is not adjusted for smoking. Number of asterisks indicate statistical significance of the percent differences: * (p-value \in (0.01, 0.05]), ** (p-value \in (0.001, 0.01]), and *** (p-value \leq 0.001).

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S13. Heatmap of percentages of workers with biomarker levels exceeding biomonitoring equivalents for cancer effects via inhalation. The calculations for the biomonitoring equivalents are based on a 1/10,000 extra risk for cancer.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S14. Heatmap of percentages of workers with biomarker levels exceeding biomonitoring equivalents for cancer effects via ingestion. The calculations for the biomonitoring equivalents are based on a 1/10,000 extra risk for cancer.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S15. Alphabet soup plot of variance explained by occupation alone and after adjusting for all other covariates. “1” represent the R2 from the model with the biomarker levels of a given chemical as the outcome variable and the occupational groups as the main predictor. “2” represents the difference in R2 between the fully adjusted model and those adjusted for all other covariates except for occupation. Chemicals are ordered by the contribution of occupation explaining the variance of the chemical biomarker levels after adjusting for all other covariates (i.e. chemicals are ordered by the magnitude of the “2”s).

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S16. Alphabet soup plot of variance explained by smoking after adjusting for all other covariates. “1” represents the difference in R2 between the fully adjusted model and those adjusted for all other covariates except for smoking.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S17. Heatmap of percent differences in chemical biomarker concentrations by occupational group, relative to white collars from Public Administration. Cotinine and NNAL were excluded from the clustering analysis used to form the dendrogram. Chemical biomarkers in white color indicates that the concentrations are the same between the given sector-collar combination and the reference group. The color bar for the columns represents the collar categorization and unemployment. Blue presents the blue-collar workers. White represents the white-collar workers. Gray presents the unemployed participants. Results are adjusted for age, sex, race/ethnicity, poverty income ratio, study period, and serum cotinine (biomarker of smoking). Number of asterisks indicate statistical significance of the percent differences: * (p-value \in (0.01, 0.05]), ** (p-value \in (0.001, 0.01]), and *** (p-value \leq 0.001).

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around




Figure S18. Panel of correlation plots comparing percent difference in chemical biomarker levels when including active smokers versus excluding active smokers across the different stepwise regression models.

Formatted: Position: Horizontal: Right, Relative to: Margin, Vertical: 0", Relative to: Paragraph, Wrap Around