

Supplementary information

A practical guideline of genomics-driven drug discovery in the era of global biobank meta-analysis


S Namba and T Konuma et al.

Corresponding to Yukinori Okada (yokada@sq.med.osaka-u.ac.jp)

Table of contents

■ Supplementary Figures	2
Supplementary Figure 1, Overlap enrichment of disease risk genes with drug-target genes in the ATC codes.	2
Supplementary Figure 2, Overlap enrichment of disease risk genes with drug-target genes in the ICD-10 codes.	5
Supplementary Figure 3, Enrichment of prioritized drug-target genes in the ICD-10 codes.	6
Supplementary Figure 4, Enrichment of prioritized drug-target genes using different thresholds for gene prioritization.	7

Supplementary Figures







Supplementary Figure 1, Overlap enrichment of disease risk genes with drug-target

genes in the ATC codes.

Disease risk genes were prioritized by MAGMA (**A**), DEPICT (**B**), Pi (**C**), and PoPS (**D**). The disease-relevant codes and disease-irrelevant codes are circled in red and blue, respectively.

The diseases are sorted in the descending order of the number of the genome-wide significant loci.




ICD10 Code

A-B: Certain infectious and parasitic diseases
 C00-D49: Neoplasms
 D50-D89: Diseases of the blood and blood-forming organs
 E: Endocrine, nutritional and metabolic diseases
 F: Mental, behavioral and neurodevelopmental disorders
 G: Diseases of the nervous system
 H00-H59: Diseases of the eye and adnexa
 H60-H95: Diseases of the ear and mastoid process
 I: Diseases of the circulatory system
 J: Diseases of the respiratory system
 K: Diseases of the digestive system
 L: Diseases of the skin and subcutaneous system
 M: Diseases of the musculoskeletal system and connective tissue
 N: Diseases of the genitourinary system
 O: Pregnancy, childbirth and the puerperium
 P: Certain conditions originating in the perinatal period
 Q: Congenital malformations, deformations and chromosomal abnormalities
 R: Symptoms, signs and abnormal clinical and laboratory findings
 S-T: Injury, poisoning and certain other consequences of external causes
 W: External causes of morbidity
 Z: Factors influencing health status and contact with health services



Supplementary Figure 2, Overlap enrichment of disease risk genes with drug-target genes in the ICD-10 codes.

Disease risk genes were prioritized by MAGMA (**A**), DEPICT (**B**), Pi (**C**), and PoPS (**D**). The disease-relevant codes and disease-irrelevant codes are circled in red and blue, respectively. A list of ICD-10 large classification categories (i.e., chapters) are shown in the bottom.



Supplementary Figure 3, Enrichment of prioritized drug-target genes in the ICD-10 codes.

A, Overall enrichments of drug-target genes nominated by four gene prioritization tools and their omnibus results in ICD-10 codes. Error bars represent 95% confidence intervals. **B and C**, enrichments of the prioritized drug-target genes in the disease-relevant ICD codes (**B**) and the disease-irrelevant ATC codes (**C**).



Supplementary Figure 4, Enrichment of prioritized drug-target genes using different thresholds for gene prioritization.

Overall enrichments of drug-target genes in the disease-relevant and disease-irrelevant

medication categories with different thresholds for gene prioritization. ATC codes and ICD-10 codes were used as the medication categories for **(A)** and **(B)**, respectively. The points are connected in the order of the number of prioritized genes. The thresholds used in the main analyses are labeled.