

SUPPLEMENTARY

A THIN Medical Codes

Type 2 diabetes mellitus (T2DM) readcodes used in this study were collected from the [Clinical Codes](#). Readcodes collected from this website included other diabetes mellitus (DM) types which were excluded from the study as per medical advice by the project medical professionals.

Table S1: T2DM Readcodes used in the study.

Readcode	Description	Source	Included
C11y000	Steroid induced diabetes	Clinicalcodes	YES
C314.11	Renal diabetes	Clinicalcodes	YES
9N4p.00	Did not attend diabetic retinopathy clinic	Clinicalcodes	YES
66At111	Type 2 diabetic dietary review	Clinicalcodes	YES
C109K00	Hyperosmolar non-ketotic state in type 2 diabetes mellitus	Clinicalcodes	YES
C109J12	Insulin treated Type II diabetes mellitus	Clinicalcodes	YES
C109J11	Insulin treated non-insulin dependent diabetes mellitus	Clinicalcodes	YES
C109J00	Insulin treated Type 2 diabetes mellitus	Clinicalcodes	YES
C109H12	Type 2 diabetes mellitus with neuropathic arthropathy	Clinicalcodes	YES
C109H11	Type II diabetes mellitus with neuropathic arthropathy	Clinicalcodes	YES
C109H00	Non-insulin dependent d m with neuropathic arthropathy	Clinicalcodes	YES
C109G11	Type II diabetes mellitus with arthropathy	Clinicalcodes	YES
C109G00	Non-insulin dependent diabetes mellitus with arthropathy	Clinicalcodes	YES
C109F12	Type 2 diabetes mellitus with peripheral angiopathy	Clinicalcodes	YES
C109F11	Type II diabetes mellitus with peripheral angiopathy	Clinicalcodes	YES
C109F00	Non-insulin-dependent d m with peripheral angiopath	Clinicalcodes	YES
C109E12	Type 2 diabetes mellitus with diabetic cataract	Clinicalcodes	YES
66AH200	Conversion to insulin by diabetes specialist nurse	Clinicalcodes	YES
C109E11	Type II diabetes mellitus with diabetic cataract	Clinicalcodes	YES
C109E00	Non-insulin depend diabetes mellitus with diabetic cataract	Clinicalcodes	YES
C109D12	Type 2 diabetes mellitus with hypoglycaemic coma	Clinicalcodes	YES
C109G12	Type 2 diabetes mellitus with arthropathy	Clinicalcodes	YES
U602317	[X] Adverse reaction to glipzide	Clinicalcodes	YES
66At100	Type II diabetic dietary review	Clinicalcodes	YES
ZC2C800	Dietary advice for diabetes mellitus	Clinicalcodes	YES
ZC2CA00	Dietary advice for type II diabetes	Clinicalcodes	YES

ZRB5.00	Diabetes treatment satisfaction questionnaire	Clinicalcodes	YES
ZRB5.11	DTSQ - Diabetes treatment satisfaction questionnaire	Clinicalcodes	YES
ZRB6.00	Diabetes wellbeing questionnaire	Clinicalcodes	YES
C10FC00	Type 2 diabetes mellitus with nephropathy	Clinicalcodes	YES
C10FH11	Type II diabetes mellitus with neuropathic arthropathy	Clinicalcodes	YES
C10FH00	Type 2 diabetes mellitus with neuropathic arthropathy	Clinicalcodes	YES
C10FG11	Type II diabetes mellitus with arthropathy	Clinicalcodes	YES
C10FG00	Type 2 diabetes mellitus with arthropathy	Clinicalcodes	YES
C10FF11	Type II diabetes mellitus with peripheral angiopathy	Clinicalcodes	YES
C10FF00	Type 2 diabetes mellitus with peripheral angiopathy	Clinicalcodes	YES
C10FE11	Type II diabetes mellitus with diabetic cataract	Clinicalcodes	YES
C10FE00	Type 2 diabetes mellitus with diabetic cataract	Clinicalcodes	YES
C10FD11	Type II diabetes mellitus with hypoglycaemic coma	Clinicalcodes	YES
C10FC11	Type II diabetes mellitus with nephropathy	Clinicalcodes	YES
C10FK00	Hyperosmolar non-ketotic state in type 2 diabetes mellitus	Clinicalcodes	YES
C10FB11	Type II diabetes mellitus with polyneuropathy	Clinicalcodes	YES
C10FB00	Type 2 diabetes mellitus with polyneuropathy	Clinicalcodes	YES
C10FA11	Type II diabetes mellitus with mononeuropathy	Clinicalcodes	YES
C10FA00	Type 2 diabetes mellitus with mononeuropathy	Clinicalcodes	YES
C10F911	Type II diabetes mellitus without complication	Clinicalcodes	YES
C10F900	Type 2 diabetes mellitus without complication	Clinicalcodes	YES
C10F711	Type II diabetes mellitus - poor control	Clinicalcodes	YES
C10F700	Type 2 diabetes mellitus - poor control	Clinicalcodes	YES
C10F611	Type II diabetes mellitus with retinopathy	Clinicalcodes	YES
C10FD00	Type 2 diabetes mellitus with hypoglycaemic coma	Clinicalcodes	YES
C10FR00	Type 2 diabetes mellitus with gastroparesis	Clinicalcodes	YES
13AC.00	Diabetic weight reducing diet	Clinicalcodes	YES
250 AM	MATURITY ONSET DIABETES (MELLITUS)	Clinicalcodes	YES
250 AL	MATURITY ONSET DIABETES(MELLITUS) NON-IN	Clinicalcodes	YES
250 AK	MATURITY ONSET DIABETES MELLITUS INSULIN	Clinicalcodes	YES
250 AA	NIDDM (NON-INSULIN DEPENDENT DIABETES)	Clinicalcodes	YES
L180600	Pre-existing diabetes mellitus; non-insulin-dependent	Clinicalcodes	YES
66AV.00	Diabetic on insulin and oral treatment	Clinicalcodes	YES
66A4.00	Diabetic on oral treatment	Clinicalcodes	YES
C10z100	Diabetes mellitus; adult onset; + unspecified complication	Clinicalcodes	YES
66AH000	Conversion to insulin	Clinicalcodes	YES
C10FJ00	Insulin treated Type 2 diabetes mellitus	Clinicalcodes	YES


66Ao.00	Diabetes type 2 review	Clinicalcodes	YES
C10FJ11	Insulin treated Type II diabetes mellitus	Clinicalcodes	YES
C10FQ00	Type 2 diabetes mellitus with exudative maculopathy	Clinicalcodes	YES
C10FP00	Type 2 diabetes mellitus with ketoacidotic coma	Clinicalcodes	YES
C10FN11	Type II diabetes mellitus with ketoacidosis	Clinicalcodes	YES
C10FN00	Type 2 diabetes mellitus with ketoacidosis	Clinicalcodes	YES
C10FM11	Type II diabetes mellitus with persistent microalbuminuria	Clinicalcodes	YES
C10FM00	Type 2 diabetes mellitus with persistent microalbuminuria	Clinicalcodes	YES
C10FL11	Type II diabetes mellitus with persistent proteinuria	Clinicalcodes	YES
C10FL00	Type 2 diabetes mellitus with persistent proteinuria	Clinicalcodes	YES
C10FK11	Hyperosmolar non-ketotic state in type II diabetes mellitus	Clinicalcodes	YES
C10F500	Type 2 diabetes mellitus with gangrene	Clinicalcodes	YES
C10y100	Diabetes mellitus; adult; + other specified manifestation	Clinicalcodes	YES
C10F600	Type 2 diabetes mellitus with retinopathy	Clinicalcodes	YES
679R.00	Patient offered diabetes structured education programme	Clinicalcodes	YES
889A.00	Diab mellit insulin-glucose infus acute myocardial infarct	Clinicalcodes	YES
8CA4100	Pt advised re diabetic diet	Clinicalcodes	YES
8CP2.00	Transition of diabetes care options discussed	Clinicalcodes	YES
8CR2.00	Diabetes clinical management plan	Clinicalcodes	YES
8CS0.00	Diabetes care plan agreed	Clinicalcodes	YES
8H4e.00	Referral to diabetes special interest general practitioner	Clinicalcodes	YES
8Hj3.00	Referral to DAFNE diabetes structured education programme	Clinicalcodes	YES
6761	Diabetic pre-pregnancy counselling	Clinicalcodes	YES
8I3k.00	Insulin therapy declined	Clinicalcodes	YES
8I57.00	Patient held diabetic record declined	Clinicalcodes	YES
9360	Patient held diabetic record issued	Clinicalcodes	YES
C10F.00	Type 2 diabetes mellitus	Clinicalcodes	YES
C10F411	Type II diabetes mellitus with ulcer	Clinicalcodes	YES
C10F400	Type 2 diabetes mellitus with ulcer	Clinicalcodes	YES
C10F311	Type II diabetes mellitus with multiple complications	Clinicalcodes	YES
C10F300	Type 2 diabetes mellitus with multiple complications	Clinicalcodes	YES
C10F211	Type II diabetes mellitus with neurological complications	Clinicalcodes	YES
C10F200	Type 2 diabetes mellitus with neurological complications	Clinicalcodes	YES
C10F111	Type II diabetes mellitus with ophthalmic complications	Clinicalcodes	YES
C10F100	Type 2 diabetes mellitus with ophthalmic complications	Clinicalcodes	YES
C10F011	Type II diabetes mellitus with renal complications	Clinicalcodes	YES
679L.00	Health education - diabetes	Clinicalcodes	YES

C10F.11	Type II diabetes mellitus	Clinicalcodes	YES
C10F511	Type II diabetes mellitus with gangrene	Clinicalcodes	YES
C10E912	Insulin dependent diabetes maturity onset	Clinicalcodes	YES
C10D.11	Maturity onset diabetes in youth type 2	Clinicalcodes	YES
C10D.00	Diabetes mellitus autosomal dominant type 2	Clinicalcodes	YES
1434	H/O: diabetes mellitus	Clinicalcodes	YES
14P3.00	H/O: insulin therapy	Clinicalcodes	YES
3882	Diabetes well being questionnaire	Clinicalcodes	YES
C10F000	Type 2 diabetes mellitus with renal complications	Clinicalcodes	YES
C109.11	NIDDM - Non-insulin dependent diabetes mellitus	Clinicalcodes	YES
E11.7	non-insulin-dependent diabetes mellitus	Clinicalcodes	YES
E11.8	non-insulin-dependent diabetes mellitus	Clinicalcodes	YES
E11.9	non-insulin-dependent diabetes mellitus	Clinicalcodes	YES
C104100	Diabetes mellitus; adult onset; with renal manifestation	Clinicalcodes	YES
66AH100	conversion to insulin in secondary care	Clinicalcodes	YES
C105100	Diabetes mellitus; adult onset; + ophthalmic manifestation	Clinicalcodes	YES
C103y00	Other specified diabetes mellitus with coma	Clinicalcodes	YES
C103100	Diabetes mellitus; adult onset; with ketoacidotic coma	Clinicalcodes	YES
C109211	Type II diabetes mellitus with neurological complications	Clinicalcodes	YES
C109.00	Non-insulin dependent diabetes mellitus	Clinicalcodes	YES
E11.4	non-insulin-dependent diabetes mellitus	Clinicalcodes	YES
C109.12	Type 2 diabetes mellitus	Clinicalcodes	YES
C109.13	Type II diabetes mellitus	Clinicalcodes	YES
C109000	Non-insulin-dependent diabetes mellitus with renal comps	Clinicalcodes	YES
C109011	Type II diabetes mellitus with renal complications	Clinicalcodes	YES
C109012	Type 2 diabetes mellitus with renal complications	Clinicalcodes	YES
C109100	Non-insulin-dependent diabetes mellitus with ophthalm comps	Clinicalcodes	YES
C10P111	Type 2 diabetes mellitus in remission	Clinicalcodes	YES
C109112	Type 2 diabetes mellitus with ophthalmic complications	Clinicalcodes	YES
C102100	Diabetes mellitus; adult onset; with hyperosmolar coma	Clinicalcodes	YES
C107100	Diabetes mellitus; adult; + peripheral circulatory disorder	Clinicalcodes	YES
8I2P.00	sulphonylureas contraindicated	Clinicalcodes	YES
C10P100	Type II diabetes mellitus in remission	Clinicalcodes	YES
C10FP11	Type II diabetes mellitus with ketoacidotic coma	Clinicalcodes	YES
ZV6DB00	[v]admitted for conversion to insulin	Clinicalcodes	YES
C106100	Diabetes mellitus; adult onset; + neurological manifestation	Clinicalcodes	YES
E11.6	non-insulin-dependent diabetes mellitus	Clinicalcodes	YES

E11.5	non-insulin-dependent diabetes mellitus	Clinicalcodes	YES
E11	non-insulin-dependent diabetes mellitus	Clinicalcodes	YES
E11.0	non-insulin-dependent diabetes mellitus	Clinicalcodes	YES
E11.1	non-insulin-dependent diabetes mellitus	Clinicalcodes	YES
E11.2	non-insulin-dependent diabetes mellitus	Clinicalcodes	YES
E11.3	non-insulin-dependent diabetes mellitus	Clinicalcodes	YES
C109200	Non-insulin-dependent diabetes mellitus with neuro comps	Clinicalcodes	YES
C109912	Type 2 diabetes mellitus without complication	Clinicalcodes	YES
C109212	Type 2 diabetes mellitus with neurological complications	Clinicalcodes	YES
C109111	Type II diabetes mellitus with ophthalmic complications	Clinicalcodes	YES
C109712	Type 2 diabetes mellitus - poor control	Clinicalcodes	YES
C100112	Non-insulin dependent diabetes mellitus	Clinicalcodes	YES
C100111	Maturity onset diabetes	Clinicalcodes	YES
C100100	Diabetes mellitus; adult onset; no mention of complication	Clinicalcodes	YES
C109D11	Type II diabetes mellitus with hypoglycaemic coma	Clinicalcodes	YES
C109612	Type 2 diabetes mellitus with retinopathy	Clinicalcodes	YES
C109911	Type II diabetes mellitus without complication	Clinicalcodes	YES
C109700	Non-insulin dependent diabetes mellitus - poor control	Clinicalcodes	YES
C109A00	Non-insulin dependent diabetes mellitus with mononeuropathy	Clinicalcodes	YES
C109A11	Type II diabetes mellitus with mononeuropathy	Clinicalcodes	YES
C109B00	Non-insulin dependent diabetes mellitus with polyneuropathy	Clinicalcodes	YES
C109B11	Type II diabetes mellitus with polyneuropathy	Clinicalcodes	YES
C109B12	Type 2 diabetes mellitus with polyneuropathy	Clinicalcodes	YES
C109C00	Non-insulin dependent diabetes mellitus with nephropathy	Clinicalcodes	YES
C109C11	Type II diabetes mellitus with nephropathy	Clinicalcodes	YES
C109C12	Type 2 diabetes mellitus with nephropathy	Clinicalcodes	YES
C109D00	Non-insulin dependent diabetes mellitus with hypoglyca coma	Clinicalcodes	YES
C109900	Non-insulin-dependent diabetes mellitus without complication	Clinicalcodes	YES
C109600	Non-insulin-dependent diabetes mellitus with retinopathy	Clinicalcodes	YES
C109300	Non-insulin-dependent diabetes mellitus with multiple comps	Clinicalcodes	YES
C109312	Type 2 diabetes mellitus with multiple complications	Clinicalcodes	YES
C109400	Non-insulin dependent diabetes mellitus with ulcer	Clinicalcodes	YES
C109411	Type II diabetes mellitus with ulcer	Clinicalcodes	YES
C109412	Type 2 diabetes mellitus with ulcer	Clinicalcodes	YES
C109500	Non-insulin dependent diabetes mellitus with gangrene	Clinicalcodes	YES
C109511	Type II diabetes mellitus with gangrene	Clinicalcodes	YES
C109711	Type II diabetes mellitus - poor control	Clinicalcodes	YES

C107400	NIDDM with peripheral circulatory disorder	Clinicalcodes	YES
66o2.00	Diabetic on non-insulin injectable medication	Clinicalcodes	YES
C101100	Diabetes mellitus; adult onset; with ketoacidosis	Clinicalcodes	YES
66o5.00	Diabetic on oral treatment and glucagon-like pepti	Clinicalcodes	YES
C109611	Type II diabetes mellitus with retinopathy	Clinicalcodes	YES
C101000	Diabetes mellitus; juvenile type; with ketoacidosis	Clinicalcodes	YES
C109512	Type 2 diabetes mellitus with gangrene	Clinicalcodes	YES
66A3.00	Diabetic on diet only	Clinicalcodes	YES

B Data Extraction



C Variable Description

Body mass index (BMI), hypertension (HTN) and hypercholesterolemia (HCL) were transformed as follows.

C.1 BMI

As per advice from [18], body mass index (BMI) values which were less than 13 and greater than 100 were considered to be missing values. These were handled through the multiple imputation process. Underweight BMI values were coded as normal weight as there were very few underweight individuals in this category.

C.2 HTN

Individuals who had a prior diagnosis of HTN or had a BP greater than 140 and had an antihypertensive drug prescription were classified as having *treated HTN* while those with no antihypertensive drug prescription were classified as having *untreated HTN*. Individuals with no diagnosis and no antihypertensive prescription at baseline were classified as having no known HTN.

C.3 HCL

As with the HTN, the same was done for HCL except that total cholesterol greater than 5 was used in addition for identification of HCL.

C.4 TDI

The Townsend Deprivation Index (TDI) is one of the several indices used to measure deprivation in the UK. Other indices are the Index of Multiple Deprivation and the Mosaic Index. The TDI is computed as a weighted index from four indicators, which are Unemployment, Non-car ownership, Non-house ownership and Overcrowding. The TDI used by the THIN database were based on the 2001 Census data. The indicators were computed as follows:

1. unemployment = $\frac{\text{number of unemployed active labour force}}{\text{total number of active labour force}} \cdot 100$
2. non – car ownership = $\frac{\text{number of households with no car}}{\text{total number of hpuseholds}} \cdot 100$
3. non – house ownership = $\frac{\text{number of households tenant occupied}}{\text{total number of households}} \cdot 100$

$$4. \text{ overcrowding} = \frac{\text{number of households overcrowded}}{\text{total number of households}} \cdot 100$$

Their standard Z-scores were calculated, weighted and summed up to give the TDI score. THIN used equally weighted Z-scores which were based on Office of National Statistics (ONS) 2001 census method. Unemployment and overcrowding indicators were first log transformed before their Z-scores were calculated to reduce skewness. The scores were then grouped into TDI quintiles from 1 (least deprived) to 5 (most deprived). Due to the fact that the standard Z-scores are centred on the mean zero, an area with TDI score greater than zero was categorised as deprived whereas affluent areas had a score less than zero.

D Begun et. al (2019) Model

The hazard functions for the family of Cox models can be generalised as $\lambda_1(t) = \lambda_0(t, \alpha, \gamma, g) \cdot \exp(\boldsymbol{\beta}^T \mathbf{X})$, where α and γ are the scale and shape parameters of the baseline hazard function and $g = g(\boldsymbol{\beta}_{time-variant}, \mathbf{X}_{time-variant})$ a function that controls for time-variant variables in X. When $g = 1$, the simple Cox regression is returned. [26] defined $g = \exp(\boldsymbol{\beta}_{time-variant}^T \mathbf{X}_{time-variant})$. This study applied this model using the Gompertz hazard function and gamma(θ, θ) as the frailty distribution. The model has four main input which include: (1) shape parameter formula, (2) scale (or HR) parameter formula, (3) name of the hazard function and (4) frailty/cluster variable, and returns. The Gompertz shape (γ) and scale (α) with shape reparametrised as $v^* = \gamma \cdot \exp(\boldsymbol{\beta}_{time-variant}^T \mathbf{X}_{time-variant})$. The cumulative hazard function (c.h.f) is then defined as

$$\Lambda(t|\mathbf{X}) = \frac{\alpha}{v^*} (e^{v^* t} - 1) \cdot e^{\mathbf{X}' \boldsymbol{\beta}}_{scale}$$

$$\hat{S}(t|\mathbf{X}) = \left[1 + \frac{1}{\theta} \Lambda(t|\mathbf{X}) \right]^{-\theta}$$

E Additional Table

Table S2: Gompertz Cox Model with Frailty (Complete Case)

Adjusted Gompertz Distribution Estimates						
Parameter	Estimate	95% CI p-value				
Sample size	154 045					
Number of deaths	19 604					
1000a (scale)	6.64	6.07 - 7.25 < 1e-16				
100b (shape)	8.1	7.31 - 8.98 < 1e-16				
Exponentiated adjusted estimates of time-variant effects						
	Shape			Scale		
	Estimate	95% CI	p-value	Estimate	95% CI	p-value
Birth Cohort						
1930-1939	1			1		
1940-1949	0.69	0.62 - 0.77	< 1e-16	0.73	0.68 - 0.79	< 1e-16
1950-1960	0.89	0.76 - 1.03	0.12	0.45	0.4 - 0.5	< 1e-16
AF	1.36	1.24 - 1.49	< 1e-16	0.83	0.76 - 0.9	< 1e-16
HTN						
None	1			1		
Treated	1.37	1.24 - 1.52	< 1e-16	0.81	0.76 - 0.86	< 1e-16
Untreated	0.89	0.77 - 1.03	0.11	1.48	1.38 - 1.58	< 1e-16
Frailty Estimate						
Variance (σ^2)	0.12	0.1 - 0.14 < 1e-16				
Goodness of Fit						
Concordance (σ)	0.748 (0.002)					
Log Likelihood	-96410.95					
AIC	192907.9					

F Additional Figures




Figure S2: Hazard Ratios for the complete case model




Figure S3: Hazard function distribution