



Research themes • Primary Health Care

Suppl. Figure 2 – Diagram of keyword co-occurrence for the most common keywords, amounting to two thirds in the "primary health care" theme. Bubble sizes and edges' opacity are proportional to weighted frequency.

Suppl. Table 1 – Characteristics of the research themes of family and community physicians in Brazil, up to 2018

ID	Name *	Articles		Authorship weight (mean)	Keywords per article (mean)	Keywords		Centrality	Density
		unique	weighted			unique	weighted		
1	Humans	1005	271.1	27.0%	10.4	744	242.7	4776.3	36.4
2	Primary Health Care	419	194.5	46.4%	5.5	586	226.0	2302.1	33.1
3	Animals	156	27.2	17.4%	12.4	625	31.5	3329.3	12.4
4	Malaria, Vivax	34	4.0	11.7%	15.9	120	4.5	992.9	9.4
5	Sensitivity and Specificity	17	5.0	29.4%	10.1	41	3.2	365.5	8.2
6	Severity of Illness Index	14	2.1	15.2%	10.5	69	4.4	560.2	7.5
7	Influenza, Human	13	3.4	26.3%	8.6	16	1.4	134.9	13.5
8	Educational Measurement	12	3.3	27.6%	10.2	9	1.0	30.4	15.2
9	Zika Virus	3	1.7	56.8%	4.4	11	2.3	95.9	13.0
10	Breast Feeding	13	2.5	19.2%	8.1	13	1.4	59.0	14.3
11	Accidental Falls	5	1.0	20.3%	7.9	11	1.0	57.4	4.2
12	Drug Utilization	4	1.0	25.3%	8.2	12	0.9	71.2	5.6
13	Dementia	0	0.0			17	1.7	54.2	0.0
14		5	1.7	33.4%	10.7	0	0.0	0.0	0.0
15	Referral and Consultation	2	1.1	52.8%	5.2	17	0.5	59.6	2.9
16	Practice Patterns, Physicians'	0	0.0			12	1.5	49.0	0.0
17	Evidence-Based Medicine	0	0.0			11	1.5	81.5	0.0
18	Community Health Workers	0	0.0			10	1.5	63.4	0.0
19	Episode of Care	0	0.0			15	1.4	132.9	0.0
20	Ethics, Clinical	0	0.0			16	1.4	215.5	0.0
21	Time Factors	0	0.0			17	1.3	197.9	0.0

ID	Name *	Articles		Authorship weight (mean)	Keywords per article (mean)	Keywords		Centrality	Density
		unique	weighted			unique	weighted		
22	HIV	0	0.0			9	1.3	36.4	0.0
23	Quality of Life	0	0.0			8	1.3	60.7	0.0
24		4	1.3	32.3%	5.2	0	0.0	0.0	0.0
25	Aging	0	0.0			8	1.3	31.5	0.0
26	Dental Caries	0	0.0			10	1.2	52.8	0.0
27	Disease Outbreaks	0	0.0			13	1.2	133.4	0.0
28	Urban Population	0	0.0			11	1.2	69.2	0.0
29	Students	0	0.0			9	1.2	56.0	0.0
30		4	1.2	28.9%	23.3	0	0.0	0.0	0.0
31		3	1.1	37.6%	7.7	0	0.0	0.0	0.0
32	Frail Elderly	0	0.0			6	1.1	45.5	0.0
33	Developing Countries	0	0.0			15	1.1	109.9	0.0
34		5	1.0	20.8%	14.5	0	0.0	0.0	0.0
35	Practice Guidelines as Topic	1	0.3	27.6%	9.0	8	0.7	45.0	6.2
36		1	1.0	100.0%	7.0	0	0.0	0.0	0.0
37		1	1.0	100.0%	6.0	0	0.0	0.0	0.0
38		1	1.0	100.0%	13.0	0	0.0	0.0	0.0
39		1	1.0	100.0%	9.0	0	0.0	0.0	0.0
40	Attitude of Health Personnel	0	0.0			24	0.9	178.3	0.0
41	Antiretroviral Therapy, Highly Active	0	0.0			21	0.9	269.0	0.0
42	Health Surveys	0	0.0			11	0.9	99.7	0.0
43	Trust	3	0.5	17.5%	16.2	16	0.4	165.4	3.0

ID	Name *	Articles		Authorship weight (mean)	Keywords per article (mean)	Keywords		Centrality	Density
		unique	weighted			unique	weighted		
44	Coinfection	0	0.0			8	0.9	71.2	0.0
45	Diet	0	0.0			10	0.9	133.5	0.0
46	Models, Statistical	0	0.0			12	0.9	108.1	0.0
47	Epidemiology, Descriptive	1	0.4	36.0%	8.0	6	0.5	50.7	5.4
48	Infant Mortality	0	0.0			9	0.9	54.5	0.0
49		3	0.9	28.9%	5.9	0	0.0	0.0	0.0
50		2	0.9	43.0%	9.4	0	0.0	0.0	0.0
51	Automobile Driving	0	0.0			18	0.8	144.2	0.0
52	Patient Compliance	0	0.0			18	0.8	178.3	0.0
53	Liver Cirrhosis	0	0.0			13	0.8	167.4	0.0
54		1	0.8	81.8%	8.0	0	0.0	0.0	0.0
55		4	0.8	20.3%	17.8	0	0.0	0.0	0.0
56	Employee Performance Appraisal	0	0.0			12	0.8	99.2	0.0
57	Depression, Postpartum	0	0.0			13	0.8	135.9	0.0
58	Substance-Related Disorders	0	0.0			8	0.8	73.6	0.0
59	Blood Pressure Monitoring, Ambulatory	0	0.0			12	0.8	136.7	0.0
60	Incidence	0	0.0			25	0.8	219.0	0.0
61	Self Concept	0	0.0			9	0.8	54.7	0.0
62		1	0.8	76.7%	12.0	0	0.0	0.0	0.0
63		3	0.8	25.2%	18.4	0	0.0	0.0	0.0
64	Chagas Cardiomyopathy	0	0.0			26	0.8	216.2	0.0
65	Inflammation	1	0.1	6.4%	15.0	27	0.7	392.4	2.1

ID	Name *	Articles		Authorship weight (mean)	Keywords per article (mean)	Keywords		Centrality	Density
		unique	weighted			unique	weighted		
	AIDS-Related Opportunistic								
66	Infections	1	0.1	13.6%	18.0	13	0.6	144.8	3.6
67	Consensus	0	0.0			12	0.7	124.9	0.0
68	Epidemiologic Methods	0	0.0			13	0.7	102.4	0.0
69		2	0.7	34.4%	12.5	0	0.0	0.0	0.0
70	Translations	0	0.0			16	0.7	130.5	0.0
71	Cluster Analysis	0	0.0			22	0.7	209.3	0.0
72	Body Constitution	1	0.5	50.0%	6.0	2	0.2	0.5	11.1
73		2	0.7	33.3%	12.5	0	0.0	0.0	0.0
74		2	0.7	33.0%	8.0	0	0.0	0.0	0.0
75		3	0.6	21.1%	5.6	0	0.0	0.0	0.0
76	Acute Kidney Injury	1	0.1	10.2%	14.0	25	0.5	249.9	2.5
77	Antimalarials	0	0.0			16	0.6	115.7	0.0
78		4	0.6	15.2%	14.5	0	0.0	0.0	0.0
79	Child Abuse	0	0.0			9	0.6	36.7	0.0
80	House Calls	1	0.4	36.0%	9.0	2	0.2	7.6	7.4
81	Tomography, X-Ray Computed	0	0.0			13	0.6	103.8	0.0
82	Parents	0	0.0			6	0.6	54.0	0.0
83	Acute Coronary Syndrome	1	0.4	40.9%	8.0	2	0.2	7.8	8.3
84		1	0.6	56.2%	11.0	0	0.0	0.0	0.0
85		2	0.6	27.6%	9.4	0	0.0	0.0	0.0
86	Recurrence	0	0.0			9	0.6	70.7	0.0
87		1	0.5	54.4%	14.0	0	0.0	0.0	0.0

ID	Name *	Articles		Authorship weight (mean)	Keywords per article (mean)	Keywords		Centrality	Density
		unique	weighted			unique	weighted		
88	Consumer Behavior	0	0.0			10	0.5	84.4	0.0
89		1	0.5	52.0%	10.0	0	0.0	0.0	0.0
90	Integrality in Health	0	0.0			4	0.5	18.0	0.0
91	Diabetes Complications	0	0.0			12	0.5	49.7	0.0
92	Bodily Secretions	1	0.4	36.0%	15.0	6	0.1	5.6	5.7
93	Survival Rate	0	0.0			12	0.5	84.3	0.0
94		1	0.5	50.0%	14.0	0	0.0	0.0	0.0
95		1	0.5	50.0%	7.0	0	0.0	0.0	0.0
96		1	0.5	50.0%	7.0	0	0.0	0.0	0.0
97		1	0.5	50.0%	8.0	0	0.0	0.0	0.0
98		1	0.5	50.0%	9.0	0	0.0	0.0	0.0
99		1	0.5	50.0%	13.0	0	0.0	0.0	0.0
100		1	0.5	50.0%	6.0	0	0.0	0.0	0.0
101		1	0.5	50.0%	13.0	0	0.0	0.0	0.0
102		1	0.5	50.0%	11.0	0	0.0	0.0	0.0
103		1	0.5	50.0%	11.0	0	0.0	0.0	0.0
104		1	0.5	50.0%	6.0	0	0.0	0.0	0.0
105		1	0.5	50.0%	11.0	0	0.0	0.0	0.0
106		1	0.5	50.0%	8.0	0	0.0	0.0	0.0
107	Neurofibromatosis 1	0	0.0			21	0.5	165.1	0.0
108		1	0.5	48.0%	12.0	0	0.0	0.0	0.0
109	Acute Disease	0	0.0			13	0.5	122.1	0.0

ID	Name *	Articles		Authorship weight (mean)	Keywords per article (mean)	Keywords		Centrality	Density
		unique	weighted			unique	weighted		
110		1	0.5	47.4%	13.0	0	0.0	0.0	0.0
111	Geography	0	0.0			12	0.4	74.1	0.0
112		1	0.4	44.2%	12.0	0	0.0	0.0	0.0
113	Coronary Artery Disease	0	0.0			18	0.4	162.5	0.0
114		1	0.4	43.8%	8.0	0	0.0	0.0	0.0
115		2	0.4	21.8%	7.7	0	0.0	0.0	0.0
116	Population Surveillance	0	0.0			3	0.4	19.8	0.0
117		1	0.4	40.9%	11.0	0	0.0	0.0	0.0
118		1	0.4	40.9%	5.0	0	0.0	0.0	0.0
119		1	0.4	40.9%	7.0	0	0.0	0.0	0.0
120		1	0.4	40.9%	4.0	0	0.0	0.0	0.0
121		1	0.4	40.9%	8.0	0	0.0	0.0	0.0
122		1	0.4	40.9%	8.0	0	0.0	0.0	0.0
123		1	0.4	40.9%	8.0	0	0.0	0.0	0.0
124		1	0.4	40.9%	22.0	0	0.0	0.0	0.0
125		1	0.4	40.9%	9.0	0	0.0	0.0	0.0
126		1	0.4	40.9%	7.0	0	0.0	0.0	0.0
127		1	0.4	40.9%	14.0	0	0.0	0.0	0.0
128		1	0.4	40.9%	5.0	0	0.0	0.0	0.0
129		1	0.4	40.9%	9.0	0	0.0	0.0	0.0
130		1	0.4	40.9%	9.0	0	0.0	0.0	0.0
131		1	0.4	40.9%	7.0	0	0.0	0.0	0.0

ID	Name *	Articles		Authorship weight (mean)	Keywords per article (mean)	Keywords		Centrality	Density
		unique	weighted			unique	weighted		
132		1	0.4	40.9%	12.0	0	0.0	0.0	0.0
133		1	0.4	40.8%	9.0	0	0.0	0.0	0.0
134	Rotavirus Vaccines	0	0.0			9	0.4	27.1	0.0
135	Social Medicine	0	0.0			3	0.4	10.5	0.0
136	Critical Care	0	0.0			8	0.4	56.5	0.0
137		1	0.4	36.0%	12.0	0	0.0	0.0	0.0
138		1	0.4	36.0%	16.0	0	0.0	0.0	0.0
139		1	0.4	36.0%	10.0	0	0.0	0.0	0.0
140		1	0.4	36.0%	5.0	0	0.0	0.0	0.0
141		1	0.4	36.0%	15.0	0	0.0	0.0	0.0
142		1	0.4	36.0%	11.0	0	0.0	0.0	0.0
143		1	0.4	36.0%	14.0	0	0.0	0.0	0.0
144		1	0.4	36.0%	4.0	0	0.0	0.0	0.0
145		1	0.4	36.0%	6.0	0	0.0	0.0	0.0
146		1	0.4	36.0%	12.0	0	0.0	0.0	0.0
147		1	0.4	36.0%	15.0	0	0.0	0.0	0.0
148		1	0.4	36.0%	16.0	0	0.0	0.0	0.0
149		1	0.4	36.0%	4.0	0	0.0	0.0	0.0
150	Clinical Protocols	0	0.0			9	0.4	93.9	0.0
151	Bariatric Surgery	0	0.0			13	0.4	139.0	0.0
152	Annexins	1	0.3	27.6%	14.0	4	0.1	3.7	5.7
153	Sleep	0	0.0			14	0.4	99.5	0.0

ID	Name *	Articles		Authorship weight (mean)	Keywords per article (mean)	Keywords		Centrality	Density
		unique	weighted			unique	weighted		
154		1	0.4	35.4%	17.0	0	0.0	0.0	0.0
155	Renal Dialysis	0	0.0			17	0.3	150.3	0.0
156		1	0.3	32.8%	7.0	0	0.0	0.0	0.0
157		1	0.3	32.8%	14.0	0	0.0	0.0	0.0
158		1	0.3	32.8%	9.0	0	0.0	0.0	0.0
159		1	0.3	32.8%	18.0	0	0.0	0.0	0.0
160		1	0.3	32.8%	8.0	0	0.0	0.0	0.0
161		1	0.3	32.8%	10.0	0	0.0	0.0	0.0
162		1	0.3	32.8%	18.0	0	0.0	0.0	0.0
163		1	0.3	32.8%	13.0	0	0.0	0.0	0.0
164		1	0.3	32.8%	13.0	0	0.0	0.0	0.0
165		1	0.3	30.9%	16.0	0	0.0	0.0	0.0
166		1	0.3	30.6%	13.0	0	0.0	0.0	0.0
167	Prisoners	0	0.0			5	0.3	27.3	0.0
168		1	0.3	28.9%	10.0	0	0.0	0.0	0.0
169		1	0.3	28.9%	11.0	0	0.0	0.0	0.0
170		1	0.3	28.9%	13.0	0	0.0	0.0	0.0
171		1	0.3	28.9%	14.0	0	0.0	0.0	0.0
172		1	0.3	28.9%	13.0	0	0.0	0.0	0.0
173		1	0.3	28.9%	15.0	0	0.0	0.0	0.0
174		1	0.3	28.9%	13.0	0	0.0	0.0	0.0
175	Air Pollutants, Occupational	0	0.0			18	0.3	112.1	0.0

ID	Name *	Articles		Authorship weight (mean)	Keywords per article (mean)	Keywords		Centrality	Density
		unique	weighted			unique	weighted		
176		1	0.3	27.6%	13.0	0	0.0	0.0	0.0
177		1	0.3	26.5%	18.0	0	0.0	0.0	0.0
178		1	0.3	26.5%	9.0	0	0.0	0.0	0.0
179		1	0.3	25.6%	11.0	0	0.0	0.0	0.0
180		2	0.2	12.5%	8.7	0	0.0	0.0	0.0
181		1	0.2	24.8%	14.0	0	0.0	0.0	0.0
182	Meditation	0	0.0			6	0.2	42.5	0.0
183		1	0.2	24.2%	21.0	0	0.0	0.0	0.0
184		1	0.2	24.2%	6.0	0	0.0	0.0	0.0
185	Seroepidemiologic Studies	0	0.0			11	0.2	76.2	0.0
186		1	0.2	23.1%	14.0	0	0.0	0.0	0.0
187	Nitroimidazoles	0	0.0			12	0.2	66.3	0.0
188	Endemic Diseases	0	0.0			5	0.2	27.6	0.0
189	Health Human Resource Evaluation	0	0.0			2	0.2	5.3	0.0
190		1	0.2	18.2%	12.0	0	0.0	0.0	0.0
191		1	0.2	18.2%	11.0	0	0.0	0.0	0.0
192		1	0.2	18.2%	16.0	0	0.0	0.0	0.0
193	Herpes Zoster	0	0.0			5	0.2	9.8	0.0
194	Lumbosacral Region	1	0.1	12.0%	7.0	3	0.1	13.9	10.7
195		1	0.2	16.0%	10.0	0	0.0	0.0	0.0
196		1	0.2	16.0%	8.0	0	0.0	0.0	0.0
197		1	0.2	16.0%	11.0	0	0.0	0.0	0.0

ID	Name *	Articles		Authorship weight (mean)	Keywords per article (mean)	Keywords		Centrality	Density
		unique	weighted			unique	weighted		
198		1	0.2	16.0%	9.0	0	0.0	0.0	0.0
199		1	0.1	15.0%	17.0	0	0.0	0.0	0.0
200		1	0.1	14.6%	16.0	0	0.0	0.0	0.0
201		1	0.1	14.6%	14.0	0	0.0	0.0	0.0
202		1	0.1	14.6%	8.0	0	0.0	0.0	0.0
203		1	0.1	14.6%	11.0	0	0.0	0.0	0.0
204		1	0.1	12.9%	15.0	0	0.0	0.0	0.0
205		1	0.1	12.9%	12.0	0	0.0	0.0	0.0
206	Nursing	0	0.0			3	0.1	7.3	0.0
207		1	0.1	12.3%	3.0	0	0.0	0.0	0.0
208		1	0.1	12.3%	17.0	0	0.0	0.0	0.0
209		1	0.1	12.0%	11.0	0	0.0	0.0	0.0
210		1	0.1	12.0%	15.0	0	0.0	0.0	0.0
211		1	0.1	12.0%	7.0	0	0.0	0.0	0.0
212		1	0.1	12.0%	9.0	0	0.0	0.0	0.0
213		1	0.1	11.8%	14.0	0	0.0	0.0	0.0
214	Social Work	0	0.0			2	0.1	4.5	0.0
215	Sedentary Behavior	0	0.0			2	0.1	8.9	0.0
216		1	0.1	10.9%	7.0	0	0.0	0.0	0.0
217		1	0.1	10.9%	11.0	0	0.0	0.0	0.0
218		1	0.1	10.9%	10.0	0	0.0	0.0	0.0
219		1	0.1	10.9%	14.0	0	0.0	0.0	0.0

ID	Name *	Articles		Authorship weight (mean)	Keywords per article (mean)	Keywords		Centrality	Density
		unique	weighted			unique	weighted		
220	Social Participation	0	0.0			2	0.1	4.8	0.0
221	Environmental Pollution	0	0.0			4	0.1	18.8	0.0
222	Diseases Registries	0	0.0			1	0.1	0.3	0.0
223		1	0.1	10.2%	8.0	0	0.0	0.0	0.0
224	Esophageal Motility Disorders	0	0.0			3	0.1	3.8	0.0
225		1	0.1	9.6%	10.0	0	0.0	0.0	0.0
226		1	0.1	9.6%	18.0	0	0.0	0.0	0.0
227		1	0.1	9.6%	9.0	0	0.0	0.0	0.0
228	Intimate Partner Violence	0	0.0			2	0.1	10.2	0.0
229		1	0.1	9.2%	10.0	0	0.0	0.0	0.0
230		1	0.1	9.2%	16.0	0	0.0	0.0	0.0
231		1	0.1	8.8%	13.0	0	0.0	0.0	0.0
232		1	0.1	8.8%	13.0	0	0.0	0.0	0.0
233		1	0.1	8.8%	14.0	0	0.0	0.0	0.0
234		1	0.1	8.8%	5.0	0	0.0	0.0	0.0
235		1	0.1	8.8%	14.0	0	0.0	0.0	0.0
236		1	0.1	8.2%	11.0	0	0.0	0.0	0.0
237		1	0.1	8.2%	11.0	0	0.0	0.0	0.0
238		1	0.1	7.7%	12.0	0	0.0	0.0	0.0
239		1	0.1	7.7%	11.0	0	0.0	0.0	0.0
240		1	0.1	7.7%	12.0	0	0.0	0.0	0.0
241		1	0.1	7.7%	6.0	0	0.0	0.0	0.0

ID	Name *	Articles		Authorship weight (mean)	Keywords per article (mean)	Keywords		Centrality	Density
		unique	weighted			unique	weighted		
242	Antipsychotic Agents	0	0.0			5	0.1	15.2	0.0
243		1	0.1	7.4%	12.0	0	0.0	0.0	0.0
244		1	0.1	7.3%	20.0	0	0.0	0.0	0.0
245		1	0.1	7.3%	7.0	0	0.0	0.0	0.0
246		1	0.1	6.8%	12.0	0	0.0	0.0	0.0
247		1	0.1	6.4%	9.0	0	0.0	0.0	0.0
248		1	0.1	6.3%	11.0	0	0.0	0.0	0.0
249	Leptospirosis	0	0.0			1	0.1	0.3	0.0
250		1	0.1	5.9%	18.0	0	0.0	0.0	0.0
251	Anti-HIV Agents	0	0.0			2	0.1	18.2	0.0
252		1	0.1	5.5%	7.0	0	0.0	0.0	0.0
253		1	0.1	5.5%	13.0	0	0.0	0.0	0.0
254		1	0.1	5.5%	9.0	0	0.0	0.0	0.0
255		1	0.1	5.5%	9.0	0	0.0	0.0	0.0
256	Cholecystitis	0	0.0			2	0.0	1.9	0.0
257		1	0.0	4.6%	13.0	0	0.0	0.0	0.0
258	Botulism	0	0.0			2	0.0	0.3	0.0
259	Jejunioileal Bypass	0	0.0			1	0.0	7.7	0.0
260		1	0.0	3.9%	15.0	0	0.0	0.0	0.0
261		1	0.0	3.8%	15.0	0	0.0	0.0	0.0
262		1	0.0	3.7%	14.0	0	0.0	0.0	0.0
263	Cesium Radioisotopes	0	0.0			2	0.0	1.7	0.0

ID	Name *	Articles		Authorship weight (mean)	Keywords per article (mean)	Keywords		Centrality	Density
		unique	weighted			unique	weighted		
264	Geographic Mapping	0	0.0			1	0.0	1.5	0.0
265	Anemia, Sickle Cell	0	0.0			2	0.0	5.1	0.0
266	Consensus Development Conference	0	0.0			1	0.0	1.1	0.0
267	Weight Perception	0	0.0			1	0.0	3.2	0.0
268	Deltaretrovirus Infections	0	0.0			1	0.0	1.0	0.0
Total		1903	576.5	30.3%	8.9	3222	576.5		37.1

Authorship weight is the share of family and community physicians in Brazil among authors, with harmonic authorship counting. Authorship weighing is used for the “weighted” number of articles and keywords, as well as for the mean number of keywords per article. * Research themes without a name are those with no keywords.

Suppl. Table 2 – Postgraduate trajectories of family and community physicians leading to articles, by research theme

Characteristic	Primary Health Care				Animals		Total	
	Humans							
Gender *								
Female	95.2	35.3%	59.7	31.1%	16.5	60.7%	205.3	35.8%
Male	174.7	64.7%	132.2	68.9%	10.7	39.3%	367.6	64.2%
Mode of specialization								
Certification	70.5	26.0%	61.7	31.7%	11.7	42.9%	169.8	29.4%
Medical residency	200.6	74.0%	132.9	68.3%	15.5	57.1%	407.7	70.6%
Knowledge area								
None	39.9	14.7%	37.9	19.5%	2.6	9.6%	97.7	16.9%
Medicine	110.4	40.7%	26.6	13.7%	10.0	36.7%	179.2	31.0%
Collective health	81.7	30.1%	80.2	41.2%	2.4	8.7%	191.3	33.1%
Other	39.1	14.4%	49.9	25.6%	12.2	45.0%	109.3	18.9%
Postgraduate degree								
None	39.9	14.7%	37.9	19.5%	2.6	9.6%	97.7	16.9%
Master's	75.6	27.9%	80.6	41.4%	3.3	12.0%	183.9	31.8%
PhD	155.6	57.4%	76.1	39.1%	21.3	78.4%	296.0	51.3%
Year of publication								
1985–1998	16.4	6.1%	6.2	3.2%	0.8	2.8%	28.8	5.0%
1999–2003	17.1	6.3%	1.9	1.0%	1.3	4.8%	23.8	4.1%
2004–2008	50.3	18.6%	25.9	13.3%	6.2	22.9%	94.8	16.4%
2009–2013	80.8	29.8%	77.8	40.0%	5.6	20.5%	191.2	33.1%
2014–2018	106.4	39.3%	82.8	42.6%	13.3	49.1%	239.0	41.4%

Frequencies are weighted by harmonic authorship counting. * It was not possible to infer the gender of 16 family and community physicians, who authored 4.5 (0.8%) articles with weighing.