



Figure 1. Flow chart of the study sample, depicting exclusion criteria and sample size.

**Supplementary Table 1. Characteristics of the study population comparing respondents to non-respondents.**

		<b>Total Eligible Sample (n=5510)</b>	<b>Respondents (n = 1378)</b>	<b>Non- respondents (n = 4132)</b>	
		<b>N</b>	<b>%</b>	<b>%</b>	<b>p-trend</b>
<b>Gender</b>					<.0001
	Male	2398	36.5	45.9	
	Female	3112	63.5	54.1	
<b>Current Age (in years)</b>					0.2527
	18-39	1108	18.7	20.6	
	40-59	1940	35.3	35.2	
	60+	2462	46.1	44.2	
<b>Race</b>					<.0001
	White (non-Hispanic)	4344	86.7	76.4	
	AA (non-Hispanic)	700	7.6	14.4	
	Hispanic	193	2.3	3.9	
	Other (non-Hispanic)	266	3.4	5.3	
<b>Education</b>					<.0001
	H.S./GED or less	465	2.3	10.5	
	Some college	3240	48.8	62.1	
	Bachelors or higher	1805	48.9	27.4	
<b>Household Income</b>					<.0001
	< \$25,000	1275	12.8	28.0	
	\$25,000 - \$49,999	1262	22.2	24.4	
	\$50,000 - \$99,999	1726	35.5	31.7	
	>\$99,999	1024	29.5	15.9	
<b>Household size</b>					<.0001
	1	1125	15.2	23.0	
	2	2130	46.1	37.6	
	3-4	1515	29.5	27.9	
	5+	590	9.3	11.6	
<b>Urbanicity</b>					0.3639
	Urban	3724	68.6	67.3	
	Rural	1786	31.4	32.7	
<b>Self-reported Health</b>					<.0001
	Excellent	454	11.9	8.6	
	Very Good	1920	47.1	37.7	
	Good	1768	32.6	38.8	
	Fair	525	7.3	12.4	
	Poor	104	1.1	2.6	
<b>Chronic Health Condition</b>					
	Asthma and/or COPD	673	11.5	12.5	0.3273
	Cardiovascular disease	1977	34.4	36.4	0.1852
	Diabetes (any type)	593	8.2	11.6	0.0004

AA: African American; N: number; H.S.: high school; GED: General Education Development test; COPD: Chronic Obstructive Pulmonary Disease

p-trend: statistically significant difference of demographics by response to COVID-19 survey using Chi-square test

Urbanicity: considered rural if residence located in rural census block group defined by the U.S. Census Bureau as having fewer than 2,500 people

Cardiovascular disease: if reported history of heart failure, heart attack, angina, stroke, high cholesterol, or transient ischemic attack

Asthma/COPD: self-reported current asthma, asthma episode(s) in last 12 months, or current asthma treatment

**Supplementary Table 2.** Percentage of respondents who have done the following mitigation behaviors by race.

		<b>Survey Sample (n = 1378) n (%)</b>	<b>White (n=1194) n (%)</b>	<b>Non- White (n=182) n (%)</b>	<b>P-trend</b>
<b>Do you think you may have had COVID-19 at any time since COVID-19 began?</b>					0.0003
	Yes	128 (11.0)	97 (9.6)	31 (20)	
	No	1036 (89.0)	912 (90.4)	124 (80)	
<b>Have you been told by a health care professional that you have or had COVID-19?</b>					0.022
	Yes	9 (1)	5 (0.42)	4 (2.2)	
	No	1361 (99)	1183 (99.6)	178 (97.8)	
<b>Have you ever been tested for COVID-19?</b>					<0.0001
	Yes	94 (6.8)	68 (5.7)	26 (14.2)	
	No	1280 (93.2)	1123 (94.3)	157 (85.8)	
<b>What were the test results?</b>					0.58
	Positive	4 (4.3)	2 (2.9)	2 (7.7)	
	Negative	70 (74.5)	51 (75)	19 (73)	
	Still waiting for results	20 (21.3)	15 (22.1)	5 (19.2)	
<b>Did you try to get tested but were turned away?</b>					0.016
	Yes	28 (2.2)	20 (1.8)	8 (5.1)	
	No	1248 (97.8)	1099 (98.2)	149 (94.9)	
<b>Contacted by health professional about potential exposure to COVID-19</b>					<0.0001
	Yes	50 (3.7)	33 (2.8)	17 (9.6)	
	No	1310 (96.3)	1149 (97.2)	161 (90.4)	
<b>If you were diagnosed with COVID-19, or believe you had COVID-19, were you afraid or embarrassed to disclose this information to your friends or employer?</b>					<0.0001
	Yes	32 (2.3)	22 (1.9)	10 (5.7)	
	No	617 (45.7)	518 (44.1)	99 (55.9)	
	N/A	702 (52.0)	634 (54)	68 (38.4)	
<b>During the COVID-19 outbreak, do or did you experience stigma or discrimination from other people because of your identity, having symptoms or other factors related to COVID-19?</b>					0.005
	Yes	80 (6.3)	61 (5.5)	19 (11.5)	
	No	1192 (93.7)	1045 (94.5)	147 (88.5)	

Column percents shown.

p-trend: statistically significant difference of demographics by race using Chi-square test

**Supplementary Table 3.** (a) Percentage of respondents who perceive the following as “Somewhat effective or “Very effective” at keeping them safe from COVID-19. (b) Percentage of respondents who self-reported having done the following mitigation behaviors by highest education level attained.

<b>(a) How effective are the following actions are at preventing you from getting COVID-19?</b> <i>(select all that apply)</i>	<b>Survey Sample (n = 1378) %</b>	<b>&lt; = H.S. / G.E.D/ Some College (n=680) %</b>	<b>Bachelor’s, Graduate or Professional (n=697) %</b>
Doing nothing	17%	21%	12%
Avoiding outside exercise	19%	23%	15%
Praying	48%	57%	39%
Getting tested for COVID 19	53%	49%	56%
Wearing a facemask	84%	84%	85%
Social distancing	94%	93%	94%
Avoiding public spaces & gatherings	94%	93%	96%
Washing hands	98%	98%	99%
<b>(b) Have you done any of the following because of COVID-19?</b> <i>(select all that apply)</i>	<b>Survey Sample (n = 1378) %</b>	<b>&lt; = H.S. / G.E.D/ Some College (n=680) %</b>	<b>Bachelor’s, Graduate or Professional (n=697) %</b>
Doing nothing	17%	21%	12%
Avoiding outside exercise	19%	23%	15%
Praying	48%	57%	39%
Getting tested for COVID 19	53%	49%	56%
Wearing a facemask	84%	84%	85%
Social distancing	94%	93%	94%
Avoiding public spaces & gatherings	94%	93%	96%
Washing hands	98%	98%	99%
Self-quarantined	32%	29%	33%
Stayed at home most of the time	89%	83%	91%
Practiced social distancing (6 ft)	93%	88%	95%
Routinely washed hands (>= 20 secs.)	88%	84%	89%
Worn a mask	89%	86%	90%
Avoided shaking hands	89%	83%	91%
Visited elderly relatives	10%	9%	10%
Visited friends or relatives	23%	22%	23%
Bought food for elderly relatives	14%	13%	13%
Bought food for friends and family	17%	17%	17%
Taken your temperature regularly	20%	23%	16%
Took public transportation to work	1%	1%	0%
Cancelled a social gathering	57%	50%	63%
Cancelled travel plans	54%	43%	62%
None of these	1%	0%	1%
Other	4%	2%	5%

**Supplementary Table 4.** Current employment status (n=1378) by employment or school status prior to COVID-19.

What is your job or employment status right now? (May/June 2020)	Total (n=1378) n	Did you have a paid job and/or were you in school before COVID-19?	
		Yes (n=821) n (%)	No (n=556) n (%)
Working full-time for pay	548 (39)	519 (96)	24 (4)
Retired and not looking for a job	463 (33)	31 (7)	432 (93)
Working part-time for pay	150 (11)	144 (96)	6 (4)
Other	98 (7)	62 (63)	36 (37)
Not working for pay and not looking for a job	85 (6)	39 (46)	46 (54)
Not working for pay and looking for a job	39 (2.8)	25 (64)	14 (35.9)
Student	13 (0.9)	10 (77)	3 (23)

**Supplementary Table 5.** (a) Percent who delayed getting care for the following reasons (n= 1378), (b) Among those who experienced delay in care (n=603), the percent who reported the type of appointments and/or procedures missed. (c) Percent who indicated there was a time when they needed the following but could not get it because of COVID-19 (n=1378), (d) The percent who received telemedicine or telehealth since COVID-19 began (n=1378). Participant is considered to reside in rural location if residence is located in rural census block group defined by the U.S. Census Bureau as having fewer than 2,500 people.

<b>(a) Have you delayed getting care of any of the following reasons due to COVID-19?</b> <i>(select all that apply)</i>	<b>Survey Sample (n = 1378) %</b>	<b>Urban (n=945) %</b>	<b>Rural (n=433) %</b>
No Delay in care	56%	54.6%	59.1%
Postponed or cancelled due to COVID-19	34%	34.4%	34.4%
Afraid to get care because of COVID-19	8.9%	8.8%	9.0%
Could not get an appointment soon enough	5.1%	5.0%	5.3%
Clinic/office not open when arrived	2.4%	2.5%	2.1%
Could not get through on the telephone	1.2%	1.2%	1.4%
Did not have transportation	0.7%	0.9%	0.2%
Went, but wait was too long	0.6%	0.7%	0.2%
Other	2.5%	2.7%	2.3%
Don't know	1.9%	2.2%	1.2%
<b>(b) Those who experienced delay in care, Which of the following types of healthcare appointments were delayed or canceled due to the COVID-19?</b> <i>(select all that apply)</i>	<b>Survey Sample (n = 603) %</b>	<b>Urban (n=429) %</b>	<b>Rural (n=177) %</b>
Eye doc/optometrist	18%	19%	17%
Mammogram <sup>a</sup>	18%	14%	27%
Blood draw	11%	10%	14%
Pap smear/cervical cancer screening <sup>a</sup>	7%	7%	8%
Skin mole/skin cancer screening	6%	7%	6%
PT/occupational Therapy	6%	7%	5%
Colonoscopy	5%	3%	7%
Chiropractor	5%	6%	3%
Allergy	2%	2%	2%
Asthma or COPD	1%	2%	1%
Cardiac rehab	0%	1%	0%
Lung cancer screening/CT/chest x-ray	0%	1%	0%
<b>(c) Was there any time when you needed any of the following but could not get it because of COVID-19?</b> <i>(select all that apply)</i>	<b>Survey Sample (n = 1378) %</b>	<b>Urban (n=945) %</b>	<b>Rural (n=433) %</b>
Regular Health Care	22%	23%	20%
Dental Care	35%	34%	36%
Eyeglasses	13%	13%	12%
Mental Health care	3%	3%	2%
Prescription Medication	3%	3%	2%

	None of These	49%	48%	52%
	Don't know	1%	1%	0%
(d) Since COVID-19 began, did you receive telemedicine or telehealth?	Survey Sample	Urban	Rural	
	(n = 1378)	(n=945)	(n=433)	
	%	%	%	
Yes	22	22	21	
No	78	78	79	

<sup>a</sup>Only asked among those self-identified as female and reported a delay in care due to COVID-19 (n=432)

**Supplementary Table 6. The impact of COVID-19 on health-related behaviors by gender<sup>a</sup> (a-c)**

Respondents reported the degree to which their physical activity level, alcohol consumption and smoking quantity changed since COVID-19 began, compared to before COVID-19. Only current alcohol consumers (n= 1285) and smokers (n=115) were asked about changes in their alcohol and smoking quantity. (d) Percentage of respondents who reported doing the following activities to help cope with stress from COVID-19. (a-d) n=5 nonconforming/transgender were excluded because too few in self-identified gender category to look at separately in this analyses.

<b>(a) How has your overall level of physical activity changed due to COVID-19?</b>	<b>Survey Sample (n = 1367) %</b>	<b>Male (n=502) %</b>	<b>Female (n=865) %</b>
A lot more	17%	13%	20%
A little more	27%	26%	27%
About the same	33%	41%	29%
A little lower	16%	14%	17%
Much lower	6%	5%	7%
<b>(b) In the last 60 days during COVID-19, would you say the amount of alcohol you drink now compared to before is:</b>	<b>Survey Sample (n = 1285) %</b>	<b>Male (n=468) %</b>	<b>Female (n=817) %</b>
A lot more	5%	4%	6%
A little more	18%	16%	19%
About the same	61%	65%	59%
A little lower	7%	6%	7%
Much lower	9%	9%	9%
<b>(c) In the last 60 days during COVID-19, how would you compare your smoking/vaping now to before COVID-19:</b>	<b>Survey Sample (n = 115) %</b>	<b>Male (n=38) %</b>	<b>Female (n=77) %</b>
A lot more	14%	8%	16%
A little more	30%	24%	34%
About the same	47%	61%	42%
A little lower	5%	5%	5%
Much lower	3%	3%	4%
<b>(d) Since COVID-19, have you done any of the following as a way to cope with COVID-19? (select all that apply)</b>	<b>Survey Sample (n = 1369) %</b>	<b>Male (n=497) %</b>	<b>Female (n=872) %</b>
None of these	3%	4%	2%
Wrote in a journal	8%	5%	11%
Meditating	11%	7%	14%
Yoga	12%	5%	15%
Worked on art projects	23%	8%	31%
Attended online religious/spiritual event	34%	27%	37%
Prayer	39%	27%	46%
Exercised/worked out	43%	42%	44%
Played music	48%	38%	53%
Read books for pleasure	49%	36%	57%
Played games (online, card, board)	53%	46%	57%
Baked and cooked	60%	39%	72%



Video call with friends/family	61%	51%	66%
Watched online movies/shows	63%	61%	64%
Gardened/home improvement projects	64%	60%	66%
Took walks outside	71%	66%	74%
Watched television	79%	75%	81%

---

**Supplementary Table 7a. Children in the home and caregiving during COVID-19.** Percent of adults who report having children in the home, caregiving for children and/or adults during COVID-19.

<b>Have one or more children (&lt; 18 years of age) living in your home:</b>	<b>Survey Sample (n = 1359) N (%)</b>
Yes	404 (30)
No	955 (70)
<i>Among those with children &lt;18 years of age in the home,</i> <b>Do you currently care for any of the children in your household during the COVID-19 pandemic?</b>	<b>(n = 401) N %</b>
Yes	352 (88)
No	49 (12)
<b>Are you currently providing care for an adult (18+ years of age) in your household that has an illness or a disability?</b>	<b>(n = 1158) %</b>
Yes	70 (6)
No	1088 (94)

**Supplementary Table 7b. Stress during COVID-19 by the status of children in the home.** Percent of adults who self-reported experiencing moderate to high levels of stress in the following areas of their life due to COVID-19, comparing adults with children <18 years of age in the home to adults without children <18 years of age in the home.

<b>Due to COVID-19, how much stress did you experience... (select all that apply)</b>	<b>Percent who self-reported experiencing moderate to high level of stress</b>		
	<b>Survey Sample (n = 1378)</b>	<b>Adults with Children<sup>a</sup> in the home (n=404)</b>	<b>Adults <u>without</u> Children<sup>a</sup> in the home (n=473)</b>
Related to legal problems	4%	6%	2%
Related to racism and discrimination	4%	8%	3%
Related to living in your neighborhood	7%	9%	7%
Related to meeting basic needs	10%	18%	7%
Related to caring for others	15%	23%	12%
Related to medical problems	16%	18%	14%
Related to loss of money or finances	19%	24%	17%
In your relationship with others	25%	37%	20%
In your job	34%	53%	26%

<sup>a</sup>Children includes anyone < 18 years of age