

## Projecting the seasonality of endemic COVID-19

### Supplementary materials

#### Contents

Investigators	02
Supplemental Figure S1	03
Supplemental Figure S2	04
Supplemental Figure S3	05
Supplemental Figure S4	06
Supplemental Figure S5	07
Supplemental Figure S6	08
Supplemental Figure S7	09
Supplemental Figure S8	10

## Investigators

Jeffrey P. Townsend, PhD<sup>1,2,3,4</sup>

April D. Lamb, MS<sup>5</sup>

Hayley B. Hassler, MS<sup>1</sup>

Pratha Sha, PhD<sup>6</sup>

Aia Alvarex Nishio<sup>7</sup>

Cameron Nguyen<sup>5</sup>

Alison P. Galvani, PhD<sup>6</sup>

Alex Dornburg, PhD<sup>5</sup>

<sup>1</sup>Department of Biostatistics, Yale School of Public Health; New Haven, Connecticut 06510, USA

<sup>2</sup>Department of Ecology and Evolutionary Biology, Yale University; New Haven, Connecticut 06525, USA


<sup>3</sup>Program in Computational Biology and Bioinformatics, Yale University; New Haven, Connecticut 06511, USA

<sup>4</sup>Program in Microbiology, Yale University, New Haven; Connecticut 06511, USA

<sup>5</sup>Department of Bioinformatics and Genomics, University of North Carolina; Charlotte, NC 28223


<sup>6</sup>Center for Infectious Disease Modeling and Analysis, Yale University; New Haven, Connecticut 06510, USA

<sup>7</sup>Yale College; New Haven, Connecticut



Supplementary Figure S1


Proportions of HCoV-NL63 infections by month across locations in (A) North America, (B) Europe, and (C) Asia. Vertical gray bars indicate 95% confidence interval of raw monthly infections.



HCoV-229E

## Supplementary Figure S2


Proportions of HCoV-229E infections by month across locations in (A) North America, (B) Europe, and (C) Asia. Vertical gray bars indicate 95% confidence interval of raw monthly infections.



HCoV-HKU1

Supplementary Figure S3


Proportions of HCoV-HKU1 infections by month across locations in (A) North America, (B) Europe, and (C) Asia. Vertical gray bars indicate 95% confidence interval of raw monthly infections.



HCoV-OC43


## Supplementary Figure S4

Proportions of HCoV-OC43 infections by month across locations in (A) North America, (B) Europe, and (C) Asia. Vertical gray bars indicate 95% confidence interval of raw monthly infections.



Supplementary Figure S5


Sensitivity of proportions of SARS-CoV-2 infections by month to method of time tree inference in North America (tan) and Europe (blue).



Supplementary Figure S6


Sensitivity of proportions of SARS-CoV-2 infections by month to method of time tree inference in Asia.





Supplementary Figure S7

Sensitivity of proportions of SARS-CoV-2 infections by month to use of only viral sequences deemed non-recombining by location, in North America (tan) and Europe (blue).



Supplementary Figure S8

Sensitivity of proportions of SARS-CoV-2 infections by month to use of only viral sequences deemed non-recombining by location, in Asia.