



**Supplementary Figure S1. Microarray data pre-processing.** Gene expression signal, UMAP, and expression density plots for **A.** all nine samples available in GSE4182, and **B.** eight samples after one outlier in the case group was removed and data were re-processed. Signal box plots show distribution of gene expression values (mean, interquartile range) for each sample. UMAP plots illustrate similarity between samples, where more closely related samples are represented by smaller distances between dots. Expression density curves show the distribution of the gene expression values of each sample. UMAP = Uniform Manifold Approximation and Projection. Grey = controls, green = cases.




Supplementary Figure S2. Differential gene expression and nutrient-sensitive regulatory network analysis workflow. FC = fold change. DEG = differentially expressed genes. TF = transcription factor.


### GO Molecular functions of DEGs



### GO Biological processes of DEGs




### PANTHER Protein class of DEGs




**Supplementary Figure S3.** PANTHER annotations (molecular function, biological process and protein class) for genes differentially expressed in cases compared to controls. GO = gene ontology. DEG = differentially expressed genes. PANTHER = Protein ANalysis THrough Evolutionary Relationships.


## GO Molecular functions of DEGs with a nutrient cofactor



## GO Biological processes of DEGs with a nutrient cofactor



## PANTHER Protein class of DEGs with a nutrient cofactor



**Supplementary Figure S4.** PANTHER annotations (molecular function, biological process and protein class) for genes differentially expressed in cases compared to controls, that are known to have a nutrient cofactor. GO = gene ontology. DEG = differentially expressed genes. PANTHER = Protein ANalysis THrough Evolutionary Relationships.