

Supplementary Material

Combinatorial language parent-report score differs significantly between typically developing children and those with Autism Spectrum Disorders

Matthew Arnold¹ and Andrey Vyshedskiy^{1,2*}

¹Boston University, Boston, MA, USA

²ImagiRation LLC, Boston, MA, USA

*Corresponding author: Andrey Vyshedskiy, PhD, Boston University, Boston, MA, USA, Tel: +1 (617) 433-7724; E-mail: vysha@bu.edu

Table S1. Receiver operating characteristic curves for 2 to 3 year-old children. Using a MSEC score cutoff of 29 separated ASD from neurotypical children with a sensitivity 0.77 and a specificity 0.88.

MSEC cutoff	Sensitivity	Specificity	1-Specificity
0	1.00	0.00	1.00
1	0.99	0.00	1.00
2	0.99	0.00	1.00
3	0.99	0.00	1.00
4	0.99	0.00	1.00
5	0.99	0.00	1.00
6	0.99	0.00	1.00
7	0.99	0.00	1.00
8	0.98	0.00	1.00
9	0.98	0.00	1.00
10	0.98	0.00	1.00
11	0.98	0.00	1.00
12	0.98	0.00	1.00
13	0.97	0.00	1.00
14	0.97	0.00	1.00
15	0.97	0.00	1.00
16	0.97	0.00	1.00
17	0.96	0.00	1.00
18	0.95	0.00	1.00
19	0.94	0.24	0.76
20	0.93	0.29	0.71
21	0.90	0.29	0.71
22	0.89	0.47	0.53
23	0.88	0.59	0.41
24	0.86	0.65	0.35
25	0.85	0.71	0.29
26	0.83	0.71	0.29
27	0.81	0.71	0.29
28	0.79	0.76	0.24
29	0.77	0.88	0.12
30	0.74	0.94	0.06
31	0.71	0.94	0.06
32	0.67	0.94	0.06
33	0.63	0.94	0.06
34	0.58	0.94	0.06
35	0.53	0.94	0.06
36	0.47	0.94	0.06
37	0.40	0.94	0.06
38	0.33	0.94	0.06
39	0.25	0.94	0.06
40	0.15	0.94	0.06

Table S2. Receiver operating characteristic curves for 3 to 4 year-old children. Using a MSEC score cutoff of 21 separated ASD from neurotypical children with a sensitivity 0.87 and a specificity 0.95.

MSEC cutoff	Sensitivity	Specificity	1-Specificity
0	1.00	0.00	1.00
1	0.99	0.00	1.00
2	0.99	0.00	1.00
3	0.99	0.00	1.00
4	0.99	0.00	1.00
5	0.99	0.00	1.00
6	0.99	0.05	0.95
7	0.99	0.05	0.95
8	0.99	0.05	0.95
9	0.99	0.05	0.95
10	0.98	0.05	0.95
11	0.98	0.05	0.95
12	0.98	0.05	0.95
13	0.98	0.05	0.95
14	0.97	0.19	0.81
15	0.97	0.24	0.76
16	0.96	0.33	0.67
17	0.95	0.57	0.43
18	0.94	0.71	0.29
19	0.93	0.76	0.24
20	0.91	0.86	0.14
21	0.87	0.95	0.05
22	0.85	0.95	0.05
23	0.84	1.00	0.00
24	0.81	1.00	0.00
25	0.78	1.00	0.00
26	0.76	1.00	0.00
27	0.73	1.00	0.00
28	0.69	1.00	0.00
29	0.66	1.00	0.00
30	0.62	1.00	0.00
31	0.58	1.00	0.00
32	0.54	1.00	0.00
33	0.49	1.00	0.00
34	0.43	1.00	0.00
35	0.38	1.00	0.00
36	0.33	1.00	0.00
37	0.27	1.00	0.00
38	0.21	1.00	0.00
39	0.15	1.00	0.00
40	0.09	1.00	0.00

Table S3. Receiver operating characteristic curves for 4 to 5 year-old children. Using a MSEC score cutoff of 17 separated ASD from neurotypical children with a sensitivity 0.93 and a specificity 1.0.

MSEC cutoff	Sensitivity	Specificity	1-Specificity
0	1.00	0.00	1.00
1	0.99	0.00	1.00
2	0.99	0.00	1.00
3	0.99	0.00	1.00
4	0.99	0.00	1.00
5	0.99	0.00	1.00
6	0.99	0.00	1.00
7	0.99	0.00	1.00
8	0.98	0.00	1.00
9	0.98	0.08	0.92
10	0.98	0.23	0.77
11	0.97	0.31	0.69
12	0.97	0.31	0.69
13	0.97	0.54	0.46
14	0.96	0.69	0.31
15	0.95	0.85	0.15
16	0.94	0.92	0.08
17	0.93	1.00	0.00
18	0.91	1.00	0.00
19	0.89	1.00	0.00
20	0.87	1.00	0.00
21	0.82	1.00	0.00
22	0.80	1.00	0.00
23	0.77	1.00	0.00
24	0.74	1.00	0.00
25	0.71	1.00	0.00
26	0.68	1.00	0.00
27	0.64	1.00	0.00
28	0.61	1.00	0.00
29	0.57	1.00	0.00
30	0.53	1.00	0.00
31	0.48	1.00	0.00
32	0.44	1.00	0.00
33	0.40	1.00	0.00
34	0.35	1.00	0.00
35	0.30	1.00	0.00
36	0.26	1.00	0.00
37	0.21	1.00	0.00
38	0.17	1.00	0.00
39	0.12	1.00	0.00
40	0.07	1.00	0.00

Table S4. Receiver operating characteristic curves for 5 to 6 year-old children. Using a MSEC score cutoff of 16 separated ASD from neurotypical children with a sensitivity 0.91 and a specificity 0.96.

MSEC cutoff	Sensitivity	Specificity	1-Specificity
0	1.00	0.00	1.00
1	0.99	0.00	1.00
2	0.99	0.05	0.95
3	0.99	0.05	0.95
4	0.99	0.18	0.82
5	0.99	0.36	0.64
6	0.98	0.45	0.55
7	0.98	0.59	0.41
8	0.98	0.68	0.32
9	0.97	0.68	0.32
10	0.97	0.73	0.27
11	0.96	0.86	0.14
12	0.96	0.86	0.14
13	0.95	0.91	0.09
14	0.94	0.91	0.09
15	0.93	0.91	0.09
16	0.91	0.95	0.05
17	0.90	0.95	0.05
18	0.88	0.95	0.05
19	0.86	0.95	0.05
20	0.83	0.95	0.05
21	0.78	0.95	0.05
22	0.76	1.00	0.00
23	0.73	1.00	0.00
24	0.70	1.00	0.00
25	0.67	1.00	0.00
26	0.63	1.00	0.00
27	0.60	1.00	0.00
28	0.56	1.00	0.00
29	0.52	1.00	0.00
30	0.48	1.00	0.00
31	0.44	1.00	0.00
32	0.39	1.00	0.00
33	0.35	1.00	0.00
34	0.31	1.00	0.00
35	0.26	1.00	0.00
36	0.23	1.00	0.00
37	0.19	1.00	0.00
38	0.15	1.00	0.00
39	0.11	1.00	0.00
40	0.07	1.00	0.00

Table S5. Receiver operating characteristic curves for 6 to 7 year-old children. Using a MSEC score cutoff of 11 separated ASD from neurotypical children with a sensitivity 0.94 and a specificity 1.0.

MSEC cutoff	Sensitivity	Specificity	1-Specificity
0	1.00	0.00	1.00
1	0.99	0.05	0.95
2	0.99	0.05	0.95
3	0.98	0.14	0.86
4	0.98	0.36	0.64
5	0.98	0.59	0.41
6	0.97	0.82	0.18
7	0.97	0.86	0.14
8	0.96	0.86	0.14
9	0.96	0.86	0.14
10	0.95	0.95	0.05
11	0.94	1.00	0.00
12	0.93	1.00	0.00
13	0.92	1.00	0.00
14	0.92	1.00	0.00
15	0.90	1.00	0.00
16	0.88	1.00	0.00
17	0.87	1.00	0.00
18	0.85	1.00	0.00
19	0.83	1.00	0.00
20	0.80	1.00	0.00
21	0.75	1.00	0.00
22	0.73	1.00	0.00
23	0.70	1.00	0.00
24	0.67	1.00	0.00
25	0.64	1.00	0.00
26	0.61	1.00	0.00
27	0.58	1.00	0.00
28	0.54	1.00	0.00
29	0.50	1.00	0.00
30	0.46	1.00	0.00
31	0.42	1.00	0.00
32	0.38	1.00	0.00
33	0.34	1.00	0.00
34	0.30	1.00	0.00
35	0.26	1.00	0.00
36	0.22	1.00	0.00
37	0.18	1.00	0.00
38	0.14	1.00	0.00
39	0.10	1.00	0.00
40	0.06	1.00	0.00

Table S6. Receiver operating characteristic curves for 7 to 8 year-old children. Using a MSEC score cutoff of 10 separated ASD from neurotypical children with a sensitivity 0.95 and a specificity 1.0.

MSEC cutoff	Sensitivity	Specificity	1-Specificity
0	1.00	0.00	1.00
1	0.99	0.19	0.81
2	0.99	0.44	0.56
3	0.98	0.50	0.50
4	0.98	0.69	0.31
5	0.98	0.88	0.13
6	0.97	0.88	0.13
7	0.97	0.88	0.13
8	0.96	0.94	0.06
9	0.96	0.94	0.06
10	0.95	1.00	0.00
11	0.94	1.00	0.00
12	0.93	1.00	0.00
13	0.92	1.00	0.00
14	0.90	1.00	0.00
15	0.89	1.00	0.00
16	0.87	1.00	0.00
17	0.86	1.00	0.00
18	0.84	1.00	0.00
19	0.82	1.00	0.00
20	0.80	1.00	0.00
21	0.75	1.00	0.00
22	0.72	1.00	0.00
23	0.70	1.00	0.00
24	0.67	1.00	0.00
25	0.64	1.00	0.00
26	0.62	1.00	0.00
27	0.58	1.00	0.00
28	0.55	1.00	0.00
29	0.52	1.00	0.00
30	0.49	1.00	0.00
31	0.45	1.00	0.00
32	0.41	1.00	0.00
33	0.37	1.00	0.00
34	0.33	1.00	0.00
35	0.29	1.00	0.00
36	0.24	1.00	0.00
37	0.20	1.00	0.00
38	0.16	1.00	0.00
39	0.12	1.00	0.00
40	0.08	1.00	0.00