

Appendix B. Supplemental Tables

Table B1. Data Missing and Excluded from Statistical Analyses

| | lvPPA (total number of subjects) | nfvPPA (total number of subjects) | svPPA (total number of subjects) | Reason for Exclusion |
|--------------------|---|--|---|---|
| Total <i>n</i> | 22 | 27 | 12 | -- |
| IFG short-TE PRESS | 20 | 24 | 12 | <i>n</i> = 2 missing <i>n</i> = 3 NAA linewidth > 15 Hz |
| SM short-TE PRESS | 22 | 27 | 12 | -- |
| IFG MEGA-PRESS | 17 | 23 | 9 | <i>n</i> = 1 missing <i>n</i> = 6 NAA linewidth > 15 Hz <i>n</i> = 5 incorrect sequence |
| SM MEGA-PRESS | 19 | 26 | 11 | <i>n</i> = 5 incorrect sequence |
| FTD-CDR sum score | 22 | 23 | 9 | <i>n</i> = 7 missing |

Table B2. Differences in Metabolites by PPA Subtype and Brain Region

| Mean (SD) | | Predictors | Estimates (SE) | CI | t | p | Fit |
|----------------------|-------------------|----------------------------|----------------|---------------|-------|------------|------|
| tNAA (i.u.) | | | | | | | |
| lvPPA: 18.12 (1.85) | IFG: 16.51 (1.48) | Fixed Effects | | | | | |
| nfvPPA: 17.59 (2.03) | SMC: 19.05 (1.23) | (Intercept) | 16.75 (0.27) | 16.22-17.27 | 62.56 | < 0.001*** | |
| svPPA: 17.87 (1.42) | | Diagnosis (nfvPPA) | -0.53 (0.33) | -1.19-0.12 | -1.60 | 0.115 | |
| | | Diagnosis (svPPA) | -0.17 (0.41) | -0.98-0.64 | -0.41 | 0.684 | |
| | | Voxel (SMC) | 2.58 (0.19) | 2.20-2.95 | 13.44 | < 0.001*** | |
| | | Random Effects | | | | | |
| | | σ^2 | 1.02 | | | | |
| | | T00 Participant | 0.76 | | | | |
| | | Model Fit | | | | | |
| | | Marginal R ² | | | | | 0.49 |
| | | Conditional R ² | | | | | 0.71 |
| tCho (i.u.) | | | | | | | |
| lvPPA: 2.94 (0.32) | IFG: 3.09 (0.33) | Fixed Effects | | | | | |
| nfvPPA: 3.04 (0.41) | SMC: 2.85 (0.38) | (Intercept) | 3.08 (0.07) | 2.94-3.22 | 44.03 | < 0.001*** | |
| svPPA: 2.83 (0.33) | | Diagnosis (nfvPPA) | 0.11 (0.09) | -0.07-0.28 | 1.22 | 0.227 | |
| | | Diagnosis (svPPA) | -0.12 (0.11) | -0.34-0.09 | -1.12 | 0.269 | |
| | | Voxel (SMC) | -0.26 (0.05) | -0.35-(-0.16) | -5.38 | < 0.001*** | |
| | | Random Effects | | | | | |
| | | σ^2 | 0.06 | | | | |
| | | T00 Participant | 0.06 | | | | |
| | | Model Fit | | | | | |
| | | Marginal R ² | | | | | 0.17 |
| | | Conditional R ² | | | | | 0.57 |
| tCr (i.u.) | | | | | | | |
| lvPPA: 12.20 (0.70) | IFG: 12.65 (0.79) | Fixed Effects | | | | | |
| nfvPPA: 12.51 (0.84) | SMC: 12.27 (0.75) | (Intercept) | 12.41 (0.15) | 12.12-12.70 | 84.62 | < 0.001*** | |
| svPPA: 12.75 (0.70) | | Diagnosis (nfvPPA) | 0.34 (0.18) | -0.02-0.69 | 1.84 | 0.071 | |
| | | Diagnosis (svPPA) | 0.54 (0.23) | 0.10-0.99 | 2.40 | 0.019* | |
| | | Voxel (SMC) | -0.40 (0.11) | -0.61-(-0.19) | -3.78 | < 0.001*** | |
| | | Random Effects | | | | | |
| | | σ^2 | 0.31 | | | | |
| | | T00 Participant | 0.22 | | | | |
| | | Model Fit | | | | | |
| | | Marginal R ² | | | | | 0.14 |
| | | Conditional R ² | | | | | 0.49 |
| Glx (i.u.) | | | | | | | |
| lvPPA: 10.04 (2.68) | IFG: 11.81 (2.53) | Fixed Effects | | | | | |
| nfvPPA: 10.97 (2.79) | SMC: 9.22 (2.35) | (Intercept) | 11.40 (0.48) | 10.46-12.34 | 23.83 | < 0.001*** | |
| svPPA: 10.12 (2.73) | | Diagnosis (nfvPPA) | 0.91 (0.60) | -0.27-2.09 | 1.51 | 0.136 | |
| | | Diagnosis (svPPA) | 0.01 (0.74) | -1.45-1.47 | 0.01 | 0.988 | |
| | | Voxel (SMC) | -2.58 (0.33) | -3.23-(-1.93) | -7.79 | < 0.001*** | |
| | | Random Effects | | | | | |
| | | σ^2 | 3.03 | | | | |
| | | T00 Participant | 2.58 | | | | |
| | | Model Fit | | | | | |
| | | Marginal R ² | | | | | 0.38 |
| | | Conditional R ² | | | | | NA |

GABA+ (i.u.)

lvPPA: 3.81 (1.32) IFG: 3.83 (1.34)
 nfvPPA: 3.70 (1.24) SMC: 3.72 (1.11)
 svPPA: 3.89 (1.02)

Fixed Effects

| | | | | |
|-----------------------------|--------------|------------|-------|----------------------|
| <i>(Intercept)</i> | 3.87 (0.25) | 3.88-4.35 | 15.73 | < 0.001*** |
| Diagnosis (<i>nfvPPA</i>) | -0.10 (0.28) | -0.65-0.45 | -0.37 | 0.716 |
| Diagnosis (<i>svPPA</i>) | 0.10 (0.36) | -0.60-0.80 | 0.28 | 0.782 |
| Voxel (<i>SMC</i>) | -0.11 (0.23) | -0.57-0.34 | -0.49 | 0.626 |

Random Effects

| | |
|-----------------------------|------|
| σ^2 | 1.35 |
| T ₀₀ Participant | 0.11 |

Model Fit

| | |
|----------------------------|------|
| Marginal R ² | 0.01 |
| Conditional R ² | 0.08 |

Table B2 Note. * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$. SD = standard deviation; SE = standard error; CI = 95% confidence interval. On the left, we report the mean (standard deviation) for each metabolite, split by PPA subtype and by voxel. On the right, we report the results of a linear mixed effects model testing for PPA subtype and voxel differences in each metabolite. lvPPA and IFG served as the reference groups. Marginal R² values consider only the variance of the fixed effects; conditional R² values consider both the fixed and random effects.

Table B3. Differences in Tissue Fractions by PPA Subtype and Brain Region

| Mean (SD) | | Predictors | Estimates (SE) | CI | t | p | Fit |
|--|------------------|----------------------------|----------------|---------------|--------|------------|------|
| Gray Matter Fraction | | | | | | | |
| lvPPA: 0.31 (0.06) | IFG: 0.34 (0.05) | Fixed Effects | | | | | |
| nfvPPA: 0.29 (0.06) | SMC: 0.26 (0.04) | (Intercept) | 0.35 (0.01) | 0.33-0.37 | 42.98 | < 0.001*** | |
| svPPA: 0.30 (0.06) | | Diagnosis (nfvPPA) | -0.02 (0.01) | -0.04-0.00 | -1.55 | 0.126 | |
| | | Diagnosis (svPPA) | -0.01 (0.01) | -0.04-0.01 | -0.85 | 0.397 | |
| | | Voxel (SMC) | -0.08 (0.01) | -0.10-(-0.07) | -13.95 | < 0.001*** | |
| | | Random Effects | | | | | |
| | | σ^2 | 0.00 | | | | |
| | | T00 Participant | 0.00 | | | | |
| | | Model Fit | | | | | |
| | | Marginal R ² | | | | | 0.52 |
| | | Conditional R ² | | | | | 0.71 |
| White Matter Fraction | | | | | | | |
| lvPPA: 0.54 (0.07) | IFG: 0.51 (0.07) | Fixed Effects | | | | | |
| nfvPPA: 0.54 (0.06) | SMC: 0.57 (0.05) | (Intercept) | 0.51 (0.01) | 0.48-0.53 | 43.25 | < 0.001*** | |
| svPPA: 0.55 (0.07) | | Diagnosis (nfvPPA) | 0.001 (0.01) | -0.03-0.03 | 0.05 | 0.962 | |
| | | Diagnosis (svPPA) | 0.02 (0.02) | -0.02-0.05 | 0.98 | 0.329 | |
| | | Voxel (SMC) | 0.06 (0.01) | 0.05-0.08 | 8.11 | < 0.001*** | |
| | | Random Effects | | | | | |
| | | σ^2 | 0.00 | | | | |
| | | T00 Participant | 0.00 | | | | |
| | | Model Fit | | | | | |
| | | Marginal R ² | | | | | 0.24 |
| | | Conditional R ² | | | | | 0.61 |
| Total Tissue (Gray Matter Fraction + White Matter Fraction) | | | | | | | |
| lvPPA: 0.84 (0.05) | IFG: 0.85 (0.06) | Fixed Effects | | | | | |
| nfvPPA: 0.83 (0.06) | SMC: 0.83 (0.05) | (Intercept) | 0.86 (0.01) | 0.83-0.88 | 80.96 | < 0.001*** | |
| svPPA: 0.85 (0.05) | | Diagnosis (nfvPPA) | -0.01 (0.01) | -0.04-0.01 | -1.12 | 0.268 | |
| | | Diagnosis (svPPA) | 0.01 (0.02) | -0.02-0.04 | 0.46 | 0.645 | |
| | | Voxel (SMC) | -0.02 (0.01) | -0.04-(-0.01) | -2.61 | 0.012* | |
| | | Random Effects | | | | | |
| | | σ^2 | 0.00 | | | | |
| | | T00 Participant | 0.00 | | | | |
| | | Model Fit | | | | | |
| | | Marginal R ² | | | | | 0.06 |
| | | Conditional R ² | | | | | 0.42 |

Table B3 Note. * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$. SD = standard deviation; SE = standard error; CI = 95% confidence interval. On the left, we report the mean (standard deviation) for each tissue fraction, split by PPA subtype and by voxel. On the right, we report the results of a linear mixed effects model testing for PPA subtype and voxel differences in each tissue fraction. lvPPA and IFG served as the reference groups. Marginal R² values consider only the variance of the fixed effects; conditional R² values consider both the fixed and random effects.