

Supplementary Materials for “Covid-19 is a leading cause of death in children and young people ages 0-19 years in the United States”


Ages: 0-19 year olds			
Leading Causes of Death	Crude Rate (per 100,000)	Deaths	Rank
#Certain conditions originating in the perinatal period (P00-P96)	12.7	10387	1
#Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9.1	7444	2
#Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	6.5	5286	3
#Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3.4	2770	4
#Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3.4	2756	4
#Malignant neoplasms (C00-C97)	2.1	1704	6
Covid-19 (cumulative)	1.7	1433	7
#Diseases of heart (I00-I09,I11,I13,I20-I51)	1.1	867	8
Covid-19 (annualized)	0.8	661	9
#Influenza and pneumonia (J09-J18)	0.6	472	10

Supplementary Table S1. Leading causes of death for children and young people aged 0-19 years in 2019 in the US ranked, compared to Covid-19 deaths either as the cumulative total incidence of Covid-19 deaths for March 1, 2020-April 30, 2022 or as annualized figures. Deaths, crude rates per 100,000, and ranks are shown.

Ages: 0-19 year olds			
Leading Causes of Death	Crude Rate (per 100,000)	Deaths	Rank
Covid-19 (cumulative)	1.7	1433	1
Covid-19 (annualized)	0.8	661	2
#Influenza and pneumonia (J09-J18)	0.6	472	3
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99,U07.1)	0.5	432	4
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)	0.5	421	4
Pneumonia (J12-J18)	0.4	300	6
#Septicemia (A40-A41)	0.3	287	7
#Chronic lower respiratory diseases (J40-J47)	0.3	259	7
Certain other intestinal infections (A04,A07-A09)	0.3	223	7
Asthma (J45-J46)	0.2	206	10
Influenza (J09-J11)	0.2	172	10

Supplementary Table S2. Leading infectious disease / diseases of the respiratory system causes of death for children and young people aged 0-19 years in 2019 in the US ranked, compared to Covid-19 deaths either as the cumulative total incidence of Covid-19 deaths for March 1, 2020-April 30, 2022 or as annualized figures. Covid-19 is the leading cause of death. Deaths, crude rates per 100,000, and ranks are shown. Note that categories are overlapping, as indicated by the codes, e.g. pneumonia (J12-J18) is a subset of Influenza and pneumonia (J09-J18).

Covid-19 death rate in the US: March 1st, 2020-April 30th, 2022



Supplementary Figure S1. Covid-19 death rates in the US for children and young people, by approved and possible vaccination age groupings, calculated using reports to NCHS of Covid-19 as an underlying cause of death (ICD code U07.1). Rates are calculated as Covid-19 deaths for the period March 1, 2020-April 30, 2022 per 100,000 population (2020 population estimates).