Supplement 3 - Low back pain % of episodes including service by type of initial contact health care provider (HCP)																				
All Non-Surgical Episodes		Episodes		First Line							Second Line					Third Line				
		Count	%	Any	Manipulation - Chiropractic	Active Care	Passive Therapy	Manual Therapy	Acupuncture	Manipulation - Osteopathic	Any	Imaging - Radiography	Rx - NSAID	Rx - Skeletal Muscle Relaxant	Imaging - MRI	Any	Rx-Opioid	Spinal Injection	Spinal Surgery	Imaging-CT
Total		732917	100.0%	44.5%	34.2%	18.6%	15.4%	12.5%	0.9%	0.9%	52.3%	24.4%	22.6%	21.2%	8.5%	18.7%	14.8%	4.6%	0.0%	1.5%
Primary Care	PCP-reference	262616	33.9%	17.7%	6.8%	11.4%	5.8%	8.1%	0.3%	1.7%	64.1%	22.5%	33.4%	32.6%	8.1%	24.1%	21.1%	4.0%	0.0%	1.3%
	Nurse	51639	6.7%	16.9%	8.1%	10.9%	5.9%	7.0%	0.2%	0.4%	69.0%	23.5%	35.6%	38.9%	7.5%	23.0%	19.0%	5.1%	0.0%	1.6%
	PA	33372	4.3%	17.8%	7.0%	13.1%	5.1%	8.8%	0.3%	0.3%	72.7%	28.9%	34.2%	38.6%	10.1%	25.0%	20.1%	6.2%	0.0%	1.9%
	DO	740	0.1%	65.4%	3.8%	15.4%	4.7%	8.0%	0.8%	58.2%	27.4%	10.4%	11.1%	10.7%	6.5%	13.1%	8.6%	6.1%	0.0%	0.8%
	All	348367	45.0%	17.7%	7.0%	11.5%	5.7%	8.0%	0.3%	1.5%	65.6%	23.2%	33.7%	34.1%	8.2%	24.0%	20.7%	4.4%	0.0%	1.4%
Non-Prescriber	DC	233178	30.1%	96.8%	93.1%	28.8%	34.5%	17.7%	0.6%	0.2%	21.9%	15.3%	5.6%	3.9%	2.3%	5.4%	4.2%	1.2%	0.0%	0.3%
	PT	6767	0.9%	97.8%	10.2%	95.0%	26.7%	73.6%	1.5%	0.7%	43.5%	23.7%	13.3%	10.0%	18.1%	17.3%	9.1%	10.0%	0.0%	1.4%
	LAc	4159	0.5%	97.6%	9.1%	18.6%	42.6%	44.0%	88.2%	0.5%	11.8%	5.2%	5.2%	2.7%	3.1%	5.7%	3.7%	2.2%	0.0%	0.3%
	All	244104	31.5%	96.9%	89.3%	30.5%	34.4%	19.7%	2.2%	0.2%	22.4%	15.4%	5.8%	4.0%	2.7%	5.7%	4.4%	1.5%	0.0%	0.3%
Specialist	OS	41087	5.3%	27.4%	5.5%	23.8%	8.2%	16.7%	0.3%	0.6%	82.0%	61.9%	27.0%	14.1%	24.8%	23.4%	13.8%	11.6%	0.0%	2.2%
	PMR	18168	2.3%	29.9%	5.3%	26.0%	8.7%	18.8%	0.9%	1.4%	65.4%	34.8%	23.6%	16.8%	24.5%	38.5%	20.1%	23.9%	0.0%	1.6%
	PM	6922	0.9%	9.0%	1.7%	7.5%	2.7%	5.0%	0.1%	0.5%	47.4%	14.6%	16.6%	17.2%	17.0%	55.1%	32.0%	31.0%	0.0%	1.5%
	NS	5390	0.7%	22.3%	4.9%	19.2%	7.2%	13.4%	0.2%	0.1%	74.0%	39.1%	19.4%	16.3%	41.0%	30.7%	17.1%	14.3%	0.0%	7.5%
	Neuro	6628	0.9%	19.5%	7.3%	14.5%	6.6%	9.6%	0.4%	0.4%	62.9%	15.6%	24.6%	25.2%	27.3%	25.6%	17.6%	9.7%	0.0%	2.5%
	Rheu	6223	0.8%	15.2%	7.3%	10.1%	5.0%	7.1%	0.4%	0.2%	66.9%	35.5%	29.9%	17.8%	12.9%	24.2%	17.9%	8.4%	0.0%	1.5%
	MD (Oth)	14574	1.9%	21.7%	13.2%	11.3%	7.3%	7.9%	0.7%	1.3%	46.4%	18.6%	23.8%	16.3%	8.7%	30.5%	26.7%	4.8%	0.0%	2.0%
	All	98992	12.8%	24.1%	6.5%	19.5%	7.4%	13.7%	0.5%	0.8%	68.6%	41.3%	24.8%	16.2%	22.2%	30.0%	18.8%	14.0%	0.0%	2.3%
Emergency/Urgent Care	EM	21006	2.7%	11.8%	4.8%	8.2%	4.2%	5.7%	0.2%	0.3%	71.5%	31.6%	36.7%	41.1%	7.2%	35.2%	28.4%	2.7%	0.0%	8.7%
	Rad	15708	2.0%	4.8%	0.6%	4.4%	1.2%	2.8%	0.1%	0.0%	91.6%	74.3%	2.1%	1.6%	22.1%	11.1%	1.3%	2.4%	0.0%	7.9%
	UC	4740	0.6%	11.3%	4.9%	7.5%	3.6%	5.4%	0.2%	0.5%	60.8%	23.7%	28.2%	38.2%	3.6%	18.3%	16.5%	2.0%	0.0%	0.8%
	All	41454	5.4%	9.1%	3.2%	6.7%	3.0%	4.6%	0.2%	0.2%	77.9%	46.9%	22.6%	25.8%	12.4%	24.1%	16.8%	2.5%	0.0%	7.5%

PCP=Primary Care Provider, PA=Physician Assistant, DO=Doctor of Osteopathy, DC=Doctor of Chiropractic, PT=Physical Therapist, LAc=Licensed Acupuncturist, OS=Orthpedic Surgeon, PMR=Physical Medicine & Rehabilitation, PM=Pain Management, NS=Neurosurgeon, Neuro=Neurologist, Rheum=Rheumatologist, MD Oth=Other MD specialty, EM=Emergency Medicine, Rad=Radiologist, UC=Urgent Care

Cells with red text denote that the effect of provider type on service usage was found not to be significantly different from that of PCP-reference (Fisher's Exact $p > 0.001$)
Cells with black text denote that the effect of provider type on service usage was found to be significantly different from that of PCP-reference (Fisher's Exact $p < 0.001$)