Supplement 4 - Low back pain % of episodes including service by type of initial contact health care provider (HCP)																				
All Combined Surgical and Non-Surgical (Pooled) Episodes		Episodes		First Line							Second Line					Third Line				
		Count	%	Any	Manipulation - Chiropractic	Active Care	Passive Therapy	Manual Therapy	Acupuncture	Manipulation - Osteopathic	Any	Imaging - Radiography	Rx - NSAID	Rx - Skeletal Muscle Relaxant	Imaging - MRI	Any	Rx-Opioid	Spinal Injection	Spinal Surgery	Imaging-CT
Total		756631	100.0%	44.5%	33.5%	19.3%	15.4%	12.9%	0.9%	0.9%	53.5%	25.6%	23.1%	21.9%	10.3%	21.3%	16.2%	6.7%	3.1%	1.8%
Primary Care	PCP-reference	269925	33.8%	18.5%	6.9%	12.3%	6.1%	8.6%	0.3%	1.7%	64.9%	23.6%	33.8%	33.1%	9.8%	26.1%	22.3%	5.9%	2.7%	1.5%
	Nurse	53355	6.7%	17.7%	8.2%	11.7%	6.3%	7.6%	0.2%	0.4%	69.7%	24.6%	36.1%	39.3%	9.4%	25.5%	20.5%	7.3%	3.2%	1.9%
	PA	34781	4.4%	18.9%	7.1%	14.1%	5.5%	9.4%	0.3%	0.3%	73.5%	30.3%	34.5%	39.0%	12.4%	28.1%	22.0%	8.9%	4.1%	2.3%
	DO	747	0.1%	65.3%	3.7%	15.4%	4.7%	7.9%	0.9%	58.1%	28.0%	11.0%	11.2%	10.8%	6.8%	13.9%	9.0%	6.6%	0.9%	0.9%
	All	358808	44.9%	18.5%	7.1%	12.4%	6.1%	8.5%	0.3%	1.5%	66.4%	24.4%	34.2%	34.6%	10.0%	26.2%	22.0%	6.4%	2.9%	1.7%
Non-Prescriber	DC	234868	29.4%	96.8%	93.1%	29.0%	34.6%	17.9%	0.6%	0.2%	22.4%	15.7%	5.8%	4.2%	2.8%	6.1%	4.6%	1.7%	0.7%	0.4%
	PT	7143	0.9%	97.8%	10.2%	95.0%	27.4%	73.7%	1.5%	0.7%	45.9%	25.6%	14.4%	11.1%	20.6%	21.7%	11.5%	13.8%	5.3%	2.0%
	LAc	4193	0.5%	97.6%	9.3%	18.9%	42.7%	44.2%	88.2%	0.5%	12.4%	5.6%	5.3%	3.0%	3.6%	6.4%	4.2%	2.8%	0.8%	0.3%
	All	246204	30.8%	96.9%	89.2%	30.8%	34.6%	19.9%	2.2%	0.2%	23.0%	15.8%	6.1%	4.3%	3.3%	6.5%	4.8%	2.1%	0.9%	0.4%
Specialist	OS	45363	5.7%	28.8%	5.5%	25.3%	8.7%	17.5%	0.3%	0.5%	83.0%	63.3%	27.9%	15.9%	28.7%	30.6%	18.0%	16.6%	9.4%	3.1%
	PMR	19974	2.5%	30.6%	5.5%	26.8%	9.1%	19.2%	0.9%	1.4%	66.9%	36.1%	24.5%	18.2%	27.4%	44.1%	23.1%	29.6%	9.0%	2.2%
	PM	7958	1.0%	9.4%	1.7%	7.9%	2.9%	5.2%	0.1%	0.5%	48.1%	15.4%	16.9%	17.6%	18.7%	60.9%	32.5%	39.5%	13.0%	1.8%
	NS	7314	0.9%	26.9%	4.7%	24.0%	8.4%	15.9%	0.2%	0.1%	77.9%	46.9%	20.5%	22.7%	45.6%	49.0%	28.5%	22.3%	26.3%	9.9%
	Neuro	7115	0.9%	20.6%	7.3%	15.7%	7.1%	10.3%	0.4%	0.4%	64.5%	17.7%	25.1%	26.2%	29.6%	30.7%	20.1%	14.0%	6.8%	3.2%
	Rheu	6500	0.8%	16.1%	7.3%	11.0%	5.2%	7.6%	0.4%	0.3%	67.9%	36.4%	30.5%	19.0%	14.8%	27.4%	20.1%	11.2%	4.3%	1.9%
	MD (Oth)	15070	1.9%	22.4%	13.1%	12.1%	7.4%	8.4%	0.7%	1.3%	47.7%	19.9%	24.2%	17.2%	10.2%	32.8%	27.9%	6.9%	3.3%	2.4%
	All	109294	13.7%	25.4%	6.4%	20.9%	7.8%	14.5%	0.4%	0.7%	70.2%	43.2%	25.5%	17.9%	25.6%	36.6%	22.3%	19.2%	9.4%	3.1%
Emergency/ Urgent Care	EM	21545	2.7%	12.8%	5.0%	9.1%	4.5%	6.2%	0.2%	0.3%	72.1%	32.7%	37.1%	41.5%	9.1%	36.8%	29.6%	4.3%	2.5%	9.0%
	Rad	15971	2.0%	5.1%	0.6%	4.6%	1.3%	2.9%	0.1%	0.0%	91.5%	73.7%	2.2%	1.8%	22.9%	12.5%	1.7%	3.7%	1.6%	8.0%
	UC	4809	0.6%	12.1%	5.0%	8.2%	3.8%	5.9%	0.2%	0.5%	61.4%	24.5%	28.6%	38.4%	4.7%	19.5%	17.3%	3.0%	1.4%	0.9%
	All	42325	5.3%	9.8%	3.3%	7.3%	3.2%	5.0%	0.2%	0.2%	78.2%	47.2%	23.0%	26.1%	13.8%	25.7%	17.7%	3.9%	2.1%	7.7%

PCP=Primary Care Provider, PA=Physician Assistant, DO=Doctor of Osteopathy, DC=Doctor of Chiropractic, PT=Physical Therapist, LAc=Licensed Acupuncturist, OS=Orthpedic Surgeon, PMR=Physical Medicine & Rehabilitation, PM=Pain Management, NS=Neurosurgeon, Neuro=neurologist, Rheum=Rheumatologist, MD Oth=Other MD specialty, EM=Emergency Medicine, Rad=Radiologist, UC=Urgent Care

Cells with red text denote that the effect of provider type on service usage was found not to be significantly different from that of PCP-reference (Fisher's Exact $p > 0.001$)
Cells with black text denote that the effect of provider type on service usage was found to be significantly different from that of PCP-reference (Fisher's Exact $p < 0.001$)